

APPENDIX G: Intermediate-Risk Immunocompromised State Diagnosis Codes

Intermediate-risk immunocompromised state diagnosis codes: (IMMUITD)

| | | | |
|--------|--|------|--|
| B180 | Chronic viral hepatitis B with delta-agent | N016 | Rapidly progressive nephritic syndrome with dense deposit disease |
| B181 | Chronic viral hepatitis B without delta-agent | N017 | Rapidly progressive nephritic syndrome with diffuse crescentic |
| B182 | Chronic viral hepatitis C | N018 | Rapidly progressive nephritic syndrome with other morphologic changes |
| B520 | Plasmodium malariae malaria with nephropathy | N019 | Rapidly progressive nephritic syndrome with unspecified morphologic changes |
| D5702 | Hb-SS disease with splenic sequestration | N020 | Recurrent and persistent hematuria with minor glomerular abnormality |
| D57212 | Sickle-cell/Hb-C disease with splenic sequestration | N021 | Recurrent and persistent hematuria with focal and segmental glomerular lesions |
| D57412 | Sickle-cell thalassemia with splenic sequestration | N022 | Recurrent and persistent hematuria with diffuse membranous glomerulonephritis |
| D57812 | Other sickle-cell disorders with splenic sequestration | N023 | Recurrent and persistent hematuria with diffuse mesangial proliferative glomerulonephritis |
| D730 | Hyposplenism | N024 | Recurrent and persistent hematuria with diffuse endocapillary proliferative glomerulonephritis |
| D731 | Hypersplenism | N025 | Recurrent and persistent hematuria with diffuse mesangiocapillary glomerulonephritis |
| D732 | Chronic congestive splenomegaly | N026 | Recurrent and persistent hematuria with dense deposit disease |
| D733 | Abscess of spleen | N027 | Recurrent and persistent hematuria with diffuse crescentic glomerulonephritis |
| D735 | Infarction of spleen | N028 | Recurrent and persistent hematuria with other morphologic changes |

| | | | |
|-------|---|------|--|
| D7389 | Other diseases of spleen | N029 | Recurrent and persistent hematuria with unspecified morphologic changes |
| D739 | Disease of spleen, unspecified | N030 | Chronic nephritic syndrome with minor glomerular abnormality |
| I8500 | Esophageal varices without bleeding | N031 | Chronic nephritic syndrome with focal and segmental glomerular lesions |
| I8501 | Esophageal varices with bleeding | N032 | Chronic nephritic syndrome with diffuse membranous glomerulonephritis |
| I8510 | Secondary esophageal varices without bleeding | N033 | Chronic nephritic syndrome with diffuse mesangial proliferative glomerulonephritis |
| I8511 | Secondary esophageal varices with bleeding | N034 | Chronic nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis |
| K7210 | Chronic hepatic failure without coma | N035 | Chronic nephritic syndrome with diffuse mesangiocapillary glomerulonephritis |
| K7211 | Chronic hepatic failure with coma | N036 | Chronic nephritic syndrome with dense deposit disease |
| K7290 | Hepatic failure, unspecified without coma | N037 | Chronic nephritic syndrome with diffuse crescentic glomerulonephritis |
| K7291 | Hepatic failure, unspecified with coma | N038 | Chronic nephritic syndrome with other morphologic changes |
| K766 | Portal hypertension | N039 | Chronic nephritic syndrome with unspecified morphologic changes |
| K7681 | Hepatopulmonary syndrome | N040 | Nephrotic syndrome with minor glomerular abnormality |
| M320 | Drug-induced systemic lupus erythematosus | N041 | Nephrotic syndrome with focal and segmental glomerular lesions |
| M3210 | Systemic lupus erythematosus, organ or system involvement unspecified | N042 | Nephrotic syndrome with diffuse membranous glomerulonephritis |
| M3211 | Endocarditis in systemic lupus erythematosus | N043 | Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritis |

| | | | |
|-------|--|------|---|
| M3212 | Pericarditis in systemic lupus erythematosus | N044 | Nephrotic syndrome with diffuse endocapillaryproliferative glomerulonephritis |
| M3213 | Lung involvement in systemic lupus erythematosus | N045 | Nephrotic syndrome with diffuse mesangiocapillaryglomerulonephritis |
| M3214 | Glomerular disease in systemic lupus erythematosus | N046 | Nephrotic syndrome with dense deposit disease |
| M3215 | Tubulo-interstitial nephropathy in systemic lupuserythematosus | N047 | Nephrotic syndrome with diffuse crescenticglomerulonephritis |
| M3219 | Other organ or system involvement in systemic lupuserythematosus | N048 | Nephrotic syndrome with other morphologic changes |
| M328 | Other forms of systemic lupus erythematosus | N049 | Nephrotic syndrome with unspecified morphologicchanges |
| M329 | Systemic lupus erythematosus, unspecified | N050 | Unspecified nephritic syndrome with minor glomerularabnormality |
| M3300 | Juvenile dermatopolymyositis, organ involvementunspecified | N051 | Unspecified nephritic syndrome with focal and segmentalglomerular lesions |
| M3301 | Juvenile dermatopolymyositis with respiratoryinvolvement | N052 | Unspecified nephritic syndrome with diffuse membranousglomerulonephritis |
| M3302 | Juvenile dermatopolymyositis with myopathy | N053 | Unspecified nephritic syndrome with diffuse mesangialproliferative glomerulonephritis |
| M3309 | Juvenile dermatopolymyositis with other organinvolvement | N054 | Unspecified nephritic syndrome with diffuseendocapillary proliferative glomerulonephritis |
| M3310 | Other dermatopolymyositis, organ involvementunspecified | N055 | Unspecified nephritic syndrome with diffuseemesangiocapillary glomerulonephritis |
| M3311 | Other dermatopolymyositis with respiratory involvement | N056 | Unspecified nephritic syndrome with dense depositdisease |
| M3312 | Other dermatopolymyositis with myopathy | N057 | Unspecified nephritic syndrome with diffuse crescenticglomerulonephritis |
| M3319 | Other dermatopolymyositis with other organ involvement | N058 | Unspecified nephritic syndrome with other morphologicchanges |
| M3320 | Polymyositis, organ involvement unspecified | N059 | Unspecified nephritic syndrome with unspecifiedmorphologic changes |

| | | | |
|-------|---|------|--|
| M3321 | Polymyositis with respiratory involvement | N060 | Isolated proteinuria with minor glomerular abnormality |
| M3322 | Polymyositis with myopathy | N061 | Isolated proteinuria with focal and segmental glomerular lesions |
| M3329 | Polymyositis with other organ involvement | N062 | Isolated proteinuria with diffuse membranous glomerulonephritis |
| M3390 | Dermatopolymyositis, unspecified, organ involvement unspecified | N063 | Isolated proteinuria with diffuse mesangial proliferative glomerulonephritis |
| M3391 | Dermatopolymyositis, unspecified with respiratory involvement | N064 | Isolated proteinuria with diffuse endocapillary proliferative glomerulonephritis |
| M3392 | Dermatopolymyositis, unspecified with myopathy | N065 | Isolated proteinuria with diffuse mesangiocapillary glomerulonephritis |
| M3399 | Dermatopolymyositis, unspecified with other organ involvement | N066 | Isolated proteinuria with dense deposit disease |
| M340 | Progressive systemic sclerosis | N067 | Isolated proteinuria with diffuse crescentic glomerulonephritis |
| M341 | CR(E)ST syndrome | N068 | Isolated proteinuria with other morphologic lesion |
| M342 | Systemic sclerosis induced by drug and chemical | N069 | Isolated proteinuria with unspecified morphologic lesion |
| M3481 | Systemic sclerosis with lung involvement | N070 | Hereditary nephropathy, not elsewhere classified with minor glomerular abnormality |
| M3482 | Systemic sclerosis with myopathy | N071 | Hereditary nephropathy, not elsewhere classified with focal and segmental glomerular lesions |
| M3483 | Systemic sclerosis with polyneuropathy | N072 | Hereditary nephropathy, not elsewhere classified with diffuse membranous glomerulonephritis |
| M3489 | Other systemic sclerosis | N073 | Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritis |
| M349 | Systemic sclerosis, unspecified | N074 | Hereditary nephropathy, not elsewhere classified with diffuse endocapillary proliferative glomerulonephritis |

| | | | |
|-------|--|-------|--|
| M3500 | Sicca syndrome, unspecified | N075 | Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritis |
| M3501 | Sicca syndrome with keratoconjunctivitis | N076 | Hereditary nephropathy, not elsewhere classified with dense deposit disease |
| M3502 | Sicca syndrome with lung involvement | N077 | Hereditary nephropathy, not elsewhere classified with diffuse crescentic glomerulonephritis |
| M3503 | Sicca syndrome with myopathy | N078 | Hereditary nephropathy, not elsewhere classified with other morphologic lesions |
| M3504 | Sicca syndrome with tubulointerstitial nephropathy | N079 | Hereditary nephropathy, not elsewhere classified with unspecified morphologic lesions |
| M3509 | Sicca syndrome with other organ involvement | N140 | Analgesic nephropathy |
| M351 | Other overlap syndromes | N141 | Nephropathy induced by other drugs, medicaments and biological substances |
| M355 | Multifocal fibrosclerosis | N142 | Nephropathy induced by unspecified drug, medicament or biological substance |
| M358 | Other specified systemic involvement of connective tissue | N143 | Nephropathy induced by heavy metals |
| M359 | Systemic involvement of connective tissue, unspecified | N144 | Toxic nephropathy, not elsewhere classified |
| M360 | Dermato(poly)myositis in neoplastic disease | N150 | Balkan nephropathy |
| M368 | Systemic disorders of connective tissue in other diseases classified elsewhere | N158 | Other specified renal tubulointerstitial diseases |
| N000 | Acute nephritic syndrome with minor glomerular abnormality | N159 | Renal tubulointerstitial disease, unspecified |
| N001 | Acute nephritic syndrome with focal and segmental glomerular lesions | N16 | Renal tubulointerstitial disorders in diseases classified elsewhere |
| N002 | Acute nephritic syndrome with diffuse membranous glomerulonephritis | Q8901 | Asplenia (congenital) |

| | | | |
|------|---|---------|---|
| N003 | Acute nephritic syndrome with diffuse mesangialproliferative glomerulonephritis | Q8909 | Congenital malformations of spleen |
| N004 | Acute nephritic syndrome with diffuse endocapillaryproliferative glomerulonephritis | R64 | Cachexia |
| N005 | Acute nephritic syndrome with diffuse mesangiocapillaryglomerulonephritis | S3600XA | Unspecified injury of spleen, initial encounter |
| N006 | Acute nephritic syndrome with dense deposit disease | S36020A | Minor contusion of spleen, initial encounter |
| N007 | Acute nephritic syndrome with diffuse crescenticglomerulonephritis | S36021A | Major contusion of spleen, initial encounter |
| N008 | Acute nephritic syndrome with other morphologicchanges | S36029A | Unspecified contusion of spleen, initial encounter |
| N009 | Acute nephritic syndrome with unspecified morphologicchanges | S36030A | Superficial (capsular) laceration of spleen, initialencounter |
| N010 | Rapidly progressive nephritic syndrome with minorglomerular abnormality | S36031A | Moderate laceration of spleen, initial encounter |
| N011 | Rapidly progressive nephritic syndrome with focal andsegmental glomerular lesions | S36032A | Major laceration of spleen, initial encounter |
| N012 | Rapidly progressive nephritic syndrome with diffusemembranous glomerulonephritis | S36039A | Unspecified laceration of spleen, initial encounter |
| N013 | Rapidly progressive nephritic syndrome with diffusemesangial proliferative glomerulonephritis | S3609XA | Other injury of spleen, initial encounter |
| N014 | Rapidly progressive nephritic syndrome with diffuseendocapillary proliferative glomerulonephritis | M3303 | Juvenile dermatomyositis without myopathy |
| N015 | Rapidly progressive nephritic syndrome with diffusemesangiocapillary glomerulonephritis | M3313 | Other dermatomyositis without myopathy |
| | | M3393 | Dermatopolymyositis, unspecified without myopathy |

Cirrhosis diagnosis codes: (HEPFA2D)

| | | | |
|-------|--|-------|--------------------------------|
| K702 | Alcoholic fibrosis and sclerosis of liver | K744 | Secondary biliary cirrhosis |
| K7030 | Alcoholic cirrhosis of liver without ascites | K745 | Biliary cirrhosis, unspecified |
| K7031 | Alcoholic cirrhosis of liver with ascites | K7460 | Unspecified cirrhosis of liver |
| K740 | Hepatic fibrosis | K7469 | Other cirrhosis of liver |
| K743 | Primary biliary cirrhosis | | |

Hepatic failure diagnosis codes: (HEPFA3D)

| | | | |
|-------|---|-------|---|
| K7040 | Alcoholic hepatic failure without coma | K7210 | Chronic hepatic failure without coma |
| K7041 | Alcoholic hepatic failure with coma | K7211 | Chronic hepatic failure with coma |
| K7110 | Toxic liver disease with hepatic necrosis, without coma | K7290 | Hepatic failure, unspecified without coma |
| K7111 | Toxic liver disease with hepatic necrosis, with coma | K7291 | Hepatic failure, unspecified with coma |
| K7200 | Acute and subacute hepatic failure without coma | K767 | Hepatorenal syndrome |
| K7201 | Acute and subacute hepatic failure with coma | | |