



**AHRQ Quality Indicators™ (AHRQ QI™)  
ICD-9-CM and ICD-10-CM/PCS  
Specification Enhanced Version 5.0**

**Inpatient Quality Indicators #28 (IQI #28)  
Hysterectomy Rate**

**October 2015  
Area-Level Indicator  
Type of Score: Rate**

**Prepared by:**

Agency for Healthcare Research and Quality  
U.S. Department of Health and Human Services  
540 Gaither Road  
Rockville, MD 20850  
[www.qualityindicators.ahrq.gov](http://www.qualityindicators.ahrq.gov)

## IQI #28 Hysterectomy Rate

DESCRIPTION
-------------

Hysterectomy discharges per 100,000 female population, ages 18 and older. Excludes genital cancer discharges, pelvic or lower-abdominal trauma discharges, and obstetric discharges.

*[NOTE: The software provides the rate per population. However, common practice reports the measure as per 100,000 population. The user must multiply the rate obtained from the software by 100,000 to report discharges per 100,000 population.]*

### IQI #28 Hysterectomy Rate

NUMERATOR			
Female discharges, for patients ages 18 years and older, with any-listed ICD-9-CM or ICD-10-PCS procedure codes for hysterectomy.			
<i>Hysterectomy procedure codes: (PRHYSTP)</i>			
ICD-9-CM	Description	ICD-10-PCS	Description
683	SUBTOT ABD HYSTERECTOMY	0UT90ZZ	Resection of Uterus, Open Approach
6831	LAP SCERVIC HYSTERECTOMY	0UT94ZZ	Resection of Uterus, Percutaneous Endoscopic Approach
6839	OTH SUBTOT ABD HYSTERECT	0UT97ZZ	Resection of Uterus, Via Natural or Artificial Opening
684	TOTAL ABD HYSTERECTOMY	0UT98ZZ	Resection of Uterus, Via Natural or Artificial Opening Endoscopic
6841	LAP TOTAL ABDOMINAL HYST	0UT9FZZ	Resection of Uterus, Via Natural or Artificial Opening With Percutaneous Endoscopic Assistance
6849	TOTAL ABD HYST NEC/NOS		
685	VAGINAL HYSTERECTOMY		
6851	LAPAR ASSIST VAG HYS		
6859	OTH VAG HYS		
686	RADICAL ABD HYSTERECTOMY		
6861	LAP RADICAL ABDOMNL HYST		
6869	RADICAL ABD HYST NEC/NOS		
687	RADICAL VAG HYSTERECTOMY		
6871	LAP RADICAL VAGINAL HYST		
6879	RADICAL VAG HYST NEC/NOS		
689	HYSTERECTOMY NEC/NOS		

### IQI #28 Hysterectomy Rate

#### NUMERATOR EXCLUSIONS

Exclude cases:

- with any-listed ICD-9-CM or ICD-10-CM diagnosis codes for female genital cancer
- with any-listed ICD-9-CM or ICD-10-CM diagnosis codes for pelvic or lower abdominal trauma
- MDC 14 (pregnancy, childbirth, and puerperium)
- with missing gender (SEX=missing), age (AGE=missing), quarter (DQTR=missing), year (YEAR=missing) or principal diagnosis (DX1=missing)

#### Female genital cancer diagnosis codes: (PRHYS1D)

ICD-9-CM	Description	ICD-10-CM	Description
179	MALIG NEOPL UTERUS NOS	C510	Malignant neoplasm of labium majus
1800	MALIG NEO ENDOCERVIX	C511	Malignant neoplasm of labium minus
1801	MALIG NEO EXOCERVIX	C512	Malignant neoplasm of clitoris
1808	MALIG NEO CERVIX NEC	C518	Malignant neoplasm of overlapping sites of vulva
1809	MAL NEO CERVIX UTERI NOS	C519	Malignant neoplasm of vulva, unspecified
181	MALIGNANT NEOPL PLACENTA	C52	Malignant neoplasm of vagina
1820	MALIG NEO CORPUS UTERI	C530	Malignant neoplasm of endocervix
1821	MAL NEO UTERINE ISTHMUS	C531	Malignant neoplasm of exocervix
1828	MAL NEO BODY UTERUS NEC	C538	Malignant neoplasm of overlapping sites of cervix uteri
1830	MALIGN NEOPL OVARY	C539	Malignant neoplasm of cervix uteri, unspecified
1832	MAL NEO FALLOPIAN TUBE	C540	Malignant neoplasm of isthmus uteri
1833	MAL NEO BROAD LIGAMENT	C541	Malignant neoplasm of endometrium
1834	MALIG NEO PARAMETRIUM	C542	Malignant neoplasm of myometrium
1835	MAL NEO ROUND LIGAMENT	C543	Malignant neoplasm of fundus uteri
1838	MAL NEO ADNEXA NEC	C548	Malignant neoplasm of overlapping sites of corpus uteri
1839	MAL NEO ADNEXA NOS	C549	Malignant neoplasm of corpus uteri, unspecified
1840	MALIGN NEOPL VAGINA	C55	Malignant neoplasm of uterus, part unspecified

IQI #28 Hysterectomy Rate

www.qualityindicators.ahrq.gov

1841	MAL NEO LABIA MAJORA	C561	Malignant neoplasm of right ovary
1842	MAL NEO LABIA MINORA	C562	Malignant neoplasm of left ovary
1843	MALIGN NEOPL CLITORIS	C569	Malignant neoplasm of unspecified ovary
1844	MALIGN NEOPL VULVA NOS	C5700	Malignant neoplasm of unspecified fallopian tube
1848	MAL NEO FEMALE GENIT NEC	C5701	Malignant neoplasm of right fallopian tube
1849	MAL NEO FEMALE GENIT NOS	C5702	Malignant neoplasm of left fallopian tube
2331	CA IN SITU CERVIX UTERI	C5710	Malignant neoplasm of unspecified broad ligament
2332	CA IN SITU UTERUS NEC	C5711	Malignant neoplasm of right broad ligament
2333	CA IN SITU FEM GEN NEC	C5712	Malignant neoplasm of left broad ligament
23330	CA IN SITU FEM GEN NOS	C5720	Malignant neoplasm of unspecified round ligament
23331	CARCINOMA IN SITU VAGINA	C5721	Malignant neoplasm of right round ligament
23332	CARCINOMA IN SITU VULVA	C5722	Malignant neoplasm of left round ligament
23339	CA IN SITU FEM GEN NEC	C573	Malignant neoplasm of parametrium
2360	UNCERT BEHAV NEO UTERUS	C574	Malignant neoplasm of uterine adnexa, unspecified
2361	UNC BEHAV NEO PLACENTA	C577	Malignant neoplasm of other specified female genital organs
2362	UNC BEHAV NEO OVARY	C578	Malignant neoplasm of overlapping sites of female genital organs
2363	UNC BEHAV NEO FEMALE NEC	C579	Malignant neoplasm of female genital organ, unspecified
		C58	Malignant neoplasm of placenta
		D060	Carcinoma in situ of endocervix
		D061	Carcinoma in situ of exocervix
		D067	Carcinoma in situ of other parts of cervix
		D069	Carcinoma in situ of cervix, unspecified
		D070	Carcinoma in situ of endometrium
		D071	Carcinoma in situ of vulva
		D072	Carcinoma in situ of vagina
		D0730	Carcinoma in situ of unspecified female genital organs
		D0739	Carcinoma in situ of other female genital organs
		D390	Neoplasm of uncertain behavior of uterus
		D3910	Neoplasm of uncertain behavior of unspecified ovary

D3911	Neoplasm of uncertain behavior of right ovary
D3912	Neoplasm of uncertain behavior of left ovary
D392	Neoplasm of uncertain behavior of placenta
D398	Neoplasm of uncertain behavior of other specified female genital organs
D399	Neoplasm of uncertain behavior of female genital organ, unspecified

***Pelvic or lower abdominal trauma diagnosis codes: (PRHYS2D)***

<b>ICD-9-CM</b>	<b>Description</b>	<b>ICD-10-CM</b>	<b>Description</b>
8674	UTERUS INJURY-CLOSED	S31000S	Unspecified open wound of lower back and pelvis without penetration into retroperitoneum, sequela
8675	UTERUS INJURY-OPEN	S31001A	Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, initial encounter
8676	PELVIC ORGAN INJ NEC-CL	S31001S	Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, sequela
8677	PELVIC ORGAN INJ NEC-OPN	S31010A	Laceration without foreign body of lower back and pelvis without penetration into retroperitoneum, initial encounter
8678	PELVIC ORGAN INJ NOS-CL	S31010S	Laceration without foreign body of lower back and pelvis without penetration into retroperitoneum, sequela
8679	PELVIC ORGAN INJ NOS-OPN	S31011A	Laceration without foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter
86800	INTRA-ABDOM INJ NOS-CLOS	S31011S	Laceration without foreign body of lower back and pelvis with penetration into retroperitoneum, sequela
86803	PERITONEUM INJURY-CLOSED	S31020A	Laceration with foreign body of lower back and pelvis without penetration into retroperitoneum, initial encounter
86804	RETROPERITONEUM INJ-CL	S31020S	Laceration with foreign body of lower back and pelvis without penetration into retroperitoneum, sequela

## IQI #28 Hysterectomy Rate

www.qualityindicators.ahrq.gov

86809	INTRA-ABDOM INJ NEC-CLOS	S31021A	Laceration with foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter
86810	INTRA-ABDOM INJ NOS-OPEN	S31021S	Laceration with foreign body of lower back and pelvis with penetration into retroperitoneum, sequela
86813	PERITONEUM INJURY-OPEN	S31030A	Puncture wound without foreign body of lower back and pelvis without penetration into retroperitoneum, initial encounter
86814	RETROPERITONEUM INJ-OPEN	S31030S	Puncture wound without foreign body of lower back and pelvis without penetration into retroperitoneum, sequela
86819	INTRA-ABDOM INJ NEC-OPEN	S31031A	Puncture wound without foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter
8690	INTERNAL INJ NOS-CLOSED	S31031S	Puncture wound without foreign body of lower back and pelvis with penetration into retroperitoneum, sequela
8691	INTERNAL INJURY NOS-OPEN	S31040A	Puncture wound with foreign body of lower back and pelvis without penetration into retroperitoneum, initial encounter
8796	OPEN WOUND OF TRUNK NEC	S31040S	Puncture wound with foreign body of lower back and pelvis without penetration into retroperitoneum, sequela
8797	OPEN WND TRUNK NEC-COMPL	S31041A	Puncture wound with foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter
8798	OPEN WOUND SITE NOS	S31041S	Puncture wound with foreign body of lower back and pelvis with penetration into retroperitoneum, sequela
8799	OPN WOUND SITE NOS-COMPL	S31050A	Open bite of lower back and pelvis without penetration into retroperitoneum, initial encounter
9060	LT EFF OPN WND HEAD/TRNK	S31050S	Open bite of lower back and pelvis without penetration into retroperitoneum, sequela
9081	LATE EFF INT INJ ABDOMEN	S31051A	Open bite of lower back and pelvis with penetration into retroperitoneum, initial encounter

## IQI #28 Hysterectomy Rate

www.qualityindicators.ahrq.gov

9082	LATE EFF INT INJURY NEC	S31051S	Open bite of lower back and pelvis with penetration into retroperitoneum, sequela
9391	FOREIGN BODY UTERUS	S31600A	Unspecified open wound of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter
9474	BURN OF VAGINA & UTERUS	S31600S	Unspecified open wound of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela
		S31601A	Unspecified open wound of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter
		S31601S	Unspecified open wound of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela
		S31602A	Unspecified open wound of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter
		S31602S	Unspecified open wound of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela
		S31603A	Unspecified open wound of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter
		S31603S	Unspecified open wound of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela
		S31604A	Unspecified open wound of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter
		S31604S	Unspecified open wound of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela
		S31605A	Unspecified open wound of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter



S31605S	Unspecified open wound of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela
S31609A	Unspecified open wound of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter
S31609S	Unspecified open wound of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela
S31610A	Laceration without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter
S31610S	Laceration without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela
S31611A	Laceration without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter
S31611S	Laceration without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela
S31612A	Laceration without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter
S31612S	Laceration without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela
S31613A	Laceration without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter
S31613S	Laceration without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela

S31614A	Laceration without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter
S31614S	Laceration without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela
S31615A	Laceration without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter
S31615S	Laceration without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela
S31619A	Laceration without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter
S31619S	Laceration without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela
S31620A	Laceration with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter
S31620S	Laceration with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela
S31621A	Laceration with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter
S31621S	Laceration with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela

S31622A	Laceration with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter
S31622S	Laceration with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela
S31623A	Laceration with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter
S31623S	Laceration with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela
S31624A	Laceration with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter
S31624S	Laceration with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela
S31625A	Laceration with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter
S31625S	Laceration with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela
S31629A	Laceration with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter
S31629S	Laceration with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela

S31630A	Puncture wound without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter
S31630S	Puncture wound without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela
S31631A	Puncture wound without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter
S31631S	Puncture wound without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela
S31632A	Puncture wound without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter
S31632S	Puncture wound without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela
S31633A	Puncture wound without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter
S31633S	Puncture wound without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela
S31634A	Puncture wound without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter
S31634S	Puncture wound without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela

S31635A	Puncture wound without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter
S31635S	Puncture wound without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela
S31639A	Puncture wound without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter
S31639S	Puncture wound without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela
S31640A	Puncture wound with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter
S31640S	Puncture wound with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela
S31641A	Puncture wound with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter
S31641S	Puncture wound with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela
S31642A	Puncture wound with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter
S31642S	Puncture wound with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela

S31643A	Puncture wound with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter
S31643S	Puncture wound with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela
S31644A	Puncture wound with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter
S31644S	Puncture wound with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela
S31645A	Puncture wound with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter
S31645S	Puncture wound with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela
S31649A	Puncture wound with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter
S31649S	Puncture wound with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela
S31650A	Open bite of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter
S31650S	Open bite of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela
S31651A	Open bite of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter
S31651S	Open bite of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela

## IQI #28 Hysterectomy Rate

www.qualityindicators.ahrq.gov

S31652A	Open bite of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter
S31652S	Open bite of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela
S31653A	Open bite of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter
S31653S	Open bite of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela
S31654A	Open bite of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter
S31654S	Open bite of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela
S31655A	Open bite of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter
S31655S	Open bite of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela
S31659A	Open bite of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter
S31659S	Open bite of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela
S3681XA	Injury of peritoneum, initial encounter
S3681XS	Injury of peritoneum, sequela
S36892A	Contusion of other intra-abdominal organs, initial encounter
S36892S	Contusion of other intra-abdominal organs, sequela
S36893A	Laceration of other intra-abdominal organs, initial encounter
S36893S	Laceration of other intra-abdominal organs, sequela
S36898A	Other injury of other intra-abdominal organs, initial encounter
S36898S	Other injury of other intra-abdominal organs, sequela

## IQI #28 Hysterectomy Rate

www.qualityindicators.ahrq.gov

S36899A	Unspecified injury of other intra-abdominal organs, initial encounter
S36899S	Unspecified injury of other intra-abdominal organs, sequela
S3690XA	Unspecified injury of unspecified intra-abdominal organ, initial encounter
S3690XS	Unspecified injury of unspecified intra-abdominal organ, sequela
S3692XA	Contusion of unspecified intra-abdominal organ, initial encounter
S3692XS	Contusion of unspecified intra-abdominal organ, sequela
S3693XA	Laceration of unspecified intra-abdominal organ, initial encounter
S3693XS	Laceration of unspecified intra-abdominal organ, sequela
S3699XA	Other injury of unspecified intra-abdominal organ, initial encounter
S3699XS	Other injury of unspecified intra-abdominal organ, sequela
S37401A	Unspecified injury of ovary, unilateral, initial encounter
S37401S	Unspecified injury of ovary, unilateral, sequela
S37402A	Unspecified injury of ovary, bilateral, initial encounter
S37402S	Unspecified injury of ovary, bilateral, sequela
S37409A	Unspecified injury of ovary, unspecified, initial encounter
S37409S	Unspecified injury of ovary, unspecified, sequela
S37421A	Contusion of ovary, unilateral, initial encounter
S37421S	Contusion of ovary, unilateral, sequela
S37422A	Contusion of ovary, bilateral, initial encounter
S37422S	Contusion of ovary, bilateral, sequela
S37429A	Contusion of ovary, unspecified, initial encounter
S37429S	Contusion of ovary, unspecified, sequela
S37431A	Laceration of ovary, unilateral, initial encounter



## IQI #28 Hysterectomy Rate

www.qualityindicators.ahrq.gov

S37431S	Laceration of ovary, unilateral, sequela
S37432A	Laceration of ovary, bilateral, initial encounter
S37432S	Laceration of ovary, bilateral, sequela
S37439A	Laceration of ovary, unspecified, initial encounter
S37439S	Laceration of ovary, unspecified, sequela
S37491A	Other injury of ovary, unilateral, initial encounter
S37491S	Other injury of ovary, unilateral, sequela
S37492A	Other injury of ovary, bilateral, initial encounter
S37492S	Other injury of ovary, bilateral, sequela
S37499A	Other injury of ovary, unspecified, initial encounter
S37499S	Other injury of ovary, unspecified, sequela
S37501A	Unspecified injury of fallopian tube, unilateral, initial encounter
S37501S	Unspecified injury of fallopian tube, unilateral, sequela
S37502A	Unspecified injury of fallopian tube, bilateral, initial encounter
S37502S	Unspecified injury of fallopian tube, bilateral, sequela
S37509A	Unspecified injury of fallopian tube, unspecified, initial encounter
S37509S	Unspecified injury of fallopian tube, unspecified, sequela
S37511A	Primary blast injury of fallopian tube, unilateral, initial encounter
S37511S	Primary blast injury of fallopian tube, unilateral, sequela
S37512A	Primary blast injury of fallopian tube, bilateral, initial encounter
S37512S	Primary blast injury of fallopian tube, bilateral, sequela
S37519A	Primary blast injury of fallopian tube, unspecified, initial encounter
S37519S	Primary blast injury of fallopian tube, unspecified,
S37521A	Contusion of fallopian tube, unilateral, initial encounter
S37521S	Contusion of fallopian tube, unilateral, sequela

## IQI #28 Hysterectomy Rate

www.qualityindicators.ahrq.gov

S37522A	Contusion of fallopian tube, bilateral, initial encounter
S37522S	Contusion of fallopian tube, bilateral, sequela
S37529A	Contusion of fallopian tube, unspecified, initial encounter
S37529S	Contusion of fallopian tube, unspecified, sequela
S37531A	Laceration of fallopian tube, unilateral, initial encounter
S37531S	Laceration of fallopian tube, unilateral, sequela
S37532A	Laceration of fallopian tube, bilateral, initial encounter
S37532S	Laceration of fallopian tube, bilateral, sequela
S37539A	Laceration of fallopian tube, unspecified, initial encounter
S37539S	Laceration of fallopian tube, unspecified, sequela
S37591A	Other injury of fallopian tube, unilateral, initial encounter
S37591S	Other injury of fallopian tube, unilateral, sequela
S37592A	Other injury of fallopian tube, bilateral, initial encounter
S37592S	Other injury of fallopian tube, bilateral, sequela
S37599A	Other injury of fallopian tube, unspecified, initial encounter
S37599S	Other injury of fallopian tube, unspecified, sequela
S3760XA	Unspecified injury of uterus, initial encounter
S3760XS	Unspecified injury of uterus, sequela
S3762XA	Contusion of uterus, initial encounter
S3762XS	Contusion of uterus, sequela
S3763XA	Laceration of uterus, initial encounter
S3763XS	Laceration of uterus, sequela
S3769XA	Other injury of uterus, initial encounter
S3769XS	Other injury of uterus, sequela
S37892A	Contusion of other urinary and pelvic organ, initial encounter
S37892S	Contusion of other urinary and pelvic organ, sequela
S37893A	Laceration of other urinary and pelvic organ, initial encounter

S37893S	Laceration of other urinary and pelvic organ, sequela
S37898A	Other injury of other urinary and pelvic organ, initial encounter
S37898S	Other injury of other urinary and pelvic organ, sequela
S37899A	Unspecified injury of other urinary and pelvic organ, initial encounter
S37899S	Unspecified injury of other urinary and pelvic organ, sequela
S3790XA	Unspecified injury of unspecified urinary and pelvic organ, initial encounter
S3790XS	Unspecified injury of unspecified urinary and pelvic organ, sequela
S3792XA	Contusion of unspecified urinary and pelvic organ, initial encounter
S3792XS	Contusion of unspecified urinary and pelvic organ, sequela
S3793XA	Laceration of unspecified urinary and pelvic organ, initial encounter
S3793XS	Laceration of unspecified urinary and pelvic organ, sequela
S3799XA	Other injury of unspecified urinary and pelvic organ, initial encounter
S3799XS	Other injury of unspecified urinary and pelvic organ, sequela
S38211S	Complete traumatic amputation of female external genital organs, sequela
S38212S	Partial traumatic amputation of female external genital organs, sequela
S383XXA	Transection (partial) of abdomen, initial encounter
S383XXS	Transection (partial) of abdomen, sequela
S39021A	Laceration of muscle, fascia and tendon of abdomen, initial encounter

S39021S	Laceration of muscle, fascia and tendon of abdomen, sequela
S39022A	Laceration of muscle, fascia and tendon of lower back, initial encounter
S39022S	Laceration of muscle, fascia and tendon of lower back, sequela
S39023A	Laceration of muscle, fascia and tendon of pelvis, initial encounter
S39023S	Laceration of muscle, fascia and tendon of pelvis, sequela
T193XXA	Foreign body in uterus, initial encounter
T283XXA	Burn of internal genitourinary organs, initial encounter
T288XXA	Corrosion of internal genitourinary organs, initial encounter

## IQI #28 Hysterectomy Rate

### DENOMINATOR

Female population ages 18 years and older in metropolitan area<sup>1</sup> or county. Discharges in the numerator are assigned to the denominator based on the metropolitan area or county of the patient residence, not the metropolitan area or county of the hospital where the discharge occurred.

<sup>1</sup> The term “metropolitan area” (MA) was adopted by the U.S. Census in 1990 and referred collectively to metropolitan statistical areas (MSAs), consolidated metropolitan statistical areas (CMSAs), and primary metropolitan statistical areas (PMSAs). In addition, “area” could refer to either 1) FIPS county, 2) modified FIPS county, 3) 1999 OMB Metropolitan Statistical Area, or 4) 2003 OMB Metropolitan Statistical Area. Micropolitan Statistical Areas are not used in the QI software.

IQI #28 Hysterectomy Rate

[www.qualityindicators.ahrq.gov](http://www.qualityindicators.ahrq.gov)

### IQI #28 Hysterectomy Rate

<b>DENOMINATOR EXCLUSIONS</b>
<i>Not Applicable</i>