



Prevention Quality Indicator 02 (PQI 02) Perforated Appendix Admission Rate June 2018 Area-Level Indicator Type of Score: Rate

Prepared by:

Agency for Healthcare Research and Quality

U.S. Department of Health and Human Services

www.qualityindicators.ahrq.gov

DESCRIPTION

Discharges with a diagnosis of perforation or abscesses of the appendix per 1,000 discharges with a diagnosis appendicitis, ages 18 years and older. Excludes obstetric admissions and transfers from other institutions.

[NOTE: The software provides the rate per hospital admission. However, common practice reports the measure as per 1,000 admissions. The user must multiply the rate obtained from the software by 1,000 to report cases per 1,000 admissions.]

NUMERATOR

Discharges, among cases meeting the inclusion and exclusion rules for the denominator, with any-listed ICD-10-CM diagnosis codes for perforations or abscesses of appendix (*ACSAPPD*^{*}).

DENOMINATOR

Discharges, for patients ages 18 years and older, with any-listed ICD-10-CM diagnosis codes for appendicitis (*ACSAP2D*^{*}). Discharges are assigned to the denominator based on the metropolitan area[†] or county of the patient residence, not the metropolitan area or county of the hospital where the discharge occurred.

[†]The term “metropolitan area” (MA) was adopted by the U.S. Census in 1990 and referred collectively to metropolitan statistical areas (MSAs), consolidated metropolitan statistical areas (CMSAs), and primary metropolitan statistical areas (PMSAs). In addition, “area” could refer to either 1) FIPS county, 2) modified FIPS county, 3) 1999 OMB Metropolitan Statistical Area, or 4) 2003 OMB Metropolitan Statistical Area. Micropolitan Statistical Areas are not used in the QI software.

DENOMINATOR EXCLUSIONS

Exclude cases:

- with admission source for transferred from a different hospital or other health care facility (*Appendix A*) (UB04 Admission source - 2, 3)
- with a point of origin code for transfer from a hospital, Skilled Nursing Facility (SNF) or Intermediate Care Facility (ICF), or other healthcare facility (*Appendix A*) (UB04 Point of Origin - 4,5,6)
- with a Major Diagnostic Category for Pregnancy, Childbirth and Puerperium, (MDC 14)
- with missing gender (SEX=missing), age (AGE=missing), quarter (DQTR=missing), year (YEAR=missing), principal diagnosis (DX1=missing), or county (PSTCO=missing)

[Appendix A - Admission Codes for Transfers](#)

* See below for code list

Perforations or abscesses of appendix diagnosis codes: (ACSAPPD)

K352 Acute appendicitis with generalized peritonitis K353 Acute appendicitis with localized peritonitis

Appendicitis diagnosis codes: (ACSAP2D)

K352	Acute appendicitis with generalized peritonitis	K3589	Other acute appendicitis
K353	Acute appendicitis with localized peritonitis	K37	Unspecified appendicitis
K3580	Unspecified acute appendicitis		