

Patient Safety Indicator 09 (PSI 09) Postoperative Hemorrhage or Hematoma Rate

July 2022

Hospital-Level Indicator

Type of Score: Rate

Prepared by:

Agency for Healthcare Research and Quality

U.S. Department of Health and Human Services

qualityindicators.ahrq.gov

DESCRIPTION

Discharges with postoperative hemorrhage or hematoma (secondary diagnosis) associated with a procedure to treat the hemorrhage or hematoma following surgery, per 1,000 surgical discharges for patients ages 18 years and older. Excludes discharges with a principal diagnosis of postoperative hemorrhage or hematoma, or with a secondary diagnosis of postoperative hemorrhage or hematoma present on admission; discharges in which the only operating room procedure is for treatment of postoperative hemorrhage or hematoma, or discharges in which the treatment of postoperative hemorrhage or hematoma occurs before the first operating room procedure; discharges with a diagnosis of coagulation disorder; and obstetric discharges.

[NOTE: The software provides the rate per hospital discharge. However, common practice reports the measure as per 1,000 discharges. The user must multiply the rate obtained from the software by 1,000 to report events per 1,000 hospital discharges.]

NUMERATOR

Discharges, among cases meeting the inclusion and exclusion rules for the denominator, with any secondary ICD-10-CM diagnosis code for postoperative hemorrhage or hematoma (*POHMR12D**) and any listed ICD-10-PCS procedure code for treatment of hemorrhage or hematoma*** (*HEMOTH2P**)

***The ICD-10-CM specification is limited to postoperative hemorrhage or hematoma.

DENOMINATOR

Surgical discharges (*Appendix E: SURGI2R*), for patients ages 18 years and older, with any listed ICD-10-PCS procedure code for an operating room procedure (*Appendix A: ORPROC*). Surgical discharges are defined by specific MS-DRG codes.

[Appendix A - Operating Room Procedure Codes](#)

[Appendix E - Surgical Discharge MS-DRGs](#)

DENOMINATOR EXCLUSIONS

Exclude discharges:

- with a principal ICD-10-CM diagnosis code (or secondary diagnosis present on admission) for postoperative hemorrhage or postoperative hematoma (*POHMRI2D**)
- where the only operating room procedure (*Appendix A: ORPROC*) is for treatment of postoperative hemorrhage or hematoma (*HEMOTH2P**)
- where the treatment of postoperative hemorrhage or hematoma (*HEMOTH2P**) occurs before the first operating room procedure (*Appendix A: ORPROC*), if the dates of both procedures are available
- with any listed ICD-10-CM diagnosis code for coagulation disorder (*COAGDID**)
- MDC 14 (pregnancy, childbirth, and puerperium)
- MDC 15 (newborns and other neonates with conditions originating in perinatal period)
- with an ungroupable DRG (DRG=999)
- with missing gender (SEX=missing), age (AGE=missing), quarter (DQTR=missing), year (YEAR=missing), or principal diagnosis (DX1=missing)
- with missing MDC (MDC=missing) when the user indicates that MDC is provided

* See below for code list

Postprocedural hemorrhage or hematoma diagnosis codes: (POHMR12D)

| | | | |
|--------|---|--------|---|
| D7821 | Postprocedural hemorrhage of the spleen following a procedure on the spleen | H9552 | Postprocedural hematoma of ear and mastoid process following other procedure |
| D7822 | Postprocedural hemorrhage of the spleen following other procedure | I97610 | Postprocedural hemorrhage of a circulatory system organ or structure following a cardiac catheterization |
| D7831 | Postprocedural hematoma of the spleen following a procedure on the spleen | I97611 | Postprocedural hemorrhage of a circulatory system organ or structure following cardiac bypass |
| D7832 | Postprocedural hematoma of the spleen following other procedure | I97618 | Postprocedural hemorrhage of a circulatory system organ or structure following other circulatory system procedure |
| E89810 | Postprocedural hemorrhage of an endocrine system organ or structure following an endocrine system procedure | I9762 | Postprocedural hemorrhage and hematoma of a circulatory system organ or structure following other procedure |
| E89811 | Postprocedural hemorrhage of an endocrine system organ or structure following other procedure | I97620 | Postprocedural hemorrhage of a circulatory system organ or structure following other procedure |
| E89820 | Postprocedural hematoma of an endocrine system organ or structure following an endocrine system procedure | I97621 | Postprocedural hematoma of a circulatory system organ or structure following other procedure |
| E89821 | Postprocedural hematoma of an endocrine system organ or structure following other procedure | I97630 | Postprocedural hematoma of a circulatory system organ or structure following a cardiac catheterization |
| G9751 | Postprocedural hemorrhage of a nervous system organ or structure following a nervous system procedure | I97631 | Postprocedural hematoma of a circulatory system organ or structure following cardiac bypass |
| G9752 | Postprocedural hemorrhage of a nervous system organ or structure following other procedure | I97638 | Postprocedural hematoma of a circulatory system organ or structure following other circulatory system procedure |
| G9761 | Postprocedural hematoma of a nervous system organ or structure following a nervous system procedure | J95830 | Postprocedural hemorrhage of a respiratory system organ or structure following a respiratory system procedure |
| G9762 | Postprocedural hematoma of a nervous system organ or structure following other procedure | J95831 | Postprocedural hemorrhage of a respiratory system organ or structure following other procedure |

| | | | |
|--------|---|--------|---|
| H59311 | Postprocedural hemorrhage of right eye and adnexa following an ophthalmic procedure | J95860 | Postprocedural hematoma of a respiratory system organ or structure following a respiratory system procedure |
| H59312 | Postprocedural hemorrhage of left eye and adnexa following an ophthalmic procedure | J95861 | Postprocedural hematoma of a respiratory system organ or structure following other procedure |
| H59313 | Postprocedural hemorrhage of eye and adnexa following an ophthalmic procedure, bilateral | K91840 | Postprocedural hemorrhage of a digestive system organ or structure following a digestive system procedure |
| H59319 | Postprocedural hemorrhage of unspecified eye and adnexa following an ophthalmic procedure | K91841 | Postprocedural hemorrhage of a digestive system organ or structure following other procedure |
| H59321 | Postprocedural hemorrhage of right eye and adnexa following other procedure | K91870 | Postprocedural hematoma of a digestive system organ or structure following a digestive system procedure |
| H59322 | Postprocedural hemorrhage of left eye and adnexa following other procedure | K91871 | Postprocedural hematoma of a digestive system organ or structure following other procedure |
| H59323 | Postprocedural hemorrhage of eye and adnexa following other procedure, bilateral | L7621 | Postprocedural hemorrhage of skin and subcutaneous tissue following a dermatologic procedure |
| H59329 | Postprocedural hemorrhage of unspecified eye and adnexa following other procedure | L7622 | Postprocedural hemorrhage of skin and subcutaneous tissue following other procedure |
| H59331 | Postprocedural hematoma of right eye and adnexa following an ophthalmic procedure | L7631 | Postprocedural hematoma of skin and subcutaneous tissue following a dermatologic procedure |
| H59332 | Postprocedural hematoma of left eye and adnexa following an ophthalmic procedure | L7632 | Postprocedural hematoma of skin and subcutaneous tissue following other procedure |
| H59333 | Postprocedural hematoma of eye and adnexa following an ophthalmic procedure, bilateral | M96830 | Postprocedural hemorrhage of a musculoskeletal structure following a musculoskeletal system procedure |
| H59339 | Postprocedural hematoma of unspecified eye and adnexa following an ophthalmic procedure | M96831 | Postprocedural hemorrhage of a musculoskeletal structure following other procedure |
| H59341 | Postprocedural hematoma of right eye and adnexa following other procedure | M96840 | Postprocedural hematoma of a musculoskeletal structure following a musculoskeletal system procedure |

| | | | |
|--------|---|--------|---|
| H59342 | Postprocedural hematoma of left eye and adnexa following other procedure | M96841 | Postprocedural hematoma of a musculoskeletal structure following other procedure |
| H59343 | Postprocedural hematoma of eye and adnexa following other procedure, bilateral | N99820 | Postprocedural hemorrhage of a genitourinary system organ or structure following a genitourinary system procedure |
| H59349 | Postprocedural hematoma of unspecified eye and adnexa following other procedure | N99821 | Postprocedural hemorrhage of a genitourinary system organ or structure following other procedure |
| H9541 | Postprocedural hemorrhage of ear and mastoid process following a procedure on the ear and mastoid process | N99840 | Postprocedural hematoma of a genitourinary system organ or structure following a genitourinary system procedure |
| H9542 | Postprocedural hemorrhage of ear and mastoid process following other procedure | N99841 | Postprocedural hematoma of a genitourinary system organ or structure following other procedure |
| H9551 | Postprocedural hematoma of ear and mastoid process following a procedure on the ear and mastoid process | | |

Control of hemorrhage and evacuation of hematoma procedures: (HEMOTH2P)

| | | | |
|---------|--|---------|--|
| 009000Z | Drainage of brain with drainage device, open approach | 06QB4ZZ | Repair left renal vein, percutaneous endoscopic approach |
| 00900ZZ | Drainage of brain, open approach | 06QC0ZZ | Repair right common iliac vein, open approach |
| 009030Z | Drainage of brain with drainage device, percutaneous approach | 06QC3ZZ | Repair right common iliac vein, percutaneous approach |
| 00903ZZ | Drainage of brain, percutaneous approach | 06QC4ZZ | Repair right common iliac vein, percutaneous endoscopic approach |
| 009040Z | Drainage of brain with drainage device, percutaneous endoscopic approach | 06QD0ZZ | Repair left common iliac vein, open approach |
| 00904ZZ | Drainage of brain, percutaneous endoscopic approach | 06QD3ZZ | Repair left common iliac vein, percutaneous approach |
| 009100Z | Drainage of cerebral meninges with drainage device, open approach | 06QD4ZZ | Repair left common iliac vein, percutaneous endoscopic approach |
| 00910ZZ | Drainage of cerebral meninges, open approach | 06QF0ZZ | Repair right external iliac vein, open approach |
| 009200Z | Drainage of dura mater with drainage device, open approach | 06QF3ZZ | Repair right external iliac vein, percutaneous approach |
| 00920ZZ | Drainage of dura mater, open approach | 06QF4ZZ | Repair right external iliac vein, percutaneous endoscopic approach |
| 009300Z | Drainage of intracranial epidural space with drainage device, open approach | 06QG0ZZ | Repair left external iliac vein, open approach |
| 00930ZZ | Drainage of intracranial epidural space, open approach | 06QG3ZZ | Repair left external iliac vein, percutaneous approach |
| 009330Z | Drainage of intracranial epidural space with drainage device, percutaneous approach | 06QG4ZZ | Repair left external iliac vein, percutaneous endoscopic approach |
| 00933ZZ | Drainage of intracranial epidural space, percutaneous approach | 06QH0ZZ | Repair right hypogastric vein, open approach |
| 009340Z | Drainage of intracranial epidural space with drainage device, percutaneous endoscopic approach | 06QH3ZZ | Repair right hypogastric vein, percutaneous approach |
| 00934ZZ | Drainage of intracranial epidural space, percutaneous endoscopic approach | 06QH4ZZ | Repair right hypogastric vein, percutaneous endoscopic approach |
| 009400Z | Drainage of intracranial subdural space with drainage device, open approach | 06QJ0ZZ | Repair left hypogastric vein, open approach |
| 00940ZZ | Drainage of intracranial subdural space, open approach | 06QJ3ZZ | Repair left hypogastric vein, percutaneous approach |

| | | | |
|---------|--|---------|--|
| 009500Z | Drainage of intracranial subarachnoid space with drainage device, open approach | 06QJ4ZZ | Repair left hypogastric vein, percutaneous endoscopic approach |
| 00950ZZ | Drainage of intracranial subarachnoid space, open approach | 06QM0ZZ | Repair right femoral vein, open approach |
| 00960ZZ | Drainage of cerebral ventricle, open approach | 06QM3ZZ | Repair right femoral vein, percutaneous approach |
| 009700Z | Drainage of cerebral hemisphere with drainage device, open approach | 06QM4ZZ | Repair right femoral vein, percutaneous endoscopic approach |
| 00970ZZ | Drainage of cerebral hemisphere, open approach | 06QN0ZZ | Repair left femoral vein, open approach |
| 009730Z | Drainage of cerebral hemisphere with drainage device, percutaneous approach | 06QN3ZZ | Repair left femoral vein, percutaneous approach |
| 00973ZZ | Drainage of cerebral hemisphere, percutaneous approach | 06QN4ZZ | Repair left femoral vein, percutaneous endoscopic approach |
| 009740Z | Drainage of cerebral hemisphere with drainage device, percutaneous endoscopic approach | 06QP0ZZ | Repair right saphenous vein, open approach |
| 00974ZZ | Drainage of cerebral hemisphere, percutaneous endoscopic approach | 06QP3ZZ | Repair right saphenous vein, percutaneous approach |
| 009B00Z | Drainage of pons with drainage device, open approach | 06QP4ZZ | Repair right saphenous vein, percutaneous endoscopic approach |
| 009B0ZZ | Drainage of pons, open approach | 06QQ0ZZ | Repair left saphenous vein, open approach |
| 009B30Z | Drainage of pons with drainage device, percutaneous approach | 06QQ3ZZ | Repair left saphenous vein, percutaneous approach |
| 009B3ZZ | Drainage of pons, percutaneous approach | 06QQ4ZZ | Repair left saphenous vein, percutaneous endoscopic approach |
| 009B40Z | Drainage of pons with drainage device, percutaneous endoscopic approach | 06QR0ZZ | Repair right lesser saphenous vein, open approach |
| 009B4ZZ | Drainage of pons, percutaneous endoscopic approach | 06QR3ZZ | Repair right lesser saphenous vein, percutaneous approach |
| 009C00Z | Drainage of cerebellum with drainage device, open approach | 06QR4ZZ | Repair right lesser saphenous vein, percutaneous endoscopic approach |
| 009C0ZZ | Drainage of cerebellum, open approach | 06QS0ZZ | Repair left lesser saphenous vein, open approach |
| 009C30Z | Drainage of cerebellum with drainage device, percutaneous approach | 06QS3ZZ | Repair left lesser saphenous vein, percutaneous approach |
| 009C3ZZ | Drainage of cerebellum, percutaneous approach | 06QS4ZZ | Repair left lesser saphenous vein, percutaneous endoscopic approach |

| | | | |
|---------|--|---------|--|
| 009C40Z | Drainage of cerebellum with drainage device, percutaneous endoscopic approach | 06QT0ZZ | Repair right foot vein, open approach |
| 009C4ZZ | Drainage of cerebellum, percutaneous endoscopic approach | 06QT3ZZ | Repair right foot vein, percutaneous approach |
| 009D00Z | Drainage of medulla oblongata with drainage device, open approach | 06QT4ZZ | Repair right foot vein, percutaneous endoscopic approach |
| 009D0ZZ | Drainage of medulla oblongata, open approach | 06QV0ZZ | Repair left foot vein, open approach |
| 009D30Z | Drainage of medulla oblongata with drainage device, percutaneous approach | 06QV3ZZ | Repair left foot vein, percutaneous approach |
| 009D3ZZ | Drainage of medulla oblongata, percutaneous approach | 06QV4ZZ | Repair left foot vein, percutaneous endoscopic approach |
| 009D40Z | Drainage of medulla oblongata with drainage device, percutaneous endoscopic approach | 06QY0ZZ | Repair lower vein, open approach |
| 009D4ZZ | Drainage of medulla oblongata, percutaneous endoscopic approach | 06QY3ZZ | Repair lower vein, percutaneous approach |
| 009T00Z | Drainage of spinal meninges with drainage device, open approach | 06QY4ZZ | Repair lower vein, percutaneous endoscopic approach |
| 009T0ZZ | Drainage of spinal meninges, open approach | 06WY0DZ | Revision of intraluminal device in lower vein, open approach |
| 009T30Z | Drainage of spinal meninges with drainage device, percutaneous approach | 06WY0JZ | Revision of synthetic substitute in lower vein, open approach |
| 009T3ZZ | Drainage of spinal meninges, percutaneous approach | 06WY0KZ | Revision of nonautologous tissue substitute in lower vein, open approach |
| 009T40Z | Drainage of spinal meninges with drainage device, percutaneous endoscopic approach | 06WY3DZ | Revision of intraluminal device in lower vein, percutaneous approach |
| 009T4ZZ | Drainage of spinal meninges, percutaneous endoscopic approach | 06WY3JZ | Revision of synthetic substitute in lower vein, percutaneous approach |
| 009U00Z | Drainage of spinal canal with drainage device, open approach | 06WY3KZ | Revision of nonautologous tissue substitute in lower vein, percutaneous approach |
| 009U0ZZ | Drainage of spinal canal, open approach | 06WY4DZ | Revision of intraluminal device in lower vein, percutaneous endoscopic approach |
| 009W00Z | Drainage of cervical spinal cord with drainage device, open approach | 06WY4JZ | Revision of synthetic substitute in lower vein, percutaneous endoscopic approach |

| | | | |
|---------|---|---------|---|
| 009W0ZZ | Drainage of cervical spinal cord, open approach | 06WY4KZ | Revision of nonautologous tissue substitute in lower vein, percutaneous endoscopic approach |
| 009W30Z | Drainage of cervical spinal cord with drainage device, percutaneous approach | 079M00Z | Drainage of thymus with drainage device, open approach |
| 009W3ZZ | Drainage of cervical spinal cord, percutaneous approach | 079M0ZZ | Drainage of thymus, open approach |
| 009W40Z | Drainage of cervical spinal cord with drainage device, percutaneous endoscopic approach | 079M30Z | Drainage of thymus with drainage device, percutaneous approach |
| 009W4ZZ | Drainage of cervical spinal cord, percutaneous endoscopic approach | 079M3ZZ | Drainage of thymus, percutaneous approach |
| 009X00Z | Drainage of thoracic spinal cord with drainage device, open approach | 079M40Z | Drainage of thymus with drainage device, percutaneous endoscopic approach |
| 009X0ZZ | Drainage of thoracic spinal cord, open approach | 079M4ZZ | Drainage of thymus, percutaneous endoscopic approach |
| 009X30Z | Drainage of thoracic spinal cord with drainage device, percutaneous approach | 079P00Z | Drainage of spleen with drainage device, open approach |
| 009X3ZZ | Drainage of thoracic spinal cord, percutaneous approach | 079P0ZZ | Drainage of spleen, open approach |
| 009X40Z | Drainage of thoracic spinal cord with drainage device, percutaneous endoscopic approach | 07CM0ZZ | Extirpation of matter from thymus, open approach |
| 009X4ZZ | Drainage of thoracic spinal cord, percutaneous endoscopic approach | 07CM3ZZ | Extirpation of matter from thymus, percutaneous approach |
| 009Y00Z | Drainage of lumbar spinal cord with drainage device, open approach | 07CP0ZZ | Extirpation of matter from spleen, open approach |
| 009Y0ZZ | Drainage of lumbar spinal cord, open approach | 07WM00Z | Revision of drainage device in thymus, open approach |
| 009Y30Z | Drainage of lumbar spinal cord with drainage device, percutaneous approach | 07WM30Z | Revision of drainage device in thymus, percutaneous approach |
| 009Y3ZZ | Drainage of lumbar spinal cord, percutaneous approach | 07WM40Z | Revision of drainage device in thymus, percutaneous endoscopic approach |
| 009Y40Z | Drainage of lumbar spinal cord with drainage device, percutaneous endoscopic approach | 07WP00Z | Revision of drainage device in spleen, open approach |
| 009Y4ZZ | Drainage of lumbar spinal cord, percutaneous endoscopic approach | 07WP30Z | Revision of drainage device in spleen, percutaneous approach |

| | | | |
|---------|--|---------|---|
| 00C00ZZ | Extirpation of matter from brain, open approach | 07WP40Z | Revision of drainage device in spleen, percutaneous endoscopic approach |
| 00C03ZZ | Extirpation of matter from brain, percutaneous approach | 085G3ZZ | Destruction of right retinal vessel, percutaneous approach |
| 00C04ZZ | Extirpation of matter from brain, percutaneous endoscopic approach | 085H3ZZ | Destruction of left retinal vessel, percutaneous approach |
| 00C10ZZ | Extirpation of matter from cerebral meninges, open approach | 0896X0Z | Drainage of right sclera with drainage device, external approach |
| 00C13ZZ | Extirpation of matter from cerebral meninges, percutaneous approach | 0896XZZ | Drainage of right sclera, external approach |
| 00C14ZZ | Extirpation of matter from cerebral meninges, percutaneous endoscopic approach | 0897X0Z | Drainage of left sclera with drainage device, external approach |
| 00C20ZZ | Extirpation of matter from dura mater, open approach | 0897XZZ | Drainage of left sclera, external approach |
| 00C23ZZ | Extirpation of matter from dura mater, percutaneous approach | 089A00Z | Drainage of right choroid with drainage device, open approach |
| 00C24ZZ | Extirpation of matter from dura mater, percutaneous endoscopic approach | 089A0ZZ | Drainage of right choroid, open approach |
| 00C30ZZ | Extirpation of matter from intracranial epidural space, open approach | 089A30Z | Drainage of right choroid with drainage device, percutaneous approach |
| 00C33ZZ | Extirpation of matter from intracranial epidural space, percutaneous approach | 089A3ZZ | Drainage of right choroid, percutaneous approach |
| 00C34ZZ | Extirpation of matter from intracranial epidural space, percutaneous endoscopic approach | 089B00Z | Drainage of left choroid with drainage device, open approach |
| 00C40ZZ | Extirpation of matter from intracranial subdural space, open approach | 089B0ZZ | Drainage of left choroid, open approach |
| 00C43ZZ | Extirpation of matter from intracranial subdural space, percutaneous approach | 089B30Z | Drainage of left choroid with drainage device, percutaneous approach |
| 00C44ZZ | Extirpation of matter from intracranial subdural space, percutaneous endoscopic approach | 089B3ZZ | Drainage of left choroid, percutaneous approach |
| 00C50ZZ | Extirpation of matter from intracranial subarachnoid space, open approach | 089E30Z | Drainage of right retina with drainage device, percutaneous approach |
| 00C53ZZ | Extirpation of matter from intracranial subarachnoid space, percutaneous approach | 089E3ZZ | Drainage of right retina, percutaneous approach |

| | | | |
|---------|--|---------|--|
| 00C54ZZ | Extirpation of matter from intracranial subarachnoid space, percutaneous endoscopic approach | 089F30Z | Drainage of left retina with drainage device, percutaneous approach |
| 00C60ZZ | Extirpation of matter from cerebral ventricle, open approach | 089F3ZZ | Drainage of left retina, percutaneous approach |
| 00C63ZZ | Extirpation of matter from cerebral ventricle, percutaneous approach | 089G30Z | Drainage of right retinal vessel with drainage device, percutaneous approach |
| 00C64ZZ | Extirpation of matter from cerebral ventricle, percutaneous endoscopic approach | 089G3ZZ | Drainage of right retinal vessel, percutaneous approach |
| 00C70ZZ | Extirpation of matter from cerebral hemisphere, open approach | 089H30Z | Drainage of left retinal vessel with drainage device, percutaneous approach |
| 00C73ZZ | Extirpation of matter from cerebral hemisphere, percutaneous approach | 089H3ZZ | Drainage of left retinal vessel, percutaneous approach |
| 00C74ZZ | Extirpation of matter from cerebral hemisphere, percutaneous endoscopic approach | 089N00Z | Drainage of right upper eyelid with drainage device, open approach |
| 00CB0ZZ | Extirpation of matter from pons, open approach | 089N0ZZ | Drainage of right upper eyelid, open approach |
| 00CB3ZZ | Extirpation of matter from pons, percutaneous approach | 089N30Z | Drainage of right upper eyelid with drainage device, percutaneous approach |
| 00CB4ZZ | Extirpation of matter from pons, percutaneous endoscopic approach | 089N3ZZ | Drainage of right upper eyelid, percutaneous approach |
| 00CC0ZZ | Extirpation of matter from cerebellum, open approach | 089NX0Z | Drainage of right upper eyelid with drainage device, external approach |
| 00CC3ZZ | Extirpation of matter from cerebellum, percutaneous approach | 089NXZZ | Drainage of right upper eyelid, external approach |
| 00CC4ZZ | Extirpation of matter from cerebellum, percutaneous endoscopic approach | 089P00Z | Drainage of left upper eyelid with drainage device, open approach |
| 00CD0ZZ | Extirpation of matter from medulla oblongata, open approach | 089P0ZZ | Drainage of left upper eyelid, open approach |
| 00CD3ZZ | Extirpation of matter from medulla oblongata, percutaneous approach | 089P30Z | Drainage of left upper eyelid with drainage device, percutaneous approach |
| 00CD4ZZ | Extirpation of matter from medulla oblongata, percutaneous endoscopic approach | 089P3ZZ | Drainage of left upper eyelid, percutaneous approach |
| 00CU0ZZ | Extirpation of matter from spinal canal, open approach | 089PX0Z | Drainage of left upper eyelid with drainage device, external approach |
| 00CU3ZZ | Extirpation of matter from spinal canal, percutaneous approach | 089PXZZ | Drainage of left upper eyelid, external approach |

| | | | |
|---------|---|---------|--|
| 00CU4ZZ | Extirpation of matter from spinal canal, percutaneous endoscopic approach | 089Q00Z | Drainage of right lower eyelid with drainage device, open approach |
| 00NW0ZZ | Release cervical spinal cord, open approach | 089Q0ZZ | Drainage of right lower eyelid, open approach |
| 00NW3ZZ | Release cervical spinal cord, percutaneous approach | 089Q30Z | Drainage of right lower eyelid with drainage device, percutaneous approach |
| 00NW4ZZ | Release cervical spinal cord, percutaneous endoscopic approach | 089Q3ZZ | Drainage of right lower eyelid, percutaneous approach |
| 00NX0ZZ | Release thoracic spinal cord, open approach | 089QX0Z | Drainage of right lower eyelid with drainage device, external approach |
| 00NX3ZZ | Release thoracic spinal cord, percutaneous approach | 089QXZZ | Drainage of right lower eyelid, external approach |
| 00NX4ZZ | Release thoracic spinal cord, percutaneous endoscopic approach | 089R00Z | Drainage of left lower eyelid with drainage device, open approach |
| 00NY0ZZ | Release lumbar spinal cord, open approach | 089R0ZZ | Drainage of left lower eyelid, open approach |
| 00NY3ZZ | Release lumbar spinal cord, percutaneous approach | 089R30Z | Drainage of left lower eyelid with drainage device, percutaneous approach |
| 00NY4ZZ | Release lumbar spinal cord, percutaneous endoscopic approach | 089R3ZZ | Drainage of left lower eyelid, percutaneous approach |
| 00W000Z | Revision of drainage device in brain, open approach | 089RX0Z | Drainage of left lower eyelid with drainage device, external approach |
| 00W030Z | Revision of drainage device in brain, percutaneous approach | 089RXZZ | Drainage of left lower eyelid, external approach |
| 00W040Z | Revision of drainage device in brain, percutaneous endoscopic approach | 08CN0ZZ | Extirpation of matter from right upper eyelid, open approach |
| 00W600Z | Revision of drainage device in cerebral ventricle, open approach | 08CN3ZZ | Extirpation of matter from right upper eyelid, percutaneous approach |
| 00W630Z | Revision of drainage device in cerebral ventricle, percutaneous approach | 08CP0ZZ | Extirpation of matter from left upper eyelid, open approach |
| 00W640Z | Revision of drainage device in cerebral ventricle, percutaneous endoscopic approach | 08CP3ZZ | Extirpation of matter from left upper eyelid, percutaneous approach |
| 01N50ZZ | Release median nerve, open approach | 08CQ0ZZ | Extirpation of matter from right lower eyelid, open approach |
| 01N53ZZ | Release median nerve, percutaneous approach | 08CQ3ZZ | Extirpation of matter from right lower eyelid, percutaneous approach |
| 01N54ZZ | Release median nerve, percutaneous endoscopic approach | 08CR0ZZ | Extirpation of matter from left lower eyelid, open approach |

| | | | |
|---------|---|---------|---|
| 01NG0ZZ | Release tibial nerve, open approach | 08CR3ZZ | Extirpation of matter from left lower eyelid, percutaneous approach |
| 01NG3ZZ | Release tibial nerve, percutaneous approach | 093K7ZZ | Control bleeding in nasal mucosa and soft tissue, via natural or artificial opening |
| 01NG4ZZ | Release tibial nerve, percutaneous endoscopic approach | 093K8ZZ | Control bleeding in nasal mucosa and soft tissue, via natural or artificial opening endoscopic |
| 02540ZZ | Destruction of coronary vein, open approach | 095K0ZZ | Destruction of nasal mucosa and soft tissue, open approach |
| 02543ZZ | Destruction of coronary vein, percutaneous approach | 095K3ZZ | Destruction of nasal mucosa and soft tissue, percutaneous approach |
| 02544ZZ | Destruction of coronary vein, percutaneous endoscopic approach | 095K4ZZ | Destruction of nasal mucosa and soft tissue, percutaneous endoscopic approach |
| 02B40ZZ | Excision of coronary vein, open approach | 095K8ZZ | Destruction of nasal mucosa and soft tissue, via natural or artificial opening endoscopic |
| 02B43ZZ | Excision of coronary vein, percutaneous approach | 095M8ZZ | Destruction of nasal septum, via natural or artificial opening endoscopic |
| 02B44ZZ | Excision of coronary vein, percutaneous endoscopic approach | 099300Z | Drainage of right external auditory canal with drainage device, open approach |
| 02LP0CZ | Occlusion of pulmonary trunk with extraluminal device, open approach | 09930ZZ | Drainage of right external auditory canal, open approach |
| 02LP0DZ | Occlusion of pulmonary trunk with intraluminal device, open approach | 099330Z | Drainage of right external auditory canal with drainage device, percutaneous approach |
| 02LP0ZZ | Occlusion of pulmonary trunk, open approach | 09933ZZ | Drainage of right external auditory canal, percutaneous approach |
| 02LP3CZ | Occlusion of pulmonary trunk with extraluminal device, percutaneous approach | 099340Z | Drainage of right external auditory canal with drainage device, percutaneous endoscopic approach |
| 02LP3DZ | Occlusion of pulmonary trunk with intraluminal device, percutaneous approach | 09934ZZ | Drainage of right external auditory canal, percutaneous endoscopic approach |
| 02LP3ZZ | Occlusion of pulmonary trunk, percutaneous approach | 099370Z | Drainage of right external auditory canal with drainage device, via natural or artificial opening |
| 02LP4CZ | Occlusion of pulmonary trunk with extraluminal device, percutaneous endoscopic approach | 09937ZZ | Drainage of right external auditory canal, via natural or artificial opening |

| | | | |
|---------|--|---------|--|
| 02LP4DZ | Occlusion of pulmonary trunk with intraluminal device, percutaneous endoscopic approach | 099380Z | Drainage of right external auditory canal with drainage device, via natural or artificial opening endoscopic |
| 02LP4ZZ | Occlusion of pulmonary trunk, percutaneous endoscopic approach | 09938ZZ | Drainage of right external auditory canal, via natural or artificial opening endoscopic |
| 02LQ0CZ | Occlusion of right pulmonary artery with extraluminal device, open approach | 0993X0Z | Drainage of right external auditory canal with drainage device, external approach |
| 02LQ0DZ | Occlusion of right pulmonary artery with intraluminal device, open approach | 0993XZZ | Drainage of right external auditory canal, external approach |
| 02LQ0ZZ | Occlusion of right pulmonary artery, open approach | 099400Z | Drainage of left external auditory canal with drainage device, open approach |
| 02LQ3CZ | Occlusion of right pulmonary artery with extraluminal device, percutaneous approach | 09940ZZ | Drainage of left external auditory canal, open approach |
| 02LQ3DZ | Occlusion of right pulmonary artery with intraluminal device, percutaneous approach | 099430Z | Drainage of left external auditory canal with drainage device, percutaneous approach |
| 02LQ3ZZ | Occlusion of right pulmonary artery, percutaneous approach | 09943ZZ | Drainage of left external auditory canal, percutaneous approach |
| 02LQ4CZ | Occlusion of right pulmonary artery with extraluminal device, percutaneous endoscopic approach | 099440Z | Drainage of left external auditory canal with drainage device, percutaneous endoscopic approach |
| 02LQ4DZ | Occlusion of right pulmonary artery with intraluminal device, percutaneous endoscopic approach | 09944ZZ | Drainage of left external auditory canal, percutaneous endoscopic approach |
| 02LQ4ZZ | Occlusion of right pulmonary artery, percutaneous endoscopic approach | 099470Z | Drainage of left external auditory canal with drainage device, via natural or artificial opening |
| 02LR0CZ | Occlusion of left pulmonary artery with extraluminal device, open approach | 09947ZZ | Drainage of left external auditory canal, via natural or artificial opening |
| 02LR0DZ | Occlusion of left pulmonary artery with intraluminal device, open approach | 099480Z | Drainage of left external auditory canal with drainage device, via natural or artificial opening endoscopic |
| 02LR0ZZ | Occlusion of left pulmonary artery, open approach | 09948ZZ | Drainage of left external auditory canal, via natural or artificial opening endoscopic |

| | | | |
|---------|---|---------|---|
| 02LR3CZ | Occlusion of left pulmonary artery with extraluminal device, percutaneous approach | 0994X0Z | Drainage of left external auditory canal with drainage device, external approach |
| 02LR3DZ | Occlusion of left pulmonary artery with intraluminal device, percutaneous approach | 0994XZZ | Drainage of left external auditory canal, external approach |
| 02LR3ZZ | Occlusion of left pulmonary artery, percutaneous approach | 099500Z | Drainage of right middle ear with drainage device, open approach |
| 02LR4CZ | Occlusion of left pulmonary artery with extraluminal device, percutaneous endoscopic approach | 09950ZZ | Drainage of right middle ear, open approach |
| 02LR4DZ | Occlusion of left pulmonary artery with intraluminal device, percutaneous endoscopic approach | 099570Z | Drainage of right middle ear with drainage device, via natural or artificial opening |
| 02LR4ZZ | Occlusion of left pulmonary artery, percutaneous endoscopic approach | 09957ZZ | Drainage of right middle ear, via natural or artificial opening |
| 02LS0CZ | Occlusion of right pulmonary vein with extraluminal device, open approach | 099580Z | Drainage of right middle ear with drainage device, via natural or artificial opening endoscopic |
| 02LS0DZ | Occlusion of right pulmonary vein with intraluminal device, open approach | 09958ZZ | Drainage of right middle ear, via natural or artificial opening endoscopic |
| 02LS0ZZ | Occlusion of right pulmonary vein, open approach | 099600Z | Drainage of left middle ear with drainage device, open approach |
| 02LS3CZ | Occlusion of right pulmonary vein with extraluminal device, percutaneous approach | 09960ZZ | Drainage of left middle ear, open approach |
| 02LS3DZ | Occlusion of right pulmonary vein with intraluminal device, percutaneous approach | 099670Z | Drainage of left middle ear with drainage device, via natural or artificial opening |
| 02LS3ZZ | Occlusion of right pulmonary vein, percutaneous approach | 09967ZZ | Drainage of left middle ear, via natural or artificial opening |
| 02LS4CZ | Occlusion of right pulmonary vein with extraluminal device, percutaneous endoscopic approach | 099680Z | Drainage of left middle ear with drainage device, via natural or artificial opening endoscopic |
| 02LS4DZ | Occlusion of right pulmonary vein with intraluminal device, percutaneous endoscopic approach | 09968ZZ | Drainage of left middle ear, via natural or artificial opening endoscopic |
| 02LS4ZZ | Occlusion of right pulmonary vein, percutaneous endoscopic approach | 099700Z | Drainage of right tympanic membrane with drainage device, open approach |
| 02LT0CZ | Occlusion of left pulmonary vein with extraluminal device, open approach | 09970ZZ | Drainage of right tympanic membrane, open approach |

| | | | |
|---------|---|---------|--|
| 02LT0DZ | Occlusion of left pulmonary vein with intraluminal device, open approach | 099730Z | Drainage of right tympanic membrane with drainage device, percutaneous approach |
| 02LT0ZZ | Occlusion of left pulmonary vein, open approach | 09973ZZ | Drainage of right tympanic membrane, percutaneous approach |
| 02LT3CZ | Occlusion of left pulmonary vein with extraluminal device, percutaneous approach | 099740Z | Drainage of right tympanic membrane with drainage device, percutaneous endoscopic approach |
| 02LT3DZ | Occlusion of left pulmonary vein with intraluminal device, percutaneous approach | 09974ZZ | Drainage of right tympanic membrane, percutaneous endoscopic approach |
| 02LT3ZZ | Occlusion of left pulmonary vein, percutaneous approach | 099770Z | Drainage of right tympanic membrane with drainage device, via natural or artificial opening |
| 02LT4CZ | Occlusion of left pulmonary vein with extraluminal device, percutaneous endoscopic approach | 09977ZZ | Drainage of right tympanic membrane, via natural or artificial opening |
| 02LT4DZ | Occlusion of left pulmonary vein with intraluminal device, percutaneous endoscopic approach | 099780Z | Drainage of right tympanic membrane with drainage device, via natural or artificial opening endoscopic |
| 02LT4ZZ | Occlusion of left pulmonary vein, percutaneous endoscopic approach | 09978ZZ | Drainage of right tympanic membrane, via natural or artificial opening endoscopic |
| 02LV0CZ | Occlusion of superior vena cava with extraluminal device, open approach | 099800Z | Drainage of left tympanic membrane with drainage device, open approach |
| 02LV0DZ | Occlusion of superior vena cava with intraluminal device, open approach | 09980ZZ | Drainage of left tympanic membrane, open approach |
| 02LV0ZZ | Occlusion of superior vena cava, open approach | 099830Z | Drainage of left tympanic membrane with drainage device, percutaneous approach |
| 02LV3CZ | Occlusion of superior vena cava with extraluminal device, percutaneous approach | 09983ZZ | Drainage of left tympanic membrane, percutaneous approach |
| 02LV3DZ | Occlusion of superior vena cava with intraluminal device, percutaneous approach | 099840Z | Drainage of left tympanic membrane with drainage device, percutaneous endoscopic approach |
| 02LV3ZZ | Occlusion of superior vena cava, percutaneous approach | 09984ZZ | Drainage of left tympanic membrane, percutaneous endoscopic approach |
| 02LV4CZ | Occlusion of superior vena cava with extraluminal device, percutaneous endoscopic approach | 099870Z | Drainage of left tympanic membrane with drainage device, via natural or artificial opening |

| | | | |
|---------|--|---------|---|
| 02LV4DZ | Occlusion of superior vena cava with intraluminal device, percutaneous endoscopic approach | 09987ZZ | Drainage of left tympanic membrane, via natural or artificial opening |
| 02LV4ZZ | Occlusion of superior vena cava, percutaneous endoscopic approach | 099880Z | Drainage of left tympanic membrane with drainage device, via natural or artificial opening endoscopic |
| 02LW3DJ | Occlusion of thoracic aorta, descending with intraluminal device, temporary, percutaneous approach | 09988ZZ | Drainage of left tympanic membrane, via natural or artificial opening endoscopic |
| 02Q00ZZ | Repair coronary artery, one artery, open approach | 099B00Z | Drainage of right mastoid sinus with drainage device, open approach |
| 02Q03ZZ | Repair coronary artery, one artery, percutaneous approach | 099B0ZZ | Drainage of right mastoid sinus, open approach |
| 02Q04ZZ | Repair coronary artery, one artery, percutaneous endoscopic approach | 099B30Z | Drainage of right mastoid sinus with drainage device, percutaneous approach |
| 02Q10ZZ | Repair coronary artery, two arteries, open approach | 099B3ZZ | Drainage of right mastoid sinus, percutaneous approach |
| 02Q13ZZ | Repair coronary artery, two arteries, percutaneous approach | 099B40Z | Drainage of right mastoid sinus with drainage device, percutaneous endoscopic approach |
| 02Q14ZZ | Repair coronary artery, two arteries, percutaneous endoscopic approach | 099B4ZZ | Drainage of right mastoid sinus, percutaneous endoscopic approach |
| 02Q20ZZ | Repair coronary artery, three arteries, open approach | 099B70Z | Drainage of right mastoid sinus with drainage device, via natural or artificial opening |
| 02Q23ZZ | Repair coronary artery, three arteries, percutaneous approach | 099B7ZZ | Drainage of right mastoid sinus, via natural or artificial opening |
| 02Q24ZZ | Repair coronary artery, three arteries, percutaneous endoscopic approach | 099B80Z | Drainage of right mastoid sinus with drainage device, via natural or artificial opening endoscopic |
| 02Q30ZZ | Repair coronary artery, four or more arteries, open approach | 099B8ZZ | Drainage of right mastoid sinus, via natural or artificial opening endoscopic |
| 02Q33ZZ | Repair coronary artery, four or more arteries, percutaneous approach | 099C00Z | Drainage of left mastoid sinus with drainage device, open approach |
| 02Q34ZZ | Repair coronary artery, four or more arteries, percutaneous endoscopic approach | 099C0ZZ | Drainage of left mastoid sinus, open approach |
| 02Q40ZZ | Repair coronary vein, open approach | 099C30Z | Drainage of left mastoid sinus with drainage device, percutaneous approach |
| 02Q43ZZ | Repair coronary vein, percutaneous approach | 099C3ZZ | Drainage of left mastoid sinus, percutaneous approach |

| | | | |
|---------|---|---------|---|
| 02Q44ZZ | Repair coronary vein, percutaneous endoscopic approach | 099C40Z | Drainage of left mastoid sinus with drainage device, percutaneous endoscopic approach |
| 02QA0ZZ | Repair heart, open approach | 099C4ZZ | Drainage of left mastoid sinus, percutaneous endoscopic approach |
| 02QA3ZZ | Repair heart, percutaneous approach | 099C70Z | Drainage of left mastoid sinus with drainage device, via natural or artificial opening |
| 02QA4ZZ | Repair heart, percutaneous endoscopic approach | 099C7ZZ | Drainage of left mastoid sinus, via natural or artificial opening |
| 02QB0ZZ | Repair right heart, open approach | 099C80Z | Drainage of left mastoid sinus with drainage device, via natural or artificial opening endoscopic |
| 02QC0ZZ | Repair left heart, open approach | 099C8ZZ | Drainage of left mastoid sinus, via natural or artificial opening endoscopic |
| 02QP0ZZ | Repair pulmonary trunk, open approach | 099K00Z | Drainage of nasal mucosa and soft tissue with drainage device, open approach |
| 02QP3ZZ | Repair pulmonary trunk, percutaneous approach | 099K0ZZ | Drainage of nasal mucosa and soft tissue, open approach |
| 02QP4ZZ | Repair pulmonary trunk, percutaneous endoscopic approach | 099K30Z | Drainage of nasal mucosa and soft tissue with drainage device, percutaneous approach |
| 02QQ0ZZ | Repair right pulmonary artery, open approach | 099K3ZZ | Drainage of nasal mucosa and soft tissue, percutaneous approach |
| 02QQ3ZZ | Repair right pulmonary artery, percutaneous approach | 099K40Z | Drainage of nasal mucosa and soft tissue with drainage device, percutaneous endoscopic approach |
| 02QQ4ZZ | Repair right pulmonary artery, percutaneous endoscopic approach | 099K4ZZ | Drainage of nasal mucosa and soft tissue, percutaneous endoscopic approach |
| 02QR0ZZ | Repair left pulmonary artery, open approach | 099K70Z | Drainage of nasal mucosa and soft tissue with drainage device, via natural or artificial opening |
| 02QR3ZZ | Repair left pulmonary artery, percutaneous approach | 099K7ZZ | Drainage of nasal mucosa and soft tissue, via natural or artificial opening |
| 02QR4ZZ | Repair left pulmonary artery, percutaneous endoscopic approach | 099K80Z | Drainage of nasal mucosa and soft tissue with drainage device, via natural or artificial opening endoscopic |

| | | | |
|---------|---|---------|--|
| 02QS0ZZ | Repair right pulmonary vein, open approach | 099K8ZZ | Drainage of nasal mucosa and soft tissue, via natural or artificial opening endoscopic |
| 02QS3ZZ | Repair right pulmonary vein, percutaneous approach | 099KX0Z | Drainage of nasal mucosa and soft tissue with drainage device, external approach |
| 02QS4ZZ | Repair right pulmonary vein, percutaneous endoscopic approach | 099KXZZ | Drainage of nasal mucosa and soft tissue, external approach |
| 02QT0ZZ | Repair left pulmonary vein, open approach | 099L00Z | Drainage of nasal turbinate with drainage device, open approach |
| 02QT3ZZ | Repair left pulmonary vein, percutaneous approach | 099L0ZZ | Drainage of nasal turbinate, open approach |
| 02QT4ZZ | Repair left pulmonary vein, percutaneous endoscopic approach | 099L30Z | Drainage of nasal turbinate with drainage device, percutaneous approach |
| 02QV0ZZ | Repair superior vena cava, open approach | 099L3ZZ | Drainage of nasal turbinate, percutaneous approach |
| 02QV3ZZ | Repair superior vena cava, percutaneous approach | 099L40Z | Drainage of nasal turbinate with drainage device, percutaneous endoscopic approach |
| 02QV4ZZ | Repair superior vena cava, percutaneous endoscopic approach | 099L4ZZ | Drainage of nasal turbinate, percutaneous endoscopic approach |
| 02QW0ZZ | Repair thoracic aorta, descending, open approach | 099L70Z | Drainage of nasal turbinate with drainage device, via natural or artificial opening |
| 02QW3ZZ | Repair thoracic aorta, descending, percutaneous approach | 099L7ZZ | Drainage of nasal turbinate, via natural or artificial opening |
| 02QW4ZZ | Repair thoracic aorta, descending, percutaneous endoscopic approach | 099L80Z | Drainage of nasal turbinate with drainage device, via natural or artificial opening endoscopic |
| 02QX0ZZ | Repair thoracic aorta, ascending/arch, open approach | 099L8ZZ | Drainage of nasal turbinate, via natural or artificial opening endoscopic |
| 02QX3ZZ | Repair thoracic aorta, ascending/arch, percutaneous approach | 099M00Z | Drainage of nasal septum with drainage device, open approach |
| 02QX4ZZ | Repair thoracic aorta, ascending/arch, percutaneous endoscopic approach | 099M0ZZ | Drainage of nasal septum, open approach |
| 02U70JZ | Supplement left atrium with synthetic substitute, open approach | 099M30Z | Drainage of nasal septum with drainage device, percutaneous approach |
| 02WA08Z | Revision of zooplastic tissue in heart, open approach | 099M3ZZ | Drainage of nasal septum, percutaneous approach |

| | | | |
|---------|--|---------|--|
| 02WA0DZ | Revision of intraluminal device in heart, open approach | 099M40Z | Drainage of nasal septum with drainage device, percutaneous endoscopic approach |
| 02WA0KZ | Revision of nonautologous tissue substitute in heart, open approach | 099M4ZZ | Drainage of nasal septum, percutaneous endoscopic approach |
| 02WA38Z | Revision of zooplastic tissue in heart, percutaneous approach | 099M70Z | Drainage of nasal septum with drainage device, via natural or artificial opening |
| 02WA3DZ | Revision of intraluminal device in heart, percutaneous approach | 099M7ZZ | Drainage of nasal septum, via natural or artificial opening |
| 02WA3JZ | Revision of synthetic substitute in heart, percutaneous approach | 099M80Z | Drainage of nasal septum with drainage device, via natural or artificial opening endoscopic |
| 02WA3KZ | Revision of nonautologous tissue substitute in heart, percutaneous approach | 099M8ZZ | Drainage of nasal septum, via natural or artificial opening endoscopic |
| 02WA48Z | Revision of zooplastic tissue in heart, percutaneous endoscopic approach | 099P70Z | Drainage of accessory sinus with drainage device, via natural or artificial opening |
| 02WA4DZ | Revision of intraluminal device in heart, percutaneous endoscopic approach | 099P7ZZ | Drainage of accessory sinus, via natural or artificial opening |
| 02WA4JZ | Revision of synthetic substitute in heart, percutaneous endoscopic approach | 099P80Z | Drainage of accessory sinus with drainage device, via natural or artificial opening endoscopic |
| 02WA4KZ | Revision of nonautologous tissue substitute in heart, percutaneous endoscopic approach | 099P8ZZ | Drainage of accessory sinus, via natural or artificial opening endoscopic |
| 02WY08Z | Revision of zooplastic tissue in great vessel, open approach | 099Q00Z | Drainage of right maxillary sinus with drainage device, open approach |
| 02WY0DZ | Revision of intraluminal device in great vessel, open approach | 099Q0ZZ | Drainage of right maxillary sinus, open approach |
| 02WY0JZ | Revision of synthetic substitute in great vessel, open approach | 099Q70Z | Drainage of right maxillary sinus with drainage device, via natural or artificial opening |
| 02WY0KZ | Revision of nonautologous tissue substitute in great vessel, open approach | 099Q7ZZ | Drainage of right maxillary sinus, via natural or artificial opening |
| 02WY38Z | Revision of zooplastic tissue in great vessel, percutaneous approach | 099Q80Z | Drainage of right maxillary sinus with drainage device, via natural or artificial opening endoscopic |
| 02WY3DZ | Revision of intraluminal device in great vessel, percutaneous approach | 099Q8ZZ | Drainage of right maxillary sinus, via natural or artificial opening endoscopic |

| | | | |
|---------|---|---------|---|
| 02WY3JZ | Revision of synthetic substitute in great vessel, percutaneous approach | 099R00Z | Drainage of left maxillary sinus with drainage device, open approach |
| 02WY3KZ | Revision of nonautologous tissue substitute in great vessel, percutaneous approach | 099R0ZZ | Drainage of left maxillary sinus, open approach |
| 02WY48Z | Revision of zooplastic tissue in great vessel, percutaneous endoscopic approach | 099R70Z | Drainage of left maxillary sinus with drainage device, via natural or artificial opening |
| 02WY4DZ | Revision of intraluminal device in great vessel, percutaneous endoscopic approach | 099R7ZZ | Drainage of left maxillary sinus, via natural or artificial opening |
| 02WY4JZ | Revision of synthetic substitute in great vessel, percutaneous endoscopic approach | 099R80Z | Drainage of left maxillary sinus with drainage device, via natural or artificial opening endoscopic |
| 02WY4KZ | Revision of nonautologous tissue substitute in great vessel, percutaneous endoscopic approach | 099R8ZZ | Drainage of left maxillary sinus, via natural or artificial opening endoscopic |
| 03L00CZ | Occlusion of right internal mammary artery with extraluminal device, open approach | 099S00Z | Drainage of right frontal sinus with drainage device, open approach |
| 03L00DZ | Occlusion of right internal mammary artery with intraluminal device, open approach | 099S0ZZ | Drainage of right frontal sinus, open approach |
| 03L00ZZ | Occlusion of right internal mammary artery, open approach | 099S70Z | Drainage of right frontal sinus with drainage device, via natural or artificial opening |
| 03L03CZ | Occlusion of right internal mammary artery with extraluminal device, percutaneous approach | 099S7ZZ | Drainage of right frontal sinus, via natural or artificial opening |
| 03L03DZ | Occlusion of right internal mammary artery with intraluminal device, percutaneous approach | 099S80Z | Drainage of right frontal sinus with drainage device, via natural or artificial opening endoscopic |
| 03L03ZZ | Occlusion of right internal mammary artery, percutaneous approach | 099S8ZZ | Drainage of right frontal sinus, via natural or artificial opening endoscopic |
| 03L04CZ | Occlusion of right internal mammary artery with extraluminal device, percutaneous endoscopic approach | 099T00Z | Drainage of left frontal sinus with drainage device, open approach |
| 03L04DZ | Occlusion of right internal mammary artery with intraluminal device, percutaneous endoscopic approach | 099T0ZZ | Drainage of left frontal sinus, open approach |
| 03L04ZZ | Occlusion of right internal mammary artery, percutaneous endoscopic approach | 099T70Z | Drainage of left frontal sinus with drainage device, via natural or artificial opening |

| | | | |
|---------|--|---------|--|
| 03L10CZ | Occlusion of left internal mammary artery with extraluminal device, open approach | 099T7ZZ | Drainage of left frontal sinus, via natural or artificial opening |
| 03L10DZ | Occlusion of left internal mammary artery with intraluminal device, open approach | 099T80Z | Drainage of left frontal sinus with drainage device, via natural or artificial opening endoscopic |
| 03L10ZZ | Occlusion of left internal mammary artery, open approach | 099T8ZZ | Drainage of left frontal sinus, via natural or artificial opening endoscopic |
| 03L13CZ | Occlusion of left internal mammary artery with extraluminal device, percutaneous approach | 099U00Z | Drainage of right ethmoid sinus with drainage device, open approach |
| 03L13DZ | Occlusion of left internal mammary artery with intraluminal device, percutaneous approach | 099U0ZZ | Drainage of right ethmoid sinus, open approach |
| 03L13ZZ | Occlusion of left internal mammary artery, percutaneous approach | 099U70Z | Drainage of right ethmoid sinus with drainage device, via natural or artificial opening |
| 03L14CZ | Occlusion of left internal mammary artery with extraluminal device, percutaneous endoscopic approach | 099U7ZZ | Drainage of right ethmoid sinus, via natural or artificial opening |
| 03L14DZ | Occlusion of left internal mammary artery with intraluminal device, percutaneous endoscopic approach | 099U80Z | Drainage of right ethmoid sinus with drainage device, via natural or artificial opening endoscopic |
| 03L14ZZ | Occlusion of left internal mammary artery, percutaneous endoscopic approach | 099U8ZZ | Drainage of right ethmoid sinus, via natural or artificial opening endoscopic |
| 03L20CZ | Occlusion of innominate artery with extraluminal device, open approach | 099V00Z | Drainage of left ethmoid sinus with drainage device, open approach |
| 03L20DZ | Occlusion of innominate artery with intraluminal device, open approach | 099V0ZZ | Drainage of left ethmoid sinus, open approach |
| 03L20ZZ | Occlusion of innominate artery, open approach | 099V70Z | Drainage of left ethmoid sinus with drainage device, via natural or artificial opening |
| 03L23CZ | Occlusion of innominate artery with extraluminal device, percutaneous approach | 099V7ZZ | Drainage of left ethmoid sinus, via natural or artificial opening |
| 03L23DZ | Occlusion of innominate artery with intraluminal device, percutaneous approach | 099V80Z | Drainage of left ethmoid sinus with drainage device, via natural or artificial opening endoscopic |
| 03L23ZZ | Occlusion of innominate artery, percutaneous approach | 099V8ZZ | Drainage of left ethmoid sinus, via natural or artificial opening endoscopic |

| | | | |
|---------|---|---------|---|
| 03L24CZ | Occlusion of innominate artery with extraluminal device, percutaneous endoscopic approach | 099W00Z | Drainage of right sphenoid sinus with drainage device, open approach |
| 03L24DZ | Occlusion of innominate artery with intraluminal device, percutaneous endoscopic approach | 099W0ZZ | Drainage of right sphenoid sinus, open approach |
| 03L24ZZ | Occlusion of innominate artery, percutaneous endoscopic approach | 099W70Z | Drainage of right sphenoid sinus with drainage device, via natural or artificial opening |
| 03L30CZ | Occlusion of right subclavian artery with extraluminal device, open approach | 099W7ZZ | Drainage of right sphenoid sinus, via natural or artificial opening |
| 03L30DZ | Occlusion of right subclavian artery with intraluminal device, open approach | 099W80Z | Drainage of right sphenoid sinus with drainage device, via natural or artificial opening endoscopic |
| 03L30ZZ | Occlusion of right subclavian artery, open approach | 099W8ZZ | Drainage of right sphenoid sinus, via natural or artificial opening endoscopic |
| 03L33CZ | Occlusion of right subclavian artery with extraluminal device, percutaneous approach | 099X00Z | Drainage of left sphenoid sinus with drainage device, open approach |
| 03L33DZ | Occlusion of right subclavian artery with intraluminal device, percutaneous approach | 099X0ZZ | Drainage of left sphenoid sinus, open approach |
| 03L33ZZ | Occlusion of right subclavian artery, percutaneous approach | 099X70Z | Drainage of left sphenoid sinus with drainage device, via natural or artificial opening |
| 03L34CZ | Occlusion of right subclavian artery with extraluminal device, percutaneous endoscopic approach | 099X7ZZ | Drainage of left sphenoid sinus, via natural or artificial opening |
| 03L34DZ | Occlusion of right subclavian artery with intraluminal device, percutaneous endoscopic approach | 099X80Z | Drainage of left sphenoid sinus with drainage device, via natural or artificial opening endoscopic |
| 03L34ZZ | Occlusion of right subclavian artery, percutaneous endoscopic approach | 099X8ZZ | Drainage of left sphenoid sinus, via natural or artificial opening endoscopic |
| 03L40CZ | Occlusion of left subclavian artery with extraluminal device, open approach | 09C30ZZ | Extirpation of matter from right external auditory canal, open approach |
| 03L40DZ | Occlusion of left subclavian artery with intraluminal device, open approach | 09C33ZZ | Extirpation of matter from right external auditory canal, percutaneous approach |

| | | | |
|---------|--|---------|--|
| 03L40ZZ | Occlusion of left subclavian artery, open approach | 09C34ZZ | Extirpation of matter from right external auditory canal, percutaneous endoscopic approach |
| 03L43CZ | Occlusion of left subclavian artery with extraluminal device, percutaneous approach | 09C40ZZ | Extirpation of matter from left external auditory canal, open approach |
| 03L43DZ | Occlusion of left subclavian artery with intraluminal device, percutaneous approach | 09C43ZZ | Extirpation of matter from left external auditory canal, percutaneous approach |
| 03L43ZZ | Occlusion of left subclavian artery, percutaneous approach | 09C44ZZ | Extirpation of matter from left external auditory canal, percutaneous endoscopic approach |
| 03L44CZ | Occlusion of left subclavian artery with extraluminal device, percutaneous endoscopic approach | 09C50ZZ | Extirpation of matter from right middle ear, open approach |
| 03L44DZ | Occlusion of left subclavian artery with intraluminal device, percutaneous endoscopic approach | 09C58ZZ | Extirpation of matter from right middle ear, via natural or artificial opening endoscopic |
| 03L44ZZ | Occlusion of left subclavian artery, percutaneous endoscopic approach | 09C60ZZ | Extirpation of matter from left middle ear, open approach |
| 03L50CZ | Occlusion of right axillary artery with extraluminal device, open approach | 09C68ZZ | Extirpation of matter from left middle ear, via natural or artificial opening endoscopic |
| 03L50DZ | Occlusion of right axillary artery with intraluminal device, open approach | 09C70ZZ | Extirpation of matter from right tympanic membrane, open approach |
| 03L50ZZ | Occlusion of right axillary artery, open approach | 09C73ZZ | Extirpation of matter from right tympanic membrane, percutaneous approach |
| 03L53CZ | Occlusion of right axillary artery with extraluminal device, percutaneous approach | 09C74ZZ | Extirpation of matter from right tympanic membrane, percutaneous endoscopic approach |
| 03L53DZ | Occlusion of right axillary artery with intraluminal device, percutaneous approach | 09C77ZZ | Extirpation of matter from right tympanic membrane, via natural or artificial opening |
| 03L53ZZ | Occlusion of right axillary artery, percutaneous approach | 09C78ZZ | Extirpation of matter from right tympanic membrane, via natural or artificial opening endoscopic |
| 03L54CZ | Occlusion of right axillary artery with extraluminal device, percutaneous endoscopic approach | 09C80ZZ | Extirpation of matter from left tympanic membrane, open approach |
| 03L54DZ | Occlusion of right axillary artery with intraluminal device, percutaneous endoscopic approach | 09C83ZZ | Extirpation of matter from left tympanic membrane, percutaneous approach |

| | | | |
|---------|--|---------|---|
| 03L54ZZ | Occlusion of right axillary artery, percutaneous endoscopic approach | 09C84ZZ | Extirpation of matter from left tympanic membrane, percutaneous endoscopic approach |
| 03L60CZ | Occlusion of left axillary artery with extraluminal device, open approach | 09C87ZZ | Extirpation of matter from left tympanic membrane, via natural or artificial opening |
| 03L60DZ | Occlusion of left axillary artery with intraluminal device, open approach | 09C88ZZ | Extirpation of matter from left tympanic membrane, via natural or artificial opening endoscopic |
| 03L60ZZ | Occlusion of left axillary artery, open approach | 09CB0ZZ | Extirpation of matter from right mastoid sinus, open approach |
| 03L63CZ | Occlusion of left axillary artery with extraluminal device, percutaneous approach | 09CB3ZZ | Extirpation of matter from right mastoid sinus, percutaneous approach |
| 03L63DZ | Occlusion of left axillary artery with intraluminal device, percutaneous approach | 09CB4ZZ | Extirpation of matter from right mastoid sinus, percutaneous endoscopic approach |
| 03L63ZZ | Occlusion of left axillary artery, percutaneous approach | 09CB8ZZ | Extirpation of matter from right mastoid sinus, via natural or artificial opening endoscopic |
| 03L64CZ | Occlusion of left axillary artery with extraluminal device, percutaneous endoscopic approach | 09CC0ZZ | Extirpation of matter from left mastoid sinus, open approach |
| 03L64DZ | Occlusion of left axillary artery with intraluminal device, percutaneous endoscopic approach | 09CC3ZZ | Extirpation of matter from left mastoid sinus, percutaneous approach |
| 03L64ZZ | Occlusion of left axillary artery, percutaneous endoscopic approach | 09CC4ZZ | Extirpation of matter from left mastoid sinus, percutaneous endoscopic approach |
| 03L70CZ | Occlusion of right brachial artery with extraluminal device, open approach | 09CC8ZZ | Extirpation of matter from left mastoid sinus, via natural or artificial opening endoscopic |
| 03L70DZ | Occlusion of right brachial artery with intraluminal device, open approach | 09CK0ZZ | Extirpation of matter from nasal mucosa and soft tissue, open approach |
| 03L70ZZ | Occlusion of right brachial artery, open approach | 09CK3ZZ | Extirpation of matter from nasal mucosa and soft tissue, percutaneous approach |
| 03L73CZ | Occlusion of right brachial artery with extraluminal device, percutaneous approach | 09CK4ZZ | Extirpation of matter from nasal mucosa and soft tissue, percutaneous endoscopic approach |
| 03L73DZ | Occlusion of right brachial artery with intraluminal device, percutaneous approach | 09CK8ZZ | Extirpation of matter from nasal mucosa and soft tissue, via natural or artificial opening endoscopic |

| | | | |
|---------|---|---------|--|
| 03L73ZZ | Occlusion of right brachial artery, percutaneous approach | 09CL0ZZ | Extirpation of matter from nasal turbinate, open approach |
| 03L74CZ | Occlusion of right brachial artery with extraluminal device, percutaneous endoscopic approach | 09CL3ZZ | Extirpation of matter from nasal turbinate, percutaneous approach |
| 03L74DZ | Occlusion of right brachial artery with intraluminal device, percutaneous endoscopic approach | 09CL4ZZ | Extirpation of matter from nasal turbinate, percutaneous endoscopic approach |
| 03L74ZZ | Occlusion of right brachial artery, percutaneous endoscopic approach | 09CL7ZZ | Extirpation of matter from nasal turbinate, via natural or artificial opening |
| 03L80CZ | Occlusion of left brachial artery with extraluminal device, open approach | 09CL8ZZ | Extirpation of matter from nasal turbinate, via natural or artificial opening endoscopic |
| 03L80DZ | Occlusion of left brachial artery with intraluminal device, open approach | 09CM0ZZ | Extirpation of matter from nasal septum, open approach |
| 03L80ZZ | Occlusion of left brachial artery, open approach | 09CM3ZZ | Extirpation of matter from nasal septum, percutaneous approach |
| 03L83CZ | Occlusion of left brachial artery with extraluminal device, percutaneous approach | 09CM4ZZ | Extirpation of matter from nasal septum, percutaneous endoscopic approach |
| 03L83DZ | Occlusion of left brachial artery with intraluminal device, percutaneous approach | 09CM8ZZ | Extirpation of matter from nasal septum, via natural or artificial opening endoscopic |
| 03L83ZZ | Occlusion of left brachial artery, percutaneous approach | 09CP8ZZ | Extirpation of matter from accessory sinus, via natural or artificial opening endoscopic |
| 03L84CZ | Occlusion of left brachial artery with extraluminal device, percutaneous endoscopic approach | 09CQ0ZZ | Extirpation of matter from right maxillary sinus, open approach |
| 03L84DZ | Occlusion of left brachial artery with intraluminal device, percutaneous endoscopic approach | 09CQ3ZZ | Extirpation of matter from right maxillary sinus, percutaneous approach |
| 03L84ZZ | Occlusion of left brachial artery, percutaneous endoscopic approach | 09CQ4ZZ | Extirpation of matter from right maxillary sinus, percutaneous endoscopic approach |
| 03L90CZ | Occlusion of right ulnar artery with extraluminal device, open approach | 09CQ8ZZ | Extirpation of matter from right maxillary sinus, via natural or artificial opening endoscopic |
| 03L90DZ | Occlusion of right ulnar artery with intraluminal device, open approach | 09CR0ZZ | Extirpation of matter from left maxillary sinus, open approach |
| 03L90ZZ | Occlusion of right ulnar artery, open approach | 09CR3ZZ | Extirpation of matter from left maxillary sinus, percutaneous approach |

| | | | |
|---------|--|---------|---|
| 03L93CZ | Occlusion of right ulnar artery with extraluminal device, percutaneous approach | 09CR4ZZ | Extirpation of matter from left maxillary sinus, percutaneous endoscopic approach |
| 03L93DZ | Occlusion of right ulnar artery with intraluminal device, percutaneous approach | 09CR8ZZ | Extirpation of matter from left maxillary sinus, via natural or artificial opening endoscopic |
| 03L93ZZ | Occlusion of right ulnar artery, percutaneous approach | 09CS0ZZ | Extirpation of matter from right frontal sinus, open approach |
| 03L94CZ | Occlusion of right ulnar artery with extraluminal device, percutaneous endoscopic approach | 09CS3ZZ | Extirpation of matter from right frontal sinus, percutaneous approach |
| 03L94DZ | Occlusion of right ulnar artery with intraluminal device, percutaneous endoscopic approach | 09CS4ZZ | Extirpation of matter from right frontal sinus, percutaneous endoscopic approach |
| 03L94ZZ | Occlusion of right ulnar artery, percutaneous endoscopic approach | 09CS8ZZ | Extirpation of matter from right frontal sinus, via natural or artificial opening endoscopic |
| 03LA0CZ | Occlusion of left ulnar artery with extraluminal device, open approach | 09CT0ZZ | Extirpation of matter from left frontal sinus, open approach |
| 03LA0DZ | Occlusion of left ulnar artery with intraluminal device, open approach | 09CT3ZZ | Extirpation of matter from left frontal sinus, percutaneous approach |
| 03LA0ZZ | Occlusion of left ulnar artery, open approach | 09CT4ZZ | Extirpation of matter from left frontal sinus, percutaneous endoscopic approach |
| 03LA3CZ | Occlusion of left ulnar artery with extraluminal device, percutaneous approach | 09CT8ZZ | Extirpation of matter from left frontal sinus, via natural or artificial opening endoscopic |
| 03LA3DZ | Occlusion of left ulnar artery with intraluminal device, percutaneous approach | 09CU0ZZ | Extirpation of matter from right ethmoid sinus, open approach |
| 03LA3ZZ | Occlusion of left ulnar artery, percutaneous approach | 09CU3ZZ | Extirpation of matter from right ethmoid sinus, percutaneous approach |
| 03LA4CZ | Occlusion of left ulnar artery with extraluminal device, percutaneous endoscopic approach | 09CU4ZZ | Extirpation of matter from right ethmoid sinus, percutaneous endoscopic approach |
| 03LA4DZ | Occlusion of left ulnar artery with intraluminal device, percutaneous endoscopic approach | 09CU8ZZ | Extirpation of matter from right ethmoid sinus, via natural or artificial opening endoscopic |
| 03LA4ZZ | Occlusion of left ulnar artery, percutaneous endoscopic approach | 09CV0ZZ | Extirpation of matter from left ethmoid sinus, open approach |
| 03LB0CZ | Occlusion of right radial artery with extraluminal device, open approach | 09CV3ZZ | Extirpation of matter from left ethmoid sinus, percutaneous approach |

| | | | |
|---------|---|---------|--|
| 03LB0DZ | Occlusion of right radial artery with intraluminal device, open approach | 09CV4ZZ | Extirpation of matter from left ethmoid sinus, percutaneous endoscopic approach |
| 03LB0ZZ | Occlusion of right radial artery, open approach | 09CV8ZZ | Extirpation of matter from left ethmoid sinus, via natural or artificial opening endoscopic |
| 03LB3CZ | Occlusion of right radial artery with extraluminal device, percutaneous approach | 09CW0ZZ | Extirpation of matter from right sphenoid sinus, open approach |
| 03LB3DZ | Occlusion of right radial artery with intraluminal device, percutaneous approach | 09CW3ZZ | Extirpation of matter from right sphenoid sinus, percutaneous approach |
| 03LB3ZZ | Occlusion of right radial artery, percutaneous approach | 09CW4ZZ | Extirpation of matter from right sphenoid sinus, percutaneous endoscopic approach |
| 03LB4CZ | Occlusion of right radial artery with extraluminal device, percutaneous endoscopic approach | 09CW8ZZ | Extirpation of matter from right sphenoid sinus, via natural or artificial opening endoscopic |
| 03LB4DZ | Occlusion of right radial artery with intraluminal device, percutaneous endoscopic approach | 09CX0ZZ | Extirpation of matter from left sphenoid sinus, open approach |
| 03LB4ZZ | Occlusion of right radial artery, percutaneous endoscopic approach | 09CX3ZZ | Extirpation of matter from left sphenoid sinus, percutaneous approach |
| 03LC0CZ | Occlusion of left radial artery with extraluminal device, open approach | 09CX4ZZ | Extirpation of matter from left sphenoid sinus, percutaneous endoscopic approach |
| 03LC0DZ | Occlusion of left radial artery with intraluminal device, open approach | 09CX8ZZ | Extirpation of matter from left sphenoid sinus, via natural or artificial opening endoscopic |
| 03LC0ZZ | Occlusion of left radial artery, open approach | 09WK00Z | Revision of drainage device in nasal mucosa and soft tissue, open approach |
| 03LC3CZ | Occlusion of left radial artery with extraluminal device, percutaneous approach | 09WK30Z | Revision of drainage device in nasal mucosa and soft tissue, percutaneous approach |
| 03LC3DZ | Occlusion of left radial artery with intraluminal device, percutaneous approach | 09WK40Z | Revision of drainage device in nasal mucosa and soft tissue, percutaneous endoscopic approach |
| 03LC3ZZ | Occlusion of left radial artery, percutaneous approach | 09WK70Z | Revision of drainage device in nasal mucosa and soft tissue, via natural or artificial opening |

| | | | |
|---------|--|---------|---|
| 03LC4CZ | Occlusion of left radial artery with extraluminal device, percutaneous endoscopic approach | 09WK80Z | Revision of drainage device in nasal mucosa and soft tissue, via natural or artificial opening endoscopic |
| 03LC4DZ | Occlusion of left radial artery with intraluminal device, percutaneous endoscopic approach | 0B9C00Z | Drainage of right upper lung lobe with drainage device, open approach |
| 03LC4ZZ | Occlusion of left radial artery, percutaneous endoscopic approach | 0B9C0ZZ | Drainage of right upper lung lobe, open approach |
| 03LD0CZ | Occlusion of right hand artery with extraluminal device, open approach | 0B9D00Z | Drainage of right middle lung lobe with drainage device, open approach |
| 03LD0DZ | Occlusion of right hand artery with intraluminal device, open approach | 0B9D0ZZ | Drainage of right middle lung lobe, open approach |
| 03LD0ZZ | Occlusion of right hand artery, open approach | 0B9F00Z | Drainage of right lower lung lobe with drainage device, open approach |
| 03LD3CZ | Occlusion of right hand artery with extraluminal device, percutaneous approach | 0B9F0ZZ | Drainage of right lower lung lobe, open approach |
| 03LD3DZ | Occlusion of right hand artery with intraluminal device, percutaneous approach | 0B9G00Z | Drainage of left upper lung lobe with drainage device, open approach |
| 03LD3ZZ | Occlusion of right hand artery, percutaneous approach | 0B9G0ZZ | Drainage of left upper lung lobe, open approach |
| 03LD4CZ | Occlusion of right hand artery with extraluminal device, percutaneous endoscopic approach | 0B9H00Z | Drainage of lung lingula with drainage device, open approach |
| 03LD4DZ | Occlusion of right hand artery with intraluminal device, percutaneous endoscopic approach | 0B9H0ZZ | Drainage of lung lingula, open approach |
| 03LD4ZZ | Occlusion of right hand artery, percutaneous endoscopic approach | 0B9J00Z | Drainage of left lower lung lobe with drainage device, open approach |
| 03LF0CZ | Occlusion of left hand artery with extraluminal device, open approach | 0B9J0ZZ | Drainage of left lower lung lobe, open approach |
| 03LF0DZ | Occlusion of left hand artery with intraluminal device, open approach | 0B9K00Z | Drainage of right lung with drainage device, open approach |
| 03LF0ZZ | Occlusion of left hand artery, open approach | 0B9K0ZZ | Drainage of right lung, open approach |
| 03LF3CZ | Occlusion of left hand artery with extraluminal device, percutaneous approach | 0B9L00Z | Drainage of left lung with drainage device, open approach |
| 03LF3DZ | Occlusion of left hand artery with intraluminal device, percutaneous approach | 0B9L0ZZ | Drainage of left lung, open approach |
| 03LF3ZZ | Occlusion of left hand artery, percutaneous approach | 0B9M00Z | Drainage of bilateral lungs with drainage device, open approach |

| | | | |
|---------|---|---------|---|
| 03LF4CZ | Occlusion of left hand artery with extraluminal device, percutaneous endoscopic approach | 0B9M0ZZ | Drainage of bilateral lungs, open approach |
| 03LF4DZ | Occlusion of left hand artery with intraluminal device, percutaneous endoscopic approach | 0B9N00Z | Drainage of right pleura with drainage device, open approach |
| 03LF4ZZ | Occlusion of left hand artery, percutaneous endoscopic approach | 0B9N0ZZ | Drainage of right pleura, open approach |
| 03LG0BZ | Occlusion of intracranial artery with bioactive intraluminal device, open approach | 0B9N30Z | Drainage of right pleura with drainage device, percutaneous approach |
| 03LG0CZ | Occlusion of intracranial artery with extraluminal device, open approach | 0B9N80Z | Drainage of right pleura with drainage device, via natural or artificial opening endoscopic |
| 03LG0DZ | Occlusion of intracranial artery with intraluminal device, open approach | 0B9N8ZZ | Drainage of right pleura, via natural or artificial opening endoscopic |
| 03LG0ZZ | Occlusion of intracranial artery, open approach | 0B9P00Z | Drainage of left pleura with drainage device, open approach |
| 03LG3BZ | Occlusion of intracranial artery with bioactive intraluminal device, percutaneous approach | 0B9P0ZZ | Drainage of left pleura, open approach |
| 03LG3CZ | Occlusion of intracranial artery with extraluminal device, percutaneous approach | 0B9P30Z | Drainage of left pleura with drainage device, percutaneous approach |
| 03LG3DZ | Occlusion of intracranial artery with intraluminal device, percutaneous approach | 0B9P80Z | Drainage of left pleura with drainage device, via natural or artificial opening endoscopic |
| 03LG3ZZ | Occlusion of intracranial artery, percutaneous approach | 0B9P8ZZ | Drainage of left pleura, via natural or artificial opening endoscopic |
| 03LG4BZ | Occlusion of intracranial artery with bioactive intraluminal device, percutaneous endoscopic approach | 0BCC0ZZ | Extirpation of matter from right upper lung lobe, open approach |
| 03LG4CZ | Occlusion of intracranial artery with extraluminal device, percutaneous endoscopic approach | 0BCC3ZZ | Extirpation of matter from right upper lung lobe, percutaneous approach |
| 03LG4DZ | Occlusion of intracranial artery with intraluminal device, percutaneous endoscopic approach | 0BCC4ZZ | Extirpation of matter from right upper lung lobe, percutaneous endoscopic approach |
| 03LG4ZZ | Occlusion of intracranial artery, percutaneous endoscopic approach | 0BCD0ZZ | Extirpation of matter from right middle lung lobe, open approach |
| 03LH0BZ | Occlusion of right common carotid artery with bioactive intraluminal device, open approach | 0BCD3ZZ | Extirpation of matter from right middle lung lobe, percutaneous approach |

| | | | |
|---------|---|---------|---|
| 03LH0CZ | Occlusion of right common carotid artery with extraluminal device, open approach | 0BCD4ZZ | Extirpation of matter from right middle lung lobe, percutaneous endoscopic approach |
| 03LH0DZ | Occlusion of right common carotid artery with intraluminal device, open approach | 0BCF0ZZ | Extirpation of matter from right lower lung lobe, open approach |
| 03LH0ZZ | Occlusion of right common carotid artery, open approach | 0BCF3ZZ | Extirpation of matter from right lower lung lobe, percutaneous approach |
| 03LH3BZ | Occlusion of right common carotid artery with bioactive intraluminal device, percutaneous approach | 0BCF4ZZ | Extirpation of matter from right lower lung lobe, percutaneous endoscopic approach |
| 03LH3CZ | Occlusion of right common carotid artery with extraluminal device, percutaneous approach | 0BCG0ZZ | Extirpation of matter from left upper lung lobe, open approach |
| 03LH3DZ | Occlusion of right common carotid artery with intraluminal device, percutaneous approach | 0BCG3ZZ | Extirpation of matter from left upper lung lobe, percutaneous approach |
| 03LH3ZZ | Occlusion of right common carotid artery, percutaneous approach | 0BCG4ZZ | Extirpation of matter from left upper lung lobe, percutaneous endoscopic approach |
| 03LH4BZ | Occlusion of right common carotid artery with bioactive intraluminal device, percutaneous endoscopic approach | 0BCH0ZZ | Extirpation of matter from lung lingula, open approach |
| 03LH4CZ | Occlusion of right common carotid artery with extraluminal device, percutaneous endoscopic approach | 0BCH3ZZ | Extirpation of matter from lung lingula, percutaneous approach |
| 03LH4DZ | Occlusion of right common carotid artery with intraluminal device, percutaneous endoscopic approach | 0BCH4ZZ | Extirpation of matter from lung lingula, percutaneous endoscopic approach |
| 03LH4ZZ | Occlusion of right common carotid artery, percutaneous endoscopic approach | 0BCJ0ZZ | Extirpation of matter from left lower lung lobe, open approach |
| 03LJ0BZ | Occlusion of left common carotid artery with bioactive intraluminal device, open approach | 0BCJ3ZZ | Extirpation of matter from left lower lung lobe, percutaneous approach |
| 03LJ0CZ | Occlusion of left common carotid artery with extraluminal device, open approach | 0BCJ4ZZ | Extirpation of matter from left lower lung lobe, percutaneous endoscopic approach |
| 03LJ0DZ | Occlusion of left common carotid artery with intraluminal device, open approach | 0BCK0ZZ | Extirpation of matter from right lung, open approach |

| | | | |
|---------|--|---------|---|
| 03LJ0ZZ | Occlusion of left common carotid artery, open approach | 0BCK3ZZ | Extirpation of matter from right lung, percutaneous approach |
| 03LJ3BZ | Occlusion of left common carotid artery with bioactive intraluminal device, percutaneous approach | 0BCK4ZZ | Extirpation of matter from right lung, percutaneous endoscopic approach |
| 03LJ3CZ | Occlusion of left common carotid artery with extraluminal device, percutaneous approach | 0BCL0ZZ | Extirpation of matter from left lung, open approach |
| 03LJ3DZ | Occlusion of left common carotid artery with intraluminal device, percutaneous approach | 0BCL3ZZ | Extirpation of matter from left lung, percutaneous approach |
| 03LJ3ZZ | Occlusion of left common carotid artery, percutaneous approach | 0BCL4ZZ | Extirpation of matter from left lung, percutaneous endoscopic approach |
| 03LJ4BZ | Occlusion of left common carotid artery with bioactive intraluminal device, percutaneous endoscopic approach | 0BCM0ZZ | Extirpation of matter from bilateral lungs, open approach |
| 03LJ4CZ | Occlusion of left common carotid artery with extraluminal device, percutaneous endoscopic approach | 0BCM3ZZ | Extirpation of matter from bilateral lungs, percutaneous approach |
| 03LJ4DZ | Occlusion of left common carotid artery with intraluminal device, percutaneous endoscopic approach | 0BCM4ZZ | Extirpation of matter from bilateral lungs, percutaneous endoscopic approach |
| 03LJ4ZZ | Occlusion of left common carotid artery, percutaneous endoscopic approach | 0BCN0ZZ | Extirpation of matter from right pleura, open approach |
| 03LK0BZ | Occlusion of right internal carotid artery with bioactive intraluminal device, open approach | 0BCN3ZZ | Extirpation of matter from right pleura, percutaneous approach |
| 03LK0CZ | Occlusion of right internal carotid artery with extraluminal device, open approach | 0BCN4ZZ | Extirpation of matter from right pleura, percutaneous endoscopic approach |
| 03LK0DZ | Occlusion of right internal carotid artery with intraluminal device, open approach | 0BCP0ZZ | Extirpation of matter from left pleura, open approach |
| 03LK0ZZ | Occlusion of right internal carotid artery, open approach | 0BCP3ZZ | Extirpation of matter from left pleura, percutaneous approach |
| 03LK3BZ | Occlusion of right internal carotid artery with bioactive intraluminal device, percutaneous approach | 0BCP4ZZ | Extirpation of matter from left pleura, percutaneous endoscopic approach |
| 03LK3CZ | Occlusion of right internal carotid artery with extraluminal device, percutaneous approach | 0BW17FZ | Revision of tracheostomy device in trachea, via natural or artificial opening |

| | | | |
|---------|---|---------|--|
| 03LK3DZ | Occlusion of right internal carotid artery with intraluminal device, percutaneous approach | 0BW18FZ | Revision of tracheostomy device in trachea, via natural or artificial opening endoscopic |
| 03LK3ZZ | Occlusion of right internal carotid artery, percutaneous approach | 0BWK00Z | Revision of drainage device in right lung, open approach |
| 03LK4BZ | Occlusion of right internal carotid artery with bioactive intraluminal device, percutaneous endoscopic approach | 0BWK30Z | Revision of drainage device in right lung, percutaneous approach |
| 03LK4CZ | Occlusion of right internal carotid artery with extraluminal device, percutaneous endoscopic approach | 0BWK40Z | Revision of drainage device in right lung, percutaneous endoscopic approach |
| 03LK4DZ | Occlusion of right internal carotid artery with intraluminal device, percutaneous endoscopic approach | 0BWL00Z | Revision of drainage device in left lung, open approach |
| 03LK4ZZ | Occlusion of right internal carotid artery, percutaneous endoscopic approach | 0BWL30Z | Revision of drainage device in left lung, percutaneous approach |
| 03LL0BZ | Occlusion of left internal carotid artery with bioactive intraluminal device, open approach | 0BWL40Z | Revision of drainage device in left lung, percutaneous endoscopic approach |
| 03LL0CZ | Occlusion of left internal carotid artery with extraluminal device, open approach | 0BWQ00Z | Revision of drainage device in pleura, open approach |
| 03LL0DZ | Occlusion of left internal carotid artery with intraluminal device, open approach | 0BWQ30Z | Revision of drainage device in pleura, percutaneous approach |
| 03LL0ZZ | Occlusion of left internal carotid artery, open approach | 0BWQ40Z | Revision of drainage device in pleura, percutaneous endoscopic approach |
| 03LL3BZ | Occlusion of left internal carotid artery with bioactive intraluminal device, percutaneous approach | 0C9000Z | Drainage of upper lip with drainage device, open approach |
| 03LL3CZ | Occlusion of left internal carotid artery with extraluminal device, percutaneous approach | 0C900ZZ | Drainage of upper lip, open approach |
| 03LL3DZ | Occlusion of left internal carotid artery with intraluminal device, percutaneous approach | 0C9030Z | Drainage of upper lip with drainage device, percutaneous approach |
| 03LL3ZZ | Occlusion of left internal carotid artery, percutaneous approach | 0C903ZZ | Drainage of upper lip, percutaneous approach |

| | | | |
|---------|---|---------|---|
| 03LL4BZ | Occlusion of left internal carotid artery with bioactive intraluminal device, percutaneous endoscopic approach | 0C90X0Z | Drainage of upper lip with drainage device, external approach |
| 03LL4CZ | Occlusion of left internal carotid artery with extraluminal device, percutaneous endoscopic approach | 0C90XZZ | Drainage of upper lip, external approach |
| 03LL4DZ | Occlusion of left internal carotid artery with intraluminal device, percutaneous endoscopic approach | 0C9100Z | Drainage of lower lip with drainage device, open approach |
| 03LL4ZZ | Occlusion of left internal carotid artery, percutaneous endoscopic approach | 0C910ZZ | Drainage of lower lip, open approach |
| 03LM0BZ | Occlusion of right external carotid artery with bioactive intraluminal device, open approach | 0C9130Z | Drainage of lower lip with drainage device, percutaneous approach |
| 03LM0CZ | Occlusion of right external carotid artery with extraluminal device, open approach | 0C913ZZ | Drainage of lower lip, percutaneous approach |
| 03LM0DZ | Occlusion of right external carotid artery with intraluminal device, open approach | 0C91X0Z | Drainage of lower lip with drainage device, external approach |
| 03LM0ZZ | Occlusion of right external carotid artery, open approach | 0C91XZZ | Drainage of lower lip, external approach |
| 03LM3BZ | Occlusion of right external carotid artery with bioactive intraluminal device, percutaneous approach | 0C9400Z | Drainage of buccal mucosa with drainage device, open approach |
| 03LM3CZ | Occlusion of right external carotid artery with extraluminal device, percutaneous approach | 0C940ZZ | Drainage of buccal mucosa, open approach |
| 03LM3DZ | Occlusion of right external carotid artery with intraluminal device, percutaneous approach | 0C9430Z | Drainage of buccal mucosa with drainage device, percutaneous approach |
| 03LM3ZZ | Occlusion of right external carotid artery, percutaneous approach | 0C943ZZ | Drainage of buccal mucosa, percutaneous approach |
| 03LM4BZ | Occlusion of right external carotid artery with bioactive intraluminal device, percutaneous endoscopic approach | 0C94X0Z | Drainage of buccal mucosa with drainage device, external approach |
| 03LM4CZ | Occlusion of right external carotid artery with extraluminal device, percutaneous endoscopic approach | 0C94XZZ | Drainage of buccal mucosa, external approach |

| | | | |
|---------|--|---------|---|
| 03LM4DZ | Occlusion of right external carotid artery with intraluminal device, percutaneous endoscopic approach | 0C9P00Z | Drainage of tonsils with drainage device, open approach |
| 03LM4ZZ | Occlusion of right external carotid artery, percutaneous endoscopic approach | 0C9P0ZZ | Drainage of tonsils, open approach |
| 03LN0BZ | Occlusion of left external carotid artery with bioactive intraluminal device, open approach | 0C9P30Z | Drainage of tonsils with drainage device, percutaneous approach |
| 03LN0CZ | Occlusion of left external carotid artery with extraluminal device, open approach | 0C9P3ZZ | Drainage of tonsils, percutaneous approach |
| 03LN0DZ | Occlusion of left external carotid artery with intraluminal device, open approach | 0C9PX0Z | Drainage of tonsils with drainage device, external approach |
| 03LN0ZZ | Occlusion of left external carotid artery, open approach | 0C9PXZZ | Drainage of tonsils, external approach |
| 03LN3BZ | Occlusion of left external carotid artery with bioactive intraluminal device, percutaneous approach | 0C9R00Z | Drainage of epiglottis with drainage device, open approach |
| 03LN3CZ | Occlusion of left external carotid artery with extraluminal device, percutaneous approach | 0C9R0ZZ | Drainage of epiglottis, open approach |
| 03LN3DZ | Occlusion of left external carotid artery with intraluminal device, percutaneous approach | 0C9R30Z | Drainage of epiglottis with drainage device, percutaneous approach |
| 03LN3ZZ | Occlusion of left external carotid artery, percutaneous approach | 0C9R3ZZ | Drainage of epiglottis, percutaneous approach |
| 03LN4BZ | Occlusion of left external carotid artery with bioactive intraluminal device, percutaneous endoscopic approach | 0C9R40Z | Drainage of epiglottis with drainage device, percutaneous endoscopic approach |
| 03LN4CZ | Occlusion of left external carotid artery with extraluminal device, percutaneous endoscopic approach | 0C9R4ZZ | Drainage of epiglottis, percutaneous endoscopic approach |
| 03LN4DZ | Occlusion of left external carotid artery with intraluminal device, percutaneous endoscopic approach | 0C9R70Z | Drainage of epiglottis with drainage device, via natural or artificial opening |
| 03LN4ZZ | Occlusion of left external carotid artery, percutaneous endoscopic approach | 0C9R7ZZ | Drainage of epiglottis, via natural or artificial opening |
| 03LP0BZ | Occlusion of right vertebral artery with bioactive intraluminal device, open approach | 0C9R80Z | Drainage of epiglottis with drainage device, via natural or artificial opening endoscopic |

| | | | |
|---------|--|---------|---|
| 03LP0CZ | Occlusion of right vertebral artery with extraluminal device, open approach | 0C9R8ZZ | Drainage of epiglottis, via natural or artificial opening endoscopic |
| 03LP0DZ | Occlusion of right vertebral artery with intraluminal device, open approach | 0C9S00Z | Drainage of larynx with drainage device, open approach |
| 03LP0ZZ | Occlusion of right vertebral artery, open approach | 0C9S0ZZ | Drainage of larynx, open approach |
| 03LP3BZ | Occlusion of right vertebral artery with bioactive intraluminal device, percutaneous approach | 0C9S30Z | Drainage of larynx with drainage device, percutaneous approach |
| 03LP3CZ | Occlusion of right vertebral artery with extraluminal device, percutaneous approach | 0C9S3ZZ | Drainage of larynx, percutaneous approach |
| 03LP3DZ | Occlusion of right vertebral artery with intraluminal device, percutaneous approach | 0C9S40Z | Drainage of larynx with drainage device, percutaneous endoscopic approach |
| 03LP3ZZ | Occlusion of right vertebral artery, percutaneous approach | 0C9S4ZZ | Drainage of larynx, percutaneous endoscopic approach |
| 03LP4BZ | Occlusion of right vertebral artery with bioactive intraluminal device, percutaneous endoscopic approach | 0C9S70Z | Drainage of larynx with drainage device, via natural or artificial opening |
| 03LP4CZ | Occlusion of right vertebral artery with extraluminal device, percutaneous endoscopic approach | 0C9S7ZZ | Drainage of larynx, via natural or artificial opening |
| 03LP4DZ | Occlusion of right vertebral artery with intraluminal device, percutaneous endoscopic approach | 0C9S80Z | Drainage of larynx with drainage device, via natural or artificial opening endoscopic |
| 03LP4ZZ | Occlusion of right vertebral artery, percutaneous endoscopic approach | 0C9S8ZZ | Drainage of larynx, via natural or artificial opening endoscopic |
| 03LQ0BZ | Occlusion of left vertebral artery with bioactive intraluminal device, open approach | 0C9T00Z | Drainage of right vocal cord with drainage device, open approach |
| 03LQ0CZ | Occlusion of left vertebral artery with extraluminal device, open approach | 0C9T0ZZ | Drainage of right vocal cord, open approach |
| 03LQ0DZ | Occlusion of left vertebral artery with intraluminal device, open approach | 0C9T30Z | Drainage of right vocal cord with drainage device, percutaneous approach |
| 03LQ0ZZ | Occlusion of left vertebral artery, open approach | 0C9T3ZZ | Drainage of right vocal cord, percutaneous approach |
| 03LQ3BZ | Occlusion of left vertebral artery with bioactive intraluminal device, percutaneous approach | 0C9T40Z | Drainage of right vocal cord with drainage device, percutaneous endoscopic approach |

| | | | |
|---------|---|---------|---|
| 03LQ3CZ | Occlusion of left vertebral artery with extraluminal device, percutaneous approach | 0C9T4ZZ | Drainage of right vocal cord, percutaneous endoscopic approach |
| 03LQ3DZ | Occlusion of left vertebral artery with intraluminal device, percutaneous approach | 0C9T70Z | Drainage of right vocal cord with drainage device, via natural or artificial opening |
| 03LQ3ZZ | Occlusion of left vertebral artery, percutaneous approach | 0C9T7ZZ | Drainage of right vocal cord, via natural or artificial opening |
| 03LQ4BZ | Occlusion of left vertebral artery with bioactive intraluminal device, percutaneous endoscopic approach | 0C9T80Z | Drainage of right vocal cord with drainage device, via natural or artificial opening endoscopic |
| 03LQ4CZ | Occlusion of left vertebral artery with extraluminal device, percutaneous endoscopic approach | 0C9T8ZZ | Drainage of right vocal cord, via natural or artificial opening endoscopic |
| 03LQ4DZ | Occlusion of left vertebral artery with intraluminal device, percutaneous endoscopic approach | 0C9V00Z | Drainage of left vocal cord with drainage device, open approach |
| 03LQ4ZZ | Occlusion of left vertebral artery, percutaneous endoscopic approach | 0C9V0ZZ | Drainage of left vocal cord, open approach |
| 03LR0CZ | Occlusion of face artery with extraluminal device, open approach | 0C9V30Z | Drainage of left vocal cord with drainage device, percutaneous approach |
| 03LR0DZ | Occlusion of face artery with intraluminal device, open approach | 0C9V3ZZ | Drainage of left vocal cord, percutaneous approach |
| 03LR0ZZ | Occlusion of face artery, open approach | 0C9V40Z | Drainage of left vocal cord with drainage device, percutaneous endoscopic approach |
| 03LR3CZ | Occlusion of face artery with extraluminal device, percutaneous approach | 0C9V4ZZ | Drainage of left vocal cord, percutaneous endoscopic approach |
| 03LR3DZ | Occlusion of face artery with intraluminal device, percutaneous approach | 0C9V70Z | Drainage of left vocal cord with drainage device, via natural or artificial opening |
| 03LR3ZZ | Occlusion of face artery, percutaneous approach | 0C9V7ZZ | Drainage of left vocal cord, via natural or artificial opening |
| 03LR4CZ | Occlusion of face artery with extraluminal device, percutaneous endoscopic approach | 0C9V80Z | Drainage of left vocal cord with drainage device, via natural or artificial opening endoscopic |
| 03LR4DZ | Occlusion of face artery with intraluminal device, percutaneous endoscopic approach | 0C9V8ZZ | Drainage of left vocal cord, via natural or artificial opening endoscopic |
| 03LR4ZZ | Occlusion of face artery, percutaneous endoscopic approach | 0CC80ZZ | Extirpation of matter from right parotid gland, open approach |

| | | | |
|---------|---|---------|--|
| 03LS0CZ | Occlusion of right temporal artery with extraluminal device, open approach | 0CC83ZZ | Extirpation of matter from right parotid gland, percutaneous approach |
| 03LS0DZ | Occlusion of right temporal artery with intraluminal device, open approach | 0CC90ZZ | Extirpation of matter from left parotid gland, open approach |
| 03LS0ZZ | Occlusion of right temporal artery, open approach | 0CC93ZZ | Extirpation of matter from left parotid gland, percutaneous approach |
| 03LS3CZ | Occlusion of right temporal artery with extraluminal device, percutaneous approach | 0CCB0ZZ | Extirpation of matter from right parotid duct, open approach |
| 03LS3DZ | Occlusion of right temporal artery with intraluminal device, percutaneous approach | 0CCB3ZZ | Extirpation of matter from right parotid duct, percutaneous approach |
| 03LS3ZZ | Occlusion of right temporal artery, percutaneous approach | 0CCC0ZZ | Extirpation of matter from left parotid duct, open approach |
| 03LS4CZ | Occlusion of right temporal artery with extraluminal device, percutaneous endoscopic approach | 0CCC3ZZ | Extirpation of matter from left parotid duct, percutaneous approach |
| 03LS4DZ | Occlusion of right temporal artery with intraluminal device, percutaneous endoscopic approach | 0CCD0ZZ | Extirpation of matter from right sublingual gland, open approach |
| 03LS4ZZ | Occlusion of right temporal artery, percutaneous endoscopic approach | 0CCD3ZZ | Extirpation of matter from right sublingual gland, percutaneous approach |
| 03LT0CZ | Occlusion of left temporal artery with extraluminal device, open approach | 0CCF0ZZ | Extirpation of matter from left sublingual gland, open approach |
| 03LT0DZ | Occlusion of left temporal artery with intraluminal device, open approach | 0CCF3ZZ | Extirpation of matter from left sublingual gland, percutaneous approach |
| 03LT0ZZ | Occlusion of left temporal artery, open approach | 0CCG0ZZ | Extirpation of matter from right submaxillary gland, open approach |
| 03LT3CZ | Occlusion of left temporal artery with extraluminal device, percutaneous approach | 0CCG3ZZ | Extirpation of matter from right submaxillary gland, percutaneous approach |
| 03LT3DZ | Occlusion of left temporal artery with intraluminal device, percutaneous approach | 0CCH0ZZ | Extirpation of matter from left submaxillary gland, open approach |
| 03LT3ZZ | Occlusion of left temporal artery, percutaneous approach | 0CCH3ZZ | Extirpation of matter from left submaxillary gland, percutaneous approach |

| | | | |
|---------|--|---------|---|
| 03LT4CZ | Occlusion of left temporal artery with extraluminal device, percutaneous endoscopic approach | 0CCJ0ZZ | Extirpation of matter from minor salivary gland, open approach |
| 03LT4DZ | Occlusion of left temporal artery with intraluminal device, percutaneous endoscopic approach | 0CCJ3ZZ | Extirpation of matter from minor salivary gland, percutaneous approach |
| 03LT4ZZ | Occlusion of left temporal artery, percutaneous endoscopic approach | 0CCR0ZZ | Extirpation of matter from epiglottis, open approach |
| 03LU0CZ | Occlusion of right thyroid artery with extraluminal device, open approach | 0CCR3ZZ | Extirpation of matter from epiglottis, percutaneous approach |
| 03LU0DZ | Occlusion of right thyroid artery with intraluminal device, open approach | 0CCR4ZZ | Extirpation of matter from epiglottis, percutaneous endoscopic approach |
| 03LU0ZZ | Occlusion of right thyroid artery, open approach | 0CCR7ZZ | Extirpation of matter from epiglottis, via natural or artificial opening |
| 03LU3CZ | Occlusion of right thyroid artery with extraluminal device, percutaneous approach | 0CCR8ZZ | Extirpation of matter from epiglottis, via natural or artificial opening endoscopic |
| 03LU3DZ | Occlusion of right thyroid artery with intraluminal device, percutaneous approach | 0CCS0ZZ | Extirpation of matter from larynx, open approach |
| 03LU3ZZ | Occlusion of right thyroid artery, percutaneous approach | 0CCS3ZZ | Extirpation of matter from larynx, percutaneous approach |
| 03LU4CZ | Occlusion of right thyroid artery with extraluminal device, percutaneous endoscopic approach | 0CCS4ZZ | Extirpation of matter from larynx, percutaneous endoscopic approach |
| 03LU4DZ | Occlusion of right thyroid artery with intraluminal device, percutaneous endoscopic approach | 0CCT0ZZ | Extirpation of matter from right vocal cord, open approach |
| 03LU4ZZ | Occlusion of right thyroid artery, percutaneous endoscopic approach | 0CCT3ZZ | Extirpation of matter from right vocal cord, percutaneous approach |
| 03LV0CZ | Occlusion of left thyroid artery with extraluminal device, open approach | 0CCT4ZZ | Extirpation of matter from right vocal cord, percutaneous endoscopic approach |
| 03LV0DZ | Occlusion of left thyroid artery with intraluminal device, open approach | 0CCT7ZZ | Extirpation of matter from right vocal cord, via natural or artificial opening |
| 03LV0ZZ | Occlusion of left thyroid artery, open approach | 0CCT8ZZ | Extirpation of matter from right vocal cord, via natural or artificial opening endoscopic |
| 03LV3CZ | Occlusion of left thyroid artery with extraluminal device, percutaneous approach | 0CCV0ZZ | Extirpation of matter from left vocal cord, open approach |

| | | | |
|---------|---|---------|--|
| 03LV3DZ | Occlusion of left thyroid artery with intraluminal device, percutaneous approach | 0CCV3ZZ | Extirpation of matter from left vocal cord, percutaneous approach |
| 03LV3ZZ | Occlusion of left thyroid artery, percutaneous approach | 0CCV4ZZ | Extirpation of matter from left vocal cord, percutaneous endoscopic approach |
| 03LV4CZ | Occlusion of left thyroid artery with extraluminal device, percutaneous endoscopic approach | 0CCV7ZZ | Extirpation of matter from left vocal cord, via natural or artificial opening |
| 03LV4DZ | Occlusion of left thyroid artery with intraluminal device, percutaneous endoscopic approach | 0CCV8ZZ | Extirpation of matter from left vocal cord, via natural or artificial opening endoscopic |
| 03LV4ZZ | Occlusion of left thyroid artery, percutaneous endoscopic approach | 0CWS00Z | Revision of drainage device in larynx, open approach |
| 03LY0CZ | Occlusion of upper artery with extraluminal device, open approach | 0CWS30Z | Revision of drainage device in larynx, percutaneous approach |
| 03LY0DZ | Occlusion of upper artery with intraluminal device, open approach | 0CWS70Z | Revision of drainage device in larynx, via natural or artificial opening |
| 03LY0ZZ | Occlusion of upper artery, open approach | 0CWS80Z | Revision of drainage device in larynx, via natural or artificial opening endoscopic |
| 03LY3CZ | Occlusion of upper artery with extraluminal device, percutaneous approach | 0D510ZZ | Destruction of upper esophagus, open approach |
| 03LY3DZ | Occlusion of upper artery with intraluminal device, percutaneous approach | 0D513ZZ | Destruction of upper esophagus, percutaneous approach |
| 03LY3ZZ | Occlusion of upper artery, percutaneous approach | 0D514ZZ | Destruction of upper esophagus, percutaneous endoscopic approach |
| 03LY4CZ | Occlusion of upper artery with extraluminal device, percutaneous endoscopic approach | 0D517ZZ | Destruction of upper esophagus, via natural or artificial opening |
| 03LY4DZ | Occlusion of upper artery with intraluminal device, percutaneous endoscopic approach | 0D518ZZ | Destruction of upper esophagus, via natural or artificial opening endoscopic |
| 03LY4ZZ | Occlusion of upper artery, percutaneous endoscopic approach | 0D520ZZ | Destruction of middle esophagus, open approach |
| 03Q00ZZ | Repair right internal mammary artery, open approach | 0D523ZZ | Destruction of middle esophagus, percutaneous approach |
| 03Q03ZZ | Repair right internal mammary artery, percutaneous approach | 0D524ZZ | Destruction of middle esophagus, percutaneous endoscopic approach |
| 03Q04ZZ | Repair right internal mammary artery, percutaneous endoscopic approach | 0D527ZZ | Destruction of middle esophagus, via natural or artificial opening |

| | | | |
|---------|---|---------|---|
| 03Q10ZZ | Repair left internal mammary artery, open approach | 0D528ZZ | Destruction of middle esophagus, via natural or artificial opening endoscopic |
| 03Q13ZZ | Repair left internal mammary artery, percutaneous approach | 0D530ZZ | Destruction of lower esophagus, open approach |
| 03Q14ZZ | Repair left internal mammary artery, percutaneous endoscopic approach | 0D533ZZ | Destruction of lower esophagus, percutaneous approach |
| 03Q20ZZ | Repair innominate artery, open approach | 0D534ZZ | Destruction of lower esophagus, percutaneous endoscopic approach |
| 03Q23ZZ | Repair innominate artery, percutaneous approach | 0D537ZZ | Destruction of lower esophagus, via natural or artificial opening |
| 03Q24ZZ | Repair innominate artery, percutaneous endoscopic approach | 0D538ZZ | Destruction of lower esophagus, via natural or artificial opening endoscopic |
| 03Q30ZZ | Repair right subclavian artery, open approach | 0D540ZZ | Destruction of esophagogastric junction, open approach |
| 03Q33ZZ | Repair right subclavian artery, percutaneous approach | 0D543ZZ | Destruction of esophagogastric junction, percutaneous approach |
| 03Q34ZZ | Repair right subclavian artery, percutaneous endoscopic approach | 0D544ZZ | Destruction of esophagogastric junction, percutaneous endoscopic approach |
| 03Q40ZZ | Repair left subclavian artery, open approach | 0D547ZZ | Destruction of esophagogastric junction, via natural or artificial opening |
| 03Q43ZZ | Repair left subclavian artery, percutaneous approach | 0D548ZZ | Destruction of esophagogastric junction, via natural or artificial opening endoscopic |
| 03Q44ZZ | Repair left subclavian artery, percutaneous endoscopic approach | 0D550ZZ | Destruction of esophagus, open approach |
| 03Q50ZZ | Repair right axillary artery, open approach | 0D553ZZ | Destruction of esophagus, percutaneous approach |
| 03Q53ZZ | Repair right axillary artery, percutaneous approach | 0D554ZZ | Destruction of esophagus, percutaneous endoscopic approach |
| 03Q54ZZ | Repair right axillary artery, percutaneous endoscopic approach | 0D557ZZ | Destruction of esophagus, via natural or artificial opening |
| 03Q60ZZ | Repair left axillary artery, open approach | 0D558ZZ | Destruction of esophagus, via natural or artificial opening endoscopic |
| 03Q63ZZ | Repair left axillary artery, percutaneous approach | 0D564ZZ | Destruction of stomach, percutaneous endoscopic approach |
| 03Q64ZZ | Repair left axillary artery, percutaneous endoscopic approach | 0D568ZZ | Destruction of stomach, via natural or artificial opening endoscopic |
| 03Q70ZZ | Repair right brachial artery, open approach | 0D574ZZ | Destruction of stomach, pylorus, percutaneous endoscopic approach |

| | | | |
|---------|--|---------|--|
| 03Q73ZZ | Repair right brachial artery, percutaneous approach | 0D578ZZ | Destruction of stomach, pylorus, via natural or artificial opening endoscopic |
| 03Q74ZZ | Repair right brachial artery, percutaneous endoscopic approach | 0D5E0ZZ | Destruction of large intestine, open approach |
| 03Q80ZZ | Repair left brachial artery, open approach | 0D5E3ZZ | Destruction of large intestine, percutaneous approach |
| 03Q83ZZ | Repair left brachial artery, percutaneous approach | 0D5E4ZZ | Destruction of large intestine, percutaneous endoscopic approach |
| 03Q84ZZ | Repair left brachial artery, percutaneous endoscopic approach | 0D5E7ZZ | Destruction of large intestine, via natural or artificial opening |
| 03Q90ZZ | Repair right ulnar artery, open approach | 0D5E8ZZ | Destruction of large intestine, via natural or artificial opening endoscopic |
| 03Q93ZZ | Repair right ulnar artery, percutaneous approach | 0D5F0ZZ | Destruction of right large intestine, open approach |
| 03Q94ZZ | Repair right ulnar artery, percutaneous endoscopic approach | 0D5F3ZZ | Destruction of right large intestine, percutaneous approach |
| 03QA0ZZ | Repair left ulnar artery, open approach | 0D5F4ZZ | Destruction of right large intestine, percutaneous endoscopic approach |
| 03QA3ZZ | Repair left ulnar artery, percutaneous approach | 0D5F7ZZ | Destruction of right large intestine, via natural or artificial opening |
| 03QA4ZZ | Repair left ulnar artery, percutaneous endoscopic approach | 0D5F8ZZ | Destruction of right large intestine, via natural or artificial opening endoscopic |
| 03QB0ZZ | Repair right radial artery, open approach | 0D5G0ZZ | Destruction of left large intestine, open approach |
| 03QB3ZZ | Repair right radial artery, percutaneous approach | 0D5G3ZZ | Destruction of left large intestine, percutaneous approach |
| 03QB4ZZ | Repair right radial artery, percutaneous endoscopic approach | 0D5G4ZZ | Destruction of left large intestine, percutaneous endoscopic approach |
| 03QC0ZZ | Repair left radial artery, open approach | 0D5G7ZZ | Destruction of left large intestine, via natural or artificial opening |
| 03QC3ZZ | Repair left radial artery, percutaneous approach | 0D5G8ZZ | Destruction of left large intestine, via natural or artificial opening endoscopic |
| 03QC4ZZ | Repair left radial artery, percutaneous endoscopic approach | 0D5H0ZZ | Destruction of cecum, open approach |
| 03QD0ZZ | Repair right hand artery, open approach | 0D5H3ZZ | Destruction of cecum, percutaneous approach |
| 03QD3ZZ | Repair right hand artery, percutaneous approach | 0D5H4ZZ | Destruction of cecum, percutaneous endoscopic approach |
| 03QD4ZZ | Repair right hand artery, percutaneous endoscopic approach | 0D5H7ZZ | Destruction of cecum, via natural or artificial opening |

| | | | |
|---------|--|---------|---|
| 03QF0ZZ | Repair left hand artery, open approach | 0D5H8ZZ | Destruction of cecum, via natural or artificial opening endoscopic |
| 03QF3ZZ | Repair left hand artery, percutaneous approach | 0D5K0ZZ | Destruction of ascending colon, open approach |
| 03QF4ZZ | Repair left hand artery, percutaneous endoscopic approach | 0D5K3ZZ | Destruction of ascending colon, percutaneous approach |
| 03QG0ZZ | Repair intracranial artery, open approach | 0D5K4ZZ | Destruction of ascending colon, percutaneous endoscopic approach |
| 03QG3ZZ | Repair intracranial artery, percutaneous approach | 0D5K7ZZ | Destruction of ascending colon, via natural or artificial opening |
| 03QG4ZZ | Repair intracranial artery, percutaneous endoscopic approach | 0D5K8ZZ | Destruction of ascending colon, via natural or artificial opening endoscopic |
| 03QH0ZZ | Repair right common carotid artery, open approach | 0D5L0ZZ | Destruction of transverse colon, open approach |
| 03QH3ZZ | Repair right common carotid artery, percutaneous approach | 0D5L3ZZ | Destruction of transverse colon, percutaneous approach |
| 03QH4ZZ | Repair right common carotid artery, percutaneous endoscopic approach | 0D5L4ZZ | Destruction of transverse colon, percutaneous endoscopic approach |
| 03QJ0ZZ | Repair left common carotid artery, open approach | 0D5L7ZZ | Destruction of transverse colon, via natural or artificial opening |
| 03QJ3ZZ | Repair left common carotid artery, percutaneous approach | 0D5L8ZZ | Destruction of transverse colon, via natural or artificial opening endoscopic |
| 03QJ4ZZ | Repair left common carotid artery, percutaneous endoscopic approach | 0D5M0ZZ | Destruction of descending colon, open approach |
| 03QK0ZZ | Repair right internal carotid artery, open approach | 0D5M3ZZ | Destruction of descending colon, percutaneous approach |
| 03QK3ZZ | Repair right internal carotid artery, percutaneous approach | 0D5M4ZZ | Destruction of descending colon, percutaneous endoscopic approach |
| 03QK4ZZ | Repair right internal carotid artery, percutaneous endoscopic approach | 0D5M7ZZ | Destruction of descending colon, via natural or artificial opening |
| 03QL0ZZ | Repair left internal carotid artery, open approach | 0D5M8ZZ | Destruction of descending colon, via natural or artificial opening endoscopic |
| 03QL3ZZ | Repair left internal carotid artery, percutaneous approach | 0D5N0ZZ | Destruction of sigmoid colon, open approach |
| 03QL4ZZ | Repair left internal carotid artery, percutaneous endoscopic approach | 0D5N3ZZ | Destruction of sigmoid colon, percutaneous approach |
| 03QM0ZZ | Repair right external carotid artery, open approach | 0D5N4ZZ | Destruction of sigmoid colon, percutaneous endoscopic approach |
| 03QM3ZZ | Repair right external carotid artery, percutaneous approach | 0D5N7ZZ | Destruction of sigmoid colon, via natural or artificial opening |

| | | | |
|---------|--|---------|--|
| 03QM4ZZ | Repair right external carotid artery, percutaneous endoscopic approach | 0D5N8ZZ | Destruction of sigmoid colon, via natural or artificial opening endoscopic |
| 03QN0ZZ | Repair left external carotid artery, open approach | 0D9S00Z | Drainage of greater omentum with drainage device, open approach |
| 03QN3ZZ | Repair left external carotid artery, percutaneous approach | 0D9S0ZZ | Drainage of greater omentum, open approach |
| 03QN4ZZ | Repair left external carotid artery, percutaneous endoscopic approach | 0D9T00Z | Drainage of lesser omentum with drainage device, open approach |
| 03QP0ZZ | Repair right vertebral artery, open approach | 0D9T0ZZ | Drainage of lesser omentum, open approach |
| 03QP3ZZ | Repair right vertebral artery, percutaneous approach | 0D9U00Z | Drainage of omentum with drainage device, open approach |
| 03QP4ZZ | Repair right vertebral artery, percutaneous endoscopic approach | 0D9U0ZZ | Drainage of omentum, open approach |
| 03QQ0ZZ | Repair left vertebral artery, open approach | 0D9U30Z | Drainage of omentum with drainage device, percutaneous approach |
| 03QQ3ZZ | Repair left vertebral artery, percutaneous approach | 0D9U3ZZ | Drainage of omentum, percutaneous approach |
| 03QQ4ZZ | Repair left vertebral artery, percutaneous endoscopic approach | 0D9U40Z | Drainage of omentum with drainage device, percutaneous endoscopic approach |
| 03QR0ZZ | Repair face artery, open approach | 0D9U4ZZ | Drainage of omentum, percutaneous endoscopic approach |
| 03QR3ZZ | Repair face artery, percutaneous approach | 0D9V00Z | Drainage of mesentery with drainage device, open approach |
| 03QR4ZZ | Repair face artery, percutaneous endoscopic approach | 0D9V0ZZ | Drainage of mesentery, open approach |
| 03QS0ZZ | Repair right temporal artery, open approach | 0D9W00Z | Drainage of peritoneum with drainage device, open approach |
| 03QS3ZZ | Repair right temporal artery, percutaneous approach | 0D9W0ZZ | Drainage of peritoneum, open approach |
| 03QS4ZZ | Repair right temporal artery, percutaneous endoscopic approach | 0DB10ZZ | Excision of upper esophagus, open approach |
| 03QT0ZZ | Repair left temporal artery, open approach | 0DB13ZZ | Excision of upper esophagus, percutaneous approach |
| 03QT3ZZ | Repair left temporal artery, percutaneous approach | 0DB14ZZ | Excision of upper esophagus, percutaneous endoscopic approach |
| 03QT4ZZ | Repair left temporal artery, percutaneous endoscopic approach | 0DB17ZZ | Excision of upper esophagus, via natural or artificial opening |
| 03QU0ZZ | Repair right thyroid artery, open approach | 0DB18ZZ | Excision of upper esophagus, via natural or artificial opening endoscopic |

| | | | |
|---------|--|---------|--|
| 03QU3ZZ | Repair right thyroid artery, percutaneous approach | 0DB20ZZ | Excision of middle esophagus, open approach |
| 03QU4ZZ | Repair right thyroid artery, percutaneous endoscopic approach | 0DB23ZZ | Excision of middle esophagus, percutaneous approach |
| 03QV0ZZ | Repair left thyroid artery, open approach | 0DB24ZZ | Excision of middle esophagus, percutaneous endoscopic approach |
| 03QV3ZZ | Repair left thyroid artery, percutaneous approach | 0DB27ZZ | Excision of middle esophagus, via natural or artificial opening |
| 03QV4ZZ | Repair left thyroid artery, percutaneous endoscopic approach | 0DB28ZZ | Excision of middle esophagus, via natural or artificial opening endoscopic |
| 03QY0ZZ | Repair upper artery, open approach | 0DB30ZZ | Excision of lower esophagus, open approach |
| 03QY3ZZ | Repair upper artery, percutaneous approach | 0DB33ZZ | Excision of lower esophagus, percutaneous approach |
| 03QY4ZZ | Repair upper artery, percutaneous endoscopic approach | 0DB34ZZ | Excision of lower esophagus, percutaneous endoscopic approach |
| 03VG0DZ | Restriction of intracranial artery with intraluminal device, open approach | 0DB37ZZ | Excision of lower esophagus, via natural or artificial opening |
| 03VG0HZ | Restriction of intracranial artery with intraluminal device, flow diverter, open approach | 0DB38ZZ | Excision of lower esophagus, via natural or artificial opening endoscopic |
| 03VG3DZ | Restriction of intracranial artery with intraluminal device, percutaneous approach | 0DB40ZZ | Excision of esophagogastric junction, open approach |
| 03VG3HZ | Restriction of intracranial artery with intraluminal device, flow diverter, percutaneous approach | 0DB43ZZ | Excision of esophagogastric junction, percutaneous approach |
| 03VG4DZ | Restriction of intracranial artery with intraluminal device, percutaneous endoscopic approach | 0DB47ZZ | Excision of esophagogastric junction, via natural or artificial opening |
| 03VG4HZ | Restriction of intracranial artery with intraluminal device, flow diverter, percutaneous endoscopic approach | 0DB48ZZ | Excision of esophagogastric junction, via natural or artificial opening endoscopic |
| 03VH0DZ | Restriction of right common carotid artery with intraluminal device, open approach | 0DB50ZZ | Excision of esophagus, open approach |
| 03VH0HZ | Restriction of right common carotid artery with intraluminal device, flow diverter, open approach | 0DB53ZZ | Excision of esophagus, percutaneous approach |
| 03VH3DZ | Restriction of right common carotid artery with intraluminal device, percutaneous approach | 0DB54ZZ | Excision of esophagus, percutaneous endoscopic approach |

| | | | |
|---------|--|---------|--|
| 03VH3HZ | Restriction of right common carotid artery with intraluminal device, flow diverter, percutaneous approach | 0DB57ZZ | Excision of esophagus, via natural or artificial opening |
| 03VH4DZ | Restriction of right common carotid artery with intraluminal device, percutaneous endoscopic approach | 0DB58ZZ | Excision of esophagus, via natural or artificial opening endoscopic |
| 03VH4HZ | Restriction of right common carotid artery with intraluminal device, flow diverter, percutaneous endoscopic approach | 0DB64ZZ | Excision of stomach, percutaneous endoscopic approach |
| 03VJ0DZ | Restriction of left common carotid artery with intraluminal device, open approach | 0DB68ZZ | Excision of stomach, via natural or artificial opening endoscopic |
| 03VJ0HZ | Restriction of left common carotid artery with intraluminal device, flow diverter, open approach | 0DB74ZZ | Excision of stomach, pylorus, percutaneous endoscopic approach |
| 03VJ3DZ | Restriction of left common carotid artery with intraluminal device, percutaneous approach | 0DB78ZZ | Excision of stomach, pylorus, via natural or artificial opening endoscopic |
| 03VJ3HZ | Restriction of left common carotid artery with intraluminal device, flow diverter, percutaneous approach | 0DQ60ZZ | Repair stomach, open approach |
| 03VJ4DZ | Restriction of left common carotid artery with intraluminal device, percutaneous endoscopic approach | 0DQ63ZZ | Repair stomach, percutaneous approach |
| 03VJ4HZ | Restriction of left common carotid artery with intraluminal device, flow diverter, percutaneous endoscopic approach | 0DQ64ZZ | Repair stomach, percutaneous endoscopic approach |
| 03VK0DZ | Restriction of right internal carotid artery with intraluminal device, open approach | 0DQ67ZZ | Repair stomach, via natural or artificial opening |
| 03VK0HZ | Restriction of right internal carotid artery with intraluminal device, flow diverter, open approach | 0DQ68ZZ | Repair stomach, via natural or artificial opening endoscopic |
| 03VK3DZ | Restriction of right internal carotid artery with intraluminal device, percutaneous approach | 0DQ90ZZ | Repair duodenum, open approach |
| 03VK3HZ | Restriction of right internal carotid artery with intraluminal device, flow diverter, percutaneous approach | 0DQ93ZZ | Repair duodenum, percutaneous approach |
| 03VK4DZ | Restriction of right internal carotid artery with intraluminal device, percutaneous endoscopic approach | 0DQ94ZZ | Repair duodenum, percutaneous endoscopic approach |

| | | | |
|---------|--|---------|--|
| 03VK4HZ | Restriction of right internal carotid artery with intraluminal device, flow diverter, percutaneous endoscopic approach | 0DQ97ZZ | Repair duodenum, via natural or artificial opening |
| 03VL0DZ | Restriction of left internal carotid artery with intraluminal device, open approach | 0DQ98ZZ | Repair duodenum, via natural or artificial opening endoscopic |
| 03VL0HZ | Restriction of left internal carotid artery with intraluminal device, flow diverter, open approach | 0F9000Z | Drainage of liver with drainage device, open approach |
| 03VL3DZ | Restriction of left internal carotid artery with intraluminal device, percutaneous approach | 0F900ZZ | Drainage of liver, open approach |
| 03VL3HZ | Restriction of left internal carotid artery with intraluminal device, flow diverter, percutaneous approach | 0F9100Z | Drainage of right lobe liver with drainage device, open approach |
| 03VL4DZ | Restriction of left internal carotid artery with intraluminal device, percutaneous endoscopic approach | 0F910ZZ | Drainage of right lobe liver, open approach |
| 03VL4HZ | Restriction of left internal carotid artery with intraluminal device, flow diverter, percutaneous endoscopic approach | 0F9200Z | Drainage of left lobe liver with drainage device, open approach |
| 03VM0DZ | Restriction of right external carotid artery with intraluminal device, open approach | 0F920ZZ | Drainage of left lobe liver, open approach |
| 03VM0HZ | Restriction of right external carotid artery with intraluminal device, flow diverter, open approach | 0FC00ZZ | Extirpation of matter from liver, open approach |
| 03VM3DZ | Restriction of right external carotid artery with intraluminal device, percutaneous approach | 0FC03ZZ | Extirpation of matter from liver, percutaneous approach |
| 03VM3HZ | Restriction of right external carotid artery with intraluminal device, flow diverter, percutaneous approach | 0FC04ZZ | Extirpation of matter from liver, percutaneous endoscopic approach |
| 03VM4DZ | Restriction of right external carotid artery with intraluminal device, percutaneous endoscopic approach | 0FC10ZZ | Extirpation of matter from right lobe liver, open approach |
| 03VM4HZ | Restriction of right external carotid artery with intraluminal device, flow diverter, percutaneous endoscopic approach | 0FC13ZZ | Extirpation of matter from right lobe liver, percutaneous approach |

| | | | |
|---------|---|---------|---|
| 03VN0DZ | Restriction of left external carotid artery with intraluminal device, open approach | 0FC14ZZ | Extirpation of matter from right lobe liver, percutaneous endoscopic approach |
| 03VN0HZ | Restriction of left external carotid artery with intraluminal device, flow diverter, open approach | 0FC20ZZ | Extirpation of matter from left lobe liver, open approach |
| 03VN3DZ | Restriction of left external carotid artery with intraluminal device, percutaneous approach | 0FC23ZZ | Extirpation of matter from left lobe liver, percutaneous approach |
| 03VN3HZ | Restriction of left external carotid artery with intraluminal device, flow diverter, percutaneous approach | 0FC24ZZ | Extirpation of matter from left lobe liver, percutaneous endoscopic approach |
| 03VN4DZ | Restriction of left external carotid artery with intraluminal device, percutaneous endoscopic approach | 0FCG0ZZ | Extirpation of matter from pancreas, open approach |
| 03VN4HZ | Restriction of left external carotid artery with intraluminal device, flow diverter, percutaneous endoscopic approach | 0FCG3ZZ | Extirpation of matter from pancreas, percutaneous approach |
| 03VP0DZ | Restriction of right vertebral artery with intraluminal device, open approach | 0FCG4ZZ | Extirpation of matter from pancreas, percutaneous endoscopic approach |
| 03VP0HZ | Restriction of right vertebral artery with intraluminal device, flow diverter, open approach | 0FCG8ZZ | Extirpation of matter from pancreas, via natural or artificial opening endoscopic |
| 03VP3DZ | Restriction of right vertebral artery with intraluminal device, percutaneous approach | 0FW000Z | Revision of drainage device in liver, open approach |
| 03VP3HZ | Restriction of right vertebral artery with intraluminal device, flow diverter, percutaneous approach | 0FW030Z | Revision of drainage device in liver, percutaneous approach |
| 03VP4DZ | Restriction of right vertebral artery with intraluminal device, percutaneous endoscopic approach | 0FW040Z | Revision of drainage device in liver, percutaneous endoscopic approach |
| 03VP4HZ | Restriction of right vertebral artery with intraluminal device, flow diverter, percutaneous endoscopic approach | 0G9200Z | Drainage of left adrenal gland with drainage device, open approach |
| 03VQ0DZ | Restriction of left vertebral artery with intraluminal device, open approach | 0G920ZZ | Drainage of left adrenal gland, open approach |
| 03VQ0HZ | Restriction of left vertebral artery with intraluminal device, flow diverter, open approach | 0G9230Z | Drainage of left adrenal gland with drainage device, percutaneous approach |

| | | | |
|---------|--|---------|---|
| 03VQ3DZ | Restriction of left vertebral artery with intraluminal device, percutaneous approach | 0G923ZZ | Drainage of left adrenal gland, percutaneous approach |
| 03VQ3HZ | Restriction of left vertebral artery with intraluminal device, flow diverter, percutaneous approach | 0G9240Z | Drainage of left adrenal gland with drainage device, percutaneous endoscopic approach |
| 03VQ4DZ | Restriction of left vertebral artery with intraluminal device, percutaneous endoscopic approach | 0G924ZZ | Drainage of left adrenal gland, percutaneous endoscopic approach |
| 03VQ4HZ | Restriction of left vertebral artery with intraluminal device, flow diverter, percutaneous endoscopic approach | 0G9300Z | Drainage of right adrenal gland with drainage device, open approach |
| 03VR0DZ | Restriction of face artery with intraluminal device, open approach | 0G930ZZ | Drainage of right adrenal gland, open approach |
| 03VR3DZ | Restriction of face artery with intraluminal device, percutaneous approach | 0G9330Z | Drainage of right adrenal gland with drainage device, percutaneous approach |
| 03VR4DZ | Restriction of face artery with intraluminal device, percutaneous endoscopic approach | 0G933ZZ | Drainage of right adrenal gland, percutaneous approach |
| 03VS0DZ | Restriction of right temporal artery with intraluminal device, open approach | 0G9340Z | Drainage of right adrenal gland with drainage device, percutaneous endoscopic approach |
| 03VS3DZ | Restriction of right temporal artery with intraluminal device, percutaneous approach | 0G934ZZ | Drainage of right adrenal gland, percutaneous endoscopic approach |
| 03VS4DZ | Restriction of right temporal artery with intraluminal device, percutaneous endoscopic approach | 0G9400Z | Drainage of bilateral adrenal glands with drainage device, open approach |
| 03VT0DZ | Restriction of left temporal artery with intraluminal device, open approach | 0G940ZZ | Drainage of bilateral adrenal glands, open approach |
| 03VT3DZ | Restriction of left temporal artery with intraluminal device, percutaneous approach | 0G9430Z | Drainage of bilateral adrenal glands with drainage device, percutaneous approach |
| 03VT4DZ | Restriction of left temporal artery with intraluminal device, percutaneous endoscopic approach | 0G943ZZ | Drainage of bilateral adrenal glands, percutaneous approach |
| 03VU0DZ | Restriction of right thyroid artery with intraluminal device, open approach | 0G9440Z | Drainage of bilateral adrenal glands with drainage device, percutaneous endoscopic approach |
| 03VU3DZ | Restriction of right thyroid artery with intraluminal device, percutaneous approach | 0G944ZZ | Drainage of bilateral adrenal glands, percutaneous endoscopic approach |

| | | | |
|---------|--|---------|---|
| 03VU4DZ | Restriction of right thyroid artery with intraluminal device, percutaneous endoscopic approach | 0G9G00Z | Drainage of left thyroid gland lobe with drainage device, open approach |
| 03VV0DZ | Restriction of left thyroid artery with intraluminal device, open approach | 0G9G0ZZ | Drainage of left thyroid gland lobe, open approach |
| 03VV3DZ | Restriction of left thyroid artery with intraluminal device, percutaneous approach | 0G9H00Z | Drainage of right thyroid gland lobe with drainage device, open approach |
| 03VV4DZ | Restriction of left thyroid artery with intraluminal device, percutaneous endoscopic approach | 0G9H0ZZ | Drainage of right thyroid gland lobe, open approach |
| 03WY0DZ | Revision of intraluminal device in upper artery, open approach | 0G9K00Z | Drainage of thyroid gland with drainage device, open approach |
| 03WY0JZ | Revision of synthetic substitute in upper artery, open approach | 0G9K0ZZ | Drainage of thyroid gland, open approach |
| 03WY0KZ | Revision of nonautologous tissue substitute in upper artery, open approach | 0GC20ZZ | Extirpation of matter from left adrenal gland, open approach |
| 03WY3DZ | Revision of intraluminal device in upper artery, percutaneous approach | 0GC23ZZ | Extirpation of matter from left adrenal gland, percutaneous approach |
| 03WY3JZ | Revision of synthetic substitute in upper artery, percutaneous approach | 0GC24ZZ | Extirpation of matter from left adrenal gland, percutaneous endoscopic approach |
| 03WY3KZ | Revision of nonautologous tissue substitute in upper artery, percutaneous approach | 0GC30ZZ | Extirpation of matter from right adrenal gland, open approach |
| 03WY4DZ | Revision of intraluminal device in upper artery, percutaneous endoscopic approach | 0GC33ZZ | Extirpation of matter from right adrenal gland, percutaneous approach |
| 03WY4JZ | Revision of synthetic substitute in upper artery, percutaneous endoscopic approach | 0GC34ZZ | Extirpation of matter from right adrenal gland, percutaneous endoscopic approach |
| 03WY4KZ | Revision of nonautologous tissue substitute in upper artery, percutaneous endoscopic approach | 0GC40ZZ | Extirpation of matter from bilateral adrenal glands, open approach |
| 04L00CZ | Occlusion of abdominal aorta with extraluminal device, open approach | 0GC43ZZ | Extirpation of matter from bilateral adrenal glands, percutaneous approach |
| 04L00DZ | Occlusion of abdominal aorta with intraluminal device, open approach | 0GC44ZZ | Extirpation of matter from bilateral adrenal glands, percutaneous endoscopic approach |
| 04L00ZZ | Occlusion of abdominal aorta, open approach | 0GCG0ZZ | Extirpation of matter from left thyroid gland lobe, open approach |

| | | | |
|---------|---|---------|---|
| 04L03CZ | Occlusion of abdominal aorta with extraluminal device, percutaneous approach | 0GCG3ZZ | Extirpation of matter from left thyroid gland lobe, percutaneous approach |
| 04L03DJ | Occlusion of abdominal aorta with intraluminal device, temporary, percutaneous approach | 0GCG4ZZ | Extirpation of matter from left thyroid gland lobe, percutaneous endoscopic approach |
| 04L03DZ | Occlusion of abdominal aorta with intraluminal device, percutaneous approach | 0GCH0ZZ | Extirpation of matter from right thyroid gland lobe, open approach |
| 04L03ZZ | Occlusion of abdominal aorta, percutaneous approach | 0GCH3ZZ | Extirpation of matter from right thyroid gland lobe, percutaneous approach |
| 04L04CZ | Occlusion of abdominal aorta with extraluminal device, percutaneous endoscopic approach | 0GCH4ZZ | Extirpation of matter from right thyroid gland lobe, percutaneous endoscopic approach |
| 04L04DZ | Occlusion of abdominal aorta with intraluminal device, percutaneous endoscopic approach | 0GCK0ZZ | Extirpation of matter from thyroid gland, open approach |
| 04L04ZZ | Occlusion of abdominal aorta, percutaneous endoscopic approach | 0GCK3ZZ | Extirpation of matter from thyroid gland, percutaneous approach |
| 04L10CZ | Occlusion of celiac artery with extraluminal device, open approach | 0GCK4ZZ | Extirpation of matter from thyroid gland, percutaneous endoscopic approach |
| 04L10DZ | Occlusion of celiac artery with intraluminal device, open approach | 0GW500Z | Revision of drainage device in adrenal gland, open approach |
| 04L10ZZ | Occlusion of celiac artery, open approach | 0GW530Z | Revision of drainage device in adrenal gland, percutaneous approach |
| 04L13CZ | Occlusion of celiac artery with extraluminal device, percutaneous approach | 0GW540Z | Revision of drainage device in adrenal gland, percutaneous endoscopic approach |
| 04L13DZ | Occlusion of celiac artery with intraluminal device, percutaneous approach | 0GWK00Z | Revision of drainage device in thyroid gland, open approach |
| 04L13ZZ | Occlusion of celiac artery, percutaneous approach | 0GWK30Z | Revision of drainage device in thyroid gland, percutaneous approach |
| 04L14CZ | Occlusion of celiac artery with extraluminal device, percutaneous endoscopic approach | 0GWK40Z | Revision of drainage device in thyroid gland, percutaneous endoscopic approach |
| 04L14DZ | Occlusion of celiac artery with intraluminal device, percutaneous endoscopic approach | 0H91X0Z | Drainage of face skin with drainage device, external approach |

| | | | |
|---------|--|---------|--|
| 04L14ZZ | Occlusion of celiac artery, percutaneous endoscopic approach | 0H91XZZ | Drainage of face skin, external approach |
| 04L20CZ | Occlusion of gastric artery with extraluminal device, open approach | 0H98X0Z | Drainage of buttock skin with drainage device, external approach |
| 04L20DZ | Occlusion of gastric artery with intraluminal device, open approach | 0H98XZZ | Drainage of buttock skin, external approach |
| 04L20ZZ | Occlusion of gastric artery, open approach | 0H9T00Z | Drainage of right breast with drainage device, open approach |
| 04L23CZ | Occlusion of gastric artery with extraluminal device, percutaneous approach | 0H9T0ZZ | Drainage of right breast, open approach |
| 04L23DZ | Occlusion of gastric artery with intraluminal device, percutaneous approach | 0H9TX0Z | Drainage of right breast with drainage device, external approach |
| 04L23ZZ | Occlusion of gastric artery, percutaneous approach | 0H9TXZZ | Drainage of right breast, external approach |
| 04L24CZ | Occlusion of gastric artery with extraluminal device, percutaneous endoscopic approach | 0H9U00Z | Drainage of left breast with drainage device, open approach |
| 04L24DZ | Occlusion of gastric artery with intraluminal device, percutaneous endoscopic approach | 0H9U0ZZ | Drainage of left breast, open approach |
| 04L24ZZ | Occlusion of gastric artery, percutaneous endoscopic approach | 0H9UX0Z | Drainage of left breast with drainage device, external approach |
| 04L30CZ | Occlusion of hepatic artery with extraluminal device, open approach | 0H9UXZZ | Drainage of left breast, external approach |
| 04L30DZ | Occlusion of hepatic artery with intraluminal device, open approach | 0H9V00Z | Drainage of bilateral breast with drainage device, open approach |
| 04L30ZZ | Occlusion of hepatic artery, open approach | 0H9V0ZZ | Drainage of bilateral breast, open approach |
| 04L33CZ | Occlusion of hepatic artery with extraluminal device, percutaneous approach | 0H9VX0Z | Drainage of bilateral breast with drainage device, external approach |
| 04L33DZ | Occlusion of hepatic artery with intraluminal device, percutaneous approach | 0H9VXZZ | Drainage of bilateral breast, external approach |
| 04L33ZZ | Occlusion of hepatic artery, percutaneous approach | 0H9W00Z | Drainage of right nipple with drainage device, open approach |
| 04L34CZ | Occlusion of hepatic artery with extraluminal device, percutaneous endoscopic approach | 0H9W0ZZ | Drainage of right nipple, open approach |
| 04L34DZ | Occlusion of hepatic artery with intraluminal device, percutaneous endoscopic approach | 0H9WX0Z | Drainage of right nipple with drainage device, external approach |

| | | | |
|---------|--|---------|---|
| 04L34ZZ | Occlusion of hepatic artery, percutaneous endoscopic approach | 0H9WXZZ | Drainage of right nipple, external approach |
| 04L40CZ | Occlusion of splenic artery with extraluminal device, open approach | 0H9X00Z | Drainage of left nipple with drainage device, open approach |
| 04L40DZ | Occlusion of splenic artery with intraluminal device, open approach | 0H9X0ZZ | Drainage of left nipple, open approach |
| 04L40ZZ | Occlusion of splenic artery, open approach | 0H9XX0Z | Drainage of left nipple with drainage device, external approach |
| 04L43CZ | Occlusion of splenic artery with extraluminal device, percutaneous approach | 0H9XXZZ | Drainage of left nipple, external approach |
| 04L43DZ | Occlusion of splenic artery with intraluminal device, percutaneous approach | 0HCT0ZZ | Extirpation of matter from right breast, open approach |
| 04L43ZZ | Occlusion of splenic artery, percutaneous approach | 0HCT3ZZ | Extirpation of matter from right breast, percutaneous approach |
| 04L44CZ | Occlusion of splenic artery with extraluminal device, percutaneous endoscopic approach | 0HCT7ZZ | Extirpation of matter from right breast, via natural or artificial opening |
| 04L44DZ | Occlusion of splenic artery with intraluminal device, percutaneous endoscopic approach | 0HCT8ZZ | Extirpation of matter from right breast, via natural or artificial opening endoscopic |
| 04L44ZZ | Occlusion of splenic artery, percutaneous endoscopic approach | 0HCTXZZ | Extirpation of matter from right breast, external approach |
| 04L50CZ | Occlusion of superior mesenteric artery with extraluminal device, open approach | 0HCU0ZZ | Extirpation of matter from left breast, open approach |
| 04L50DZ | Occlusion of superior mesenteric artery with intraluminal device, open approach | 0HCU3ZZ | Extirpation of matter from left breast, percutaneous approach |
| 04L50ZZ | Occlusion of superior mesenteric artery, open approach | 0HCU7ZZ | Extirpation of matter from left breast, via natural or artificial opening |
| 04L53CZ | Occlusion of superior mesenteric artery with extraluminal device, percutaneous approach | 0HCU8ZZ | Extirpation of matter from left breast, via natural or artificial opening endoscopic |
| 04L53DZ | Occlusion of superior mesenteric artery with intraluminal device, percutaneous approach | 0HCUXZZ | Extirpation of matter from left breast, external approach |
| 04L53ZZ | Occlusion of superior mesenteric artery, percutaneous approach | 0HCV0ZZ | Extirpation of matter from bilateral breast, open approach |
| 04L54CZ | Occlusion of superior mesenteric artery with extraluminal device, percutaneous endoscopic approach | 0HCV3ZZ | Extirpation of matter from bilateral breast, percutaneous approach |

| | | | |
|---------|--|---------|---|
| 04L54DZ | Occlusion of superior mesenteric artery with intraluminal device, percutaneous endoscopic approach | 0HCV7ZZ | Extirpation of matter from bilateral breast, via natural or artificial opening |
| 04L54ZZ | Occlusion of superior mesenteric artery, percutaneous endoscopic approach | 0HCV8ZZ | Extirpation of matter from bilateral breast, via natural or artificial opening endoscopic |
| 04L60CZ | Occlusion of right colic artery with extraluminal device, open approach | 0HCVXZZ | Extirpation of matter from bilateral breast, external approach |
| 04L60DZ | Occlusion of right colic artery with intraluminal device, open approach | 0HCW0ZZ | Extirpation of matter from right nipple, open approach |
| 04L60ZZ | Occlusion of right colic artery, open approach | 0HCW3ZZ | Extirpation of matter from right nipple, percutaneous approach |
| 04L63CZ | Occlusion of right colic artery with extraluminal device, percutaneous approach | 0HCW7ZZ | Extirpation of matter from right nipple, via natural or artificial opening |
| 04L63DZ | Occlusion of right colic artery with intraluminal device, percutaneous approach | 0HCW8ZZ | Extirpation of matter from right nipple, via natural or artificial opening endoscopic |
| 04L63ZZ | Occlusion of right colic artery, percutaneous approach | 0HCWXZZ | Extirpation of matter from right nipple, external approach |
| 04L64CZ | Occlusion of right colic artery with extraluminal device, percutaneous endoscopic approach | 0HCX0ZZ | Extirpation of matter from left nipple, open approach |
| 04L64DZ | Occlusion of right colic artery with intraluminal device, percutaneous endoscopic approach | 0HCX3ZZ | Extirpation of matter from left nipple, percutaneous approach |
| 04L64ZZ | Occlusion of right colic artery, percutaneous endoscopic approach | 0HCX7ZZ | Extirpation of matter from left nipple, via natural or artificial opening |
| 04L70CZ | Occlusion of left colic artery with extraluminal device, open approach | 0HCX8ZZ | Extirpation of matter from left nipple, via natural or artificial opening endoscopic |
| 04L70DZ | Occlusion of left colic artery with intraluminal device, open approach | 0HCXZZZ | Extirpation of matter from left nipple, external approach |
| 04L70ZZ | Occlusion of left colic artery, open approach | 0HWT00Z | Revision of drainage device in right breast, open approach |
| 04L73CZ | Occlusion of left colic artery with extraluminal device, percutaneous approach | 0HWT30Z | Revision of drainage device in right breast, percutaneous approach |
| 04L73DZ | Occlusion of left colic artery with intraluminal device, percutaneous approach | 0HWT70Z | Revision of drainage device in right breast, via natural or artificial opening |

| | | | |
|---------|---|---------|---|
| 04L73ZZ | Occlusion of left colic artery, percutaneous approach | 0HWT80Z | Revision of drainage device in right breast, via natural or artificial opening endoscopic |
| 04L74CZ | Occlusion of left colic artery with extraluminal device, percutaneous endoscopic approach | 0HWU00Z | Revision of drainage device in left breast, open approach |
| 04L74DZ | Occlusion of left colic artery with intraluminal device, percutaneous endoscopic approach | 0HWU30Z | Revision of drainage device in left breast, percutaneous approach |
| 04L74ZZ | Occlusion of left colic artery, percutaneous endoscopic approach | 0HWU70Z | Revision of drainage device in left breast, via natural or artificial opening |
| 04L80CZ | Occlusion of middle colic artery with extraluminal device, open approach | 0HWU80Z | Revision of drainage device in left breast, via natural or artificial opening endoscopic |
| 04L80DZ | Occlusion of middle colic artery with intraluminal device, open approach | 0J900ZZ | Drainage of scalp subcutaneous tissue and fascia, open approach |
| 04L80ZZ | Occlusion of middle colic artery, open approach | 0J9100Z | Drainage of face subcutaneous tissue and fascia with drainage device, open approach |
| 04L83CZ | Occlusion of middle colic artery with extraluminal device, percutaneous approach | 0J910ZZ | Drainage of face subcutaneous tissue and fascia, open approach |
| 04L83DZ | Occlusion of middle colic artery with intraluminal device, percutaneous approach | 0J9130Z | Drainage of face subcutaneous tissue and fascia with drainage device, percutaneous approach |
| 04L83ZZ | Occlusion of middle colic artery, percutaneous approach | 0J940ZZ | Drainage of right neck subcutaneous tissue and fascia, open approach |
| 04L84CZ | Occlusion of middle colic artery with extraluminal device, percutaneous endoscopic approach | 0J950ZZ | Drainage of left neck subcutaneous tissue and fascia, open approach |
| 04L84DZ | Occlusion of middle colic artery with intraluminal device, percutaneous endoscopic approach | 0J960ZZ | Drainage of chest subcutaneous tissue and fascia, open approach |
| 04L84ZZ | Occlusion of middle colic artery, percutaneous endoscopic approach | 0J970ZZ | Drainage of back subcutaneous tissue and fascia, open approach |
| 04L90CZ | Occlusion of right renal artery with extraluminal device, open approach | 0J980ZZ | Drainage of abdomen subcutaneous tissue and fascia, open approach |
| 04L90DZ | Occlusion of right renal artery with intraluminal device, open approach | 0J990ZZ | Drainage of buttock subcutaneous tissue and fascia, open approach |
| 04L90ZZ | Occlusion of right renal artery, open approach | 0J9B0ZZ | Drainage of perineum subcutaneous tissue and fascia, open approach |

| | | | |
|---------|--|---------|---|
| 04L93CZ | Occlusion of right renal artery with extraluminal device, percutaneous approach | 0J9C0ZZ | Drainage of pelvic region subcutaneous tissue and fascia, open approach |
| 04L93DZ | Occlusion of right renal artery with intraluminal device, percutaneous approach | 0J9D0ZZ | Drainage of right upper arm subcutaneous tissue and fascia, open approach |
| 04L93ZZ | Occlusion of right renal artery, percutaneous approach | 0J9F0ZZ | Drainage of left upper arm subcutaneous tissue and fascia, open approach |
| 04L94CZ | Occlusion of right renal artery with extraluminal device, percutaneous endoscopic approach | 0J9G0ZZ | Drainage of right lower arm subcutaneous tissue and fascia, open approach |
| 04L94DZ | Occlusion of right renal artery with intraluminal device, percutaneous endoscopic approach | 0J9H0ZZ | Drainage of left lower arm subcutaneous tissue and fascia, open approach |
| 04L94ZZ | Occlusion of right renal artery, percutaneous endoscopic approach | 0J9J00Z | Drainage of right hand subcutaneous tissue and fascia with drainage device, open approach |
| 04LA0CZ | Occlusion of left renal artery with extraluminal device, open approach | 0J9J0ZZ | Drainage of right hand subcutaneous tissue and fascia, open approach |
| 04LA0DZ | Occlusion of left renal artery with intraluminal device, open approach | 0J9J30Z | Drainage of right hand subcutaneous tissue and fascia with drainage device, percutaneous approach |
| 04LA0ZZ | Occlusion of left renal artery, open approach | 0J9J3ZZ | Drainage of right hand subcutaneous tissue and fascia, percutaneous approach |
| 04LA3CZ | Occlusion of left renal artery with extraluminal device, percutaneous approach | 0J9K00Z | Drainage of left hand subcutaneous tissue and fascia with drainage device, open approach |
| 04LA3DZ | Occlusion of left renal artery with intraluminal device, percutaneous approach | 0J9K0ZZ | Drainage of left hand subcutaneous tissue and fascia, open approach |
| 04LA3ZZ | Occlusion of left renal artery, percutaneous approach | 0J9K30Z | Drainage of left hand subcutaneous tissue and fascia with drainage device, percutaneous approach |
| 04LA4CZ | Occlusion of left renal artery with extraluminal device, percutaneous endoscopic approach | 0J9K3ZZ | Drainage of left hand subcutaneous tissue and fascia, percutaneous approach |
| 04LA4DZ | Occlusion of left renal artery with intraluminal device, percutaneous endoscopic approach | 0J9L0ZZ | Drainage of right upper leg subcutaneous tissue and fascia, open approach |
| 04LA4ZZ | Occlusion of left renal artery, percutaneous endoscopic approach | 0J9M0ZZ | Drainage of left upper leg subcutaneous tissue and fascia, open approach |

| | | | |
|---------|--|---------|---|
| 04LB0CZ | Occlusion of inferior mesenteric artery with extraluminal device, open approach | 0J9N0ZZ | Drainage of right lower leg subcutaneous tissue and fascia, open approach |
| 04LB0DZ | Occlusion of inferior mesenteric artery with intraluminal device, open approach | 0J9P0ZZ | Drainage of left lower leg subcutaneous tissue and fascia, open approach |
| 04LB0ZZ | Occlusion of inferior mesenteric artery, open approach | 0J9Q0ZZ | Drainage of right foot subcutaneous tissue and fascia, open approach |
| 04LB3CZ | Occlusion of inferior mesenteric artery with extraluminal device, percutaneous approach | 0J9R0ZZ | Drainage of left foot subcutaneous tissue and fascia, open approach |
| 04LB3DZ | Occlusion of inferior mesenteric artery with intraluminal device, percutaneous approach | 0JC00ZZ | Extirpation of matter from scalp subcutaneous tissue and fascia, open approach |
| 04LB3ZZ | Occlusion of inferior mesenteric artery, percutaneous approach | 0JC03ZZ | Extirpation of matter from scalp subcutaneous tissue and fascia, percutaneous approach |
| 04LB4CZ | Occlusion of inferior mesenteric artery with extraluminal device, percutaneous endoscopic approach | 0JC10ZZ | Extirpation of matter from face subcutaneous tissue and fascia, open approach |
| 04LB4DZ | Occlusion of inferior mesenteric artery with intraluminal device, percutaneous endoscopic approach | 0JC13ZZ | Extirpation of matter from face subcutaneous tissue and fascia, percutaneous approach |
| 04LB4ZZ | Occlusion of inferior mesenteric artery, percutaneous endoscopic approach | 0JC40ZZ | Extirpation of matter from right neck subcutaneous tissue and fascia, open approach |
| 04LC0CZ | Occlusion of right common iliac artery with extraluminal device, open approach | 0JC43ZZ | Extirpation of matter from right neck subcutaneous tissue and fascia, percutaneous approach |
| 04LC0DZ | Occlusion of right common iliac artery with intraluminal device, open approach | 0JC50ZZ | Extirpation of matter from left neck subcutaneous tissue and fascia, open approach |
| 04LC0ZZ | Occlusion of right common iliac artery, open approach | 0JC53ZZ | Extirpation of matter from left neck subcutaneous tissue and fascia, percutaneous approach |
| 04LC3CZ | Occlusion of right common iliac artery with extraluminal device, percutaneous approach | 0JC60ZZ | Extirpation of matter from chest subcutaneous tissue and fascia, open approach |
| 04LC3DZ | Occlusion of right common iliac artery with intraluminal device, percutaneous approach | 0JC63ZZ | Extirpation of matter from chest subcutaneous tissue and fascia, percutaneous approach |
| 04LC3ZZ | Occlusion of right common iliac artery, percutaneous approach | 0JC70ZZ | Extirpation of matter from back subcutaneous tissue and fascia, open approach |

| | | | |
|---------|---|---------|--|
| 04LC4CZ | Occlusion of right common iliac artery with extraluminal device, percutaneous endoscopic approach | 0JC73ZZ | Extirpation of matter from back subcutaneous tissue and fascia, percutaneous approach |
| 04LC4DZ | Occlusion of right common iliac artery with intraluminal device, percutaneous endoscopic approach | 0JC80ZZ | Extirpation of matter from abdomen subcutaneous tissue and fascia, open approach |
| 04LC4ZZ | Occlusion of right common iliac artery, percutaneous endoscopic approach | 0JC83ZZ | Extirpation of matter from abdomen subcutaneous tissue and fascia, percutaneous approach |
| 04LD0CZ | Occlusion of left common iliac artery with extraluminal device, open approach | 0JC90ZZ | Extirpation of matter from buttock subcutaneous tissue and fascia, open approach |
| 04LD0DZ | Occlusion of left common iliac artery with intraluminal device, open approach | 0JC93ZZ | Extirpation of matter from buttock subcutaneous tissue and fascia, percutaneous approach |
| 04LD0ZZ | Occlusion of left common iliac artery, open approach | 0JCB0ZZ | Extirpation of matter from perineum subcutaneous tissue and fascia, open approach |
| 04LD3CZ | Occlusion of left common iliac artery with extraluminal device, percutaneous approach | 0JCB3ZZ | Extirpation of matter from perineum subcutaneous tissue and fascia, percutaneous approach |
| 04LD3DZ | Occlusion of left common iliac artery with intraluminal device, percutaneous approach | 0JCC0ZZ | Extirpation of matter from pelvic region subcutaneous tissue and fascia, open approach |
| 04LD3ZZ | Occlusion of left common iliac artery, percutaneous approach | 0JCC3ZZ | Extirpation of matter from pelvic region subcutaneous tissue and fascia, percutaneous approach |
| 04LD4CZ | Occlusion of left common iliac artery with extraluminal device, percutaneous endoscopic approach | 0JCD0ZZ | Extirpation of matter from right upper arm subcutaneous tissue and fascia, open approach |
| 04LD4DZ | Occlusion of left common iliac artery with intraluminal device, percutaneous endoscopic approach | 0JCD3ZZ | Extirpation of matter from right upper arm subcutaneous tissue and fascia, percutaneous approach |
| 04LD4ZZ | Occlusion of left common iliac artery, percutaneous endoscopic approach | 0JCF0ZZ | Extirpation of matter from left upper arm subcutaneous tissue and fascia, open approach |
| 04LE0CT | Occlusion of right uterine artery with extraluminal device, open approach | 0JCF3ZZ | Extirpation of matter from left upper arm subcutaneous tissue and fascia, percutaneous approach |
| 04LE0CZ | Occlusion of right internal iliac artery with extraluminal device, open approach | 0JCG0ZZ | Extirpation of matter from right lower arm subcutaneous tissue and fascia, open approach |

| | | | |
|---------|---|---------|--|
| 04LE0DT | Occlusion of right uterine artery with intraluminal device, open approach | 0JCG3ZZ | Extirpation of matter from right lower arm subcutaneous tissue and fascia, percutaneous approach |
| 04LE0DZ | Occlusion of right internal iliac artery with intraluminal device, open approach | 0JCH0ZZ | Extirpation of matter from left lower arm subcutaneous tissue and fascia, open approach |
| 04LE0ZT | Occlusion of right uterine artery, open approach | 0JCH3ZZ | Extirpation of matter from left lower arm subcutaneous tissue and fascia, percutaneous approach |
| 04LE0ZZ | Occlusion of right internal iliac artery, open approach | 0JCJ0ZZ | Extirpation of matter from right hand subcutaneous tissue and fascia, open approach |
| 04LE3CT | Occlusion of right uterine artery with extraluminal device, percutaneous approach | 0JCJ3ZZ | Extirpation of matter from right hand subcutaneous tissue and fascia, percutaneous approach |
| 04LE3CZ | Occlusion of right internal iliac artery with extraluminal device, percutaneous approach | 0JCK0ZZ | Extirpation of matter from left hand subcutaneous tissue and fascia, open approach |
| 04LE3DT | Occlusion of right uterine artery with intraluminal device, percutaneous approach | 0JCK3ZZ | Extirpation of matter from left hand subcutaneous tissue and fascia, percutaneous approach |
| 04LE3DZ | Occlusion of right internal iliac artery with intraluminal device, percutaneous approach | 0JCL0ZZ | Extirpation of matter from right upper leg subcutaneous tissue and fascia, open approach |
| 04LE3ZT | Occlusion of right uterine artery, percutaneous approach | 0JCL3ZZ | Extirpation of matter from right upper leg subcutaneous tissue and fascia, percutaneous approach |
| 04LE3ZZ | Occlusion of right internal iliac artery, percutaneous approach | 0JCM0ZZ | Extirpation of matter from left upper leg subcutaneous tissue and fascia, open approach |
| 04LE4CT | Occlusion of right uterine artery with extraluminal device, percutaneous endoscopic approach | 0JCM3ZZ | Extirpation of matter from left upper leg subcutaneous tissue and fascia, percutaneous approach |
| 04LE4CZ | Occlusion of right internal iliac artery with extraluminal device, percutaneous endoscopic approach | 0JCN0ZZ | Extirpation of matter from right lower leg subcutaneous tissue and fascia, open approach |
| 04LE4DT | Occlusion of right uterine artery with intraluminal device, percutaneous endoscopic approach | 0JCN3ZZ | Extirpation of matter from right lower leg subcutaneous tissue and fascia, percutaneous approach |
| 04LE4DZ | Occlusion of right internal iliac artery with intraluminal device, percutaneous endoscopic approach | 0JCP0ZZ | Extirpation of matter from left lower leg subcutaneous tissue and fascia, open approach |

| | | | |
|---------|---|---------|--|
| 04LE4ZT | Occlusion of right uterine artery, percutaneous endoscopic approach | 0JCP3ZZ | Extirpation of matter from left lower leg subcutaneous tissue and fascia, percutaneous approach |
| 04LE4ZZ | Occlusion of right internal iliac artery, percutaneous endoscopic approach | 0JCQ0ZZ | Extirpation of matter from right foot subcutaneous tissue and fascia, open approach |
| 04LF0CU | Occlusion of left uterine artery with extraluminal device, open approach | 0JCQ3ZZ | Extirpation of matter from right foot subcutaneous tissue and fascia, percutaneous approach |
| 04LF0CZ | Occlusion of left internal iliac artery with extraluminal device, open approach | 0JCR0ZZ | Extirpation of matter from left foot subcutaneous tissue and fascia, open approach |
| 04LF0DU | Occlusion of left uterine artery with intraluminal device, open approach | 0JCR3ZZ | Extirpation of matter from left foot subcutaneous tissue and fascia, percutaneous approach |
| 04LF0DZ | Occlusion of left internal iliac artery with intraluminal device, open approach | 0JWS00Z | Revision of drainage device in head and neck subcutaneous tissue and fascia, open approach |
| 04LF0ZU | Occlusion of left uterine artery, open approach | 0JWS30Z | Revision of drainage device in head and neck subcutaneous tissue and fascia, percutaneous approach |
| 04LF0ZZ | Occlusion of left internal iliac artery, open approach | 0JWT00Z | Revision of drainage device in trunk subcutaneous tissue and fascia, open approach |
| 04LF3CU | Occlusion of left uterine artery with extraluminal device, percutaneous approach | 0JWT0XZ | Revision of tunneled vascular access device in trunk subcutaneous tissue and fascia, open approach |
| 04LF3CZ | Occlusion of left internal iliac artery with extraluminal device, percutaneous approach | 0JWT30Z | Revision of drainage device in trunk subcutaneous tissue and fascia, percutaneous approach |
| 04LF3DU | Occlusion of left uterine artery with intraluminal device, percutaneous approach | 0JWT3XZ | Revision of tunneled vascular access device in trunk subcutaneous tissue and fascia, percutaneous approach |
| 04LF3DZ | Occlusion of left internal iliac artery with intraluminal device, percutaneous approach | 0JWV00Z | Revision of drainage device in upper extremity subcutaneous tissue and fascia, open approach |
| 04LF3ZU | Occlusion of left uterine artery, percutaneous approach | 0JWV0XZ | Revision of tunneled vascular access device in upper extremity subcutaneous tissue and fascia, open approach |
| 04LF3ZZ | Occlusion of left internal iliac artery, percutaneous approach | 0JWV30Z | Revision of drainage device in upper extremity subcutaneous tissue and fascia, percutaneous approach |

| | | | |
|---------|---|---------|--|
| 04LF4CU | Occlusion of left uterine artery with extraluminal device, percutaneous endoscopic approach | 0JWV3XZ | Revision of tunneled vascular access device in upper extremity subcutaneous tissue and fascia, percutaneous approach |
| 04LF4CZ | Occlusion of left internal iliac artery with extraluminal device, percutaneous endoscopic approach | 0JWW00Z | Revision of drainage device in lower extremity subcutaneous tissue and fascia, open approach |
| 04LF4DU | Occlusion of left uterine artery with intraluminal device, percutaneous endoscopic approach | 0JWW0XZ | Revision of tunneled vascular access device in lower extremity subcutaneous tissue and fascia, open approach |
| 04LF4DZ | Occlusion of left internal iliac artery with intraluminal device, percutaneous endoscopic approach | 0JWW30Z | Revision of drainage device in lower extremity subcutaneous tissue and fascia, percutaneous approach |
| 04LF4ZU | Occlusion of left uterine artery, percutaneous endoscopic approach | 0JWW3XZ | Revision of tunneled vascular access device in lower extremity subcutaneous tissue and fascia, percutaneous approach |
| 04LF4ZZ | Occlusion of left internal iliac artery, percutaneous endoscopic approach | 0K9000Z | Drainage of head muscle with drainage device, open approach |
| 04LH0CZ | Occlusion of right external iliac artery with extraluminal device, open approach | 0K900ZZ | Drainage of head muscle, open approach |
| 04LH0DZ | Occlusion of right external iliac artery with intraluminal device, open approach | 0K9030Z | Drainage of head muscle with drainage device, percutaneous approach |
| 04LH0ZZ | Occlusion of right external iliac artery, open approach | 0K9040Z | Drainage of head muscle with drainage device, percutaneous endoscopic approach |
| 04LH3CZ | Occlusion of right external iliac artery with extraluminal device, percutaneous approach | 0K904ZZ | Drainage of head muscle, percutaneous endoscopic approach |
| 04LH3DZ | Occlusion of right external iliac artery with intraluminal device, percutaneous approach | 0K9100Z | Drainage of facial muscle with drainage device, open approach |
| 04LH3ZZ | Occlusion of right external iliac artery, percutaneous approach | 0K910ZZ | Drainage of facial muscle, open approach |
| 04LH4CZ | Occlusion of right external iliac artery with extraluminal device, percutaneous endoscopic approach | 0K9130Z | Drainage of facial muscle with drainage device, percutaneous approach |
| 04LH4DZ | Occlusion of right external iliac artery with intraluminal device, percutaneous endoscopic approach | 0K9140Z | Drainage of facial muscle with drainage device, percutaneous endoscopic approach |

| | | | |
|---------|--|---------|---|
| 04LH4ZZ | Occlusion of right external iliac artery, percutaneous endoscopic approach | 0K914ZZ | Drainage of facial muscle, percutaneous endoscopic approach |
| 04LJ0CZ | Occlusion of left external iliac artery with extraluminal device, open approach | 0K9200Z | Drainage of right neck muscle with drainage device, open approach |
| 04LJ0DZ | Occlusion of left external iliac artery with intraluminal device, open approach | 0K920ZZ | Drainage of right neck muscle, open approach |
| 04LJ0ZZ | Occlusion of left external iliac artery, open approach | 0K9230Z | Drainage of right neck muscle with drainage device, percutaneous approach |
| 04LJ3CZ | Occlusion of left external iliac artery with extraluminal device, percutaneous approach | 0K9240Z | Drainage of right neck muscle with drainage device, percutaneous endoscopic approach |
| 04LJ3DZ | Occlusion of left external iliac artery with intraluminal device, percutaneous approach | 0K924ZZ | Drainage of right neck muscle, percutaneous endoscopic approach |
| 04LJ3ZZ | Occlusion of left external iliac artery, percutaneous approach | 0K9300Z | Drainage of left neck muscle with drainage device, open approach |
| 04LJ4CZ | Occlusion of left external iliac artery with extraluminal device, percutaneous endoscopic approach | 0K930ZZ | Drainage of left neck muscle, open approach |
| 04LJ4DZ | Occlusion of left external iliac artery with intraluminal device, percutaneous endoscopic approach | 0K9330Z | Drainage of left neck muscle with drainage device, percutaneous approach |
| 04LJ4ZZ | Occlusion of left external iliac artery, percutaneous endoscopic approach | 0K9340Z | Drainage of left neck muscle with drainage device, percutaneous endoscopic approach |
| 04LK0CZ | Occlusion of right femoral artery with extraluminal device, open approach | 0K934ZZ | Drainage of left neck muscle, percutaneous endoscopic approach |
| 04LK0DZ | Occlusion of right femoral artery with intraluminal device, open approach | 0K9400Z | Drainage of tongue, palate, pharynx muscle with drainage device, open approach |
| 04LK0ZZ | Occlusion of right femoral artery, open approach | 0K940ZZ | Drainage of tongue, palate, pharynx muscle, open approach |
| 04LK3CZ | Occlusion of right femoral artery with extraluminal device, percutaneous approach | 0K9430Z | Drainage of tongue, palate, pharynx muscle with drainage device, percutaneous approach |
| 04LK3DZ | Occlusion of right femoral artery with intraluminal device, percutaneous approach | 0K9440Z | Drainage of tongue, palate, pharynx muscle with drainage device, percutaneous endoscopic approach |
| 04LK3ZZ | Occlusion of right femoral artery, percutaneous approach | 0K944ZZ | Drainage of tongue, palate, pharynx muscle, percutaneous endoscopic approach |

| | | | |
|---------|--|---------|---|
| 04LK4CZ | Occlusion of right femoral artery with extraluminal device, percutaneous endoscopic approach | 0K9500Z | Drainage of right shoulder muscle with drainage device, open approach |
| 04LK4DZ | Occlusion of right femoral artery with intraluminal device, percutaneous endoscopic approach | 0K950ZZ | Drainage of right shoulder muscle, open approach |
| 04LK4ZZ | Occlusion of right femoral artery, percutaneous endoscopic approach | 0K9530Z | Drainage of right shoulder muscle with drainage device, percutaneous approach |
| 04LL0CZ | Occlusion of left femoral artery with extraluminal device, open approach | 0K9540Z | Drainage of right shoulder muscle with drainage device, percutaneous endoscopic approach |
| 04LL0DZ | Occlusion of left femoral artery with intraluminal device, open approach | 0K954ZZ | Drainage of right shoulder muscle, percutaneous endoscopic approach |
| 04LL0ZZ | Occlusion of left femoral artery, open approach | 0K9600Z | Drainage of left shoulder muscle with drainage device, open approach |
| 04LL3CZ | Occlusion of left femoral artery with extraluminal device, percutaneous approach | 0K960ZZ | Drainage of left shoulder muscle, open approach |
| 04LL3DZ | Occlusion of left femoral artery with intraluminal device, percutaneous approach | 0K9630Z | Drainage of left shoulder muscle with drainage device, percutaneous approach |
| 04LL3ZZ | Occlusion of left femoral artery, percutaneous approach | 0K9640Z | Drainage of left shoulder muscle with drainage device, percutaneous endoscopic approach |
| 04LL4CZ | Occlusion of left femoral artery with extraluminal device, percutaneous endoscopic approach | 0K964ZZ | Drainage of left shoulder muscle, percutaneous endoscopic approach |
| 04LL4DZ | Occlusion of left femoral artery with intraluminal device, percutaneous endoscopic approach | 0K9700Z | Drainage of right upper arm muscle with drainage device, open approach |
| 04LL4ZZ | Occlusion of left femoral artery, percutaneous endoscopic approach | 0K970ZZ | Drainage of right upper arm muscle, open approach |
| 04LM0CZ | Occlusion of right popliteal artery with extraluminal device, open approach | 0K9730Z | Drainage of right upper arm muscle with drainage device, percutaneous approach |
| 04LM0DZ | Occlusion of right popliteal artery with intraluminal device, open approach | 0K9740Z | Drainage of right upper arm muscle with drainage device, percutaneous endoscopic approach |
| 04LM0ZZ | Occlusion of right popliteal artery, open approach | 0K974ZZ | Drainage of right upper arm muscle, percutaneous endoscopic approach |
| 04LM3CZ | Occlusion of right popliteal artery with extraluminal device, percutaneous approach | 0K9800Z | Drainage of left upper arm muscle with drainage device, open approach |

| | | | |
|---------|--|---------|---|
| 04LM3DZ | Occlusion of right popliteal artery with intraluminal device, percutaneous approach | 0K980ZZ | Drainage of left upper arm muscle, open approach |
| 04LM3ZZ | Occlusion of right popliteal artery, percutaneous approach | 0K9830Z | Drainage of left upper arm muscle with drainage device, percutaneous approach |
| 04LM4CZ | Occlusion of right popliteal artery with extraluminal device, percutaneous endoscopic approach | 0K9840Z | Drainage of left upper arm muscle with drainage device, percutaneous endoscopic approach |
| 04LM4DZ | Occlusion of right popliteal artery with intraluminal device, percutaneous endoscopic approach | 0K984ZZ | Drainage of left upper arm muscle, percutaneous endoscopic approach |
| 04LM4ZZ | Occlusion of right popliteal artery, percutaneous endoscopic approach | 0K9900Z | Drainage of right lower arm and wrist muscle with drainage device, open approach |
| 04LN0CZ | Occlusion of left popliteal artery with extraluminal device, open approach | 0K990ZZ | Drainage of right lower arm and wrist muscle, open approach |
| 04LN0DZ | Occlusion of left popliteal artery with intraluminal device, open approach | 0K9930Z | Drainage of right lower arm and wrist muscle with drainage device, percutaneous approach |
| 04LN0ZZ | Occlusion of left popliteal artery, open approach | 0K9940Z | Drainage of right lower arm and wrist muscle with drainage device, percutaneous endoscopic approach |
| 04LN3CZ | Occlusion of left popliteal artery with extraluminal device, percutaneous approach | 0K994ZZ | Drainage of right lower arm and wrist muscle, percutaneous endoscopic approach |
| 04LN3DZ | Occlusion of left popliteal artery with intraluminal device, percutaneous approach | 0K9B00Z | Drainage of left lower arm and wrist muscle with drainage device, open approach |
| 04LN3ZZ | Occlusion of left popliteal artery, percutaneous approach | 0K9B0ZZ | Drainage of left lower arm and wrist muscle, open approach |
| 04LN4CZ | Occlusion of left popliteal artery with extraluminal device, percutaneous endoscopic approach | 0K9B30Z | Drainage of left lower arm and wrist muscle with drainage device, percutaneous approach |
| 04LN4DZ | Occlusion of left popliteal artery with intraluminal device, percutaneous endoscopic approach | 0K9B40Z | Drainage of left lower arm and wrist muscle with drainage device, percutaneous endoscopic approach |
| 04LN4ZZ | Occlusion of left popliteal artery, percutaneous endoscopic approach | 0K9B4ZZ | Drainage of left lower arm and wrist muscle, percutaneous endoscopic approach |
| 04LP0CZ | Occlusion of right anterior tibial artery with extraluminal device, open approach | 0K9C00Z | Drainage of right hand muscle with drainage device, open approach |

| | | | |
|---------|--|---------|---|
| 04LP0DZ | Occlusion of right anterior tibial artery with intraluminal device, open approach | 0K9C0ZZ | Drainage of right hand muscle, open approach |
| 04LP0ZZ | Occlusion of right anterior tibial artery, open approach | 0K9C30Z | Drainage of right hand muscle with drainage device, percutaneous approach |
| 04LP3CZ | Occlusion of right anterior tibial artery with extraluminal device, percutaneous approach | 0K9C40Z | Drainage of right hand muscle with drainage device, percutaneous endoscopic approach |
| 04LP3DZ | Occlusion of right anterior tibial artery with intraluminal device, percutaneous approach | 0K9D00Z | Drainage of left hand muscle with drainage device, open approach |
| 04LP3ZZ | Occlusion of right anterior tibial artery, percutaneous approach | 0K9D0ZZ | Drainage of left hand muscle, open approach |
| 04LP4CZ | Occlusion of right anterior tibial artery with extraluminal device, percutaneous endoscopic approach | 0K9D30Z | Drainage of left hand muscle with drainage device, percutaneous approach |
| 04LP4DZ | Occlusion of right anterior tibial artery with intraluminal device, percutaneous endoscopic approach | 0K9D40Z | Drainage of left hand muscle with drainage device, percutaneous endoscopic approach |
| 04LP4ZZ | Occlusion of right anterior tibial artery, percutaneous endoscopic approach | 0K9F00Z | Drainage of right trunk muscle with drainage device, open approach |
| 04LQ0CZ | Occlusion of left anterior tibial artery with extraluminal device, open approach | 0K9F0ZZ | Drainage of right trunk muscle, open approach |
| 04LQ0DZ | Occlusion of left anterior tibial artery with intraluminal device, open approach | 0K9F30Z | Drainage of right trunk muscle with drainage device, percutaneous approach |
| 04LQ0ZZ | Occlusion of left anterior tibial artery, open approach | 0K9F40Z | Drainage of right trunk muscle with drainage device, percutaneous endoscopic approach |
| 04LQ3CZ | Occlusion of left anterior tibial artery with extraluminal device, percutaneous approach | 0K9F4ZZ | Drainage of right trunk muscle, percutaneous endoscopic approach |
| 04LQ3DZ | Occlusion of left anterior tibial artery with intraluminal device, percutaneous approach | 0K9G00Z | Drainage of left trunk muscle with drainage device, open approach |
| 04LQ3ZZ | Occlusion of left anterior tibial artery, percutaneous approach | 0K9G0ZZ | Drainage of left trunk muscle, open approach |
| 04LQ4CZ | Occlusion of left anterior tibial artery with extraluminal device, percutaneous endoscopic approach | 0K9G30Z | Drainage of left trunk muscle with drainage device, percutaneous approach |

| | | | |
|---------|---|---------|--|
| 04LQ4DZ | Occlusion of left anterior tibial artery with intraluminal device, percutaneous endoscopic approach | 0K9G40Z | Drainage of left trunk muscle with drainage device, percutaneous endoscopic approach |
| 04LQ4ZZ | Occlusion of left anterior tibial artery, percutaneous endoscopic approach | 0K9G4ZZ | Drainage of left trunk muscle, percutaneous endoscopic approach |
| 04LR0CZ | Occlusion of right posterior tibial artery with extraluminal device, open approach | 0K9H00Z | Drainage of right thorax muscle with drainage device, open approach |
| 04LR0DZ | Occlusion of right posterior tibial artery with intraluminal device, open approach | 0K9H0ZZ | Drainage of right thorax muscle, open approach |
| 04LR0ZZ | Occlusion of right posterior tibial artery, open approach | 0K9H30Z | Drainage of right thorax muscle with drainage device, percutaneous approach |
| 04LR3CZ | Occlusion of right posterior tibial artery with extraluminal device, percutaneous approach | 0K9H40Z | Drainage of right thorax muscle with drainage device, percutaneous endoscopic approach |
| 04LR3DZ | Occlusion of right posterior tibial artery with intraluminal device, percutaneous approach | 0K9H4ZZ | Drainage of right thorax muscle, percutaneous endoscopic approach |
| 04LR3ZZ | Occlusion of right posterior tibial artery, percutaneous approach | 0K9J00Z | Drainage of left thorax muscle with drainage device, open approach |
| 04LR4CZ | Occlusion of right posterior tibial artery with extraluminal device, percutaneous endoscopic approach | 0K9J0ZZ | Drainage of left thorax muscle, open approach |
| 04LR4DZ | Occlusion of right posterior tibial artery with intraluminal device, percutaneous endoscopic approach | 0K9J30Z | Drainage of left thorax muscle with drainage device, percutaneous approach |
| 04LR4ZZ | Occlusion of right posterior tibial artery, percutaneous endoscopic approach | 0K9J40Z | Drainage of left thorax muscle with drainage device, percutaneous endoscopic approach |
| 04LS0CZ | Occlusion of left posterior tibial artery with extraluminal device, open approach | 0K9J4ZZ | Drainage of left thorax muscle, percutaneous endoscopic approach |
| 04LS0DZ | Occlusion of left posterior tibial artery with intraluminal device, open approach | 0K9K00Z | Drainage of right abdomen muscle with drainage device, open approach |
| 04LS0ZZ | Occlusion of left posterior tibial artery, open approach | 0K9K0ZZ | Drainage of right abdomen muscle, open approach |
| 04LS3CZ | Occlusion of left posterior tibial artery with extraluminal device, percutaneous approach | 0K9K30Z | Drainage of right abdomen muscle with drainage device, percutaneous approach |

| | | | |
|---------|--|---------|---|
| 04LS3DZ | Occlusion of left posterior tibial artery with intraluminal device, percutaneous approach | 0K9K40Z | Drainage of right abdomen muscle with drainage device, percutaneous endoscopic approach |
| 04LS3ZZ | Occlusion of left posterior tibial artery, percutaneous approach | 0K9K4ZZ | Drainage of right abdomen muscle, percutaneous endoscopic approach |
| 04LS4CZ | Occlusion of left posterior tibial artery with extraluminal device, percutaneous endoscopic approach | 0K9L00Z | Drainage of left abdomen muscle with drainage device, open approach |
| 04LS4DZ | Occlusion of left posterior tibial artery with intraluminal device, percutaneous endoscopic approach | 0K9L0ZZ | Drainage of left abdomen muscle, open approach |
| 04LS4ZZ | Occlusion of left posterior tibial artery, percutaneous endoscopic approach | 0K9L30Z | Drainage of left abdomen muscle with drainage device, percutaneous approach |
| 04LT0CZ | Occlusion of right peroneal artery with extraluminal device, open approach | 0K9L40Z | Drainage of left abdomen muscle with drainage device, percutaneous endoscopic approach |
| 04LT0DZ | Occlusion of right peroneal artery with intraluminal device, open approach | 0K9L4ZZ | Drainage of left abdomen muscle, percutaneous endoscopic approach |
| 04LT0ZZ | Occlusion of right peroneal artery, open approach | 0K9M00Z | Drainage of perineum muscle with drainage device, open approach |
| 04LT3CZ | Occlusion of right peroneal artery with extraluminal device, percutaneous approach | 0K9M0ZZ | Drainage of perineum muscle, open approach |
| 04LT3DZ | Occlusion of right peroneal artery with intraluminal device, percutaneous approach | 0K9M30Z | Drainage of perineum muscle with drainage device, percutaneous approach |
| 04LT3ZZ | Occlusion of right peroneal artery, percutaneous approach | 0K9M40Z | Drainage of perineum muscle with drainage device, percutaneous endoscopic approach |
| 04LT4CZ | Occlusion of right peroneal artery with extraluminal device, percutaneous endoscopic approach | 0K9M4ZZ | Drainage of perineum muscle, percutaneous endoscopic approach |
| 04LT4DZ | Occlusion of right peroneal artery with intraluminal device, percutaneous endoscopic approach | 0K9N00Z | Drainage of right hip muscle with drainage device, open approach |
| 04LT4ZZ | Occlusion of right peroneal artery, percutaneous endoscopic approach | 0K9N0ZZ | Drainage of right hip muscle, open approach |
| 04LU0CZ | Occlusion of left peroneal artery with extraluminal device, open approach | 0K9N30Z | Drainage of right hip muscle with drainage device, percutaneous approach |

| | | | |
|---------|--|---------|---|
| 04LU0DZ | Occlusion of left peroneal artery with intraluminal device, open approach | 0K9N40Z | Drainage of right hip muscle with drainage device, percutaneous endoscopic approach |
| 04LU0ZZ | Occlusion of left peroneal artery, open approach | 0K9N4ZZ | Drainage of right hip muscle, percutaneous endoscopic approach |
| 04LU3CZ | Occlusion of left peroneal artery with extraluminal device, percutaneous approach | 0K9P00Z | Drainage of left hip muscle with drainage device, open approach |
| 04LU3DZ | Occlusion of left peroneal artery with intraluminal device, percutaneous approach | 0K9P0ZZ | Drainage of left hip muscle, open approach |
| 04LU3ZZ | Occlusion of left peroneal artery, percutaneous approach | 0K9P30Z | Drainage of left hip muscle with drainage device, percutaneous approach |
| 04LU4CZ | Occlusion of left peroneal artery with extraluminal device, percutaneous endoscopic approach | 0K9P40Z | Drainage of left hip muscle with drainage device, percutaneous endoscopic approach |
| 04LU4DZ | Occlusion of left peroneal artery with intraluminal device, percutaneous endoscopic approach | 0K9P4ZZ | Drainage of left hip muscle, percutaneous endoscopic approach |
| 04LU4ZZ | Occlusion of left peroneal artery, percutaneous endoscopic approach | 0K9Q00Z | Drainage of right upper leg muscle with drainage device, open approach |
| 04LV0CZ | Occlusion of right foot artery with extraluminal device, open approach | 0K9Q0ZZ | Drainage of right upper leg muscle, open approach |
| 04LV0DZ | Occlusion of right foot artery with intraluminal device, open approach | 0K9Q30Z | Drainage of right upper leg muscle with drainage device, percutaneous approach |
| 04LV0ZZ | Occlusion of right foot artery, open approach | 0K9Q40Z | Drainage of right upper leg muscle with drainage device, percutaneous endoscopic approach |
| 04LV3CZ | Occlusion of right foot artery with extraluminal device, percutaneous approach | 0K9Q4ZZ | Drainage of right upper leg muscle, percutaneous endoscopic approach |
| 04LV3DZ | Occlusion of right foot artery with intraluminal device, percutaneous approach | 0K9R00Z | Drainage of left upper leg muscle with drainage device, open approach |
| 04LV3ZZ | Occlusion of right foot artery, percutaneous approach | 0K9R0ZZ | Drainage of left upper leg muscle, open approach |
| 04LV4CZ | Occlusion of right foot artery with extraluminal device, percutaneous endoscopic approach | 0K9R30Z | Drainage of left upper leg muscle with drainage device, percutaneous approach |
| 04LV4DZ | Occlusion of right foot artery with intraluminal device, percutaneous endoscopic approach | 0K9R40Z | Drainage of left upper leg muscle with drainage device, percutaneous endoscopic approach |

| | | | |
|---------|--|---------|---|
| 04LV4ZZ | Occlusion of right foot artery, percutaneous endoscopic approach | 0K9R4ZZ | Drainage of left upper leg muscle, percutaneous endoscopic approach |
| 04LW0CZ | Occlusion of left foot artery with extraluminal device, open approach | 0K9S00Z | Drainage of right lower leg muscle with drainage device, open approach |
| 04LW0DZ | Occlusion of left foot artery with intraluminal device, open approach | 0K9S0ZZ | Drainage of right lower leg muscle, open approach |
| 04LW0ZZ | Occlusion of left foot artery, open approach | 0K9S30Z | Drainage of right lower leg muscle with drainage device, percutaneous approach |
| 04LW3CZ | Occlusion of left foot artery with extraluminal device, percutaneous approach | 0K9S40Z | Drainage of right lower leg muscle with drainage device, percutaneous endoscopic approach |
| 04LW3DZ | Occlusion of left foot artery with intraluminal device, percutaneous approach | 0K9S4ZZ | Drainage of right lower leg muscle, percutaneous endoscopic approach |
| 04LW3ZZ | Occlusion of left foot artery, percutaneous approach | 0K9T00Z | Drainage of left lower leg muscle with drainage device, open approach |
| 04LW4CZ | Occlusion of left foot artery with extraluminal device, percutaneous endoscopic approach | 0K9T0ZZ | Drainage of left lower leg muscle, open approach |
| 04LW4DZ | Occlusion of left foot artery with intraluminal device, percutaneous endoscopic approach | 0K9T30Z | Drainage of left lower leg muscle with drainage device, percutaneous approach |
| 04LW4ZZ | Occlusion of left foot artery, percutaneous endoscopic approach | 0K9T40Z | Drainage of left lower leg muscle with drainage device, percutaneous endoscopic approach |
| 04LY0CZ | Occlusion of lower artery with extraluminal device, open approach | 0K9T4ZZ | Drainage of left lower leg muscle, percutaneous endoscopic approach |
| 04LY0DZ | Occlusion of lower artery with intraluminal device, open approach | 0K9V00Z | Drainage of right foot muscle with drainage device, open approach |
| 04LY0ZZ | Occlusion of lower artery, open approach | 0K9V0ZZ | Drainage of right foot muscle, open approach |
| 04LY3CZ | Occlusion of lower artery with extraluminal device, percutaneous approach | 0K9V30Z | Drainage of right foot muscle with drainage device, percutaneous approach |
| 04LY3DZ | Occlusion of lower artery with intraluminal device, percutaneous approach | 0K9V40Z | Drainage of right foot muscle with drainage device, percutaneous endoscopic approach |
| 04LY3ZZ | Occlusion of lower artery, percutaneous approach | 0K9V4ZZ | Drainage of right foot muscle, percutaneous endoscopic approach |
| 04LY4CZ | Occlusion of lower artery with extraluminal device, percutaneous endoscopic approach | 0K9W00Z | Drainage of left foot muscle with drainage device, open approach |

| | | | |
|---------|--|---------|---|
| 04LY4DZ | Occlusion of lower artery with intraluminal device, percutaneous endoscopic approach | 0K9W0ZZ | Drainage of left foot muscle, open approach |
| 04LY4ZZ | Occlusion of lower artery, percutaneous endoscopic approach | 0K9W30Z | Drainage of left foot muscle with drainage device, percutaneous approach |
| 04Q00ZZ | Repair abdominal aorta, open approach | 0K9W40Z | Drainage of left foot muscle with drainage device, percutaneous endoscopic approach |
| 04Q03ZZ | Repair abdominal aorta, percutaneous approach | 0K9W4ZZ | Drainage of left foot muscle, percutaneous endoscopic approach |
| 04Q04ZZ | Repair abdominal aorta, percutaneous endoscopic approach | 0KC00ZZ | Extirpation of matter from head muscle, open approach |
| 04Q10ZZ | Repair celiac artery, open approach | 0KC03ZZ | Extirpation of matter from head muscle, percutaneous approach |
| 04Q13ZZ | Repair celiac artery, percutaneous approach | 0KC04ZZ | Extirpation of matter from head muscle, percutaneous endoscopic approach |
| 04Q14ZZ | Repair celiac artery, percutaneous endoscopic approach | 0KC10ZZ | Extirpation of matter from facial muscle, open approach |
| 04Q20ZZ | Repair gastric artery, open approach | 0KC13ZZ | Extirpation of matter from facial muscle, percutaneous approach |
| 04Q23ZZ | Repair gastric artery, percutaneous approach | 0KC14ZZ | Extirpation of matter from facial muscle, percutaneous endoscopic approach |
| 04Q24ZZ | Repair gastric artery, percutaneous endoscopic approach | 0KC20ZZ | Extirpation of matter from right neck muscle, open approach |
| 04Q30ZZ | Repair hepatic artery, open approach | 0KC23ZZ | Extirpation of matter from right neck muscle, percutaneous approach |
| 04Q33ZZ | Repair hepatic artery, percutaneous approach | 0KC24ZZ | Extirpation of matter from right neck muscle, percutaneous endoscopic approach |
| 04Q34ZZ | Repair hepatic artery, percutaneous endoscopic approach | 0KC30ZZ | Extirpation of matter from left neck muscle, open approach |
| 04Q40ZZ | Repair splenic artery, open approach | 0KC33ZZ | Extirpation of matter from left neck muscle, percutaneous approach |
| 04Q43ZZ | Repair splenic artery, percutaneous approach | 0KC34ZZ | Extirpation of matter from left neck muscle, percutaneous endoscopic approach |
| 04Q44ZZ | Repair splenic artery, percutaneous endoscopic approach | 0KC40ZZ | Extirpation of matter from tongue, palate, pharynx muscle, open approach |

| | | | |
|---------|---|---------|---|
| 04Q50ZZ | Repair superior mesenteric artery, open approach | 0KC43ZZ | Extirpation of matter from tongue, palate, pharynx muscle, percutaneous approach |
| 04Q53ZZ | Repair superior mesenteric artery, percutaneous approach | 0KC44ZZ | Extirpation of matter from tongue, palate, pharynx muscle, percutaneous endoscopic approach |
| 04Q54ZZ | Repair superior mesenteric artery, percutaneous endoscopic approach | 0KC50ZZ | Extirpation of matter from right shoulder muscle, open approach |
| 04Q60ZZ | Repair right colic artery, open approach | 0KC53ZZ | Extirpation of matter from right shoulder muscle, percutaneous approach |
| 04Q63ZZ | Repair right colic artery, percutaneous approach | 0KC54ZZ | Extirpation of matter from right shoulder muscle, percutaneous endoscopic approach |
| 04Q64ZZ | Repair right colic artery, percutaneous endoscopic approach | 0KC60ZZ | Extirpation of matter from left shoulder muscle, open approach |
| 04Q70ZZ | Repair left colic artery, open approach | 0KC63ZZ | Extirpation of matter from left shoulder muscle, percutaneous approach |
| 04Q73ZZ | Repair left colic artery, percutaneous approach | 0KC64ZZ | Extirpation of matter from left shoulder muscle, percutaneous endoscopic approach |
| 04Q74ZZ | Repair left colic artery, percutaneous endoscopic approach | 0KC70ZZ | Extirpation of matter from right upper arm muscle, open approach |
| 04Q80ZZ | Repair middle colic artery, open approach | 0KC73ZZ | Extirpation of matter from right upper arm muscle, percutaneous approach |
| 04Q83ZZ | Repair middle colic artery, percutaneous approach | 0KC74ZZ | Extirpation of matter from right upper arm muscle, percutaneous endoscopic approach |
| 04Q84ZZ | Repair middle colic artery, percutaneous endoscopic approach | 0KC80ZZ | Extirpation of matter from left upper arm muscle, open approach |
| 04Q90ZZ | Repair right renal artery, open approach | 0KC83ZZ | Extirpation of matter from left upper arm muscle, percutaneous approach |
| 04Q93ZZ | Repair right renal artery, percutaneous approach | 0KC84ZZ | Extirpation of matter from left upper arm muscle, percutaneous endoscopic approach |
| 04Q94ZZ | Repair right renal artery, percutaneous endoscopic approach | 0KC90ZZ | Extirpation of matter from right lower arm and wrist muscle, open approach |
| 04QA0ZZ | Repair left renal artery, open approach | 0KC93ZZ | Extirpation of matter from right lower arm and wrist muscle, percutaneous approach |

| | | | |
|---------|--|---------|---|
| 04QA3ZZ | Repair left renal artery, percutaneous approach | 0KC94ZZ | Extirpation of matter from right lower arm and wrist muscle, percutaneous endoscopic approach |
| 04QA4ZZ | Repair left renal artery, percutaneous endoscopic approach | 0KCB0ZZ | Extirpation of matter from left lower arm and wrist muscle, open approach |
| 04QB0ZZ | Repair inferior mesenteric artery, open approach | 0KCB3ZZ | Extirpation of matter from left lower arm and wrist muscle, percutaneous approach |
| 04QB3ZZ | Repair inferior mesenteric artery, percutaneous approach | 0KCB4ZZ | Extirpation of matter from left lower arm and wrist muscle, percutaneous endoscopic approach |
| 04QB4ZZ | Repair inferior mesenteric artery, percutaneous endoscopic approach | 0KCC0ZZ | Extirpation of matter from right hand muscle, open approach |
| 04QC0ZZ | Repair right common iliac artery, open approach | 0KCC3ZZ | Extirpation of matter from right hand muscle, percutaneous approach |
| 04QC3ZZ | Repair right common iliac artery, percutaneous approach | 0KCC4ZZ | Extirpation of matter from right hand muscle, percutaneous endoscopic approach |
| 04QC4ZZ | Repair right common iliac artery, percutaneous endoscopic approach | 0KCD0ZZ | Extirpation of matter from left hand muscle, open approach |
| 04QD0ZZ | Repair left common iliac artery, open approach | 0KCD3ZZ | Extirpation of matter from left hand muscle, percutaneous approach |
| 04QD3ZZ | Repair left common iliac artery, percutaneous approach | 0KCD4ZZ | Extirpation of matter from left hand muscle, percutaneous endoscopic approach |
| 04QD4ZZ | Repair left common iliac artery, percutaneous endoscopic approach | 0KCF0ZZ | Extirpation of matter from right trunk muscle, open approach |
| 04QE0ZZ | Repair right internal iliac artery, open approach | 0KCF3ZZ | Extirpation of matter from right trunk muscle, percutaneous approach |
| 04QE3ZZ | Repair right internal iliac artery, percutaneous approach | 0KCF4ZZ | Extirpation of matter from right trunk muscle, percutaneous endoscopic approach |
| 04QE4ZZ | Repair right internal iliac artery, percutaneous endoscopic approach | 0KCG0ZZ | Extirpation of matter from left trunk muscle, open approach |
| 04QF0ZZ | Repair left internal iliac artery, open approach | 0KCG3ZZ | Extirpation of matter from left trunk muscle, percutaneous approach |
| 04QF3ZZ | Repair left internal iliac artery, percutaneous approach | 0KCG4ZZ | Extirpation of matter from left trunk muscle, percutaneous endoscopic approach |
| 04QF4ZZ | Repair left internal iliac artery, percutaneous endoscopic approach | 0KCH0ZZ | Extirpation of matter from right thorax muscle, open approach |

| | | | |
|---------|--|---------|---|
| 04QH0ZZ | Repair right external iliac artery, open approach | 0KCH3ZZ | Extirpation of matter from right thorax muscle, percutaneous approach |
| 04QH3ZZ | Repair right external iliac artery, percutaneous approach | 0KCH4ZZ | Extirpation of matter from right thorax muscle, percutaneous endoscopic approach |
| 04QH4ZZ | Repair right external iliac artery, percutaneous endoscopic approach | 0KCJ0ZZ | Extirpation of matter from left thorax muscle, open approach |
| 04QJ0ZZ | Repair left external iliac artery, open approach | 0KCJ3ZZ | Extirpation of matter from left thorax muscle, percutaneous approach |
| 04QJ3ZZ | Repair left external iliac artery, percutaneous approach | 0KCJ4ZZ | Extirpation of matter from left thorax muscle, percutaneous endoscopic approach |
| 04QJ4ZZ | Repair left external iliac artery, percutaneous endoscopic approach | 0KCK0ZZ | Extirpation of matter from right abdomen muscle, open approach |
| 04QK0ZZ | Repair right femoral artery, open approach | 0KCK3ZZ | Extirpation of matter from right abdomen muscle, percutaneous approach |
| 04QK3ZZ | Repair right femoral artery, percutaneous approach | 0KCK4ZZ | Extirpation of matter from right abdomen muscle, percutaneous endoscopic approach |
| 04QK4ZZ | Repair right femoral artery, percutaneous endoscopic approach | 0KCL0ZZ | Extirpation of matter from left abdomen muscle, open approach |
| 04QL0ZZ | Repair left femoral artery, open approach | 0KCL3ZZ | Extirpation of matter from left abdomen muscle, percutaneous approach |
| 04QL3ZZ | Repair left femoral artery, percutaneous approach | 0KCL4ZZ | Extirpation of matter from left abdomen muscle, percutaneous endoscopic approach |
| 04QL4ZZ | Repair left femoral artery, percutaneous endoscopic approach | 0KCM0ZZ | Extirpation of matter from perineum muscle, open approach |
| 04QM0ZZ | Repair right popliteal artery, open approach | 0KCM3ZZ | Extirpation of matter from perineum muscle, percutaneous approach |
| 04QM3ZZ | Repair right popliteal artery, percutaneous approach | 0KCM4ZZ | Extirpation of matter from perineum muscle, percutaneous endoscopic approach |
| 04QM4ZZ | Repair right popliteal artery, percutaneous endoscopic approach | 0KCN0ZZ | Extirpation of matter from right hip muscle, open approach |
| 04QN0ZZ | Repair left popliteal artery, open approach | 0KCN3ZZ | Extirpation of matter from right hip muscle, percutaneous approach |
| 04QN3ZZ | Repair left popliteal artery, percutaneous approach | 0KCN4ZZ | Extirpation of matter from right hip muscle, percutaneous endoscopic approach |

| | | | |
|---------|--|---------|---|
| 04QN4ZZ | Repair left popliteal artery, percutaneous endoscopic approach | 0KCP0ZZ | Extirpation of matter from left hip muscle, open approach |
| 04QP0ZZ | Repair right anterior tibial artery, open approach | 0KCP3ZZ | Extirpation of matter from left hip muscle, percutaneous approach |
| 04QP3ZZ | Repair right anterior tibial artery, percutaneous approach | 0KCP4ZZ | Extirpation of matter from left hip muscle, percutaneous endoscopic approach |
| 04QP4ZZ | Repair right anterior tibial artery, percutaneous endoscopic approach | 0KCQ0ZZ | Extirpation of matter from right upper leg muscle, open approach |
| 04QQ0ZZ | Repair left anterior tibial artery, open approach | 0KCQ3ZZ | Extirpation of matter from right upper leg muscle, percutaneous approach |
| 04QQ3ZZ | Repair left anterior tibial artery, percutaneous approach | 0KCQ4ZZ | Extirpation of matter from right upper leg muscle, percutaneous endoscopic approach |
| 04QQ4ZZ | Repair left anterior tibial artery, percutaneous endoscopic approach | 0KCR0ZZ | Extirpation of matter from left upper leg muscle, open approach |
| 04QR0ZZ | Repair right posterior tibial artery, open approach | 0KCR3ZZ | Extirpation of matter from left upper leg muscle, percutaneous approach |
| 04QR3ZZ | Repair right posterior tibial artery, percutaneous approach | 0KCR4ZZ | Extirpation of matter from left upper leg muscle, percutaneous endoscopic approach |
| 04QR4ZZ | Repair right posterior tibial artery, percutaneous endoscopic approach | 0KCS0ZZ | Extirpation of matter from right lower leg muscle, open approach |
| 04QS0ZZ | Repair left posterior tibial artery, open approach | 0KCS3ZZ | Extirpation of matter from right lower leg muscle, percutaneous approach |
| 04QS3ZZ | Repair left posterior tibial artery, percutaneous approach | 0KCS4ZZ | Extirpation of matter from right lower leg muscle, percutaneous endoscopic approach |
| 04QS4ZZ | Repair left posterior tibial artery, percutaneous endoscopic approach | 0KCT0ZZ | Extirpation of matter from left lower leg muscle, open approach |
| 04QT0ZZ | Repair right peroneal artery, open approach | 0KCT3ZZ | Extirpation of matter from left lower leg muscle, percutaneous approach |
| 04QT3ZZ | Repair right peroneal artery, percutaneous approach | 0KCT4ZZ | Extirpation of matter from left lower leg muscle, percutaneous endoscopic approach |
| 04QT4ZZ | Repair right peroneal artery, percutaneous endoscopic approach | 0KCV0ZZ | Extirpation of matter from right foot muscle, open approach |
| 04QU0ZZ | Repair left peroneal artery, open approach | 0KCV3ZZ | Extirpation of matter from right foot muscle, percutaneous approach |
| 04QU3ZZ | Repair left peroneal artery, percutaneous approach | 0KCV4ZZ | Extirpation of matter from right foot muscle, percutaneous endoscopic approach |

| | | | |
|---------|--|---------|--|
| 04QU4ZZ | Repair left peroneal artery, percutaneous endoscopic approach | 0KCW0ZZ | Extirpation of matter from left foot muscle, open approach |
| 04QV0ZZ | Repair right foot artery, open approach | 0KCW3ZZ | Extirpation of matter from left foot muscle, percutaneous approach |
| 04QV3ZZ | Repair right foot artery, percutaneous approach | 0KCW4ZZ | Extirpation of matter from left foot muscle, percutaneous endoscopic approach |
| 04QV4ZZ | Repair right foot artery, percutaneous endoscopic approach | 0KWX00Z | Revision of drainage device in upper muscle, open approach |
| 04QW0ZZ | Repair left foot artery, open approach | 0KWX30Z | Revision of drainage device in upper muscle, percutaneous approach |
| 04QW3ZZ | Repair left foot artery, percutaneous approach | 0KWX40Z | Revision of drainage device in upper muscle, percutaneous endoscopic approach |
| 04QW4ZZ | Repair left foot artery, percutaneous endoscopic approach | 0KWX00Z | Revision of drainage device in lower muscle, open approach |
| 04QY0ZZ | Repair lower artery, open approach | 0KWX30Z | Revision of drainage device in lower muscle, percutaneous approach |
| 04QY3ZZ | Repair lower artery, percutaneous approach | 0KWX40Z | Revision of drainage device in lower muscle, percutaneous endoscopic approach |
| 04QY4ZZ | Repair lower artery, percutaneous endoscopic approach | 0KWX00Z | Revision of drainage device in lower muscle, open approach |
| 04WY0DZ | Revision of intraluminal device in lower artery, open approach | 0KWX30Z | Revision of drainage device in lower muscle, percutaneous approach |
| 04WY0JZ | Revision of synthetic substitute in lower artery, open approach | 0KWX40Z | Revision of drainage device in lower muscle, percutaneous endoscopic approach |
| 04WY0KZ | Revision of nonautologous tissue substitute in lower artery, open approach | 0KWX00Z | Revision of drainage device in lower muscle, open approach |
| 04WY3DZ | Revision of intraluminal device in lower artery, percutaneous approach | 0KWX30Z | Revision of drainage device in lower muscle, percutaneous approach |
| 04WY3JZ | Revision of synthetic substitute in lower artery, percutaneous approach | 0KWX40Z | Revision of drainage device in lower muscle, percutaneous endoscopic approach |
| 04WY3KZ | Revision of nonautologous tissue substitute in lower artery, percutaneous approach | 0KWX00Z | Revision of drainage device in lower muscle, open approach |
| 04WY4DZ | Revision of intraluminal device in lower artery, percutaneous endoscopic approach | 0KWX30Z | Revision of drainage device in lower muscle, percutaneous approach |
| 04WY4JZ | Revision of synthetic substitute in lower artery, percutaneous endoscopic approach | 0KWX40Z | Revision of drainage device in lower muscle, percutaneous endoscopic approach |
| | | 0N9P00Z | Drainage of right orbit with drainage device, open approach |
| | | 0N9P0ZZ | Drainage of right orbit, open approach |
| | | 0N9P30Z | Drainage of right orbit with drainage device, percutaneous approach |
| | | 0N9P40Z | Drainage of right orbit with drainage device, percutaneous endoscopic approach |
| | | 0N9P4ZZ | Drainage of right orbit, percutaneous endoscopic approach |
| | | 0N9Q00Z | Drainage of left orbit with drainage device, open approach |
| | | 0N9Q0ZZ | Drainage of left orbit, open approach |
| | | 0N9Q30Z | Drainage of left orbit with drainage device, percutaneous approach |
| | | 0N9Q40Z | Drainage of left orbit with drainage device, percutaneous endoscopic approach |

| | | | |
|---------|---|---------|---|
| 04WY4KZ | Revision of nonautologous tissue substitute in lower artery, percutaneous endoscopic approach | 0N9Q4ZZ | Drainage of left orbit, percutaneous endoscopic approach |
| 05L00CZ | Occlusion of azygos vein with extraluminal device, open approach | 0R9000Z | Drainage of occipital-cervical joint with drainage device, open approach |
| 05L00DZ | Occlusion of azygos vein with intraluminal device, open approach | 0R900ZZ | Drainage of occipital-cervical joint, open approach |
| 05L00ZZ | Occlusion of azygos vein, open approach | 0R9100Z | Drainage of cervical vertebral joint with drainage device, open approach |
| 05L03CZ | Occlusion of azygos vein with extraluminal device, percutaneous approach | 0R910ZZ | Drainage of cervical vertebral joint, open approach |
| 05L03DZ | Occlusion of azygos vein with intraluminal device, percutaneous approach | 0R9400Z | Drainage of cervicothoracic vertebral joint with drainage device, open approach |
| 05L03ZZ | Occlusion of azygos vein, percutaneous approach | 0R940ZZ | Drainage of cervicothoracic vertebral joint, open approach |
| 05L04CZ | Occlusion of azygos vein with extraluminal device, percutaneous endoscopic approach | 0R9600Z | Drainage of thoracic vertebral joint with drainage device, open approach |
| 05L04DZ | Occlusion of azygos vein with intraluminal device, percutaneous endoscopic approach | 0R960ZZ | Drainage of thoracic vertebral joint, open approach |
| 05L04ZZ | Occlusion of azygos vein, percutaneous endoscopic approach | 0R9A00Z | Drainage of thoracolumbar vertebral joint with drainage device, open approach |
| 05L10CZ | Occlusion of hemiazygos vein with extraluminal device, open approach | 0R9A0ZZ | Drainage of thoracolumbar vertebral joint, open approach |
| 05L10DZ | Occlusion of hemiazygos vein with intraluminal device, open approach | 0R9C00Z | Drainage of right temporomandibular joint with drainage device, open approach |
| 05L10ZZ | Occlusion of hemiazygos vein, open approach | 0R9C0ZZ | Drainage of right temporomandibular joint, open approach |
| 05L13CZ | Occlusion of hemiazygos vein with extraluminal device, percutaneous approach | 0R9D00Z | Drainage of left temporomandibular joint with drainage device, open approach |
| 05L13DZ | Occlusion of hemiazygos vein with intraluminal device, percutaneous approach | 0R9D0ZZ | Drainage of left temporomandibular joint, open approach |
| 05L13ZZ | Occlusion of hemiazygos vein, percutaneous approach | 0R9J00Z | Drainage of right shoulder joint with drainage device, open approach |
| 05L14CZ | Occlusion of hemiazygos vein with extraluminal device, percutaneous endoscopic approach | 0R9J0ZZ | Drainage of right shoulder joint, open approach |

| | | | |
|---------|---|---------|---|
| 05L14DZ | Occlusion of hemiazygos vein with intraluminal device, percutaneous endoscopic approach | 0R9K00Z | Drainage of left shoulder joint with drainage device, open approach |
| 05L14ZZ | Occlusion of hemiazygos vein, percutaneous endoscopic approach | 0R9K0ZZ | Drainage of left shoulder joint, open approach |
| 05L30CZ | Occlusion of right innominate vein with extraluminal device, open approach | 0R9L00Z | Drainage of right elbow joint with drainage device, open approach |
| 05L30DZ | Occlusion of right innominate vein with intraluminal device, open approach | 0R9L0ZZ | Drainage of right elbow joint, open approach |
| 05L30ZZ | Occlusion of right innominate vein, open approach | 0R9M00Z | Drainage of left elbow joint with drainage device, open approach |
| 05L33CZ | Occlusion of right innominate vein with extraluminal device, percutaneous approach | 0R9M0ZZ | Drainage of left elbow joint, open approach |
| 05L33DZ | Occlusion of right innominate vein with intraluminal device, percutaneous approach | 0R9N00Z | Drainage of right wrist joint with drainage device, open approach |
| 05L33ZZ | Occlusion of right innominate vein, percutaneous approach | 0R9N0ZZ | Drainage of right wrist joint, open approach |
| 05L34CZ | Occlusion of right innominate vein with extraluminal device, percutaneous endoscopic approach | 0R9P00Z | Drainage of left wrist joint with drainage device, open approach |
| 05L34DZ | Occlusion of right innominate vein with intraluminal device, percutaneous endoscopic approach | 0R9P0ZZ | Drainage of left wrist joint, open approach |
| 05L34ZZ | Occlusion of right innominate vein, percutaneous endoscopic approach | 0R9Q00Z | Drainage of right carpal joint with drainage device, open approach |
| 05L40CZ | Occlusion of left innominate vein with extraluminal device, open approach | 0R9Q0ZZ | Drainage of right carpal joint, open approach |
| 05L40DZ | Occlusion of left innominate vein with intraluminal device, open approach | 0R9R00Z | Drainage of left carpal joint with drainage device, open approach |
| 05L40ZZ | Occlusion of left innominate vein, open approach | 0R9R0ZZ | Drainage of left carpal joint, open approach |
| 05L43CZ | Occlusion of left innominate vein with extraluminal device, percutaneous approach | 0R9S00Z | Drainage of right carpometacarpal joint with drainage device, open approach |
| 05L43DZ | Occlusion of left innominate vein with intraluminal device, percutaneous approach | 0R9S0ZZ | Drainage of right carpometacarpal joint, open approach |
| 05L43ZZ | Occlusion of left innominate vein, percutaneous approach | 0R9T00Z | Drainage of left carpometacarpal joint with drainage device, open approach |

| | | | |
|---------|---|---------|---|
| 05L44CZ | Occlusion of left innominate vein with extraluminal device, percutaneous endoscopic approach | 0R9T0ZZ | Drainage of left carpometacarpal joint, open approach |
| 05L44DZ | Occlusion of left innominate vein with intraluminal device, percutaneous endoscopic approach | 0R9U00Z | Drainage of right metacarpophalangeal joint with drainage device, open approach |
| 05L44ZZ | Occlusion of left innominate vein, percutaneous endoscopic approach | 0R9U0ZZ | Drainage of right metacarpophalangeal joint, open approach |
| 05L50CZ | Occlusion of right subclavian vein with extraluminal device, open approach | 0R9V00Z | Drainage of left metacarpophalangeal joint with drainage device, open approach |
| 05L50DZ | Occlusion of right subclavian vein with intraluminal device, open approach | 0R9V0ZZ | Drainage of left metacarpophalangeal joint, open approach |
| 05L50ZZ | Occlusion of right subclavian vein, open approach | 0R9W00Z | Drainage of right finger phalangeal joint with drainage device, open approach |
| 05L53CZ | Occlusion of right subclavian vein with extraluminal device, percutaneous approach | 0R9W0ZZ | Drainage of right finger phalangeal joint, open approach |
| 05L53DZ | Occlusion of right subclavian vein with intraluminal device, percutaneous approach | 0R9X00Z | Drainage of left finger phalangeal joint with drainage device, open approach |
| 05L53ZZ | Occlusion of right subclavian vein, percutaneous approach | 0R9X0ZZ | Drainage of left finger phalangeal joint, open approach |
| 05L54CZ | Occlusion of right subclavian vein with extraluminal device, percutaneous endoscopic approach | 0S9000Z | Drainage of lumbar vertebral joint with drainage device, open approach |
| 05L54DZ | Occlusion of right subclavian vein with intraluminal device, percutaneous endoscopic approach | 0S900ZZ | Drainage of lumbar vertebral joint, open approach |
| 05L54ZZ | Occlusion of right subclavian vein, percutaneous endoscopic approach | 0S9300Z | Drainage of lumbosacral joint with drainage device, open approach |
| 05L60CZ | Occlusion of left subclavian vein with extraluminal device, open approach | 0S930ZZ | Drainage of lumbosacral joint, open approach |
| 05L60DZ | Occlusion of left subclavian vein with intraluminal device, open approach | 0S9500Z | Drainage of sacrococcygeal joint with drainage device, open approach |
| 05L60ZZ | Occlusion of left subclavian vein, open approach | 0S950ZZ | Drainage of sacrococcygeal joint, open approach |
| 05L63CZ | Occlusion of left subclavian vein with extraluminal device, percutaneous approach | 0S9600Z | Drainage of coccygeal joint with drainage device, open approach |

| | | | |
|---------|--|---------|---|
| 05L63DZ | Occlusion of left subclavian vein with intraluminal device, percutaneous approach | 0S960ZZ | Drainage of coccygeal joint, open approach |
| 05L63ZZ | Occlusion of left subclavian vein, percutaneous approach | 0S9700Z | Drainage of right sacroiliac joint with drainage device, open approach |
| 05L64CZ | Occlusion of left subclavian vein with extraluminal device, percutaneous endoscopic approach | 0S970ZZ | Drainage of right sacroiliac joint, open approach |
| 05L64DZ | Occlusion of left subclavian vein with intraluminal device, percutaneous endoscopic approach | 0S9800Z | Drainage of left sacroiliac joint with drainage device, open approach |
| 05L64ZZ | Occlusion of left subclavian vein, percutaneous endoscopic approach | 0S980ZZ | Drainage of left sacroiliac joint, open approach |
| 05L70CZ | Occlusion of right axillary vein with extraluminal device, open approach | 0S9900Z | Drainage of right hip joint with drainage device, open approach |
| 05L70DZ | Occlusion of right axillary vein with intraluminal device, open approach | 0S990ZZ | Drainage of right hip joint, open approach |
| 05L70ZZ | Occlusion of right axillary vein, open approach | 0S9B00Z | Drainage of left hip joint with drainage device, open approach |
| 05L73CZ | Occlusion of right axillary vein with extraluminal device, percutaneous approach | 0S9B0ZZ | Drainage of left hip joint, open approach |
| 05L73DZ | Occlusion of right axillary vein with intraluminal device, percutaneous approach | 0S9C00Z | Drainage of right knee joint with drainage device, open approach |
| 05L73ZZ | Occlusion of right axillary vein, percutaneous approach | 0S9C0ZZ | Drainage of right knee joint, open approach |
| 05L74CZ | Occlusion of right axillary vein with extraluminal device, percutaneous endoscopic approach | 0S9D00Z | Drainage of left knee joint with drainage device, open approach |
| 05L74DZ | Occlusion of right axillary vein with intraluminal device, percutaneous endoscopic approach | 0S9D0ZZ | Drainage of left knee joint, open approach |
| 05L74ZZ | Occlusion of right axillary vein, percutaneous endoscopic approach | 0S9F00Z | Drainage of right ankle joint with drainage device, open approach |
| 05L80CZ | Occlusion of left axillary vein with extraluminal device, open approach | 0S9F0ZZ | Drainage of right ankle joint, open approach |
| 05L80DZ | Occlusion of left axillary vein with intraluminal device, open approach | 0S9G00Z | Drainage of left ankle joint with drainage device, open approach |
| 05L80ZZ | Occlusion of left axillary vein, open approach | 0S9G0ZZ | Drainage of left ankle joint, open approach |
| 05L83CZ | Occlusion of left axillary vein with extraluminal device, percutaneous approach | 0S9K00Z | Drainage of right tarsometatarsal joint with drainage device, open approach |

| | | | |
|---------|---|---------|---|
| 05L83DZ | Occlusion of left axillary vein with intraluminal device, percutaneous approach | 0S9K0ZZ | Drainage of right tarsometatarsal joint, open approach |
| 05L83ZZ | Occlusion of left axillary vein, percutaneous approach | 0S9L00Z | Drainage of left tarsometatarsal joint with drainage device, open approach |
| 05L84CZ | Occlusion of left axillary vein with extraluminal device, percutaneous endoscopic approach | 0S9L0ZZ | Drainage of left tarsometatarsal joint, open approach |
| 05L84DZ | Occlusion of left axillary vein with intraluminal device, percutaneous endoscopic approach | 0S9M00Z | Drainage of right metatarsal-phalangeal joint with drainage device, open approach |
| 05L84ZZ | Occlusion of left axillary vein, percutaneous endoscopic approach | 0S9M0ZZ | Drainage of right metatarsal-phalangeal joint, open approach |
| 05L90CZ | Occlusion of right brachial vein with extraluminal device, open approach | 0S9N00Z | Drainage of left metatarsal-phalangeal joint with drainage device, open approach |
| 05L90DZ | Occlusion of right brachial vein with intraluminal device, open approach | 0S9N0ZZ | Drainage of left metatarsal-phalangeal joint, open approach |
| 05L90ZZ | Occlusion of right brachial vein, open approach | 0S9P00Z | Drainage of right toe phalangeal joint with drainage device, open approach |
| 05L93CZ | Occlusion of right brachial vein with extraluminal device, percutaneous approach | 0S9P0ZZ | Drainage of right toe phalangeal joint, open approach |
| 05L93DZ | Occlusion of right brachial vein with intraluminal device, percutaneous approach | 0S9Q00Z | Drainage of left toe phalangeal joint with drainage device, open approach |
| 05L93ZZ | Occlusion of right brachial vein, percutaneous approach | 0S9Q0ZZ | Drainage of left toe phalangeal joint, open approach |
| 05L94CZ | Occlusion of right brachial vein with extraluminal device, percutaneous endoscopic approach | 0T9000Z | Drainage of right kidney with drainage device, open approach |
| 05L94DZ | Occlusion of right brachial vein with intraluminal device, percutaneous endoscopic approach | 0T900ZZ | Drainage of right kidney, open approach |
| 05L94ZZ | Occlusion of right brachial vein, percutaneous endoscopic approach | 0T9030Z | Drainage of right kidney with drainage device, percutaneous approach |
| 05LA0CZ | Occlusion of left brachial vein with extraluminal device, open approach | 0T903ZZ | Drainage of right kidney, percutaneous approach |
| 05LA0DZ | Occlusion of left brachial vein with intraluminal device, open approach | 0T9040Z | Drainage of right kidney with drainage device, percutaneous endoscopic approach |
| 05LA0ZZ | Occlusion of left brachial vein, open approach | 0T904ZZ | Drainage of right kidney, percutaneous endoscopic approach |

| | | | |
|---------|--|---------|--|
| 05LA3CZ | Occlusion of left brachial vein with extraluminal device, percutaneous approach | 0T9100Z | Drainage of left kidney with drainage device, open approach |
| 05LA3DZ | Occlusion of left brachial vein with intraluminal device, percutaneous approach | 0T910ZZ | Drainage of left kidney, open approach |
| 05LA3ZZ | Occlusion of left brachial vein, percutaneous approach | 0T9130Z | Drainage of left kidney with drainage device, percutaneous approach |
| 05LA4CZ | Occlusion of left brachial vein with extraluminal device, percutaneous endoscopic approach | 0T913ZZ | Drainage of left kidney, percutaneous approach |
| 05LA4DZ | Occlusion of left brachial vein with intraluminal device, percutaneous endoscopic approach | 0T9140Z | Drainage of left kidney with drainage device, percutaneous endoscopic approach |
| 05LA4ZZ | Occlusion of left brachial vein, percutaneous endoscopic approach | 0T914ZZ | Drainage of left kidney, percutaneous endoscopic approach |
| 05LB0CZ | Occlusion of right basilic vein with extraluminal device, open approach | 0T9300Z | Drainage of right kidney pelvis with drainage device, open approach |
| 05LB0DZ | Occlusion of right basilic vein with intraluminal device, open approach | 0T9330Z | Drainage of right kidney pelvis with drainage device, percutaneous approach |
| 05LB0ZZ | Occlusion of right basilic vein, open approach | 0T9340Z | Drainage of right kidney pelvis with drainage device, percutaneous endoscopic approach |
| 05LB3CZ | Occlusion of right basilic vein with extraluminal device, percutaneous approach | 0T9400Z | Drainage of left kidney pelvis with drainage device, open approach |
| 05LB3DZ | Occlusion of right basilic vein with intraluminal device, percutaneous approach | 0T9430Z | Drainage of left kidney pelvis with drainage device, percutaneous approach |
| 05LB3ZZ | Occlusion of right basilic vein, percutaneous approach | 0T9440Z | Drainage of left kidney pelvis with drainage device, percutaneous endoscopic approach |
| 05LB4CZ | Occlusion of right basilic vein with extraluminal device, percutaneous endoscopic approach | 0T9B00Z | Drainage of bladder with drainage device, open approach |
| 05LB4DZ | Occlusion of right basilic vein with intraluminal device, percutaneous endoscopic approach | 0T9C00Z | Drainage of bladder neck with drainage device, open approach |
| 05LB4ZZ | Occlusion of right basilic vein, percutaneous endoscopic approach | 0TC00ZZ | Extirpation of matter from right kidney, open approach |

| | | | |
|---------|---|---------|---|
| 05LC0CZ | Occlusion of left basilic vein with extraluminal device, open approach | 0TC07ZZ | Extirpation of matter from right kidney, via natural or artificial opening |
| 05LC0DZ | Occlusion of left basilic vein with intraluminal device, open approach | 0TC08ZZ | Extirpation of matter from right kidney, via natural or artificial opening endoscopic |
| 05LC0ZZ | Occlusion of left basilic vein, open approach | 0TC10ZZ | Extirpation of matter from left kidney, open approach |
| 05LC3CZ | Occlusion of left basilic vein with extraluminal device, percutaneous approach | 0TC17ZZ | Extirpation of matter from left kidney, via natural or artificial opening |
| 05LC3DZ | Occlusion of left basilic vein with intraluminal device, percutaneous approach | 0TC18ZZ | Extirpation of matter from left kidney, via natural or artificial opening endoscopic |
| 05LC3ZZ | Occlusion of left basilic vein, percutaneous approach | 0TC30ZZ | Extirpation of matter from right kidney pelvis, open approach |
| 05LC4CZ | Occlusion of left basilic vein with extraluminal device, percutaneous endoscopic approach | 0TC40ZZ | Extirpation of matter from left kidney pelvis, open approach |
| 05LC4DZ | Occlusion of left basilic vein with intraluminal device, percutaneous endoscopic approach | 0TCB0ZZ | Extirpation of matter from bladder, open approach |
| 05LC4ZZ | Occlusion of left basilic vein, percutaneous endoscopic approach | 0TCB3ZZ | Extirpation of matter from bladder, percutaneous approach |
| 05LD0CZ | Occlusion of right cephalic vein with extraluminal device, open approach | 0TCB4ZZ | Extirpation of matter from bladder, percutaneous endoscopic approach |
| 05LD0DZ | Occlusion of right cephalic vein with intraluminal device, open approach | 0TCC0ZZ | Extirpation of matter from bladder neck, open approach |
| 05LD0ZZ | Occlusion of right cephalic vein, open approach | 0TCC3ZZ | Extirpation of matter from bladder neck, percutaneous approach |
| 05LD3CZ | Occlusion of right cephalic vein with extraluminal device, percutaneous approach | 0TCC4ZZ | Extirpation of matter from bladder neck, percutaneous endoscopic approach |
| 05LD3DZ | Occlusion of right cephalic vein with intraluminal device, percutaneous approach | 0TW500Z | Revision of drainage device in kidney, open approach |
| 05LD3ZZ | Occlusion of right cephalic vein, percutaneous approach | 0TW530Z | Revision of drainage device in kidney, percutaneous approach |
| 05LD4CZ | Occlusion of right cephalic vein with extraluminal device, percutaneous endoscopic approach | 0TW540Z | Revision of drainage device in kidney, percutaneous endoscopic approach |
| 05LD4DZ | Occlusion of right cephalic vein with intraluminal device, percutaneous endoscopic approach | 0TW570Z | Revision of drainage device in kidney, via natural or artificial opening |

| | | | |
|---------|--|---------|--|
| 05LD4ZZ | Occlusion of right cephalic vein, percutaneous endoscopic approach | 0TW580Z | Revision of drainage device in kidney, via natural or artificial opening endoscopic |
| 05LF0CZ | Occlusion of left cephalic vein with extraluminal device, open approach | 0TWB00Z | Revision of drainage device in bladder, open approach |
| 05LF0DZ | Occlusion of left cephalic vein with intraluminal device, open approach | 0TWB03Z | Revision of infusion device in bladder, open approach |
| 05LF0ZZ | Occlusion of left cephalic vein, open approach | 0TWB30Z | Revision of drainage device in bladder, percutaneous approach |
| 05LF3CZ | Occlusion of left cephalic vein with extraluminal device, percutaneous approach | 0TWB33Z | Revision of infusion device in bladder, percutaneous approach |
| 05LF3DZ | Occlusion of left cephalic vein with intraluminal device, percutaneous approach | 0TWB40Z | Revision of drainage device in bladder, percutaneous endoscopic approach |
| 05LF3ZZ | Occlusion of left cephalic vein, percutaneous approach | 0TWB43Z | Revision of infusion device in bladder, percutaneous endoscopic approach |
| 05LF4CZ | Occlusion of left cephalic vein with extraluminal device, percutaneous endoscopic approach | 0TWB70Z | Revision of drainage device in bladder, via natural or artificial opening |
| 05LF4DZ | Occlusion of left cephalic vein with intraluminal device, percutaneous endoscopic approach | 0TWB73Z | Revision of infusion device in bladder, via natural or artificial opening |
| 05LF4ZZ | Occlusion of left cephalic vein, percutaneous endoscopic approach | 0TWB80Z | Revision of drainage device in bladder, via natural or artificial opening endoscopic |
| 05LG0CZ | Occlusion of right hand vein with extraluminal device, open approach | 0TWB83Z | Revision of infusion device in bladder, via natural or artificial opening endoscopic |
| 05LG0DZ | Occlusion of right hand vein with intraluminal device, open approach | 0U9000Z | Drainage of right ovary with drainage device, open approach |
| 05LG0ZZ | Occlusion of right hand vein, open approach | 0U900ZZ | Drainage of right ovary, open approach |
| 05LG3CZ | Occlusion of right hand vein with extraluminal device, percutaneous approach | 0U9040Z | Drainage of right ovary with drainage device, percutaneous endoscopic approach |
| 05LG3DZ | Occlusion of right hand vein with intraluminal device, percutaneous approach | 0U904ZZ | Drainage of right ovary, percutaneous endoscopic approach |
| 05LG3ZZ | Occlusion of right hand vein, percutaneous approach | 0U9080Z | Drainage of right ovary with drainage device, via natural or artificial opening endoscopic |

| | | | |
|---------|---|---------|--|
| 05LG4CZ | Occlusion of right hand vein with extraluminal device, percutaneous endoscopic approach | 0U908ZZ | Drainage of right ovary, via natural or artificial opening endoscopic |
| 05LG4DZ | Occlusion of right hand vein with intraluminal device, percutaneous endoscopic approach | 0U9100Z | Drainage of left ovary with drainage device, open approach |
| 05LG4ZZ | Occlusion of right hand vein, percutaneous endoscopic approach | 0U910ZZ | Drainage of left ovary, open approach |
| 05LH0CZ | Occlusion of left hand vein with extraluminal device, open approach | 0U9140Z | Drainage of left ovary with drainage device, percutaneous endoscopic approach |
| 05LH0DZ | Occlusion of left hand vein with intraluminal device, open approach | 0U914ZZ | Drainage of left ovary, percutaneous endoscopic approach |
| 05LH0ZZ | Occlusion of left hand vein, open approach | 0U9180Z | Drainage of left ovary with drainage device, via natural or artificial opening endoscopic |
| 05LH3CZ | Occlusion of left hand vein with extraluminal device, percutaneous approach | 0U918ZZ | Drainage of left ovary, via natural or artificial opening endoscopic |
| 05LH3DZ | Occlusion of left hand vein with intraluminal device, percutaneous approach | 0U9200Z | Drainage of bilateral ovaries with drainage device, open approach |
| 05LH3ZZ | Occlusion of left hand vein, percutaneous approach | 0U920ZZ | Drainage of bilateral ovaries, open approach |
| 05LH4CZ | Occlusion of left hand vein with extraluminal device, percutaneous endoscopic approach | 0U9240Z | Drainage of bilateral ovaries with drainage device, percutaneous endoscopic approach |
| 05LH4DZ | Occlusion of left hand vein with intraluminal device, percutaneous endoscopic approach | 0U924ZZ | Drainage of bilateral ovaries, percutaneous endoscopic approach |
| 05LH4ZZ | Occlusion of left hand vein, percutaneous endoscopic approach | 0U9280Z | Drainage of bilateral ovaries with drainage device, via natural or artificial opening endoscopic |
| 05LL0CZ | Occlusion of intracranial vein with extraluminal device, open approach | 0U928ZZ | Drainage of bilateral ovaries, via natural or artificial opening endoscopic |
| 05LL0DZ | Occlusion of intracranial vein with intraluminal device, open approach | 0U950ZZ | Drainage of right fallopian tube, open approach |
| 05LL0ZZ | Occlusion of intracranial vein, open approach | 0U960ZZ | Drainage of left fallopian tube, open approach |
| 05LL3CZ | Occlusion of intracranial vein with extraluminal device, percutaneous approach | 0U970ZZ | Drainage of bilateral fallopian tubes, open approach |

| | | | |
|---------|---|---------|---|
| 05LL3DZ | Occlusion of intracranial vein with intraluminal device, percutaneous approach | 0U9900Z | Drainage of uterus with drainage device, open approach |
| 05LL3ZZ | Occlusion of intracranial vein, percutaneous approach | 0U990ZZ | Drainage of uterus, open approach |
| 05LL4CZ | Occlusion of intracranial vein with extraluminal device, percutaneous endoscopic approach | 0U9930Z | Drainage of uterus with drainage device, percutaneous approach |
| 05LL4DZ | Occlusion of intracranial vein with intraluminal device, percutaneous endoscopic approach | 0U993ZZ | Drainage of uterus, percutaneous approach |
| 05LL4ZZ | Occlusion of intracranial vein, percutaneous endoscopic approach | 0U9940Z | Drainage of uterus with drainage device, percutaneous endoscopic approach |
| 05LM0CZ | Occlusion of right internal jugular vein with extraluminal device, open approach | 0U994ZZ | Drainage of uterus, percutaneous endoscopic approach |
| 05LM0DZ | Occlusion of right internal jugular vein with intraluminal device, open approach | 0U9970Z | Drainage of uterus with drainage device, via natural or artificial opening |
| 05LM0ZZ | Occlusion of right internal jugular vein, open approach | 0U997ZZ | Drainage of uterus, via natural or artificial opening |
| 05LM3CZ | Occlusion of right internal jugular vein with extraluminal device, percutaneous approach | 0U9980Z | Drainage of uterus with drainage device, via natural or artificial opening endoscopic |
| 05LM3DZ | Occlusion of right internal jugular vein with intraluminal device, percutaneous approach | 0U998ZZ | Drainage of uterus, via natural or artificial opening endoscopic |
| 05LM3ZZ | Occlusion of right internal jugular vein, percutaneous approach | 0U9C00Z | Drainage of cervix with drainage device, open approach |
| 05LM4CZ | Occlusion of right internal jugular vein with extraluminal device, percutaneous endoscopic approach | 0U9C0ZZ | Drainage of cervix, open approach |
| 05LM4DZ | Occlusion of right internal jugular vein with intraluminal device, percutaneous endoscopic approach | 0U9C30Z | Drainage of cervix with drainage device, percutaneous approach |
| 05LM4ZZ | Occlusion of right internal jugular vein, percutaneous endoscopic approach | 0U9C3ZZ | Drainage of cervix, percutaneous approach |
| 05LN0CZ | Occlusion of left internal jugular vein with extraluminal device, open approach | 0U9C40Z | Drainage of cervix with drainage device, percutaneous endoscopic approach |

| | | | |
|---------|---|---------|---|
| 05LN0DZ | Occlusion of left internal jugular vein with intraluminal device, open approach | 0U9C4ZZ | Drainage of cervix, percutaneous endoscopic approach |
| 05LN0ZZ | Occlusion of left internal jugular vein, open approach | 0U9C70Z | Drainage of cervix with drainage device, via natural or artificial opening |
| 05LN3CZ | Occlusion of left internal jugular vein with extraluminal device, percutaneous approach | 0U9C7ZZ | Drainage of cervix, via natural or artificial opening |
| 05LN3DZ | Occlusion of left internal jugular vein with intraluminal device, percutaneous approach | 0U9C80Z | Drainage of cervix with drainage device, via natural or artificial opening endoscopic |
| 05LN3ZZ | Occlusion of left internal jugular vein, percutaneous approach | 0U9C8ZZ | Drainage of cervix, via natural or artificial opening endoscopic |
| 05LN4CZ | Occlusion of left internal jugular vein with extraluminal device, percutaneous endoscopic approach | 0U9F00Z | Drainage of cul-de-sac with drainage device, open approach |
| 05LN4DZ | Occlusion of left internal jugular vein with intraluminal device, percutaneous endoscopic approach | 0U9F0ZZ | Drainage of cul-de-sac, open approach |
| 05LN4ZZ | Occlusion of left internal jugular vein, percutaneous endoscopic approach | 0U9F30Z | Drainage of cul-de-sac with drainage device, percutaneous approach |
| 05LP0CZ | Occlusion of right external jugular vein with extraluminal device, open approach | 0U9F3ZZ | Drainage of cul-de-sac, percutaneous approach |
| 05LP0DZ | Occlusion of right external jugular vein with intraluminal device, open approach | 0U9F40Z | Drainage of cul-de-sac with drainage device, percutaneous endoscopic approach |
| 05LP0ZZ | Occlusion of right external jugular vein, open approach | 0U9F4ZZ | Drainage of cul-de-sac, percutaneous endoscopic approach |
| 05LP3CZ | Occlusion of right external jugular vein with extraluminal device, percutaneous approach | 0U9F70Z | Drainage of cul-de-sac with drainage device, via natural or artificial opening |
| 05LP3DZ | Occlusion of right external jugular vein with intraluminal device, percutaneous approach | 0U9F7ZZ | Drainage of cul-de-sac, via natural or artificial opening |
| 05LP3ZZ | Occlusion of right external jugular vein, percutaneous approach | 0U9F80Z | Drainage of cul-de-sac with drainage device, via natural or artificial opening endoscopic |
| 05LP4CZ | Occlusion of right external jugular vein with extraluminal device, percutaneous endoscopic approach | 0U9F8ZZ | Drainage of cul-de-sac, via natural or artificial opening endoscopic |

| | | | |
|---------|---|---------|--|
| 05LP4DZ | Occlusion of right external jugular vein with intraluminal device, percutaneous endoscopic approach | 0UC00ZZ | Extirpation of matter from right ovary, open approach |
| 05LP4ZZ | Occlusion of right external jugular vein, percutaneous endoscopic approach | 0UC03ZZ | Extirpation of matter from right ovary, percutaneous approach |
| 05LQ0CZ | Occlusion of left external jugular vein with extraluminal device, open approach | 0UC04ZZ | Extirpation of matter from right ovary, percutaneous endoscopic approach |
| 05LQ0DZ | Occlusion of left external jugular vein with intraluminal device, open approach | 0UC08ZZ | Extirpation of matter from right ovary, via natural or artificial opening endoscopic |
| 05LQ0ZZ | Occlusion of left external jugular vein, open approach | 0UC10ZZ | Extirpation of matter from left ovary, open approach |
| 05LQ3CZ | Occlusion of left external jugular vein with extraluminal device, percutaneous approach | 0UC13ZZ | Extirpation of matter from left ovary, percutaneous approach |
| 05LQ3DZ | Occlusion of left external jugular vein with intraluminal device, percutaneous approach | 0UC14ZZ | Extirpation of matter from left ovary, percutaneous endoscopic approach |
| 05LQ3ZZ | Occlusion of left external jugular vein, percutaneous approach | 0UC18ZZ | Extirpation of matter from left ovary, via natural or artificial opening endoscopic |
| 05LQ4CZ | Occlusion of left external jugular vein with extraluminal device, percutaneous endoscopic approach | 0UC20ZZ | Extirpation of matter from bilateral ovaries, open approach |
| 05LQ4DZ | Occlusion of left external jugular vein with intraluminal device, percutaneous endoscopic approach | 0UC23ZZ | Extirpation of matter from bilateral ovaries, percutaneous approach |
| 05LQ4ZZ | Occlusion of left external jugular vein, percutaneous endoscopic approach | 0UC24ZZ | Extirpation of matter from bilateral ovaries, percutaneous endoscopic approach |
| 05LR0CZ | Occlusion of right vertebral vein with extraluminal device, open approach | 0UC28ZZ | Extirpation of matter from bilateral ovaries, via natural or artificial opening endoscopic |
| 05LR0DZ | Occlusion of right vertebral vein with intraluminal device, open approach | 0UC50ZZ | Extirpation of matter from right fallopian tube, open approach |
| 05LR0ZZ | Occlusion of right vertebral vein, open approach | 0UC53ZZ | Extirpation of matter from right fallopian tube, percutaneous approach |
| 05LR3CZ | Occlusion of right vertebral vein with extraluminal device, percutaneous approach | 0UC54ZZ | Extirpation of matter from right fallopian tube, percutaneous endoscopic approach |

| | | | |
|---------|--|---------|--|
| 05LR3DZ | Occlusion of right vertebral vein with intraluminal device, percutaneous approach | 0UC57ZZ | Extirpation of matter from right fallopian tube, via natural or artificial opening |
| 05LR3ZZ | Occlusion of right vertebral vein, percutaneous approach | 0UC58ZZ | Extirpation of matter from right fallopian tube, via natural or artificial opening endoscopic |
| 05LR4CZ | Occlusion of right vertebral vein with extraluminal device, percutaneous endoscopic approach | 0UC60ZZ | Extirpation of matter from left fallopian tube, open approach |
| 05LR4DZ | Occlusion of right vertebral vein with intraluminal device, percutaneous endoscopic approach | 0UC63ZZ | Extirpation of matter from left fallopian tube, percutaneous approach |
| 05LR4ZZ | Occlusion of right vertebral vein, percutaneous endoscopic approach | 0UC64ZZ | Extirpation of matter from left fallopian tube, percutaneous endoscopic approach |
| 05LS0CZ | Occlusion of left vertebral vein with extraluminal device, open approach | 0UC67ZZ | Extirpation of matter from left fallopian tube, via natural or artificial opening |
| 05LS0DZ | Occlusion of left vertebral vein with intraluminal device, open approach | 0UC68ZZ | Extirpation of matter from left fallopian tube, via natural or artificial opening endoscopic |
| 05LS0ZZ | Occlusion of left vertebral vein, open approach | 0UC70ZZ | Extirpation of matter from bilateral fallopian tubes, open approach |
| 05LS3CZ | Occlusion of left vertebral vein with extraluminal device, percutaneous approach | 0UC73ZZ | Extirpation of matter from bilateral fallopian tubes, percutaneous approach |
| 05LS3DZ | Occlusion of left vertebral vein with intraluminal device, percutaneous approach | 0UC74ZZ | Extirpation of matter from bilateral fallopian tubes, percutaneous endoscopic approach |
| 05LS3ZZ | Occlusion of left vertebral vein, percutaneous approach | 0UC77ZZ | Extirpation of matter from bilateral fallopian tubes, via natural or artificial opening |
| 05LS4CZ | Occlusion of left vertebral vein with extraluminal device, percutaneous endoscopic approach | 0UC78ZZ | Extirpation of matter from bilateral fallopian tubes, via natural or artificial opening endoscopic |
| 05LS4DZ | Occlusion of left vertebral vein with intraluminal device, percutaneous endoscopic approach | 0UC90ZZ | Extirpation of matter from uterus, open approach |
| 05LS4ZZ | Occlusion of left vertebral vein, percutaneous endoscopic approach | 0UC93ZZ | Extirpation of matter from uterus, percutaneous approach |
| 05LT0CZ | Occlusion of right face vein with extraluminal device, open approach | 0UC94ZZ | Extirpation of matter from uterus, percutaneous endoscopic approach |
| 05LT0DZ | Occlusion of right face vein with intraluminal device, open approach | 0UCF0ZZ | Extirpation of matter from cul-de-sac, open approach |

| | | | |
|---------|---|---------|---|
| 05LT0ZZ | Occlusion of right face vein, open approach | 0UCF3ZZ | Extirpation of matter from cul-de-sac, percutaneous approach |
| 05LT3CZ | Occlusion of right face vein with extraluminal device, percutaneous approach | 0UCF4ZZ | Extirpation of matter from cul-de-sac, percutaneous endoscopic approach |
| 05LT3DZ | Occlusion of right face vein with intraluminal device, percutaneous approach | 0UCF7ZZ | Extirpation of matter from cul-de-sac, via natural or artificial opening |
| 05LT3ZZ | Occlusion of right face vein, percutaneous approach | 0UCF8ZZ | Extirpation of matter from cul-de-sac, via natural or artificial opening endoscopic |
| 05LT4CZ | Occlusion of right face vein with extraluminal device, percutaneous endoscopic approach | 0UW300Z | Revision of drainage device in ovary, open approach |
| 05LT4DZ | Occlusion of right face vein with intraluminal device, percutaneous endoscopic approach | 0UW330Z | Revision of drainage device in ovary, percutaneous approach |
| 05LT4ZZ | Occlusion of right face vein, percutaneous endoscopic approach | 0UW340Z | Revision of drainage device in ovary, percutaneous endoscopic approach |
| 05LV0CZ | Occlusion of left face vein with extraluminal device, open approach | 0UW800Z | Revision of drainage device in fallopian tube, open approach |
| 05LV0DZ | Occlusion of left face vein with intraluminal device, open approach | 0UW830Z | Revision of drainage device in fallopian tube, percutaneous approach |
| 05LV0ZZ | Occlusion of left face vein, open approach | 0UW840Z | Revision of drainage device in fallopian tube, percutaneous endoscopic approach |
| 05LV3CZ | Occlusion of left face vein with extraluminal device, percutaneous approach | 0UW870Z | Revision of drainage device in fallopian tube, via natural or artificial opening |
| 05LV3DZ | Occlusion of left face vein with intraluminal device, percutaneous approach | 0UW880Z | Revision of drainage device in fallopian tube, via natural or artificial opening endoscopic |
| 05LV3ZZ | Occlusion of left face vein, percutaneous approach | 0UWD00Z | Revision of drainage device in uterus and cervix, open approach |
| 05LV4CZ | Occlusion of left face vein with extraluminal device, percutaneous endoscopic approach | 0UWD30Z | Revision of drainage device in uterus and cervix, percutaneous approach |
| 05LV4DZ | Occlusion of left face vein with intraluminal device, percutaneous endoscopic approach | 0UWD40Z | Revision of drainage device in uterus and cervix, percutaneous endoscopic approach |
| 05LV4ZZ | Occlusion of left face vein, percutaneous endoscopic approach | 0UWD70Z | Revision of drainage device in uterus and cervix, via natural or artificial opening |

| | | | |
|---------|--|---------|--|
| 05LY0CZ | Occlusion of upper vein with extraluminal device, open approach | 0UWD80Z | Revision of drainage device in uterus and cervix, via natural or artificial opening endoscopic |
| 05LY0DZ | Occlusion of upper vein with intraluminal device, open approach | 0UWH00Z | Revision of drainage device in vagina and cul-de-sac, open approach |
| 05LY0ZZ | Occlusion of upper vein, open approach | 0UWH30Z | Revision of drainage device in vagina and cul-de-sac, percutaneous approach |
| 05LY3CZ | Occlusion of upper vein with extraluminal device, percutaneous approach | 0UWH40Z | Revision of drainage device in vagina and cul-de-sac, percutaneous endoscopic approach |
| 05LY3DZ | Occlusion of upper vein with intraluminal device, percutaneous approach | 0UWH70Z | Revision of drainage device in vagina and cul-de-sac, via natural or artificial opening |
| 05LY3ZZ | Occlusion of upper vein, percutaneous approach | 0UWH80Z | Revision of drainage device in vagina and cul-de-sac, via natural or artificial opening endoscopic |
| 05LY4CZ | Occlusion of upper vein with extraluminal device, percutaneous endoscopic approach | 0V9S00Z | Drainage of penis with drainage device, open approach |
| 05LY4DZ | Occlusion of upper vein with intraluminal device, percutaneous endoscopic approach | 0V9S0ZZ | Drainage of penis, open approach |
| 05LY4ZZ | Occlusion of upper vein, percutaneous endoscopic approach | 0V9S30Z | Drainage of penis with drainage device, percutaneous approach |
| 05Q00ZZ | Repair azygos vein, open approach | 0V9S3ZZ | Drainage of penis, percutaneous approach |
| 05Q03ZZ | Repair azygos vein, percutaneous approach | 0V9S40Z | Drainage of penis with drainage device, percutaneous endoscopic approach |
| 05Q04ZZ | Repair azygos vein, percutaneous endoscopic approach | 0V9S4ZZ | Drainage of penis, percutaneous endoscopic approach |
| 05Q10ZZ | Repair hemiazygos vein, open approach | 0V9SX0Z | Drainage of penis with drainage device, external approach |
| 05Q13ZZ | Repair hemiazygos vein, percutaneous approach | 0V9SXZZ | Drainage of penis, external approach |
| 05Q14ZZ | Repair hemiazygos vein, percutaneous endoscopic approach | 0V9T00Z | Drainage of prepuce with drainage device, open approach |
| 05Q30ZZ | Repair right innominate vein, open approach | 0V9T0ZZ | Drainage of prepuce, open approach |
| 05Q33ZZ | Repair right innominate vein, percutaneous approach | 0V9T30Z | Drainage of prepuce with drainage device, percutaneous approach |

| | | | |
|---------|--|---------|---|
| 05Q34ZZ | Repair right innominate vein, percutaneous endoscopic approach | 0V9T3ZZ | Drainage of prepuce, percutaneous approach |
| 05Q40ZZ | Repair left innominate vein, open approach | 0V9T40Z | Drainage of prepuce with drainage device, percutaneous endoscopic approach |
| 05Q43ZZ | Repair left innominate vein, percutaneous approach | 0V9T4ZZ | Drainage of prepuce, percutaneous endoscopic approach |
| 05Q44ZZ | Repair left innominate vein, percutaneous endoscopic approach | 0V9TX0Z | Drainage of prepuce with drainage device, external approach |
| 05Q50ZZ | Repair right subclavian vein, open approach | 0V9TXZZ | Drainage of prepuce, external approach |
| 05Q53ZZ | Repair right subclavian vein, percutaneous approach | 0VC00ZZ | Extirpation of matter from prostate, open approach |
| 05Q54ZZ | Repair right subclavian vein, percutaneous endoscopic approach | 0VC03ZZ | Extirpation of matter from prostate, percutaneous approach |
| 05Q60ZZ | Repair left subclavian vein, open approach | 0VC04ZZ | Extirpation of matter from prostate, percutaneous endoscopic approach |
| 05Q63ZZ | Repair left subclavian vein, percutaneous approach | 0VC07ZZ | Extirpation of matter from prostate, via natural or artificial opening |
| 05Q64ZZ | Repair left subclavian vein, percutaneous endoscopic approach | 0VC08ZZ | Extirpation of matter from prostate, via natural or artificial opening endoscopic |
| 05Q70ZZ | Repair right axillary vein, open approach | 0VC90ZZ | Extirpation of matter from right testis, open approach |
| 05Q73ZZ | Repair right axillary vein, percutaneous approach | 0VC93ZZ | Extirpation of matter from right testis, percutaneous approach |
| 05Q74ZZ | Repair right axillary vein, percutaneous endoscopic approach | 0VC94ZZ | Extirpation of matter from right testis, percutaneous endoscopic approach |
| 05Q80ZZ | Repair left axillary vein, open approach | 0VCB0ZZ | Extirpation of matter from left testis, open approach |
| 05Q83ZZ | Repair left axillary vein, percutaneous approach | 0VCB3ZZ | Extirpation of matter from left testis, percutaneous approach |
| 05Q84ZZ | Repair left axillary vein, percutaneous endoscopic approach | 0VCB4ZZ | Extirpation of matter from left testis, percutaneous endoscopic approach |
| 05Q90ZZ | Repair right brachial vein, open approach | 0VCC0ZZ | Extirpation of matter from bilateral testes, open approach |
| 05Q93ZZ | Repair right brachial vein, percutaneous approach | 0VCC3ZZ | Extirpation of matter from bilateral testes, percutaneous approach |
| 05Q94ZZ | Repair right brachial vein, percutaneous endoscopic approach | 0VCC4ZZ | Extirpation of matter from bilateral testes, percutaneous endoscopic approach |
| 05QA0ZZ | Repair left brachial vein, open approach | 0VCS0ZZ | Extirpation of matter from penis, open approach |

| | | | |
|---------|--|---------|--|
| 05QA3ZZ | Repair left brachial vein, percutaneous approach | 0VCS3ZZ | Extirpation of matter from penis, percutaneous approach |
| 05QA4ZZ | Repair left brachial vein, percutaneous endoscopic approach | 0VCS4ZZ | Extirpation of matter from penis, percutaneous endoscopic approach |
| 05QB0ZZ | Repair right basilic vein, open approach | 0VWS00Z | Revision of drainage device in penis, open approach |
| 05QB3ZZ | Repair right basilic vein, percutaneous approach | 0VWS30Z | Revision of drainage device in penis, percutaneous approach |
| 05QB4ZZ | Repair right basilic vein, percutaneous endoscopic approach | 0VWS40Z | Revision of drainage device in penis, percutaneous endoscopic approach |
| 05QC0ZZ | Repair left basilic vein, open approach | 0VWS70Z | Revision of drainage device in penis, via natural or artificial opening |
| 05QC3ZZ | Repair left basilic vein, percutaneous approach | 0VWS80Z | Revision of drainage device in penis, via natural or artificial opening endoscopic |
| 05QC4ZZ | Repair left basilic vein, percutaneous endoscopic approach | 0W300ZZ | Control bleeding in head, open approach |
| 05QD0ZZ | Repair right cephalic vein, open approach | 0W303ZZ | Control bleeding in head, percutaneous approach |
| 05QD3ZZ | Repair right cephalic vein, percutaneous approach | 0W304ZZ | Control bleeding in head, percutaneous endoscopic approach |
| 05QD4ZZ | Repair right cephalic vein, percutaneous endoscopic approach | 0W310ZZ | Control bleeding in cranial cavity, open approach |
| 05QF0ZZ | Repair left cephalic vein, open approach | 0W313ZZ | Control bleeding in cranial cavity, percutaneous approach |
| 05QF3ZZ | Repair left cephalic vein, percutaneous approach | 0W314ZZ | Control bleeding in cranial cavity, percutaneous endoscopic approach |
| 05QF4ZZ | Repair left cephalic vein, percutaneous endoscopic approach | 0W320ZZ | Control bleeding in face, open approach |
| 05QG0ZZ | Repair right hand vein, open approach | 0W323ZZ | Control bleeding in face, percutaneous approach |
| 05QG3ZZ | Repair right hand vein, percutaneous approach | 0W324ZZ | Control bleeding in face, percutaneous endoscopic approach |
| 05QG4ZZ | Repair right hand vein, percutaneous endoscopic approach | 0W330ZZ | Control bleeding in oral cavity and throat, open approach |
| 05QH0ZZ | Repair left hand vein, open approach | 0W333ZZ | Control bleeding in oral cavity and throat, percutaneous approach |
| 05QH3ZZ | Repair left hand vein, percutaneous approach | 0W334ZZ | Control bleeding in oral cavity and throat, percutaneous endoscopic approach |
| 05QH4ZZ | Repair left hand vein, percutaneous endoscopic approach | 0W337ZZ | Control bleeding in oral cavity and throat, via natural or artificial opening |

| | | | |
|---------|--|---------|--|
| 05QL0ZZ | Repair intracranial vein, open approach | 0W338ZZ | Control bleeding in oral cavity and throat, via natural or artificial opening endoscopic |
| 05QL3ZZ | Repair intracranial vein, percutaneous approach | 0W33XZZ | Control bleeding in oral cavity and throat, external approach |
| 05QL4ZZ | Repair intracranial vein, percutaneous endoscopic approach | 0W340ZZ | Control bleeding in upper jaw, open approach |
| 05QM0ZZ | Repair right internal jugular vein, open approach | 0W343ZZ | Control bleeding in upper jaw, percutaneous approach |
| 05QM3ZZ | Repair right internal jugular vein, percutaneous approach | 0W344ZZ | Control bleeding in upper jaw, percutaneous endoscopic approach |
| 05QM4ZZ | Repair right internal jugular vein, percutaneous endoscopic approach | 0W350ZZ | Control bleeding in lower jaw, open approach |
| 05QN0ZZ | Repair left internal jugular vein, open approach | 0W353ZZ | Control bleeding in lower jaw, percutaneous approach |
| 05QN3ZZ | Repair left internal jugular vein, percutaneous approach | 0W354ZZ | Control bleeding in lower jaw, percutaneous endoscopic approach |
| 05QN4ZZ | Repair left internal jugular vein, percutaneous endoscopic approach | 0W360ZZ | Control bleeding in neck, open approach |
| 05QP0ZZ | Repair right external jugular vein, open approach | 0W363ZZ | Control bleeding in neck, percutaneous approach |
| 05QP3ZZ | Repair right external jugular vein, percutaneous approach | 0W364ZZ | Control bleeding in neck, percutaneous endoscopic approach |
| 05QP4ZZ | Repair right external jugular vein, percutaneous endoscopic approach | 0W380ZZ | Control bleeding in chest wall, open approach |
| 05QQ0ZZ | Repair left external jugular vein, open approach | 0W383ZZ | Control bleeding in chest wall, percutaneous approach |
| 05QQ3ZZ | Repair left external jugular vein, percutaneous approach | 0W384ZZ | Control bleeding in chest wall, percutaneous endoscopic approach |
| 05QQ4ZZ | Repair left external jugular vein, percutaneous endoscopic approach | 0W390ZZ | Control bleeding in right pleural cavity, open approach |
| 05QR0ZZ | Repair right vertebral vein, open approach | 0W393ZZ | Control bleeding in right pleural cavity, percutaneous approach |
| 05QR3ZZ | Repair right vertebral vein, percutaneous approach | 0W394ZZ | Control bleeding in right pleural cavity, percutaneous endoscopic approach |
| 05QR4ZZ | Repair right vertebral vein, percutaneous endoscopic approach | 0W3B0ZZ | Control bleeding in left pleural cavity, open approach |
| 05QS0ZZ | Repair left vertebral vein, open approach | 0W3B3ZZ | Control bleeding in left pleural cavity, percutaneous approach |
| 05QS3ZZ | Repair left vertebral vein, percutaneous approach | 0W3B4ZZ | Control bleeding in left pleural cavity, percutaneous endoscopic approach |

| | | | |
|---------|---|---------|--|
| 05QS4ZZ | Repair left vertebral vein, percutaneous endoscopic approach | 0W3C0ZZ | Control bleeding in mediastinum, open approach |
| 05QT0ZZ | Repair right face vein, open approach | 0W3C3ZZ | Control bleeding in mediastinum, percutaneous approach |
| 05QT3ZZ | Repair right face vein, percutaneous approach | 0W3C4ZZ | Control bleeding in mediastinum, percutaneous endoscopic approach |
| 05QT4ZZ | Repair right face vein, percutaneous endoscopic approach | 0W3D0ZZ | Control bleeding in pericardial cavity, open approach |
| 05QV0ZZ | Repair left face vein, open approach | 0W3D3ZZ | Control bleeding in pericardial cavity, percutaneous approach |
| 05QV3ZZ | Repair left face vein, percutaneous approach | 0W3D4ZZ | Control bleeding in pericardial cavity, percutaneous endoscopic approach |
| 05QV4ZZ | Repair left face vein, percutaneous endoscopic approach | 0W3F0ZZ | Control bleeding in abdominal wall, open approach |
| 05QY0ZZ | Repair upper vein, open approach | 0W3F3ZZ | Control bleeding in abdominal wall, percutaneous approach |
| 05QY3ZZ | Repair upper vein, percutaneous approach | 0W3F4ZZ | Control bleeding in abdominal wall, percutaneous endoscopic approach |
| 05QY4ZZ | Repair upper vein, percutaneous endoscopic approach | 0W3G0ZZ | Control bleeding in peritoneal cavity, open approach |
| 05WY0DZ | Revision of intraluminal device in upper vein, open approach | 0W3G3ZZ | Control bleeding in peritoneal cavity, percutaneous approach |
| 05WY0JZ | Revision of synthetic substitute in upper vein, open approach | 0W3G4ZZ | Control bleeding in peritoneal cavity, percutaneous endoscopic approach |
| 05WY0KZ | Revision of nonautologous tissue substitute in upper vein, open approach | 0W3H0ZZ | Control bleeding in retroperitoneum, open approach |
| 05WY3DZ | Revision of intraluminal device in upper vein, percutaneous approach | 0W3H3ZZ | Control bleeding in retroperitoneum, percutaneous approach |
| 05WY3JZ | Revision of synthetic substitute in upper vein, percutaneous approach | 0W3H4ZZ | Control bleeding in retroperitoneum, percutaneous endoscopic approach |
| 05WY3KZ | Revision of nonautologous tissue substitute in upper vein, percutaneous approach | 0W3J0ZZ | Control bleeding in pelvic cavity, open approach |
| 05WY4DZ | Revision of intraluminal device in upper vein, percutaneous endoscopic approach | 0W3J3ZZ | Control bleeding in pelvic cavity, percutaneous approach |
| 05WY4JZ | Revision of synthetic substitute in upper vein, percutaneous endoscopic approach | 0W3J4ZZ | Control bleeding in pelvic cavity, percutaneous endoscopic approach |
| 05WY4KZ | Revision of nonautologous tissue substitute in upper vein, percutaneous endoscopic approach | 0W3K0ZZ | Control bleeding in upper back, open approach |

| | | | |
|---------|--|---------|--|
| 06L00CZ | Occlusion of inferior vena cava with extraluminal device, open approach | 0W3K3ZZ | Control bleeding in upper back, percutaneous approach |
| 06L00DZ | Occlusion of inferior vena cava with intraluminal device, open approach | 0W3K4ZZ | Control bleeding in upper back, percutaneous endoscopic approach |
| 06L00ZZ | Occlusion of inferior vena cava, open approach | 0W3L0ZZ | Control bleeding in lower back, open approach |
| 06L03CZ | Occlusion of inferior vena cava with extraluminal device, percutaneous approach | 0W3L3ZZ | Control bleeding in lower back, percutaneous approach |
| 06L03DZ | Occlusion of inferior vena cava with intraluminal device, percutaneous approach | 0W3L4ZZ | Control bleeding in lower back, percutaneous endoscopic approach |
| 06L03ZZ | Occlusion of inferior vena cava, percutaneous approach | 0W3M0ZZ | Control bleeding in male perineum, open approach |
| 06L04CZ | Occlusion of inferior vena cava with extraluminal device, percutaneous endoscopic approach | 0W3M3ZZ | Control bleeding in male perineum, percutaneous approach |
| 06L04DZ | Occlusion of inferior vena cava with intraluminal device, percutaneous endoscopic approach | 0W3M4ZZ | Control bleeding in male perineum, percutaneous endoscopic approach |
| 06L04ZZ | Occlusion of inferior vena cava, percutaneous endoscopic approach | 0W3N0ZZ | Control bleeding in female perineum, open approach |
| 06L10CZ | Occlusion of splenic vein with extraluminal device, open approach | 0W3N3ZZ | Control bleeding in female perineum, percutaneous approach |
| 06L10DZ | Occlusion of splenic vein with intraluminal device, open approach | 0W3N4ZZ | Control bleeding in female perineum, percutaneous endoscopic approach |
| 06L10ZZ | Occlusion of splenic vein, open approach | 0W3P0ZZ | Control bleeding in gastrointestinal tract, open approach |
| 06L13CZ | Occlusion of splenic vein with extraluminal device, percutaneous approach | 0W3P3ZZ | Control bleeding in gastrointestinal tract, percutaneous approach |
| 06L13DZ | Occlusion of splenic vein with intraluminal device, percutaneous approach | 0W3P4ZZ | Control bleeding in gastrointestinal tract, percutaneous endoscopic approach |
| 06L13ZZ | Occlusion of splenic vein, percutaneous approach | 0W3P7ZZ | Control bleeding in gastrointestinal tract, via natural or artificial opening |
| 06L14CZ | Occlusion of splenic vein with extraluminal device, percutaneous endoscopic approach | 0W3P8ZZ | Control bleeding in gastrointestinal tract, via natural or artificial opening endoscopic |
| 06L14DZ | Occlusion of splenic vein with intraluminal device, percutaneous endoscopic approach | 0W3Q0ZZ | Control bleeding in respiratory tract, open approach |
| 06L14ZZ | Occlusion of splenic vein, percutaneous endoscopic approach | 0W3Q3ZZ | Control bleeding in respiratory tract, percutaneous approach |

| | | | |
|---------|--|---------|---|
| 06L20CZ | Occlusion of gastric vein with extraluminal device, open approach | 0W3Q4ZZ | Control bleeding in respiratory tract, percutaneous endoscopic approach |
| 06L20DZ | Occlusion of gastric vein with intraluminal device, open approach | 0W3Q7ZZ | Control bleeding in respiratory tract, via natural or artificial opening |
| 06L20ZZ | Occlusion of gastric vein, open approach | 0W3Q8ZZ | Control bleeding in respiratory tract, via natural or artificial opening endoscopic |
| 06L23CZ | Occlusion of gastric vein with extraluminal device, percutaneous approach | 0W3R0ZZ | Control bleeding in genitourinary tract, open approach |
| 06L23DZ | Occlusion of gastric vein with intraluminal device, percutaneous approach | 0W3R3ZZ | Control bleeding in genitourinary tract, percutaneous approach |
| 06L23ZZ | Occlusion of gastric vein, percutaneous approach | 0W3R4ZZ | Control bleeding in genitourinary tract, percutaneous endoscopic approach |
| 06L24CZ | Occlusion of gastric vein with extraluminal device, percutaneous endoscopic approach | 0W3R7ZZ | Control bleeding in genitourinary tract, via natural or artificial opening |
| 06L24DZ | Occlusion of gastric vein with intraluminal device, percutaneous endoscopic approach | 0W3R8ZZ | Control bleeding in genitourinary tract, via natural or artificial opening endoscopic |
| 06L24ZZ | Occlusion of gastric vein, percutaneous endoscopic approach | 0W9100Z | Drainage of cranial cavity with drainage device, open approach |
| 06L27CZ | Occlusion of gastric vein with extraluminal device, via natural or artificial opening | 0W910ZZ | Drainage of cranial cavity, open approach |
| 06L27DZ | Occlusion of gastric vein with intraluminal device, via natural or artificial opening | 0W9200Z | Drainage of face with drainage device, open approach |
| 06L27ZZ | Occlusion of gastric vein, via natural or artificial opening | 0W920ZZ | Drainage of face, open approach |
| 06L28CZ | Occlusion of gastric vein with extraluminal device, via natural or artificial opening endoscopic | 0W9230Z | Drainage of face with drainage device, percutaneous approach |
| 06L28DZ | Occlusion of gastric vein with intraluminal device, via natural or artificial opening endoscopic | 0W923ZZ | Drainage of face, percutaneous approach |
| 06L28ZZ | Occlusion of gastric vein, via natural or artificial opening endoscopic | 0W9240Z | Drainage of face with drainage device, percutaneous endoscopic approach |
| 06L30CZ | Occlusion of esophageal vein with extraluminal device, open approach | 0W924ZZ | Drainage of face, percutaneous endoscopic approach |

| | | | |
|---------|---|---------|---|
| 06L30DZ | Occlusion of esophageal vein with intraluminal device, open approach | 0W9300Z | Drainage of oral cavity and throat with drainage device, open approach |
| 06L30ZZ | Occlusion of esophageal vein, open approach | 0W930ZZ | Drainage of oral cavity and throat, open approach |
| 06L33CZ | Occlusion of esophageal vein with extraluminal device, percutaneous approach | 0W9330Z | Drainage of oral cavity and throat with drainage device, percutaneous approach |
| 06L33DZ | Occlusion of esophageal vein with intraluminal device, percutaneous approach | 0W933ZZ | Drainage of oral cavity and throat, percutaneous approach |
| 06L33ZZ | Occlusion of esophageal vein, percutaneous approach | 0W9340Z | Drainage of oral cavity and throat with drainage device, percutaneous endoscopic approach |
| 06L34CZ | Occlusion of esophageal vein with extraluminal device, percutaneous endoscopic approach | 0W934ZZ | Drainage of oral cavity and throat, percutaneous endoscopic approach |
| 06L34DZ | Occlusion of esophageal vein with intraluminal device, percutaneous endoscopic approach | 0W9400Z | Drainage of upper jaw with drainage device, open approach |
| 06L34ZZ | Occlusion of esophageal vein, percutaneous endoscopic approach | 0W940ZZ | Drainage of upper jaw, open approach |
| 06L37CZ | Occlusion of esophageal vein with extraluminal device, via natural or artificial opening | 0W9430Z | Drainage of upper jaw with drainage device, percutaneous approach |
| 06L37DZ | Occlusion of esophageal vein with intraluminal device, via natural or artificial opening | 0W943ZZ | Drainage of upper jaw, percutaneous approach |
| 06L37ZZ | Occlusion of esophageal vein, via natural or artificial opening | 0W9440Z | Drainage of upper jaw with drainage device, percutaneous endoscopic approach |
| 06L38CZ | Occlusion of esophageal vein with extraluminal device, via natural or artificial opening endoscopic | 0W944ZZ | Drainage of upper jaw, percutaneous endoscopic approach |
| 06L38DZ | Occlusion of esophageal vein with intraluminal device, via natural or artificial opening endoscopic | 0W9500Z | Drainage of lower jaw with drainage device, open approach |
| 06L38ZZ | Occlusion of esophageal vein, via natural or artificial opening endoscopic | 0W950ZZ | Drainage of lower jaw, open approach |
| 06L40CZ | Occlusion of hepatic vein with extraluminal device, open approach | 0W9530Z | Drainage of lower jaw with drainage device, percutaneous approach |
| 06L40DZ | Occlusion of hepatic vein with intraluminal device, open approach | 0W953ZZ | Drainage of lower jaw, percutaneous approach |

| | | | |
|---------|--|---------|--|
| 06L40ZZ | Occlusion of hepatic vein, open approach | 0W9540Z | Drainage of lower jaw with drainage device, percutaneous endoscopic approach |
| 06L43CZ | Occlusion of hepatic vein with extraluminal device, percutaneous approach | 0W954ZZ | Drainage of lower jaw, percutaneous endoscopic approach |
| 06L43DZ | Occlusion of hepatic vein with intraluminal device, percutaneous approach | 0W9600Z | Drainage of neck with drainage device, open approach |
| 06L43ZZ | Occlusion of hepatic vein, percutaneous approach | 0W960ZZ | Drainage of neck, open approach |
| 06L44CZ | Occlusion of hepatic vein with extraluminal device, percutaneous endoscopic approach | 0W9630Z | Drainage of neck with drainage device, percutaneous approach |
| 06L44DZ | Occlusion of hepatic vein with intraluminal device, percutaneous endoscopic approach | 0W963ZZ | Drainage of neck, percutaneous approach |
| 06L44ZZ | Occlusion of hepatic vein, percutaneous endoscopic approach | 0W9640Z | Drainage of neck with drainage device, percutaneous endoscopic approach |
| 06L50CZ | Occlusion of superior mesenteric vein with extraluminal device, open approach | 0W964ZZ | Drainage of neck, percutaneous endoscopic approach |
| 06L50DZ | Occlusion of superior mesenteric vein with intraluminal device, open approach | 0W9900Z | Drainage of right pleural cavity with drainage device, open approach |
| 06L50ZZ | Occlusion of superior mesenteric vein, open approach | 0W990ZZ | Drainage of right pleural cavity, open approach |
| 06L53CZ | Occlusion of superior mesenteric vein with extraluminal device, percutaneous approach | 0W994ZZ | Drainage of right pleural cavity, percutaneous endoscopic approach |
| 06L53DZ | Occlusion of superior mesenteric vein with intraluminal device, percutaneous approach | 0W9B00Z | Drainage of left pleural cavity with drainage device, open approach |
| 06L53ZZ | Occlusion of superior mesenteric vein, percutaneous approach | 0W9B0ZZ | Drainage of left pleural cavity, open approach |
| 06L54CZ | Occlusion of superior mesenteric vein with extraluminal device, percutaneous endoscopic approach | 0W9B4ZZ | Drainage of left pleural cavity, percutaneous endoscopic approach |
| 06L54DZ | Occlusion of superior mesenteric vein with intraluminal device, percutaneous endoscopic approach | 0W9C00Z | Drainage of mediastinum with drainage device, open approach |
| 06L54ZZ | Occlusion of superior mesenteric vein, percutaneous endoscopic approach | 0W9C0ZZ | Drainage of mediastinum, open approach |

| | | | |
|---------|--|---------|---|
| 06L60CZ | Occlusion of inferior mesenteric vein with extraluminal device, open approach | 0W9C30Z | Drainage of mediastinum with drainage device, percutaneous approach |
| 06L60DZ | Occlusion of inferior mesenteric vein with intraluminal device, open approach | 0W9C3ZZ | Drainage of mediastinum, percutaneous approach |
| 06L60ZZ | Occlusion of inferior mesenteric vein, open approach | 0W9C40Z | Drainage of mediastinum with drainage device, percutaneous endoscopic approach |
| 06L63CZ | Occlusion of inferior mesenteric vein with extraluminal device, percutaneous approach | 0W9C4ZZ | Drainage of mediastinum, percutaneous endoscopic approach |
| 06L63DZ | Occlusion of inferior mesenteric vein with intraluminal device, percutaneous approach | 0W9D30Z | Drainage of pericardial cavity with drainage device, percutaneous approach |
| 06L63ZZ | Occlusion of inferior mesenteric vein, percutaneous approach | 0W9D3ZZ | Drainage of pericardial cavity, percutaneous approach |
| 06L64CZ | Occlusion of inferior mesenteric vein with extraluminal device, percutaneous endoscopic approach | 0W9D40Z | Drainage of pericardial cavity with drainage device, percutaneous endoscopic approach |
| 06L64DZ | Occlusion of inferior mesenteric vein with intraluminal device, percutaneous endoscopic approach | 0W9D4ZZ | Drainage of pericardial cavity, percutaneous endoscopic approach |
| 06L64ZZ | Occlusion of inferior mesenteric vein, percutaneous endoscopic approach | 0W9G00Z | Drainage of peritoneal cavity with drainage device, open approach |
| 06L70CZ | Occlusion of colic vein with extraluminal device, open approach | 0W9G0ZZ | Drainage of peritoneal cavity, open approach |
| 06L70DZ | Occlusion of colic vein with intraluminal device, open approach | 0W9J00Z | Drainage of pelvic cavity with drainage device, open approach |
| 06L70ZZ | Occlusion of colic vein, open approach | 0W9J0ZZ | Drainage of pelvic cavity, open approach |
| 06L73CZ | Occlusion of colic vein with extraluminal device, percutaneous approach | 0W9J40Z | Drainage of pelvic cavity with drainage device, percutaneous endoscopic approach |
| 06L73DZ | Occlusion of colic vein with intraluminal device, percutaneous approach | 0W9J4ZZ | Drainage of pelvic cavity, percutaneous endoscopic approach |
| 06L73ZZ | Occlusion of colic vein, percutaneous approach | 0W9J70Z | Drainage of pelvic cavity with drainage device, via natural or artificial opening |
| 06L74CZ | Occlusion of colic vein with extraluminal device, percutaneous endoscopic approach | 0W9J7ZX | Drainage of pelvic cavity, via natural or artificial opening, diagnostic |

| | | | |
|---------|---|---------|--|
| 06L74DZ | Occlusion of colic vein with intraluminal device, percutaneous endoscopic approach | 0W9J7ZZ | Drainage of pelvic cavity, via natural or artificial opening |
| 06L74ZZ | Occlusion of colic vein, percutaneous endoscopic approach | 0W9J80Z | Drainage of pelvic cavity with drainage device, via natural or artificial opening endoscopic |
| 06L80CZ | Occlusion of portal vein with extraluminal device, open approach | 0W9J8ZX | Drainage of pelvic cavity, via natural or artificial opening endoscopic, diagnostic |
| 06L80DZ | Occlusion of portal vein with intraluminal device, open approach | 0W9J8ZZ | Drainage of pelvic cavity, via natural or artificial opening endoscopic |
| 06L80ZZ | Occlusion of portal vein, open approach | 0WC10ZZ | Extirpation of matter from cranial cavity, open approach |
| 06L83CZ | Occlusion of portal vein with extraluminal device, percutaneous approach | 0WC13ZZ | Extirpation of matter from cranial cavity, percutaneous approach |
| 06L83DZ | Occlusion of portal vein with intraluminal device, percutaneous approach | 0WC14ZZ | Extirpation of matter from cranial cavity, percutaneous endoscopic approach |
| 06L83ZZ | Occlusion of portal vein, percutaneous approach | 0WC90ZZ | Extirpation of matter from right pleural cavity, open approach |
| 06L84CZ | Occlusion of portal vein with extraluminal device, percutaneous endoscopic approach | 0WC93ZZ | Extirpation of matter from right pleural cavity, percutaneous approach |
| 06L84DZ | Occlusion of portal vein with intraluminal device, percutaneous endoscopic approach | 0WC94ZZ | Extirpation of matter from right pleural cavity, percutaneous endoscopic approach |
| 06L84ZZ | Occlusion of portal vein, percutaneous endoscopic approach | 0WCB0ZZ | Extirpation of matter from left pleural cavity, open approach |
| 06L90CZ | Occlusion of right renal vein with extraluminal device, open approach | 0WCB3ZZ | Extirpation of matter from left pleural cavity, percutaneous approach |
| 06L90DZ | Occlusion of right renal vein with intraluminal device, open approach | 0WCB4ZZ | Extirpation of matter from left pleural cavity, percutaneous endoscopic approach |
| 06L90ZZ | Occlusion of right renal vein, open approach | 0WCC0ZZ | Extirpation of matter from mediastinum, open approach |
| 06L93CZ | Occlusion of right renal vein with extraluminal device, percutaneous approach | 0WCC3ZZ | Extirpation of matter from mediastinum, percutaneous approach |
| 06L93DZ | Occlusion of right renal vein with intraluminal device, percutaneous approach | 0WCC4ZZ | Extirpation of matter from mediastinum, percutaneous endoscopic approach |

| | | | |
|---------|--|---------|---|
| 06L93ZZ | Occlusion of right renal vein, percutaneous approach | 0WCJ0ZZ | Extirpation of matter from pelvic cavity, open approach |
| 06L94CZ | Occlusion of right renal vein with extraluminal device, percutaneous endoscopic approach | 0WCP0ZZ | Extirpation of matter from gastrointestinal tract, open approach |
| 06L94DZ | Occlusion of right renal vein with intraluminal device, percutaneous endoscopic approach | 0WCQ0ZZ | Extirpation of matter from respiratory tract, open approach |
| 06L94ZZ | Occlusion of right renal vein, percutaneous endoscopic approach | 0WCQ3ZZ | Extirpation of matter from respiratory tract, percutaneous approach |
| 06LB0CZ | Occlusion of left renal vein with extraluminal device, open approach | 0WCQ4ZZ | Extirpation of matter from respiratory tract, percutaneous endoscopic approach |
| 06LB0DZ | Occlusion of left renal vein with intraluminal device, open approach | 0WCR0ZZ | Extirpation of matter from genitourinary tract, open approach |
| 06LB0ZZ | Occlusion of left renal vein, open approach | 0WW000Z | Revision of drainage device in head, open approach |
| 06LB3CZ | Occlusion of left renal vein with extraluminal device, percutaneous approach | 0WW030Z | Revision of drainage device in head, percutaneous approach |
| 06LB3DZ | Occlusion of left renal vein with intraluminal device, percutaneous approach | 0WW040Z | Revision of drainage device in head, percutaneous endoscopic approach |
| 06LB3ZZ | Occlusion of left renal vein, percutaneous approach | 0WW100Z | Revision of drainage device in cranial cavity, open approach |
| 06LB4CZ | Occlusion of left renal vein with extraluminal device, percutaneous endoscopic approach | 0WW130Z | Revision of drainage device in cranial cavity, percutaneous approach |
| 06LB4DZ | Occlusion of left renal vein with intraluminal device, percutaneous endoscopic approach | 0WW140Z | Revision of drainage device in cranial cavity, percutaneous endoscopic approach |
| 06LB4ZZ | Occlusion of left renal vein, percutaneous endoscopic approach | 0WW200Z | Revision of drainage device in face, open approach |
| 06LC0CZ | Occlusion of right common iliac vein with extraluminal device, open approach | 0WW230Z | Revision of drainage device in face, percutaneous approach |
| 06LC0DZ | Occlusion of right common iliac vein with intraluminal device, open approach | 0WW240Z | Revision of drainage device in face, percutaneous endoscopic approach |
| 06LC0ZZ | Occlusion of right common iliac vein, open approach | 0WW400Z | Revision of drainage device in upper jaw, open approach |

| | | | |
|---------|---|---------|---|
| 06LC3CZ | Occlusion of right common iliac vein with extraluminal device, percutaneous approach | 0WW430Z | Revision of drainage device in upper jaw, percutaneous approach |
| 06LC3DZ | Occlusion of right common iliac vein with intraluminal device, percutaneous approach | 0WW440Z | Revision of drainage device in upper jaw, percutaneous endoscopic approach |
| 06LC3ZZ | Occlusion of right common iliac vein, percutaneous approach | 0WW500Z | Revision of drainage device in lower jaw, open approach |
| 06LC4CZ | Occlusion of right common iliac vein with extraluminal device, percutaneous endoscopic approach | 0WW530Z | Revision of drainage device in lower jaw, percutaneous approach |
| 06LC4DZ | Occlusion of right common iliac vein with intraluminal device, percutaneous endoscopic approach | 0WW540Z | Revision of drainage device in lower jaw, percutaneous endoscopic approach |
| 06LC4ZZ | Occlusion of right common iliac vein, percutaneous endoscopic approach | 0WW600Z | Revision of drainage device in neck, open approach |
| 06LD0CZ | Occlusion of left common iliac vein with extraluminal device, open approach | 0WW630Z | Revision of drainage device in neck, percutaneous approach |
| 06LD0DZ | Occlusion of left common iliac vein with intraluminal device, open approach | 0WW640Z | Revision of drainage device in neck, percutaneous endoscopic approach |
| 06LD0ZZ | Occlusion of left common iliac vein, open approach | 0WW900Z | Revision of drainage device in right pleural cavity, open approach |
| 06LD3CZ | Occlusion of left common iliac vein with extraluminal device, percutaneous approach | 0WW930Z | Revision of drainage device in right pleural cavity, percutaneous approach |
| 06LD3DZ | Occlusion of left common iliac vein with intraluminal device, percutaneous approach | 0WW940Z | Revision of drainage device in right pleural cavity, percutaneous endoscopic approach |
| 06LD3ZZ | Occlusion of left common iliac vein, percutaneous approach | 0WWB00Z | Revision of drainage device in left pleural cavity, open approach |
| 06LD4CZ | Occlusion of left common iliac vein with extraluminal device, percutaneous endoscopic approach | 0WWB30Z | Revision of drainage device in left pleural cavity, percutaneous approach |
| 06LD4DZ | Occlusion of left common iliac vein with intraluminal device, percutaneous endoscopic approach | 0WWB40Z | Revision of drainage device in left pleural cavity, percutaneous endoscopic approach |
| 06LD4ZZ | Occlusion of left common iliac vein, percutaneous endoscopic approach | 0WWC00Z | Revision of drainage device in mediastinum, open approach |
| 06LF0CZ | Occlusion of right external iliac vein with extraluminal device, open approach | 0WWC30Z | Revision of drainage device in mediastinum, percutaneous approach |

| | | | |
|---------|---|---------|--|
| 06LF0DZ | Occlusion of right external iliac vein with intraluminal device, open approach | 0WWC40Z | Revision of drainage device in mediastinum, percutaneous endoscopic approach |
| 06LF0ZZ | Occlusion of right external iliac vein, open approach | 0WWG00Z | Revision of drainage device in peritoneal cavity, open approach |
| 06LF3CZ | Occlusion of right external iliac vein with extraluminal device, percutaneous approach | 0WWG30Z | Revision of drainage device in peritoneal cavity, percutaneous approach |
| 06LF3DZ | Occlusion of right external iliac vein with intraluminal device, percutaneous approach | 0WWG40Z | Revision of drainage device in peritoneal cavity, percutaneous endoscopic approach |
| 06LF3ZZ | Occlusion of right external iliac vein, percutaneous approach | 0WWH00Z | Revision of drainage device in retroperitoneum, open approach |
| 06LF4CZ | Occlusion of right external iliac vein with extraluminal device, percutaneous endoscopic approach | 0WWH30Z | Revision of drainage device in retroperitoneum, percutaneous approach |
| 06LF4DZ | Occlusion of right external iliac vein with intraluminal device, percutaneous endoscopic approach | 0WWH40Z | Revision of drainage device in retroperitoneum, percutaneous endoscopic approach |
| 06LF4ZZ | Occlusion of right external iliac vein, percutaneous endoscopic approach | 0WWJ00Z | Revision of drainage device in pelvic cavity, open approach |
| 06LG0CZ | Occlusion of left external iliac vein with extraluminal device, open approach | 0WWJ30Z | Revision of drainage device in pelvic cavity, percutaneous approach |
| 06LG0DZ | Occlusion of left external iliac vein with intraluminal device, open approach | 0WWJ40Z | Revision of drainage device in pelvic cavity, percutaneous endoscopic approach |
| 06LG0ZZ | Occlusion of left external iliac vein, open approach | 0WWK00Z | Revision of drainage device in upper back, open approach |
| 06LG3CZ | Occlusion of left external iliac vein with extraluminal device, percutaneous approach | 0WWK30Z | Revision of drainage device in upper back, percutaneous approach |
| 06LG3DZ | Occlusion of left external iliac vein with intraluminal device, percutaneous approach | 0WWK40Z | Revision of drainage device in upper back, percutaneous endoscopic approach |
| 06LG3ZZ | Occlusion of left external iliac vein, percutaneous approach | 0WWL00Z | Revision of drainage device in lower back, open approach |
| 06LG4CZ | Occlusion of left external iliac vein with extraluminal device, percutaneous endoscopic approach | 0WWL30Z | Revision of drainage device in lower back, percutaneous approach |
| 06LG4DZ | Occlusion of left external iliac vein with intraluminal device, percutaneous endoscopic approach | 0WWL40Z | Revision of drainage device in lower back, percutaneous endoscopic approach |

| | | | |
|---------|--|---------|--|
| 06LG4ZZ | Occlusion of left external iliac vein, percutaneous endoscopic approach | 0WWM00Z | Revision of drainage device in male perineum, open approach |
| 06LH0CZ | Occlusion of right hypogastric vein with extraluminal device, open approach | 0WWM30Z | Revision of drainage device in male perineum, percutaneous approach |
| 06LH0DZ | Occlusion of right hypogastric vein with intraluminal device, open approach | 0WWM40Z | Revision of drainage device in male perineum, percutaneous endoscopic approach |
| 06LH0ZZ | Occlusion of right hypogastric vein, open approach | 0X320ZZ | Control bleeding in right shoulder region, open approach |
| 06LH3CZ | Occlusion of right hypogastric vein with extraluminal device, percutaneous approach | 0X323ZZ | Control bleeding in right shoulder region, percutaneous approach |
| 06LH3DZ | Occlusion of right hypogastric vein with intraluminal device, percutaneous approach | 0X324ZZ | Control bleeding in right shoulder region, percutaneous endoscopic approach |
| 06LH3ZZ | Occlusion of right hypogastric vein, percutaneous approach | 0X330ZZ | Control bleeding in left shoulder region, open approach |
| 06LH4CZ | Occlusion of right hypogastric vein with extraluminal device, percutaneous endoscopic approach | 0X333ZZ | Control bleeding in left shoulder region, percutaneous approach |
| 06LH4DZ | Occlusion of right hypogastric vein with intraluminal device, percutaneous endoscopic approach | 0X334ZZ | Control bleeding in left shoulder region, percutaneous endoscopic approach |
| 06LH4ZZ | Occlusion of right hypogastric vein, percutaneous endoscopic approach | 0X340ZZ | Control bleeding in right axilla, open approach |
| 06LJ0CZ | Occlusion of left hypogastric vein with extraluminal device, open approach | 0X343ZZ | Control bleeding in right axilla, percutaneous approach |
| 06LJ0DZ | Occlusion of left hypogastric vein with intraluminal device, open approach | 0X344ZZ | Control bleeding in right axilla, percutaneous endoscopic approach |
| 06LJ0ZZ | Occlusion of left hypogastric vein, open approach | 0X350ZZ | Control bleeding in left axilla, open approach |
| 06LJ3CZ | Occlusion of left hypogastric vein with extraluminal device, percutaneous approach | 0X353ZZ | Control bleeding in left axilla, percutaneous approach |
| 06LJ3DZ | Occlusion of left hypogastric vein with intraluminal device, percutaneous approach | 0X354ZZ | Control bleeding in left axilla, percutaneous endoscopic approach |
| 06LJ3ZZ | Occlusion of left hypogastric vein, percutaneous approach | 0X360ZZ | Control bleeding in right upper extremity, open approach |

| | | | |
|---------|---|---------|---|
| 06LJ4CZ | Occlusion of left hypogastric vein with extraluminal device, percutaneous endoscopic approach | 0X363ZZ | Control bleeding in right upper extremity, percutaneous approach |
| 06LJ4DZ | Occlusion of left hypogastric vein with intraluminal device, percutaneous endoscopic approach | 0X364ZZ | Control bleeding in right upper extremity, percutaneous endoscopic approach |
| 06LJ4ZZ | Occlusion of left hypogastric vein, percutaneous endoscopic approach | 0X370ZZ | Control bleeding in left upper extremity, open approach |
| 06LM0CZ | Occlusion of right femoral vein with extraluminal device, open approach | 0X373ZZ | Control bleeding in left upper extremity, percutaneous approach |
| 06LM0DZ | Occlusion of right femoral vein with intraluminal device, open approach | 0X374ZZ | Control bleeding in left upper extremity, percutaneous endoscopic approach |
| 06LM0ZZ | Occlusion of right femoral vein, open approach | 0X380ZZ | Control bleeding in right upper arm, open approach |
| 06LM3CZ | Occlusion of right femoral vein with extraluminal device, percutaneous approach | 0X383ZZ | Control bleeding in right upper arm, percutaneous approach |
| 06LM3DZ | Occlusion of right femoral vein with intraluminal device, percutaneous approach | 0X384ZZ | Control bleeding in right upper arm, percutaneous endoscopic approach |
| 06LM3ZZ | Occlusion of right femoral vein, percutaneous approach | 0X390ZZ | Control bleeding in left upper arm, open approach |
| 06LM4CZ | Occlusion of right femoral vein with extraluminal device, percutaneous endoscopic approach | 0X393ZZ | Control bleeding in left upper arm, percutaneous approach |
| 06LM4DZ | Occlusion of right femoral vein with intraluminal device, percutaneous endoscopic approach | 0X394ZZ | Control bleeding in left upper arm, percutaneous endoscopic approach |
| 06LM4ZZ | Occlusion of right femoral vein, percutaneous endoscopic approach | 0X3B0ZZ | Control bleeding in right elbow region, open approach |
| 06LN0CZ | Occlusion of left femoral vein with extraluminal device, open approach | 0X3B3ZZ | Control bleeding in right elbow region, percutaneous approach |
| 06LN0DZ | Occlusion of left femoral vein with intraluminal device, open approach | 0X3B4ZZ | Control bleeding in right elbow region, percutaneous endoscopic approach |
| 06LN0ZZ | Occlusion of left femoral vein, open approach | 0X3C0ZZ | Control bleeding in left elbow region, open approach |
| 06LN3CZ | Occlusion of left femoral vein with extraluminal device, percutaneous approach | 0X3C3ZZ | Control bleeding in left elbow region, percutaneous approach |
| 06LN3DZ | Occlusion of left femoral vein with intraluminal device, percutaneous approach | 0X3C4ZZ | Control bleeding in left elbow region, percutaneous endoscopic approach |

| | | | |
|---------|--|---------|--|
| 06LN3ZZ | Occlusion of left femoral vein, percutaneous approach | 0X3D0ZZ | Control bleeding in right lower arm, open approach |
| 06LN4CZ | Occlusion of left femoral vein with extraluminal device, percutaneous endoscopic approach | 0X3D3ZZ | Control bleeding in right lower arm, percutaneous approach |
| 06LN4DZ | Occlusion of left femoral vein with intraluminal device, percutaneous endoscopic approach | 0X3D4ZZ | Control bleeding in right lower arm, percutaneous endoscopic approach |
| 06LN4ZZ | Occlusion of left femoral vein, percutaneous endoscopic approach | 0X3F0ZZ | Control bleeding in left lower arm, open approach |
| 06LP0CZ | Occlusion of right saphenous vein with extraluminal device, open approach | 0X3F3ZZ | Control bleeding in left lower arm, percutaneous approach |
| 06LP0DZ | Occlusion of right saphenous vein with intraluminal device, open approach | 0X3F4ZZ | Control bleeding in left lower arm, percutaneous endoscopic approach |
| 06LP0ZZ | Occlusion of right saphenous vein, open approach | 0X3G0ZZ | Control bleeding in right wrist region, open approach |
| 06LP3CZ | Occlusion of right saphenous vein with extraluminal device, percutaneous approach | 0X3G3ZZ | Control bleeding in right wrist region, percutaneous approach |
| 06LP3DZ | Occlusion of right saphenous vein with intraluminal device, percutaneous approach | 0X3G4ZZ | Control bleeding in right wrist region, percutaneous endoscopic approach |
| 06LP3ZZ | Occlusion of right saphenous vein, percutaneous approach | 0X3H0ZZ | Control bleeding in left wrist region, open approach |
| 06LP4CZ | Occlusion of right saphenous vein with extraluminal device, percutaneous endoscopic approach | 0X3H3ZZ | Control bleeding in left wrist region, percutaneous approach |
| 06LP4DZ | Occlusion of right saphenous vein with intraluminal device, percutaneous endoscopic approach | 0X3H4ZZ | Control bleeding in left wrist region, percutaneous endoscopic approach |
| 06LP4ZZ | Occlusion of right saphenous vein, percutaneous endoscopic approach | 0X3J0ZZ | Control bleeding in right hand, open approach |
| 06LQ0CZ | Occlusion of left saphenous vein with extraluminal device, open approach | 0X3J3ZZ | Control bleeding in right hand, percutaneous approach |
| 06LQ0DZ | Occlusion of left saphenous vein with intraluminal device, open approach | 0X3J4ZZ | Control bleeding in right hand, percutaneous endoscopic approach |
| 06LQ0ZZ | Occlusion of left saphenous vein, open approach | 0X3K0ZZ | Control bleeding in left hand, open approach |
| 06LQ3CZ | Occlusion of left saphenous vein with extraluminal device, percutaneous approach | 0X3K3ZZ | Control bleeding in left hand, percutaneous approach |

| | | | |
|---------|---|---------|--|
| 06LQ3DZ | Occlusion of left saphenous vein with intraluminal device, percutaneous approach | 0X3K4ZZ | Control bleeding in left hand, percutaneous endoscopic approach |
| 06LQ3ZZ | Occlusion of left saphenous vein, percutaneous approach | 0X9J00Z | Drainage of right hand with drainage device, open approach |
| 06LQ4CZ | Occlusion of left saphenous vein with extraluminal device, percutaneous endoscopic approach | 0X9J0ZZ | Drainage of right hand, open approach |
| 06LQ4DZ | Occlusion of left saphenous vein with intraluminal device, percutaneous endoscopic approach | 0X9J30Z | Drainage of right hand with drainage device, percutaneous approach |
| 06LQ4ZZ | Occlusion of left saphenous vein, percutaneous endoscopic approach | 0X9J3ZZ | Drainage of right hand, percutaneous approach |
| 06LR0CZ | Occlusion of right lesser saphenous vein with extraluminal device, open approach | 0X9J40Z | Drainage of right hand with drainage device, percutaneous endoscopic approach |
| 06LR0DZ | Occlusion of right lesser saphenous vein with intraluminal device, open approach | 0X9J4ZZ | Drainage of right hand, percutaneous endoscopic approach |
| 06LR0ZZ | Occlusion of right lesser saphenous vein, open approach | 0X9K00Z | Drainage of left hand with drainage device, open approach |
| 06LR3CZ | Occlusion of right lesser saphenous vein with extraluminal device, percutaneous approach | 0X9K0ZZ | Drainage of left hand, open approach |
| 06LR3DZ | Occlusion of right lesser saphenous vein with intraluminal device, percutaneous approach | 0X9K30Z | Drainage of left hand with drainage device, percutaneous approach |
| 06LR3ZZ | Occlusion of right lesser saphenous vein, percutaneous approach | 0X9K3ZZ | Drainage of left hand, percutaneous approach |
| 06LR4CZ | Occlusion of right lesser saphenous vein with extraluminal device, percutaneous endoscopic approach | 0X9K40Z | Drainage of left hand with drainage device, percutaneous endoscopic approach |
| 06LR4DZ | Occlusion of right lesser saphenous vein with intraluminal device, percutaneous endoscopic approach | 0X9K4ZZ | Drainage of left hand, percutaneous endoscopic approach |
| 06LR4ZZ | Occlusion of right lesser saphenous vein, percutaneous endoscopic approach | 0XW600Z | Revision of drainage device in right upper extremity, open approach |
| 06LS0CZ | Occlusion of left lesser saphenous vein with extraluminal device, open approach | 0XW630Z | Revision of drainage device in right upper extremity, percutaneous approach |
| 06LS0DZ | Occlusion of left lesser saphenous vein with intraluminal device, open approach | 0XW640Z | Revision of drainage device in right upper extremity, percutaneous endoscopic approach |

| | | | |
|---------|--|---------|---|
| 06LS0ZZ | Occlusion of left lesser saphenous vein, open approach | 0XW700Z | Revision of drainage device in left upper extremity, open approach |
| 06LS3CZ | Occlusion of left lesser saphenous vein with extraluminal device, percutaneous approach | 0XW730Z | Revision of drainage device in left upper extremity, percutaneous approach |
| 06LS3DZ | Occlusion of left lesser saphenous vein with intraluminal device, percutaneous approach | 0XW740Z | Revision of drainage device in left upper extremity, percutaneous endoscopic approach |
| 06LS3ZZ | Occlusion of left lesser saphenous vein, percutaneous approach | 0Y300ZZ | Control bleeding in right buttock, open approach |
| 06LS4CZ | Occlusion of left lesser saphenous vein with extraluminal device, percutaneous endoscopic approach | 0Y303ZZ | Control bleeding in right buttock, percutaneous approach |
| 06LS4DZ | Occlusion of left lesser saphenous vein with intraluminal device, percutaneous endoscopic approach | 0Y304ZZ | Control bleeding in right buttock, percutaneous endoscopic approach |
| 06LS4ZZ | Occlusion of left lesser saphenous vein, percutaneous endoscopic approach | 0Y310ZZ | Control bleeding in left buttock, open approach |
| 06LT0CZ | Occlusion of right foot vein with extraluminal device, open approach | 0Y313ZZ | Control bleeding in left buttock, percutaneous approach |
| 06LT0DZ | Occlusion of right foot vein with intraluminal device, open approach | 0Y314ZZ | Control bleeding in left buttock, percutaneous endoscopic approach |
| 06LT0ZZ | Occlusion of right foot vein, open approach | 0Y350ZZ | Control bleeding in right inguinal region, open approach |
| 06LT3CZ | Occlusion of right foot vein with extraluminal device, percutaneous approach | 0Y353ZZ | Control bleeding in right inguinal region, percutaneous approach |
| 06LT3DZ | Occlusion of right foot vein with intraluminal device, percutaneous approach | 0Y354ZZ | Control bleeding in right inguinal region, percutaneous endoscopic approach |
| 06LT3ZZ | Occlusion of right foot vein, percutaneous approach | 0Y360ZZ | Control bleeding in left inguinal region, open approach |
| 06LT4CZ | Occlusion of right foot vein with extraluminal device, percutaneous endoscopic approach | 0Y363ZZ | Control bleeding in left inguinal region, percutaneous approach |
| 06LT4DZ | Occlusion of right foot vein with intraluminal device, percutaneous endoscopic approach | 0Y364ZZ | Control bleeding in left inguinal region, percutaneous endoscopic approach |
| 06LT4ZZ | Occlusion of right foot vein, percutaneous endoscopic approach | 0Y370ZZ | Control bleeding in right femoral region, open approach |
| 06LV0CZ | Occlusion of left foot vein with extraluminal device, open approach | 0Y373ZZ | Control bleeding in right femoral region, percutaneous approach |

| | | | |
|---------|--|---------|---|
| 06LV0DZ | Occlusion of left foot vein with intraluminal device, open approach | 0Y374ZZ | Control bleeding in right femoral region, percutaneous endoscopic approach |
| 06LV0ZZ | Occlusion of left foot vein, open approach | 0Y380ZZ | Control bleeding in left femoral region, open approach |
| 06LV3CZ | Occlusion of left foot vein with extraluminal device, percutaneous approach | 0Y383ZZ | Control bleeding in left femoral region, percutaneous approach |
| 06LV3DZ | Occlusion of left foot vein with intraluminal device, percutaneous approach | 0Y384ZZ | Control bleeding in left femoral region, percutaneous endoscopic approach |
| 06LV3ZZ | Occlusion of left foot vein, percutaneous approach | 0Y390ZZ | Control bleeding in right lower extremity, open approach |
| 06LV4CZ | Occlusion of left foot vein with extraluminal device, percutaneous endoscopic approach | 0Y393ZZ | Control bleeding in right lower extremity, percutaneous approach |
| 06LV4DZ | Occlusion of left foot vein with intraluminal device, percutaneous endoscopic approach | 0Y394ZZ | Control bleeding in right lower extremity, percutaneous endoscopic approach |
| 06LV4ZZ | Occlusion of left foot vein, percutaneous endoscopic approach | 0Y3B0ZZ | Control bleeding in left lower extremity, open approach |
| 06LY0CC | Occlusion of hemorrhoidal plexus with extraluminal device, open approach | 0Y3B3ZZ | Control bleeding in left lower extremity, percutaneous approach |
| 06LY0CZ | Occlusion of lower vein with extraluminal device, open approach | 0Y3B4ZZ | Control bleeding in left lower extremity, percutaneous endoscopic approach |
| 06LY0DC | Occlusion of hemorrhoidal plexus with intraluminal device, open approach | 0Y3C0ZZ | Control bleeding in right upper leg, open approach |
| 06LY0DZ | Occlusion of lower vein with intraluminal device, open approach | 0Y3C3ZZ | Control bleeding in right upper leg, percutaneous approach |
| 06LY0ZC | Occlusion of hemorrhoidal plexus, open approach | 0Y3C4ZZ | Control bleeding in right upper leg, percutaneous endoscopic approach |
| 06LY0ZZ | Occlusion of lower vein, open approach | 0Y3D0ZZ | Control bleeding in left upper leg, open approach |
| 06LY3CC | Occlusion of hemorrhoidal plexus with extraluminal device, percutaneous approach | 0Y3D3ZZ | Control bleeding in left upper leg, percutaneous approach |
| 06LY3CZ | Occlusion of lower vein with extraluminal device, percutaneous approach | 0Y3D4ZZ | Control bleeding in left upper leg, percutaneous endoscopic approach |
| 06LY3DC | Occlusion of hemorrhoidal plexus with intraluminal device, percutaneous approach | 0Y3F0ZZ | Control bleeding in right knee region, open approach |

| | | | |
|---------|---|---------|--|
| 06LY3DZ | Occlusion of lower vein with intraluminal device, percutaneous approach | 0Y3F3ZZ | Control bleeding in right knee region, percutaneous approach |
| 06LY3ZC | Occlusion of hemorrhoidal plexus, percutaneous approach | 0Y3F4ZZ | Control bleeding in right knee region, percutaneous endoscopic approach |
| 06LY3ZZ | Occlusion of lower vein, percutaneous approach | 0Y3G0ZZ | Control bleeding in left knee region, open approach |
| 06LY4CC | Occlusion of hemorrhoidal plexus with extraluminal device, percutaneous endoscopic approach | 0Y3G3ZZ | Control bleeding in left knee region, percutaneous approach |
| 06LY4CZ | Occlusion of lower vein with extraluminal device, percutaneous endoscopic approach | 0Y3G4ZZ | Control bleeding in left knee region, percutaneous endoscopic approach |
| 06LY4DC | Occlusion of hemorrhoidal plexus with intraluminal device, percutaneous endoscopic approach | 0Y3H0ZZ | Control bleeding in right lower leg, open approach |
| 06LY4DZ | Occlusion of lower vein with intraluminal device, percutaneous endoscopic approach | 0Y3H3ZZ | Control bleeding in right lower leg, percutaneous approach |
| 06LY4ZC | Occlusion of hemorrhoidal plexus, percutaneous endoscopic approach | 0Y3H4ZZ | Control bleeding in right lower leg, percutaneous endoscopic approach |
| 06LY4ZZ | Occlusion of lower vein, percutaneous endoscopic approach | 0Y3J0ZZ | Control bleeding in left lower leg, open approach |
| 06LY7CC | Occlusion of hemorrhoidal plexus with extraluminal device, via natural or artificial opening | 0Y3J3ZZ | Control bleeding in left lower leg, percutaneous approach |
| 06LY7CZ | Occlusion of lower vein with extraluminal device, via natural or artificial opening | 0Y3J4ZZ | Control bleeding in left lower leg, percutaneous endoscopic approach |
| 06LY7DC | Occlusion of hemorrhoidal plexus with intraluminal device, via natural or artificial opening | 0Y3K0ZZ | Control bleeding in right ankle region, open approach |
| 06LY7DZ | Occlusion of lower vein with intraluminal device, via natural or artificial opening | 0Y3K3ZZ | Control bleeding in right ankle region, percutaneous approach |
| 06LY7ZC | Occlusion of hemorrhoidal plexus, via natural or artificial opening | 0Y3K4ZZ | Control bleeding in right ankle region, percutaneous endoscopic approach |
| 06LY7ZZ | Occlusion of lower vein, via natural or artificial opening | 0Y3L0ZZ | Control bleeding in left ankle region, open approach |
| 06LY8CC | Occlusion of hemorrhoidal plexus with extraluminal device, via natural or artificial opening endoscopic | 0Y3L3ZZ | Control bleeding in left ankle region, percutaneous approach |

| | | | |
|---------|---|---------|--|
| 06LY8CZ | Occlusion of lower vein with extraluminal device, via natural or artificial opening endoscopic | 0Y3L4ZZ | Control bleeding in left ankle region, percutaneous endoscopic approach |
| 06LY8DC | Occlusion of hemorrhoidal plexus with intraluminal device, via natural or artificial opening endoscopic | 0Y3M0ZZ | Control bleeding in right foot, open approach |
| 06LY8DZ | Occlusion of lower vein with intraluminal device, via natural or artificial opening endoscopic | 0Y3M3ZZ | Control bleeding in right foot, percutaneous approach |
| 06LY8ZC | Occlusion of hemorrhoidal plexus, via natural or artificial opening endoscopic | 0Y3M4ZZ | Control bleeding in right foot, percutaneous endoscopic approach |
| 06LY8ZZ | Occlusion of lower vein, via natural or artificial opening endoscopic | 0Y3N0ZZ | Control bleeding in left foot, open approach |
| 06Q00ZZ | Repair inferior vena cava, open approach | 0Y3N3ZZ | Control bleeding in left foot, percutaneous approach |
| 06Q03ZZ | Repair inferior vena cava, percutaneous approach | 0Y3N4ZZ | Control bleeding in left foot, percutaneous endoscopic approach |
| 06Q04ZZ | Repair inferior vena cava, percutaneous endoscopic approach | 0YW900Z | Revision of drainage device in right lower extremity, open approach |
| 06Q10ZZ | Repair splenic vein, open approach | 0YW930Z | Revision of drainage device in right lower extremity, percutaneous approach |
| 06Q13ZZ | Repair splenic vein, percutaneous approach | 0YW940Z | Revision of drainage device in right lower extremity, percutaneous endoscopic approach |
| 06Q14ZZ | Repair splenic vein, percutaneous endoscopic approach | 0YWB00Z | Revision of drainage device in left lower extremity, open approach |
| 06Q20ZZ | Repair gastric vein, open approach | 0YWB30Z | Revision of drainage device in left lower extremity, percutaneous approach |
| 06Q23ZZ | Repair gastric vein, percutaneous approach | 0YWB40Z | Revision of drainage device in left lower extremity, percutaneous endoscopic approach |
| 06Q24ZZ | Repair gastric vein, percutaneous endoscopic approach | 2Y41X5Z | Packing of nasal region using packing material |
| 06Q30ZZ | Repair esophageal vein, open approach | 3E050TZ | Introduction of destructive agent into peripheral artery, open approach |
| 06Q33ZZ | Repair esophageal vein, percutaneous approach | 3E053TZ | Introduction of destructive agent into peripheral artery, percutaneous approach |
| 06Q34ZZ | Repair esophageal vein, percutaneous endoscopic approach | 3E060TZ | Introduction of destructive agent into central artery, open approach |

| | | | |
|---------|---|---------|--|
| 06Q40ZZ | Repair hepatic vein, open approach | 3E063TZ | Introduction of destructive agent into central artery, percutaneous approach |
| 06Q43ZZ | Repair hepatic vein, percutaneous approach | 3E093TZ | Introduction of destructive agent into nose, percutaneous approach |
| 06Q44ZZ | Repair hepatic vein, percutaneous endoscopic approach | 3E097TZ | Introduction of destructive agent into nose, via natural or artificial opening |
| 06Q50ZZ | Repair superior mesenteric vein, open approach | 3E09XTZ | Introduction of destructive agent into nose, external approach |
| 06Q53ZZ | Repair superior mesenteric vein, percutaneous approach | 3E0D3TZ | Introduction of destructive agent into mouth and pharynx, percutaneous approach |
| 06Q54ZZ | Repair superior mesenteric vein, percutaneous endoscopic approach | 3E0D7TZ | Introduction of destructive agent into mouth and pharynx, via natural or artificial opening |
| 06Q60ZZ | Repair inferior mesenteric vein, open approach | 3E0DXTZ | Introduction of destructive agent into mouth and pharynx, external approach |
| 06Q63ZZ | Repair inferior mesenteric vein, percutaneous approach | 3E0G3TZ | Introduction of destructive agent into upper gi, percutaneous approach |
| 06Q64ZZ | Repair inferior mesenteric vein, percutaneous endoscopic approach | 3E0G7TZ | Introduction of destructive agent into upper gi, via natural or artificial opening |
| 06Q70ZZ | Repair colic vein, open approach | 3E0G8TZ | Introduction of destructive agent into upper gi, via natural or artificial opening endoscopic |
| 06Q73ZZ | Repair colic vein, percutaneous approach | 3E0H3TZ | Introduction of destructive agent into lower gi, percutaneous approach |
| 06Q74ZZ | Repair colic vein, percutaneous endoscopic approach | 3E0H7TZ | Introduction of destructive agent into lower gi, via natural or artificial opening |
| 06Q80ZZ | Repair portal vein, open approach | 3E0H8TZ | Introduction of destructive agent into lower gi, via natural or artificial opening endoscopic |
| 06Q83ZZ | Repair portal vein, percutaneous approach | 3E0K3TZ | Introduction of destructive agent into genitourinary tract, percutaneous approach |
| 06Q84ZZ | Repair portal vein, percutaneous endoscopic approach | 3E0K7TZ | Introduction of destructive agent into genitourinary tract, via natural or artificial opening |
| 06Q90ZZ | Repair right renal vein, open approach | 3E0K8TZ | Introduction of destructive agent into genitourinary tract, via natural or artificial opening endoscopic |

| | | | |
|---------|---|---------|--|
| 06Q93ZZ | Repair right renal vein, percutaneous approach | 3E0N7TZ | Introduction of destructive agent into male reproductive, via natural or artificial opening |
| 06Q94ZZ | Repair right renal vein, percutaneous endoscopic approach | 3E0N8TZ | Introduction of destructive agent into male reproductive, via natural or artificial opening endoscopic |
| 06QB0ZZ | Repair left renal vein, open approach | XW0G886 | Introduction of mineral-based topical hemostatic agent into upper gi, via natural or artificial opening endoscopic, new technology group 6 |
| 06QB3ZZ | Repair left renal vein, percutaneous approach | XW0H886 | Introduction of mineral-based topical hemostatic agent into lower gi, via natural or artificial opening endoscopic, new technology group 6 |

Coagulation disorders diagnosis codes: (COAGDID)

| | | | |
|--------|--|--------|---|
| D473 | Essential (hemorrhagic) thrombocythemia | D68311 | Acquired hemophilia |
| D6109 | Other constitutional aplastic anemia | D68312 | Antiphospholipid antibody with hemorrhagic disorder |
| D611 | Drug-Induced aplastic anemia | D68318 | Other hemorrhagic disorder due to intrinsic circulating anticoagulants, antibodies, or inhibitors |
| D612 | Aplastic anemia due to other external agents | D6832 | Hemorrhagic disorder due to extrinsic circulating anticoagulants |
| D613 | Idiopathic aplastic anemia | D684 | Acquired coagulation factor deficiency |
| D61810 | Antineoplastic chemotherapy induced pancytopenia | D688 | Other specified coagulation defects |
| D61811 | Other drug-induced pancytopenia | D689 | Coagulation defect, unspecified |
| D61818 | Other pancytopenia | D691 | Qualitative platelet defects |
| D6182 | Myelophthisis | D693 | Immune thrombocytopenic purpura |
| D6189 | Other specified aplastic anemias and other bone marrow failure syndromes | D6941 | Evans syndrome |
| D619 | Aplastic anemia, unspecified | D6942 | Congenital and hereditary thrombocytopenia purpura |
| D65 | Disseminated intravascular coagulation [defibrination syndrome] | D6949 | Other primary thrombocytopenia |
| D66 | Hereditary factor viii deficiency | D6951 | Posttransfusion purpura |
| D67 | Hereditary factor ix deficiency | D6959 | Other secondary thrombocytopenia |
| D680 | Von willebrand's disease | D696 | Thrombocytopenia, unspecified |
| D681 | Hereditary factor xi deficiency | D698 | Other specified hemorrhagic conditions |
| D682 | Hereditary deficiency of other clotting factors | D699 | Hemorrhagic condition, unspecified |