

Patient Safety Indicator 14 (PSI 14) Postoperative Wound Dehiscence Rate

July 2024

Hospital-Level Indicator

Type of Score: Rate

Prepared by:

Agency for Healthcare Research and Quality
U.S. Department of Health and Human Services
qualityindicators.ahrq.gov

DESCRIPTION

Hospital discharges with postoperative reclosure procedures involving the abdominal wall with a diagnosis of disruption of internal operation (surgical) wound per 1,000 abdominopelvic surgery discharges for patients ages 18 years and older. Exclude discharges in which the last abdominal wall reclosure procedure occurs on or before the date of the first abdominopelvic surgery; discharges with a principal diagnosis of disruption of internal operation (surgical) wound, with a secondary diagnosis of disruption of internal operation (surgical) wound present on admission, or with hospital length of stay less than two (2) days; and obstetric discharges. Measure can be stratified to report events by whether patient underwent open or non-open procedure.

[NOTE: The software provides the rate per hospital discharge. However, common practice reports the measure as per 1,000 discharges. The user must multiply the rate obtained from the software by 1,000 to report events per 1,000 hospital discharges.]

NUMERATOR

Discharges, among cases meeting the inclusion and exclusion rules for the denominator, with any listed ICD-10-PCS procedure code for repair of abdominal wall (**RECLOIP***) and with an ICD-10-CM diagnosis code for disruption of internal surgical wound (**ABWALLCD***).

DENOMINATOR

Discharges, for patients ages 18 years and older with any listed ICD-10-PCS procedure code for abdominopelvic surgery, open approach (**ABDOMIOPEN***), or with any listed ICD-10-PCS procedure code for abdominopelvic surgery, other than open approach (**ABDOMIOTHER***).

DENOMINATOR STRATUM: OPEN APPROACH

Discharges, otherwise qualifying for the denominator, with any listed ICD-10-PCS procedure code for abdominopelvic surgery, open approach (**ABDOMIOPEN***), and qualifying for one of the four conditions below:

- The first populated date for any listed ICD-10-PCS procedure code for abdominopelvic surgery, open approach (**ABDOMIOPEN***) occurs before the last populated date of any repair of abdominal wall (**RECLOIP***) procedures
- All procedure dates for any listed ICD-10-PCS procedure code for abdominopelvic surgery, open approach (**ABDOMIOPEN***) are missing
- All procedure dates for any repair of abdominal wall (**RECLOIP***) are missing
- No listed ICD-10-CM diagnosis code for disruption of internal surgical wound (**ABWALLCD***)

DENOMINATOR STRATUM: NON-OPEN APPROACH

Discharges, otherwise qualifying for the denominator and qualifying for one of the two conditions below:

- The first populated date for any listed ICD-10-PCS procedure code for abdominopelvic surgery, open approach (**ABDOMIOPEN***) occurs on or after the last populated date of any repair of abdominal wall (**RECLOIP***) procedure
- Any listed ICD-10-PCS procedure code for abdominopelvic surgery, other than open approach (**ABDOMIOTHER***) and one or more of the following:
 - All procedure dates for any listed ICD-10-PCS procedure code for abdominopelvic surgery, open approach (**ABDOMIOPEN***) are missing
 - All procedure dates for any repair of abdominal wall (**RECLOIP***) are missing
 - No listed ICD-10-CM diagnosis code for disruption of internal surgical wound (**ABWALLCD***)

Strata are mutually exclusive. Discharges cannot qualify for more than one stratum. If patients qualify for more than one procedure, patients are assigned to the stratum with the highest risk (Stratum: Open Approach then Stratum: Non-open Approach).

DENOMINATOR EXCLUSIONS

Exclude discharges:

- the last date of a procedure for abdominal wall reclosure (***RECLOIP****) occurs on or before the date of the first open abdominopelvic surgery procedure (***ABDOMIOPEN***), if any, and on or before the date of the first abdominopelvic surgery, other than open approach (***ABDOMIOTHER***), if any
- with an ICD-10-CM principal or secondary diagnosis code present on admission for disruption of internal operation (surgical) wound (***ABWALLCD****)
- with length of stay less than two (2) days
- with a principal ICD-10-CM diagnosis code assigned to MDC 14 Pregnancy, Childbirth & the Puerperium (***Appendix O: MDC14PRINDX***)
- with a principal ICD-10-CM diagnosis code assigned to MDC 15 Newborns & Other Neonates with Conditions Originating in Perinatal Period (***Appendix O: MDC15PRINDX***)
- with an ungroupable DRG (DRG=999)
- with missing gender (SEX=missing), age (AGE=missing), quarter (DQTR=missing), year (YEAR=missing), or principal diagnosis (DX1=missing)
- with missing MDC (MDC=missing) when the user indicates that MDC is provided

[Appendix O - MDC 14 and MDC 15 Principal Diagnosis Codes](#)

* See below for code list

Reclosure of postoperative disruption of the abdominal wall procedure codes: (RECLOIP)

0JB80ZX	Excision of abdomen subcutaneous tissue and fascia, open approach, diagnostic	0KRL0JZ	Replacement of left abdomen muscle with synthetic substitute, open approach
0JB80ZZ	Excision of abdomen subcutaneous tissue and fascia, open approach	0KRL0KZ	Replacement of left abdomen muscle with nonautologous tissue substitute, open approach
0JB83ZX	Excision of abdomen subcutaneous tissue and fascia, percutaneous approach, diagnostic	0KRL47Z	Replacement of left abdomen muscle with autologous tissue substitute, percutaneous endoscopic approach
0JB83ZZ	Excision of abdomen subcutaneous tissue and fascia, percutaneous approach	0KRL4JZ	Replacement of left abdomen muscle with synthetic substitute, percutaneous endoscopic approach
0JBC0ZX	Excision of pelvic region subcutaneous tissue and fascia, open approach, diagnostic	0KRL4KZ	Replacement of left abdomen muscle with nonautologous tissue substitute, percutaneous endoscopic approach
0JBC0ZZ	Excision of pelvic region subcutaneous tissue and fascia, open approach	0KUK07Z	Supplement right abdomen muscle with autologous tissue substitute, open approach
0JBC3ZX	Excision of pelvic region subcutaneous tissue and fascia, percutaneous approach, diagnostic	0KUK0JZ	Supplement right abdomen muscle with synthetic substitute, open approach
0JBC3ZZ	Excision of pelvic region subcutaneous tissue and fascia, percutaneous approach	0KUK0KZ	Supplement right abdomen muscle with nonautologous tissue substitute, open approach
0JJT0ZZ	Inspection of trunk subcutaneous tissue and fascia, open approach	0KUK47Z	Supplement right abdomen muscle with autologous tissue substitute, percutaneous endoscopic approach
0JJT3ZZ	Inspection of trunk subcutaneous tissue and fascia, percutaneous approach	0KUK4JZ	Supplement right abdomen muscle with synthetic substitute, percutaneous endoscopic approach
0JQ80ZZ	Repair abdomen subcutaneous tissue and fascia, open approach	0KUK4KZ	Supplement right abdomen muscle with nonautologous tissue substitute, percutaneous endoscopic approach
0JQ83ZZ	Repair abdomen subcutaneous tissue and fascia, percutaneous approach	0KUL07Z	Supplement left abdomen muscle with autologous tissue substitute, open approach
0JQC0ZZ	Repair pelvic region subcutaneous tissue and fascia, open approach	0KUL0JZ	Supplement left abdomen muscle with synthetic substitute, open approach
0JQC3ZZ	Repair pelvic region subcutaneous tissue and fascia, percutaneous approach	0KUL0KZ	Supplement left abdomen muscle with nonautologous tissue substitute, open approach
0JR807Z	Replacement of abdomen subcutaneous tissue and fascia with autologous tissue substitute, open approach	0KUL47Z	Supplement left abdomen muscle with autologous tissue substitute, percutaneous endoscopic approach

Reclosure of postoperative disruption of the abdominal wall procedure codes: (RECLOIP)

0JR80JZ	Replacement of abdomen subcutaneous tissue and fascia with synthetic substitute, open approach	0KUL4JZ	Supplement left abdomen muscle with synthetic substitute, percutaneous endoscopic approach
0JR80KZ	Replacement of abdomen subcutaneous tissue and fascia with nonautologous tissue substitute, open approach	0KUL4KZ	Supplement left abdomen muscle with nonautologous tissue substitute, percutaneous endoscopic approach
0JR837Z	Replacement of abdomen subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach	0WBF0ZZ	Excision of abdominal wall, open approach
0JR83JZ	Replacement of abdomen subcutaneous tissue and fascia with synthetic substitute, percutaneous approach	0WBF3ZX	Excision of abdominal wall, percutaneous approach, diagnostic
0JR83KZ	Replacement of abdomen subcutaneous tissue and fascia with nonautologous tissue substitute, percutaneous approach	0WBF3ZZ	Excision of abdominal wall, percutaneous approach
0JRC07Z	Replacement of pelvic region subcutaneous tissue and fascia with autologous tissue substitute, open approach	0WBF4ZX	Excision of abdominal wall, percutaneous endoscopic approach, diagnostic
0JRC0JZ	Replacement of pelvic region subcutaneous tissue and fascia with synthetic substitute, open approach	0WBF4ZZ	Excision of abdominal wall, percutaneous endoscopic approach
0JRC0KZ	Replacement of pelvic region subcutaneous tissue and fascia with nonautologous tissue substitute, open approach	0WBFXZ2	Excision of abdominal wall, stoma, external approach
0JRC37Z	Replacement of pelvic region subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach	0WBFXZX	Excision of abdominal wall, external approach, diagnostic
0JRC3JZ	Replacement of pelvic region subcutaneous tissue and fascia with synthetic substitute, percutaneous approach	0WBFXZZ	Excision of abdominal wall, external approach
0JRC3KZ	Replacement of pelvic region subcutaneous tissue and fascia with nonautologous tissue substitute, percutaneous approach	0WJF0ZZ	Inspection of abdominal wall, open approach
0JU807Z	Supplement of abdomen subcutaneous tissue and fascia with autologous tissue substitute, open approach	0WJF3ZZ	Inspection of abdominal wall, percutaneous approach
0JU80JZ	Supplement of abdomen subcutaneous tissue and fascia with synthetic substitute, open approach	0WJF4ZZ	Inspection of abdominal wall, percutaneous endoscopic approach

Reclosure of postoperative disruption of the abdominal wall procedure codes: (RECLOIP)

0JU80KZ	Supplement of abdomen subcutaneous tissue and fascia with nonautologous tissue substitute, open approach	0WPF07Z	Removal of autologous tissue substitute from abdominal wall, open approach
0JU837Z	Supplement of abdomen subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach	0WPF0JZ	Removal of synthetic substitute from abdominal wall, open approach
0JU83JZ	Supplement of abdomen subcutaneous tissue and fascia with synthetic substitute, percutaneous approach	0WPF0KZ	Removal of nonautologous tissue substitute from abdominal wall, open approach
0JU83KZ	Supplement of abdomen subcutaneous tissue and fascia with nonautologous tissue substitute, percutaneous approach	0WPF37Z	Removal of autologous tissue substitute from abdominal wall, percutaneous approach
0JUC07Z	Supplement of pelvic region subcutaneous tissue and fascia with autologous tissue substitute, open approach	0WPF3JZ	Removal of synthetic substitute from abdominal wall, percutaneous approach
0JUC0JZ	Supplement of pelvic region subcutaneous tissue and fascia with synthetic substitute, open approach	0WPF3KZ	Removal of nonautologous tissue substitute from abdominal wall, percutaneous approach
0JUC0KZ	Supplement of pelvic region subcutaneous tissue and fascia with nonautologous tissue substitute, open approach	0WPF47Z	Removal of autologous tissue substitute from abdominal wall, percutaneous endoscopic approach
0JUC37Z	Supplement of pelvic region subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach	0WPF4JZ	Removal of synthetic substitute from abdominal wall, percutaneous endoscopic approach
0JUC3JZ	Supplement of pelvic region subcutaneous tissue and fascia with synthetic substitute, percutaneous approach	0WPF4KZ	Removal of nonautologous tissue substitute from abdominal wall, percutaneous endoscopic approach
0JUC3KZ	Supplement of pelvic region subcutaneous tissue and fascia with nonautologous tissue substitute, percutaneous approach	0WPFX7Z	Removal of autologous tissue substitute from abdominal wall, external approach
0KBK0ZX	Excision of right abdomen muscle, open approach, diagnostic	0WPFXJZ	Removal of synthetic substitute from abdominal wall, external approach
0KBK0ZZ	Excision of right abdomen muscle, open approach	0WPFXKZ	Removal of nonautologous tissue substitute from abdominal wall, external approach
0KBK3ZX	Excision of right abdomen muscle, percutaneous approach, diagnostic	0WQF0ZZ	Repair abdominal wall, open approach
0KBK3ZZ	Excision of right abdomen muscle, percutaneous approach	0WQF3ZZ	Repair abdominal wall, percutaneous approach

Reclosure of postoperative disruption of the abdominal wall procedure codes: (RECLOIP)

0KBK4ZX	Excision of right abdomen muscle, percutaneous endoscopic approach, diagnostic	0WQF4ZZ	Repair abdominal wall, percutaneous endoscopic approach
0KBK4ZZ	Excision of right abdomen muscle, percutaneous endoscopic approach	0WQFXZ2	Repair abdominal wall, stoma, external approach
0KBL0ZX	Excision of left abdomen muscle, open approach, diagnostic	0WQFXZZ	Repair abdominal wall, external approach
0KBL0ZZ	Excision of left abdomen muscle, open approach	0WUF07Z	Supplement abdominal wall with autologous tissue substitute, open approach
0KBL3ZX	Excision of left abdomen muscle, percutaneous approach, diagnostic	0WUF0JZ	Supplement abdominal wall with synthetic substitute, open approach
0KBL3ZZ	Excision of left abdomen muscle, percutaneous approach	0WUF0KZ	Supplement abdominal wall with nonautologous tissue substitute, open approach
0KBL4ZX	Excision of left abdomen muscle, percutaneous endoscopic approach, diagnostic	0WUF47Z	Supplement abdominal wall with autologous tissue substitute, percutaneous endoscopic approach
0KBL4ZZ	Excision of left abdomen muscle, percutaneous endoscopic approach	0WUF4JZ	Supplement abdominal wall with synthetic substitute, percutaneous endoscopic approach
0KQK0ZZ	Repair right abdomen muscle, open approach	0WUF4KZ	Supplement abdominal wall with nonautologous tissue substitute, percutaneous endoscopic approach
0KQK3ZZ	Repair right abdomen muscle, percutaneous approach	0WWF07Z	Revision of autologous tissue substitute in abdominal wall, open approach
0KQK4ZZ	Repair right abdomen muscle, percutaneous endoscopic approach	0WWF0JZ	Revision of synthetic substitute in abdominal wall, open approach
0KQL0ZZ	Repair left abdomen muscle, open approach	0WWF0KZ	Revision of nonautologous tissue substitute in abdominal wall, open approach
0KQL3ZZ	Repair left abdomen muscle, percutaneous approach	0WWF37Z	Revision of autologous tissue substitute in abdominal wall, percutaneous approach
0KQL4ZZ	Repair left abdomen muscle, percutaneous endoscopic approach	0WWF3JZ	Revision of synthetic substitute in abdominal wall, percutaneous approach
0KRK07Z	Replacement of right abdomen muscle with autologous tissue substitute, open approach	0WWF3KZ	Revision of nonautologous tissue substitute in abdominal wall, percutaneous approach
0KRK0JZ	Replacement of right abdomen muscle with synthetic substitute, open approach	0WWF47Z	Revision of autologous tissue substitute in abdominal wall, percutaneous endoscopic approach
0KRK0KZ	Replacement of right abdomen muscle with nonautologous tissue substitute, open approach	0WWF4JZ	Revision of synthetic substitute in abdominal wall, percutaneous endoscopic approach

Reclosure of postoperative disruption of the abdominal wall procedure codes: (RECLOIP)

0KRK47Z	Replacement of right abdomen muscle with autologous tissue substitute, percutaneous endoscopic approach	0WWF4KZ	Revision of nonautologous tissue substitute in abdominal wall, percutaneous endoscopic approach
0KRK4JZ	Replacement of right abdomen muscle with synthetic substitute, percutaneous endoscopic approach	0WWFX7Z	Revision of autologous tissue substitute in abdominal wall, external approach
0KRK4KZ	Replacement of right abdomen muscle with nonautologous tissue substitute, percutaneous endoscopic approach	0WWFXJZ	Revision of synthetic substitute in abdominal wall, external approach
0KRL07Z	Replacement of left abdomen muscle with autologous tissue substitute, open approach	0WWFXKZ	Revision of nonautologous tissue substitute in abdominal wall, external approach

Disruption of internal operation wound diagnosis codes: (ABWALLCD)

T8132XA Disruption of internal operation (surgical)
wound, not elsewhere classified, initial
encounter

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

008Q0ZZ	Division of vagus nerve, open approach	0D190JL	Bypass duodenum to transverse colon with synthetic substitute, open approach
01590ZZ	Destruction of lumbar plexus, open approach	0D190K4	Bypass duodenum to cutaneous with nonautologous tissue substitute, open approach
015A0ZZ	Destruction of lumbosacral plexus, open approach	0D190K9	Bypass duodenum to duodenum with nonautologous tissue substitute, open approach
015B0ZZ	Destruction of lumbar nerve, open approach	0D190KA	Bypass duodenum to jejunum with nonautologous tissue substitute, open approach
015C0ZZ	Destruction of pudendal nerve, open approach	0D190KB	Bypass duodenum to ileum with nonautologous tissue substitute, open approach
015M0ZZ	Destruction of abdominal sympathetic nerve, open approach	0D190KL	Bypass duodenum to transverse colon with nonautologous tissue substitute, open approach
015N0ZZ	Destruction of lumbar sympathetic nerve, open approach	0D190Z4	Bypass duodenum to cutaneous, open approach
015P0ZZ	Destruction of sacral sympathetic nerve, open approach	0D190Z9	Bypass duodenum to duodenum, open approach
015Q0ZZ	Destruction of sacral plexus, open approach	0D190ZA	Bypass duodenum to jejunum, open approach
015R0ZZ	Destruction of sacral nerve, open approach	0D190ZB	Bypass duodenum to ileum, open approach
01890ZZ	Division of lumbar plexus, open approach	0D190ZL	Bypass duodenum to transverse colon, open approach
018A0ZZ	Division of lumbosacral plexus, open approach	0D1A074	Bypass jejunum to cutaneous with autologous tissue substitute, open approach
018B0ZZ	Division of lumbar nerve, open approach	0D1A07A	Bypass jejunum to jejunum with autologous tissue substitute, open approach
018C0ZZ	Division of pudendal nerve, open approach	0D1A07B	Bypass jejunum to ileum with autologous tissue substitute, open approach
018M0ZZ	Division of abdominal sympathetic nerve, open approach	0D1A07H	Bypass jejunum to cecum with autologous tissue substitute, open approach
018N0ZZ	Division of lumbar sympathetic nerve, open approach	0D1A07K	Bypass jejunum to ascending colon with autologous tissue substitute, open approach
018P0ZZ	Division of sacral sympathetic nerve, open approach	0D1A07L	Bypass jejunum to transverse colon with autologous tissue substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

018Q0ZZ	Division of sacral plexus, open approach	0D1A07M	Bypass jejunum to descending colon with autologous tissue substitute, open approach
018R0ZZ	Division of sacral nerve, open approach	0D1A07N	Bypass jejunum to sigmoid colon with autologous tissue substitute, open approach
019900Z	Drainage of lumbar plexus with drainage device, open approach	0D1A07P	Bypass jejunum to rectum with autologous tissue substitute, open approach
01990ZX	Drainage of lumbar plexus, open approach, diagnostic	0D1A07Q	Bypass jejunum to anus with autologous tissue substitute, open approach
01990ZZ	Drainage of lumbar plexus, open approach	0D1A0J4	Bypass jejunum to cutaneous with synthetic substitute, open approach
019A00Z	Drainage of lumbosacral plexus with drainage device, open approach	0D1A0JA	Bypass jejunum to jejunum with synthetic substitute, open approach
019A0ZX	Drainage of lumbosacral plexus, open approach, diagnostic	0D1A0JB	Bypass jejunum to ileum with synthetic substitute, open approach
019A0ZZ	Drainage of lumbosacral plexus, open approach	0D1A0JH	Bypass jejunum to cecum with synthetic substitute, open approach
019B00Z	Drainage of lumbar nerve with drainage device, open approach	0D1A0JK	Bypass jejunum to ascending colon with synthetic substitute, open approach
019B0ZX	Drainage of lumbar nerve, open approach, diagnostic	0D1A0JL	Bypass jejunum to transverse colon with synthetic substitute, open approach
019B0ZZ	Drainage of lumbar nerve, open approach	0D1A0JM	Bypass jejunum to descending colon with synthetic substitute, open approach
019C00Z	Drainage of pudendal nerve with drainage device, open approach	0D1A0JN	Bypass jejunum to sigmoid colon with synthetic substitute, open approach
019C0ZX	Drainage of pudendal nerve, open approach, diagnostic	0D1A0JP	Bypass jejunum to rectum with synthetic substitute, open approach
019C0ZZ	Drainage of pudendal nerve, open approach	0D1A0JQ	Bypass jejunum to anus with synthetic substitute, open approach
019M00Z	Drainage of abdominal sympathetic nerve with drainage device, open approach	0D1A0K4	Bypass jejunum to cutaneous with nonautologous tissue substitute, open approach
019M0ZX	Drainage of abdominal sympathetic nerve, open approach, diagnostic	0D1A0KA	Bypass jejunum to jejunum with nonautologous tissue substitute, open approach
019M0ZZ	Drainage of abdominal sympathetic nerve, open approach	0D1A0KB	Bypass jejunum to ileum with nonautologous tissue substitute, open approach
019N00Z	Drainage of lumbar sympathetic nerve with drainage device, open approach	0D1A0KH	Bypass jejunum to cecum with nonautologous tissue substitute, open approach
019N0ZX	Drainage of lumbar sympathetic nerve, open approach, diagnostic	0D1A0KK	Bypass jejunum to ascending colon with nonautologous tissue substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

019N0ZZ	Drainage of lumbar sympathetic nerve, open approach	0D1A0KL	Bypass jejunum to transverse colon with nonautologous tissue substitute, open approach
019P00Z	Drainage of sacral sympathetic nerve with drainage device, open approach	0D1A0KM	Bypass jejunum to descending colon with nonautologous tissue substitute, open approach
019P0ZX	Drainage of sacral sympathetic nerve, open approach, diagnostic	0D1A0KN	Bypass jejunum to sigmoid colon with nonautologous tissue substitute, open approach
019P0ZZ	Drainage of sacral sympathetic nerve, open approach	0D1A0KP	Bypass jejunum to rectum with nonautologous tissue substitute, open approach
019Q00Z	Drainage of sacral plexus with drainage device, open approach	0D1A0KQ	Bypass jejunum to anus with nonautologous tissue substitute, open approach
019Q0ZX	Drainage of sacral plexus, open approach, diagnostic	0D1A0Z4	Bypass jejunum to cutaneous, open approach
019Q0ZZ	Drainage of sacral plexus, open approach	0D1A0ZA	Bypass jejunum to jejunum, open approach
019R00Z	Drainage of sacral nerve with drainage device, open approach	0D1A0ZB	Bypass jejunum to ileum, open approach
019R0ZX	Drainage of sacral nerve, open approach, diagnostic	0D1A0ZH	Bypass jejunum to cecum, open approach
019R0ZZ	Drainage of sacral nerve, open approach	0D1A0ZK	Bypass jejunum to ascending colon, open approach
01B90ZX	Excision of lumbar plexus, open approach, diagnostic	0D1A0ZL	Bypass jejunum to transverse colon, open approach
01B90ZZ	Excision of lumbar plexus, open approach	0D1A0ZM	Bypass jejunum to descending colon, open approach
01BA0ZX	Excision of lumbosacral plexus, open approach, diagnostic	0D1A0ZN	Bypass jejunum to sigmoid colon, open approach
01BA0ZZ	Excision of lumbosacral plexus, open approach	0D1A0ZP	Bypass jejunum to rectum, open approach
01BB0ZX	Excision of lumbar nerve, open approach, diagnostic	0D1A0ZQ	Bypass jejunum to anus, open approach
01BB0ZZ	Excision of lumbar nerve, open approach	0D1B074	Bypass ileum to cutaneous with autologous tissue substitute, open approach
01BC0ZX	Excision of pudendal nerve, open approach, diagnostic	0D1B07B	Bypass ileum to ileum with autologous tissue substitute, open approach
01BC0ZZ	Excision of pudendal nerve, open approach	0D1B07H	Bypass ileum to cecum with autologous tissue substitute, open approach
01BM0ZX	Excision of abdominal sympathetic nerve, open approach, diagnostic	0D1B07K	Bypass ileum to ascending colon with autologous tissue substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

01BM0ZZ	Excision of abdominal sympathetic nerve, open approach	0D1B07L	Bypass ileum to transverse colon with autologous tissue substitute, open approach
01BN0ZX	Excision of lumbar sympathetic nerve, open approach, diagnostic	0D1B07M	Bypass ileum to descending colon with autologous tissue substitute, open approach
01BN0ZZ	Excision of lumbar sympathetic nerve, open approach	0D1B07N	Bypass ileum to sigmoid colon with autologous tissue substitute, open approach
01BP0ZX	Excision of sacral sympathetic nerve, open approach, diagnostic	0D1B07P	Bypass ileum to rectum with autologous tissue substitute, open approach
01BP0ZZ	Excision of sacral sympathetic nerve, open approach	0D1B07Q	Bypass ileum to anus with autologous tissue substitute, open approach
01BQ0ZX	Excision of sacral plexus, open approach, diagnostic	0D1B0J4	Bypass ileum to cutaneous with synthetic substitute, open approach
01BQ0ZZ	Excision of sacral plexus, open approach	0D1B0JB	Bypass ileum to ileum with synthetic substitute, open approach
01BR0ZX	Excision of sacral nerve, open approach, diagnostic	0D1B0JH	Bypass ileum to cecum with synthetic substitute, open approach
01BR0ZZ	Excision of sacral nerve, open approach	0D1B0JK	Bypass ileum to ascending colon with synthetic substitute, open approach
01C90ZZ	Extirpation of matter from lumbar plexus, open approach	0D1B0JL	Bypass ileum to transverse colon with synthetic substitute, open approach
01CA0ZZ	Extirpation of matter from lumbosacral plexus, open approach	0D1B0JM	Bypass ileum to descending colon with synthetic substitute, open approach
01CB0ZZ	Extirpation of matter from lumbar nerve, open approach	0D1B0JN	Bypass ileum to sigmoid colon with synthetic substitute, open approach
01CC0ZZ	Extirpation of matter from pudendal nerve, open approach	0D1B0JP	Bypass ileum to rectum with synthetic substitute, open approach
01CM0ZZ	Extirpation of matter from abdominal sympathetic nerve, open approach	0D1B0JQ	Bypass ileum to anus with synthetic substitute, open approach
01CN0ZZ	Extirpation of matter from lumbar sympathetic nerve, open approach	0D1B0K4	Bypass ileum to cutaneous with nonautologous tissue substitute, open approach
01CP0ZZ	Extirpation of matter from sacral sympathetic nerve, open approach	0D1B0KB	Bypass ileum to ileum with nonautologous tissue substitute, open approach
01CQ0ZZ	Extirpation of matter from sacral plexus, open approach	0D1B0KH	Bypass ileum to cecum with nonautologous tissue substitute, open approach
01CR0ZZ	Extirpation of matter from sacral nerve, open approach	0D1B0KK	Bypass ileum to ascending colon with nonautologous tissue substitute, open approach
01D90ZZ	Extraction of lumbar plexus, open approach	0D1B0KL	Bypass ileum to transverse colon with nonautologous tissue substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

01DA0ZZ	Extraction of lumbosacral plexus, open approach	0D1B0KM	Bypass ileum to descending colon with nonautologous tissue substitute, open approach
01DB0ZZ	Extraction of lumbar nerve, open approach	0D1B0KN	Bypass ileum to sigmoid colon with nonautologous tissue substitute, open approach
01DC0ZZ	Extraction of pudendal nerve, open approach	0D1B0KP	Bypass ileum to rectum with nonautologous tissue substitute, open approach
01DM0ZZ	Extraction of abdominal sympathetic nerve, open approach	0D1B0KQ	Bypass ileum to anus with nonautologous tissue substitute, open approach
01DN0ZZ	Extraction of lumbar sympathetic nerve, open approach	0D1B0Z4	Bypass ileum to cutaneous, open approach
01DP0ZZ	Extraction of sacral sympathetic nerve, open approach	0D1B0ZB	Bypass ileum to ileum, open approach
01DQ0ZZ	Extraction of sacral plexus, open approach	0D1B0ZH	Bypass ileum to cecum, open approach
01DR0ZZ	Extraction of sacral nerve, open approach	0D1B0ZK	Bypass ileum to ascending colon, open approach
01N90ZZ	Release lumbar plexus, open approach	0D1B0ZL	Bypass ileum to transverse colon, open approach
01NA0ZZ	Release lumbosacral plexus, open approach	0D1B0ZM	Bypass ileum to descending colon, open approach
01NB0ZZ	Release lumbar nerve, open approach	0D1B0ZN	Bypass ileum to sigmoid colon, open approach
01NC0ZZ	Release pudendal nerve, open approach	0D1B0ZP	Bypass ileum to rectum, open approach
01NM0ZZ	Release abdominal sympathetic nerve, open approach	0D1B0ZQ	Bypass ileum to anus, open approach
01NN0ZZ	Release lumbar sympathetic nerve, open approach	0D1E074	Bypass large intestine to cutaneous with autologous tissue substitute, open approach
01NP0ZZ	Release sacral sympathetic nerve, open approach	0D1E07E	Bypass large intestine to large intestine with autologous tissue substitute, open approach
01NQ0ZZ	Release sacral plexus, open approach	0D1E07P	Bypass large intestine to rectum with autologous tissue substitute, open approach
01NR0ZZ	Release sacral nerve, open approach	0D1E0J4	Bypass large intestine to cutaneous with synthetic substitute, open approach
01Q90ZZ	Repair lumbar plexus, open approach	0D1E0JE	Bypass large intestine to large intestine with synthetic substitute, open approach
01QA0ZZ	Repair lumbosacral plexus, open approach	0D1E0JP	Bypass large intestine to rectum with synthetic substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

01QB0ZZ	Repair lumbar nerve, open approach	0D1E0K4	Bypass large intestine to cutaneous with nonautologous tissue substitute, open approach
01QC0ZZ	Repair pudendal nerve, open approach	0D1E0KE	Bypass large intestine to large intestine with nonautologous tissue substitute, open approach
01QM0ZZ	Repair abdominal sympathetic nerve, open approach	0D1E0KP	Bypass large intestine to rectum with nonautologous tissue substitute, open approach
01QN0ZZ	Repair lumbar sympathetic nerve, open approach	0D1E0Z4	Bypass large intestine to cutaneous, open approach
01QP0ZZ	Repair sacral sympathetic nerve, open approach	0D1E0ZE	Bypass large intestine to large intestine, open approach
01QQ0ZZ	Repair sacral plexus, open approach	0D1E0ZP	Bypass large intestine to rectum, open approach
01QR0ZZ	Repair sacral nerve, open approach	0D1H074	Bypass cecum to cutaneous with autologous tissue substitute, open approach
01RB07Z	Replacement of lumbar nerve with autologous tissue substitute, open approach	0D1H07H	Bypass cecum to cecum with autologous tissue substitute, open approach
01RB0JZ	Replacement of lumbar nerve with synthetic substitute, open approach	0D1H07K	Bypass cecum to ascending colon with autologous tissue substitute, open approach
01RB0KZ	Replacement of lumbar nerve with nonautologous tissue substitute, open approach	0D1H07L	Bypass cecum to transverse colon with autologous tissue substitute, open approach
01RC07Z	Replacement of pudendal nerve with autologous tissue substitute, open approach	0D1H07M	Bypass cecum to descending colon with autologous tissue substitute, open approach
01RC0JZ	Replacement of pudendal nerve with synthetic substitute, open approach	0D1H07N	Bypass cecum to sigmoid colon with autologous tissue substitute, open approach
01RC0KZ	Replacement of pudendal nerve with nonautologous tissue substitute, open approach	0D1H07P	Bypass cecum to rectum with autologous tissue substitute, open approach
01RR07Z	Replacement of sacral nerve with autologous tissue substitute, open approach	0D1H0J4	Bypass cecum to cutaneous with synthetic substitute, open approach
01RR0JZ	Replacement of sacral nerve with synthetic substitute, open approach	0D1H0JH	Bypass cecum to cecum with synthetic substitute, open approach
01RR0KZ	Replacement of sacral nerve with nonautologous tissue substitute, open approach	0D1H0JK	Bypass cecum to ascending colon with synthetic substitute, open approach
01S90ZZ	Reposition lumbar plexus, open approach	0D1H0JL	Bypass cecum to transverse colon with synthetic substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

01SA0ZZ	Reposition lumbosacral plexus, open approach	0D1H0JM	Bypass cecum to descending colon with synthetic substitute, open approach
01SB0ZZ	Reposition lumbar nerve, open approach	0D1H0JN	Bypass cecum to sigmoid colon with synthetic substitute, open approach
01SC0ZZ	Reposition pudendal nerve, open approach	0D1H0JP	Bypass cecum to rectum with synthetic substitute, open approach
01SQ0ZZ	Reposition sacral plexus, open approach	0D1H0K4	Bypass cecum to cutaneous with nonautologous tissue substitute, open approach
01SR0ZZ	Reposition sacral nerve, open approach	0D1H0KH	Bypass cecum to cecum with nonautologous tissue substitute, open approach
01UB07Z	Supplement lumbar nerve with autologous tissue substitute, open approach	0D1H0KK	Bypass cecum to ascending colon with nonautologous tissue substitute, open approach
01UB0JZ	Supplement lumbar nerve with synthetic substitute, open approach	0D1H0KL	Bypass cecum to transverse colon with nonautologous tissue substitute, open approach
01UB0KZ	Supplement lumbar nerve with nonautologous tissue substitute, open approach	0D1H0KM	Bypass cecum to descending colon with nonautologous tissue substitute, open approach
01UC07Z	Supplement pudendal nerve with autologous tissue substitute, open approach	0D1H0KN	Bypass cecum to sigmoid colon with nonautologous tissue substitute, open approach
01UC0JZ	Supplement pudendal nerve with synthetic substitute, open approach	0D1H0KP	Bypass cecum to rectum with nonautologous tissue substitute, open approach
01UC0KZ	Supplement pudendal nerve with nonautologous tissue substitute, open approach	0D1H0Z4	Bypass cecum to cutaneous, open approach
01UR07Z	Supplement sacral nerve with autologous tissue substitute, open approach	0D1H0ZH	Bypass cecum to cecum, open approach
01UR0JZ	Supplement sacral nerve with synthetic substitute, open approach	0D1H0ZK	Bypass cecum to ascending colon, open approach
01UR0KZ	Supplement sacral nerve with nonautologous tissue substitute, open approach	0D1H0ZL	Bypass cecum to transverse colon, open approach
01XB0ZB	Transfer lumbar nerve to lumbar nerve, open approach	0D1H0ZM	Bypass cecum to descending colon, open approach
01XB0ZC	Transfer lumbar nerve to perineal nerve, open approach	0D1H0ZN	Bypass cecum to sigmoid colon, open approach
01XC0ZB	Transfer pudendal nerve to lumbar nerve, open approach	0D1H0ZP	Bypass cecum to rectum, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

01XC0ZC	Transfer pudendal nerve to perineal nerve, open approach	0D1K074	Bypass ascending colon to cutaneous with autologous tissue substitute, open approach
0410090	Bypass abdominal aorta to abdominal aorta with autologous venous tissue, open approach	0D1K07K	Bypass ascending colon to ascending colon with autologous tissue substitute, open approach
0410091	Bypass abdominal aorta to celiac artery with autologous venous tissue, open approach	0D1K07L	Bypass ascending colon to transverse colon with autologous tissue substitute, open approach
0410092	Bypass abdominal aorta to mesenteric artery with autologous venous tissue, open approach	0D1K07M	Bypass ascending colon to descending colon with autologous tissue substitute, open approach
0410093	Bypass abdominal aorta to right renal artery with autologous venous tissue, open approach	0D1K07N	Bypass ascending colon to sigmoid colon with autologous tissue substitute, open approach
0410094	Bypass abdominal aorta to left renal artery with autologous venous tissue, open approach	0D1K07P	Bypass ascending colon to rectum with autologous tissue substitute, open approach
0410095	Bypass abdominal aorta to bilateral renal artery with autologous venous tissue, open approach	0D1K0J4	Bypass ascending colon to cutaneous with synthetic substitute, open approach
0410096	Bypass abdominal aorta to right common iliac artery with autologous venous tissue, open approach	0D1K0JK	Bypass ascending colon to ascending colon with synthetic substitute, open approach
0410097	Bypass abdominal aorta to left common iliac artery with autologous venous tissue, open approach	0D1K0JL	Bypass ascending colon to transverse colon with synthetic substitute, open approach
0410098	Bypass abdominal aorta to bilateral common iliac arteries with autologous venous tissue, open approach	0D1K0JM	Bypass ascending colon to descending colon with synthetic substitute, open approach
0410099	Bypass abdominal aorta to right internal iliac artery with autologous venous tissue, open approach	0D1K0JN	Bypass ascending colon to sigmoid colon with synthetic substitute, open approach
041009B	Bypass abdominal aorta to left internal iliac artery with autologous venous tissue, open approach	0D1K0JP	Bypass ascending colon to rectum with synthetic substitute, open approach
041009C	Bypass abdominal aorta to bilateral internal iliac arteries with autologous venous tissue, open approach	0D1K0K4	Bypass ascending colon to cutaneous with nonautologous tissue substitute, open approach
041009D	Bypass abdominal aorta to right external iliac artery with autologous venous tissue, open approach	0D1K0KK	Bypass ascending colon to ascending colon with nonautologous tissue substitute, open approach
041009F	Bypass abdominal aorta to left external iliac artery with autologous venous tissue, open approach	0D1K0KL	Bypass ascending colon to transverse colon with nonautologous tissue substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041009G	Bypass abdominal aorta to bilateral external iliac arteries with autologous venous tissue, open approach	0D1K0KM	Bypass ascending colon to descending colon with nonautologous tissue substitute, open approach
041009H	Bypass abdominal aorta to right femoral artery with autologous venous tissue, open approach	0D1K0KN	Bypass ascending colon to sigmoid colon with nonautologous tissue substitute, open approach
041009J	Bypass abdominal aorta to left femoral artery with autologous venous tissue, open approach	0D1K0KP	Bypass ascending colon to rectum with nonautologous tissue substitute, open approach
041009K	Bypass abdominal aorta to bilateral femoral arteries with autologous venous tissue, open approach	0D1K0Z4	Bypass ascending colon to cutaneous, open approach
041009Q	Bypass abdominal aorta to lower extremity artery with autologous venous tissue, open approach	0D1K0ZK	Bypass ascending colon to ascending colon, open approach
041009R	Bypass abdominal aorta to lower artery with autologous venous tissue, open approach	0D1K0ZL	Bypass ascending colon to transverse colon, open approach
04100A0	Bypass abdominal aorta to abdominal aorta with autologous arterial tissue, open approach	0D1K0ZM	Bypass ascending colon to descending colon, open approach
04100A1	Bypass abdominal aorta to celiac artery with autologous arterial tissue, open approach	0D1K0ZN	Bypass ascending colon to sigmoid colon, open approach
04100A2	Bypass abdominal aorta to mesenteric artery with autologous arterial tissue, open approach	0D1K0ZP	Bypass ascending colon to rectum, open approach
04100A3	Bypass abdominal aorta to right renal artery with autologous arterial tissue, open approach	0D1L074	Bypass transverse colon to cutaneous with autologous tissue substitute, open approach
04100A4	Bypass abdominal aorta to left renal artery with autologous arterial tissue, open approach	0D1L07L	Bypass transverse colon to transverse colon with autologous tissue substitute, open approach
04100A5	Bypass abdominal aorta to bilateral renal artery with autologous arterial tissue, open approach	0D1L07M	Bypass transverse colon to descending colon with autologous tissue substitute, open approach
04100A6	Bypass abdominal aorta to right common iliac artery with autologous arterial tissue, open approach	0D1L07N	Bypass transverse colon to sigmoid colon with autologous tissue substitute, open approach
04100A7	Bypass abdominal aorta to left common iliac artery with autologous arterial tissue, open approach	0D1L07P	Bypass transverse colon to rectum with autologous tissue substitute, open approach
04100A8	Bypass abdominal aorta to bilateral common iliac arteries with autologous arterial tissue, open approach	0D1L0J4	Bypass transverse colon to cutaneous with synthetic substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04100A9	Bypass abdominal aorta to right internal iliac artery with autologous arterial tissue, open approach	0D1L0JL	Bypass transverse colon to transverse colon with synthetic substitute, open approach
04100AB	Bypass abdominal aorta to left internal iliac artery with autologous arterial tissue, open approach	0D1L0JM	Bypass transverse colon to descending colon with synthetic substitute, open approach
04100AC	Bypass abdominal aorta to bilateral internal iliac arteries with autologous arterial tissue, open approach	0D1L0JN	Bypass transverse colon to sigmoid colon with synthetic substitute, open approach
04100AD	Bypass abdominal aorta to right external iliac artery with autologous arterial tissue, open approach	0D1L0JP	Bypass transverse colon to rectum with synthetic substitute, open approach
04100AF	Bypass abdominal aorta to left external iliac artery with autologous arterial tissue, open approach	0D1L0K4	Bypass transverse colon to cutaneous with nonautologous tissue substitute, open approach
04100AG	Bypass abdominal aorta to bilateral external iliac arteries with autologous arterial tissue, open approach	0D1L0KL	Bypass transverse colon to transverse colon with nonautologous tissue substitute, open approach
04100AH	Bypass abdominal aorta to right femoral artery with autologous arterial tissue, open approach	0D1L0KM	Bypass transverse colon to descending colon with nonautologous tissue substitute, open approach
04100AJ	Bypass abdominal aorta to left femoral artery with autologous arterial tissue, open approach	0D1L0KN	Bypass transverse colon to sigmoid colon with nonautologous tissue substitute, open approach
04100AK	Bypass abdominal aorta to bilateral femoral arteries with autologous arterial tissue, open approach	0D1L0KP	Bypass transverse colon to rectum with nonautologous tissue substitute, open approach
04100AQ	Bypass abdominal aorta to lower extremity artery with autologous arterial tissue, open approach	0D1L0Z4	Bypass transverse colon to cutaneous, open approach
04100AR	Bypass abdominal aorta to lower artery with autologous arterial tissue, open approach	0D1L0ZL	Bypass transverse colon to transverse colon, open approach
04100J0	Bypass abdominal aorta to abdominal aorta with synthetic substitute, open approach	0D1L0ZM	Bypass transverse colon to descending colon, open approach
04100J1	Bypass abdominal aorta to celiac artery with synthetic substitute, open approach	0D1L0ZN	Bypass transverse colon to sigmoid colon, open approach
04100J2	Bypass abdominal aorta to mesenteric artery with synthetic substitute, open approach	0D1L0ZP	Bypass transverse colon to rectum, open approach
04100J3	Bypass abdominal aorta to right renal artery with synthetic substitute, open approach	0D1M074	Bypass descending colon to cutaneous with autologous tissue substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04100J4	Bypass abdominal aorta to left renal artery with synthetic substitute, open approach	0D1M07M	Bypass descending colon to descending colon with autologous tissue substitute, open approach
04100J5	Bypass abdominal aorta to bilateral renal artery with synthetic substitute, open approach	0D1M07N	Bypass descending colon to sigmoid colon with autologous tissue substitute, open approach
04100J6	Bypass abdominal aorta to right common iliac artery with synthetic substitute, open approach	0D1M07P	Bypass descending colon to rectum with autologous tissue substitute, open approach
04100J7	Bypass abdominal aorta to left common iliac artery with synthetic substitute, open approach	0D1M0J4	Bypass descending colon to cutaneous with synthetic substitute, open approach
04100J8	Bypass abdominal aorta to bilateral common iliac arteries with synthetic substitute, open approach	0D1M0JM	Bypass descending colon to descending colon with synthetic substitute, open approach
04100J9	Bypass abdominal aorta to right internal iliac artery with synthetic substitute, open approach	0D1M0JN	Bypass descending colon to sigmoid colon with synthetic substitute, open approach
04100JB	Bypass abdominal aorta to left internal iliac artery with synthetic substitute, open approach	0D1M0JP	Bypass descending colon to rectum with synthetic substitute, open approach
04100JC	Bypass abdominal aorta to bilateral internal iliac arteries with synthetic substitute, open approach	0D1M0K4	Bypass descending colon to cutaneous with nonautologous tissue substitute, open approach
04100JD	Bypass abdominal aorta to right external iliac artery with synthetic substitute, open approach	0D1M0KM	Bypass descending colon to descending colon with nonautologous tissue substitute, open approach
04100JF	Bypass abdominal aorta to left external iliac artery with synthetic substitute, open approach	0D1M0KN	Bypass descending colon to sigmoid colon with nonautologous tissue substitute, open approach
04100JG	Bypass abdominal aorta to bilateral external iliac arteries with synthetic substitute, open approach	0D1M0KP	Bypass descending colon to rectum with nonautologous tissue substitute, open approach
04100JH	Bypass abdominal aorta to right femoral artery with synthetic substitute, open approach	0D1M0Z4	Bypass descending colon to cutaneous, open approach
04100JJ	Bypass abdominal aorta to left femoral artery with synthetic substitute, open approach	0D1M0ZM	Bypass descending colon to descending colon, open approach
04100JK	Bypass abdominal aorta to bilateral femoral arteries with synthetic substitute, open approach	0D1M0ZN	Bypass descending colon to sigmoid colon, open approach
04100JQ	Bypass abdominal aorta to lower extremity artery with synthetic substitute, open approach	0D1M0ZP	Bypass descending colon to rectum, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04100JR	Bypass abdominal aorta to lower artery with synthetic substitute, open approach	0D1N074	Bypass sigmoid colon to cutaneous with autologous tissue substitute, open approach
04100K0	Bypass abdominal aorta to abdominal aorta with nonautologous tissue substitute, open approach	0D1N07N	Bypass sigmoid colon to sigmoid colon with autologous tissue substitute, open approach
04100K1	Bypass abdominal aorta to celiac artery with nonautologous tissue substitute, open approach	0D1N07P	Bypass sigmoid colon to rectum with autologous tissue substitute, open approach
04100K2	Bypass abdominal aorta to mesenteric artery with nonautologous tissue substitute, open approach	0D1N0J4	Bypass sigmoid colon to cutaneous with synthetic substitute, open approach
04100K3	Bypass abdominal aorta to right renal artery with nonautologous tissue substitute, open approach	0D1N0JN	Bypass sigmoid colon to sigmoid colon with synthetic substitute, open approach
04100K4	Bypass abdominal aorta to left renal artery with nonautologous tissue substitute, open approach	0D1N0JP	Bypass sigmoid colon to rectum with synthetic substitute, open approach
04100K5	Bypass abdominal aorta to bilateral renal artery with nonautologous tissue substitute, open approach	0D1N0K4	Bypass sigmoid colon to cutaneous with nonautologous tissue substitute, open approach
04100K6	Bypass abdominal aorta to right common iliac artery with nonautologous tissue substitute, open approach	0D1N0KN	Bypass sigmoid colon to sigmoid colon with nonautologous tissue substitute, open approach
04100K7	Bypass abdominal aorta to left common iliac artery with nonautologous tissue substitute, open approach	0D1N0KP	Bypass sigmoid colon to rectum with nonautologous tissue substitute, open approach
04100K8	Bypass abdominal aorta to bilateral common iliac arteries with nonautologous tissue substitute, open approach	0D1N0Z4	Bypass sigmoid colon to cutaneous, open approach
04100K9	Bypass abdominal aorta to right internal iliac artery with nonautologous tissue substitute, open approach	0D1N0ZN	Bypass sigmoid colon to sigmoid colon, open approach
04100KB	Bypass abdominal aorta to left internal iliac artery with nonautologous tissue substitute, open approach	0D1N0ZP	Bypass sigmoid colon to rectum, open approach
04100KC	Bypass abdominal aorta to bilateral internal iliac arteries with nonautologous tissue substitute, open approach	0D530Z3	Destruction of lower esophagus using laser interstitial thermal therapy, open approach
04100KD	Bypass abdominal aorta to right external iliac artery with nonautologous tissue substitute, open approach	0D530ZZ	Destruction of lower esophagus, open approach
04100KF	Bypass abdominal aorta to left external iliac artery with nonautologous tissue substitute, open approach	0D540Z3	Destruction of esophagogastric junction using laser interstitial thermal therapy, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04100KG	Bypass abdominal aorta to bilateral external iliac arteries with nonautologous tissue substitute, open approach	0D540ZZ	Destruction of esophagogastric junction, open approach
04100KH	Bypass abdominal aorta to right femoral artery with nonautologous tissue substitute, open approach	0D560Z3	Destruction of stomach using laser interstitial thermal therapy, open approach
04100KJ	Bypass abdominal aorta to left femoral artery with nonautologous tissue substitute, open approach	0D560ZZ	Destruction of stomach, open approach
04100KK	Bypass abdominal aorta to bilateral femoral arteries with nonautologous tissue substitute, open approach	0D570Z3	Destruction of stomach, pylorus using laser interstitial thermal therapy, open approach
04100KQ	Bypass abdominal aorta to lower extremity artery with nonautologous tissue substitute, open approach	0D570ZZ	Destruction of stomach, pylorus, open approach
04100KR	Bypass abdominal aorta to lower artery with nonautologous tissue substitute, open approach	0D580Z3	Destruction of small intestine using laser interstitial thermal therapy, open approach
04100Z0	Bypass abdominal aorta to abdominal aorta, open approach	0D580ZZ	Destruction of small intestine, open approach
04100Z1	Bypass abdominal aorta to celiac artery, open approach	0D590Z3	Destruction of duodenum using laser interstitial thermal therapy, open approach
04100Z2	Bypass abdominal aorta to mesenteric artery, open approach	0D590ZZ	Destruction of duodenum, open approach
04100Z3	Bypass abdominal aorta to right renal artery, open approach	0D5A0Z3	Destruction of jejunum using laser interstitial thermal therapy, open approach
04100Z4	Bypass abdominal aorta to left renal artery, open approach	0D5A0ZZ	Destruction of jejunum, open approach
04100Z5	Bypass abdominal aorta to bilateral renal artery, open approach	0D5B0Z3	Destruction of ileum using laser interstitial thermal therapy, open approach
04100Z6	Bypass abdominal aorta to right common iliac artery, open approach	0D5B0ZZ	Destruction of ileum, open approach
04100Z7	Bypass abdominal aorta to left common iliac artery, open approach	0D5C0Z3	Destruction of ileocecal valve using laser interstitial thermal therapy, open approach
04100Z8	Bypass abdominal aorta to bilateral common iliac arteries, open approach	0D5C0ZZ	Destruction of ileocecal valve, open approach
04100Z9	Bypass abdominal aorta to right internal iliac artery, open approach	0D5E0Z3	Destruction of large intestine using laser interstitial thermal therapy, open approach
04100ZB	Bypass abdominal aorta to left internal iliac artery, open approach	0D5E0ZZ	Destruction of large intestine, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04100ZC	Bypass abdominal aorta to bilateral internal iliac arteries, open approach	0D5F0Z3	Destruction of right large intestine using laser interstitial thermal therapy, open approach
04100ZD	Bypass abdominal aorta to right external iliac artery, open approach	0D5F0ZZ	Destruction of right large intestine, open approach
04100ZF	Bypass abdominal aorta to left external iliac artery, open approach	0D5G0Z3	Destruction of left large intestine using laser interstitial thermal therapy, open approach
04100ZG	Bypass abdominal aorta to bilateral external iliac arteries, open approach	0D5G0ZZ	Destruction of left large intestine, open approach
04100ZH	Bypass abdominal aorta to right femoral artery, open approach	0D5H0Z3	Destruction of cecum using laser interstitial thermal therapy, open approach
04100ZJ	Bypass abdominal aorta to left femoral artery, open approach	0D5H0ZZ	Destruction of cecum, open approach
04100ZK	Bypass abdominal aorta to bilateral femoral arteries, open approach	0D5J0Z3	Destruction of appendix using laser interstitial thermal therapy, open approach
04100ZQ	Bypass abdominal aorta to lower extremity artery, open approach	0D5J0ZZ	Destruction of appendix, open approach
04100ZR	Bypass abdominal aorta to lower artery, open approach	0D5K0Z3	Destruction of ascending colon using laser interstitial thermal therapy, open approach
0413093	Bypass hepatic artery to right renal artery with autologous venous tissue, open approach	0D5K0ZZ	Destruction of ascending colon, open approach
0413094	Bypass hepatic artery to left renal artery with autologous venous tissue, open approach	0D5L0Z3	Destruction of transverse colon using laser interstitial thermal therapy, open approach
0413095	Bypass hepatic artery to bilateral renal artery with autologous venous tissue, open approach	0D5L0ZZ	Destruction of transverse colon, open approach
04130A3	Bypass hepatic artery to right renal artery with autologous arterial tissue, open approach	0D5M0Z3	Destruction of descending colon using laser interstitial thermal therapy, open approach
04130A4	Bypass hepatic artery to left renal artery with autologous arterial tissue, open approach	0D5M0ZZ	Destruction of descending colon, open approach
04130A5	Bypass hepatic artery to bilateral renal artery with autologous arterial tissue, open approach	0D5N0Z3	Destruction of sigmoid colon using laser interstitial thermal therapy, open approach
04130J3	Bypass hepatic artery to right renal artery with synthetic substitute, open approach	0D5N0ZZ	Destruction of sigmoid colon, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04130J4	Bypass hepatic artery to left renal artery with synthetic substitute, open approach	0D5P0Z3	Destruction of rectum using laser interstitial thermal therapy, open approach
04130J5	Bypass hepatic artery to bilateral renal artery with synthetic substitute, open approach	0D5P0ZZ	Destruction of rectum, open approach
04130K3	Bypass hepatic artery to right renal artery with nonautologous tissue substitute, open approach	0D5S0ZZ	Destruction of greater omentum, open approach
04130K4	Bypass hepatic artery to left renal artery with nonautologous tissue substitute, open approach	0D5T0ZZ	Destruction of lesser omentum, open approach
04130K5	Bypass hepatic artery to bilateral renal artery with nonautologous tissue substitute, open approach	0D5U0ZZ	Destruction of omentum, open approach
04130Z3	Bypass hepatic artery to right renal artery, open approach	0D5V0ZZ	Destruction of mesentery, open approach
04130Z4	Bypass hepatic artery to left renal artery, open approach	0D5W0ZZ	Destruction of peritoneum, open approach
04130Z5	Bypass hepatic artery to bilateral renal artery, open approach	0D740DZ	Dilation of esophagogastric junction with intraluminal device, open approach
0414093	Bypass splenic artery to right renal artery with autologous venous tissue, open approach	0D740ZZ	Dilation of esophagogastric junction, open approach
0414094	Bypass splenic artery to left renal artery with autologous venous tissue, open approach	0D760DZ	Dilation of stomach with intraluminal device, open approach
0414095	Bypass splenic artery to bilateral renal artery with autologous venous tissue, open approach	0D760ZZ	Dilation of stomach, open approach
04140A3	Bypass splenic artery to right renal artery with autologous arterial tissue, open approach	0D770DZ	Dilation of stomach, pylorus with intraluminal device, open approach
04140A4	Bypass splenic artery to left renal artery with autologous arterial tissue, open approach	0D770ZZ	Dilation of stomach, pylorus, open approach
04140A5	Bypass splenic artery to bilateral renal artery with autologous arterial tissue, open approach	0D780DZ	Dilation of small intestine with intraluminal device, open approach
04140J3	Bypass splenic artery to right renal artery with synthetic substitute, open approach	0D780ZZ	Dilation of small intestine, open approach
04140J4	Bypass splenic artery to left renal artery with synthetic substitute, open approach	0D790DZ	Dilation of duodenum with intraluminal device, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04140J5	Bypass splenic artery to bilateral renal artery with synthetic substitute, open approach	0D790ZZ	Dilation of duodenum, open approach
04140K3	Bypass splenic artery to right renal artery with nonautologous tissue substitute, open approach	0D7A0DZ	Dilation of jejunum with intraluminal device, open approach
04140K4	Bypass splenic artery to left renal artery with nonautologous tissue substitute, open approach	0D7A0ZZ	Dilation of jejunum, open approach
04140K5	Bypass splenic artery to bilateral renal artery with nonautologous tissue substitute, open approach	0D7B0DZ	Dilation of ileum with intraluminal device, open approach
04140Z3	Bypass splenic artery to right renal artery, open approach	0D7B0ZZ	Dilation of ileum, open approach
04140Z4	Bypass splenic artery to left renal artery, open approach	0D7C0DZ	Dilation of ileocecal valve with intraluminal device, open approach
04140Z5	Bypass splenic artery to bilateral renal artery, open approach	0D7C0ZZ	Dilation of ileocecal valve, open approach
041C090	Bypass right common iliac artery to abdominal aorta with autologous venous tissue, open approach	0D7E0DZ	Dilation of large intestine with intraluminal device, open approach
041C091	Bypass right common iliac artery to celiac artery with autologous venous tissue, open approach	0D7E0ZZ	Dilation of large intestine, open approach
041C092	Bypass right common iliac artery to mesenteric artery with autologous venous tissue, open approach	0D7F0DZ	Dilation of right large intestine with intraluminal device, open approach
041C093	Bypass right common iliac artery to right renal artery with autologous venous tissue, open approach	0D7F0ZZ	Dilation of right large intestine, open approach
041C094	Bypass right common iliac artery to left renal artery with autologous venous tissue, open approach	0D7G0DZ	Dilation of left large intestine with intraluminal device, open approach
041C095	Bypass right common iliac artery to bilateral renal artery with autologous venous tissue, open approach	0D7G0ZZ	Dilation of left large intestine, open approach
041C096	Bypass right common iliac artery to right common iliac artery with autologous venous tissue, open approach	0D7H0DZ	Dilation of cecum with intraluminal device, open approach
041C097	Bypass right common iliac artery to left common iliac artery with autologous venous tissue, open approach	0D7H0ZZ	Dilation of cecum, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041C098	Bypass right common iliac artery to bilateral common iliac arteries with autologous venous tissue, open approach	0D7K0DZ	Dilation of ascending colon with intraluminal device, open approach
041C099	Bypass right common iliac artery to right internal iliac artery with autologous venous tissue, open approach	0D7K0ZZ	Dilation of ascending colon, open approach
041C09B	Bypass right common iliac artery to left internal iliac artery with autologous venous tissue, open approach	0D7L0DZ	Dilation of transverse colon with intraluminal device, open approach
041C09C	Bypass right common iliac artery to bilateral internal iliac arteries with autologous venous tissue, open approach	0D7L0ZZ	Dilation of transverse colon, open approach
041C09D	Bypass right common iliac artery to right external iliac artery with autologous venous tissue, open approach	0D7M0DZ	Dilation of descending colon with intraluminal device, open approach
041C09F	Bypass right common iliac artery to left external iliac artery with autologous venous tissue, open approach	0D7M0ZZ	Dilation of descending colon, open approach
041C09G	Bypass right common iliac artery to bilateral external iliac arteries with autologous venous tissue, open approach	0D7N0DZ	Dilation of sigmoid colon with intraluminal device, open approach
041C09H	Bypass right common iliac artery to right femoral artery with autologous venous tissue, open approach	0D7N0ZZ	Dilation of sigmoid colon, open approach
041C09J	Bypass right common iliac artery to left femoral artery with autologous venous tissue, open approach	0D7P0DZ	Dilation of rectum with intraluminal device, open approach
041C09K	Bypass right common iliac artery to bilateral femoral arteries with autologous venous tissue, open approach	0D7P0ZZ	Dilation of rectum, open approach
041C09Q	Bypass right common iliac artery to lower extremity artery with autologous venous tissue, open approach	0D840ZZ	Division of esophagogastric junction, open approach
041C09R	Bypass right common iliac artery to lower artery with autologous venous tissue, open approach	0D870ZZ	Division of stomach, pylorus, open approach
041C0A0	Bypass right common iliac artery to abdominal aorta with autologous arterial tissue, open approach	0D9400Z	Drainage of esophagogastric junction with drainage device, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041C0A1	Bypass right common iliac artery to celiac artery with autologous arterial tissue, open approach	0D940ZX	Drainage of esophagogastric junction, open approach, diagnostic
041C0A2	Bypass right common iliac artery to mesenteric artery with autologous arterial tissue, open approach	0D940ZZ	Drainage of esophagogastric junction, open approach
041C0A3	Bypass right common iliac artery to right renal artery with autologous arterial tissue, open approach	0D9600Z	Drainage of stomach with drainage device, open approach
041C0A4	Bypass right common iliac artery to left renal artery with autologous arterial tissue, open approach	0D960ZX	Drainage of stomach, open approach, diagnostic
041C0A5	Bypass right common iliac artery to bilateral renal artery with autologous arterial tissue, open approach	0D960ZZ	Drainage of stomach, open approach
041C0A6	Bypass right common iliac artery to right common iliac artery with autologous arterial tissue, open approach	0D9700Z	Drainage of stomach, pylorus with drainage device, open approach
041C0A7	Bypass right common iliac artery to left common iliac artery with autologous arterial tissue, open approach	0D970ZX	Drainage of stomach, pylorus, open approach, diagnostic
041C0A8	Bypass right common iliac artery to bilateral common iliac arteries with autologous arterial tissue, open approach	0D970ZZ	Drainage of stomach, pylorus, open approach
041C0A9	Bypass right common iliac artery to right internal iliac artery with autologous arterial tissue, open approach	0D9800Z	Drainage of small intestine with drainage device, open approach
041C0AB	Bypass right common iliac artery to left internal iliac artery with autologous arterial tissue, open approach	0D980ZX	Drainage of small intestine, open approach, diagnostic
041C0AC	Bypass right common iliac artery to bilateral internal iliac arteries with autologous arterial tissue, open approach	0D980ZZ	Drainage of small intestine, open approach
041C0AD	Bypass right common iliac artery to right external iliac artery with autologous arterial tissue, open approach	0D9900Z	Drainage of duodenum with drainage device, open approach
041C0AF	Bypass right common iliac artery to left external iliac artery with autologous arterial tissue, open approach	0D990ZX	Drainage of duodenum, open approach, diagnostic

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041C0AG	Bypass right common iliac artery to bilateral external iliac arteries with autologous arterial tissue, open approach	0D990ZZ	Drainage of duodenum, open approach
041C0AH	Bypass right common iliac artery to right femoral artery with autologous arterial tissue, open approach	0D9A00Z	Drainage of jejunum with drainage device, open approach
041C0AJ	Bypass right common iliac artery to left femoral artery with autologous arterial tissue, open approach	0D9A0ZX	Drainage of jejunum, open approach, diagnostic
041C0AK	Bypass right common iliac artery to bilateral femoral arteries with autologous arterial tissue, open approach	0D9A0ZZ	Drainage of jejunum, open approach
041C0AQ	Bypass right common iliac artery to lower extremity artery with autologous arterial tissue, open approach	0D9B00Z	Drainage of ileum with drainage device, open approach
041C0AR	Bypass right common iliac artery to lower artery with autologous arterial tissue, open approach	0D9B0ZX	Drainage of ileum, open approach, diagnostic
041C0J0	Bypass right common iliac artery to abdominal aorta with synthetic substitute, open approach	0D9B0ZZ	Drainage of ileum, open approach
041C0J1	Bypass right common iliac artery to celiac artery with synthetic substitute, open approach	0D9C00Z	Drainage of ileocecal valve with drainage device, open approach
041C0J2	Bypass right common iliac artery to mesenteric artery with synthetic substitute, open approach	0D9C0ZX	Drainage of ileocecal valve, open approach, diagnostic
041C0J3	Bypass right common iliac artery to right renal artery with synthetic substitute, open approach	0D9C0ZZ	Drainage of ileocecal valve, open approach
041C0J4	Bypass right common iliac artery to left renal artery with synthetic substitute, open approach	0D9E00Z	Drainage of large intestine with drainage device, open approach
041C0J5	Bypass right common iliac artery to bilateral renal artery with synthetic substitute, open approach	0D9E0ZX	Drainage of large intestine, open approach, diagnostic
041C0J6	Bypass right common iliac artery to right common iliac artery with synthetic substitute, open approach	0D9E0ZZ	Drainage of large intestine, open approach
041C0J7	Bypass right common iliac artery to left common iliac artery with synthetic substitute, open approach	0D9F00Z	Drainage of right large intestine with drainage device, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041C0J8	Bypass right common iliac artery to bilateral common iliac arteries with synthetic substitute, open approach	0D9F0ZX	Drainage of right large intestine, open approach, diagnostic
041C0J9	Bypass right common iliac artery to right internal iliac artery with synthetic substitute, open approach	0D9F0ZZ	Drainage of right large intestine, open approach
041C0JB	Bypass right common iliac artery to left internal iliac artery with synthetic substitute, open approach	0D9G00Z	Drainage of left large intestine with drainage device, open approach
041C0JC	Bypass right common iliac artery to bilateral internal iliac arteries with synthetic substitute, open approach	0D9G0ZX	Drainage of left large intestine, open approach, diagnostic
041C0JD	Bypass right common iliac artery to right external iliac artery with synthetic substitute, open approach	0D9G0ZZ	Drainage of left large intestine, open approach
041C0JF	Bypass right common iliac artery to left external iliac artery with synthetic substitute, open approach	0D9H00Z	Drainage of cecum with drainage device, open approach
041C0JG	Bypass right common iliac artery to bilateral external iliac arteries with synthetic substitute, open approach	0D9H0ZX	Drainage of cecum, open approach, diagnostic
041C0JH	Bypass right common iliac artery to right femoral artery with synthetic substitute, open approach	0D9H0ZZ	Drainage of cecum, open approach
041C0JJ	Bypass right common iliac artery to left femoral artery with synthetic substitute, open approach	0D9J00Z	Drainage of appendix with drainage device, open approach
041C0JK	Bypass right common iliac artery to bilateral femoral arteries with synthetic substitute, open approach	0D9J0ZX	Drainage of appendix, open approach, diagnostic
041C0JQ	Bypass right common iliac artery to lower extremity artery with synthetic substitute, open approach	0D9J0ZZ	Drainage of appendix, open approach
041C0JR	Bypass right common iliac artery to lower artery with synthetic substitute, open approach	0D9K00Z	Drainage of ascending colon with drainage device, open approach
041C0K0	Bypass right common iliac artery to abdominal aorta with nonautologous tissue substitute, open approach	0D9K0ZX	Drainage of ascending colon, open approach, diagnostic
041C0K1	Bypass right common iliac artery to celiac artery with nonautologous tissue substitute, open approach	0D9K0ZZ	Drainage of ascending colon, open approach
041C0K2	Bypass right common iliac artery to mesenteric artery with nonautologous tissue substitute, open approach	0D9L00Z	Drainage of transverse colon with drainage device, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041C0K3	Bypass right common iliac artery to right renal artery with nonautologous tissue substitute, open approach	0D9L0ZX	Drainage of transverse colon, open approach, diagnostic
041C0K4	Bypass right common iliac artery to left renal artery with nonautologous tissue substitute, open approach	0D9L0ZZ	Drainage of transverse colon, open approach
041C0K5	Bypass right common iliac artery to bilateral renal artery with nonautologous tissue substitute, open approach	0D9M00Z	Drainage of descending colon with drainage device, open approach
041C0K6	Bypass right common iliac artery to right common iliac artery with nonautologous tissue substitute, open approach	0D9M0ZX	Drainage of descending colon, open approach, diagnostic
041C0K7	Bypass right common iliac artery to left common iliac artery with nonautologous tissue substitute, open approach	0D9M0ZZ	Drainage of descending colon, open approach
041C0K8	Bypass right common iliac artery to bilateral common iliac arteries with nonautologous tissue substitute, open approach	0D9N00Z	Drainage of sigmoid colon with drainage device, open approach
041C0K9	Bypass right common iliac artery to right internal iliac artery with nonautologous tissue substitute, open approach	0D9N0ZX	Drainage of sigmoid colon, open approach, diagnostic
041C0KB	Bypass right common iliac artery to left internal iliac artery with nonautologous tissue substitute, open approach	0D9N0ZZ	Drainage of sigmoid colon, open approach
041C0KC	Bypass right common iliac artery to bilateral internal iliac arteries with nonautologous tissue substitute, open approach	0D9P00Z	Drainage of rectum with drainage device, open approach
041C0KD	Bypass right common iliac artery to right external iliac artery with nonautologous tissue substitute, open approach	0D9P0ZX	Drainage of rectum, open approach, diagnostic
041C0KF	Bypass right common iliac artery to left external iliac artery with nonautologous tissue substitute, open approach	0D9P0ZZ	Drainage of rectum, open approach
041C0KG	Bypass right common iliac artery to bilateral external iliac arteries with nonautologous tissue substitute, open approach	0D9S00Z	Drainage of greater omentum with drainage device, open approach
041C0KH	Bypass right common iliac artery to right femoral artery with nonautologous tissue substitute, open approach	0D9S0ZX	Drainage of greater omentum, open approach, diagnostic

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041C0KJ	Bypass right common iliac artery to left femoral artery with nonautologous tissue substitute, open approach	0D9S0ZZ	Drainage of greater omentum, open approach
041C0KK	Bypass right common iliac artery to bilateral femoral arteries with nonautologous tissue substitute, open approach	0D9T00Z	Drainage of lesser omentum with drainage device, open approach
041C0KQ	Bypass right common iliac artery to lower extremity artery with nonautologous tissue substitute, open approach	0D9T0ZX	Drainage of lesser omentum, open approach, diagnostic
041C0KR	Bypass right common iliac artery to lower artery with nonautologous tissue substitute, open approach	0D9T0ZZ	Drainage of lesser omentum, open approach
041C0Z0	Bypass right common iliac artery to abdominal aorta, open approach	0D9U00Z	Drainage of omentum with drainage device, open approach
041C0Z1	Bypass right common iliac artery to celiac artery, open approach	0D9U0ZX	Drainage of omentum, open approach, diagnostic
041C0Z2	Bypass right common iliac artery to mesenteric artery, open approach	0D9U0ZZ	Drainage of omentum, open approach
041C0Z3	Bypass right common iliac artery to right renal artery, open approach	0D9V00Z	Drainage of mesentery with drainage device, open approach
041C0Z4	Bypass right common iliac artery to left renal artery, open approach	0D9V0ZX	Drainage of mesentery, open approach, diagnostic
041C0Z5	Bypass right common iliac artery to bilateral renal artery, open approach	0D9V0ZZ	Drainage of mesentery, open approach
041C0Z6	Bypass right common iliac artery to right common iliac artery, open approach	0D9W00Z	Drainage of peritoneum with drainage device, open approach
041C0Z7	Bypass right common iliac artery to left common iliac artery, open approach	0D9W0ZX	Drainage of peritoneum, open approach, diagnostic
041C0Z8	Bypass right common iliac artery to bilateral common iliac arteries, open approach	0D9W0ZZ	Drainage of peritoneum, open approach
041C0Z9	Bypass right common iliac artery to right internal iliac artery, open approach	0DB30ZX	Excision of lower esophagus, open approach, diagnostic
041C0ZB	Bypass right common iliac artery to left internal iliac artery, open approach	0DB30ZZ	Excision of lower esophagus, open approach
041C0ZC	Bypass right common iliac artery to bilateral internal iliac arteries, open approach	0DB40ZX	Excision of esophagogastric junction, open approach, diagnostic
041C0ZD	Bypass right common iliac artery to right external iliac artery, open approach	0DB40ZZ	Excision of esophagogastric junction, open approach
041C0ZF	Bypass right common iliac artery to left external iliac artery, open approach	0DB50ZX	Excision of esophagus, open approach, diagnostic

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041C0ZG	Bypass right common iliac artery to bilateral external iliac arteries, open approach	0DB50ZZ	Excision of esophagus, open approach
041C0ZH	Bypass right common iliac artery to right femoral artery, open approach	0DB60Z3	Excision of stomach, open approach, vertical
041C0ZJ	Bypass right common iliac artery to left femoral artery, open approach	0DB60ZX	Excision of stomach, open approach, diagnostic
041C0ZK	Bypass right common iliac artery to bilateral femoral arteries, open approach	0DB60ZZ	Excision of stomach, open approach
041C0ZQ	Bypass right common iliac artery to lower extremity artery, open approach	0DB70ZX	Excision of stomach, pylorus, open approach, diagnostic
041C0ZR	Bypass right common iliac artery to lower artery, open approach	0DB70ZZ	Excision of stomach, pylorus, open approach
041D090	Bypass left common iliac artery to abdominal aorta with autologous venous tissue, open approach	0DB80ZX	Excision of small intestine, open approach, diagnostic
041D091	Bypass left common iliac artery to celiac artery with autologous venous tissue, open approach	0DB80ZZ	Excision of small intestine, open approach
041D092	Bypass left common iliac artery to mesenteric artery with autologous venous tissue, open approach	0DB90ZX	Excision of duodenum, open approach, diagnostic
041D093	Bypass left common iliac artery to right renal artery with autologous venous tissue, open approach	0DB90ZZ	Excision of duodenum, open approach
041D094	Bypass left common iliac artery to left renal artery with autologous venous tissue, open approach	0DBA0ZX	Excision of jejunum, open approach, diagnostic
041D095	Bypass left common iliac artery to bilateral renal artery with autologous venous tissue, open approach	0DBA0ZZ	Excision of jejunum, open approach
041D096	Bypass left common iliac artery to right common iliac artery with autologous venous tissue, open approach	0DBB0ZX	Excision of ileum, open approach, diagnostic
041D097	Bypass left common iliac artery to left common iliac artery with autologous venous tissue, open approach	0DBB0ZZ	Excision of ileum, open approach
041D098	Bypass left common iliac artery to bilateral common iliac arteries with autologous venous tissue, open approach	0DBC0ZX	Excision of ileocecal valve, open approach, diagnostic
041D099	Bypass left common iliac artery to right internal iliac artery with autologous venous tissue, open approach	0DBC0ZZ	Excision of ileocecal valve, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041D09B	Bypass left common iliac artery to left internal iliac artery with autologous venous tissue, open approach	0DBE0ZX	Excision of large intestine, open approach, diagnostic
041D09C	Bypass left common iliac artery to bilateral internal iliac arteries with autologous venous tissue, open approach	0DBE0ZZ	Excision of large intestine, open approach
041D09D	Bypass left common iliac artery to right external iliac artery with autologous venous tissue, open approach	0DBF0ZX	Excision of right large intestine, open approach, diagnostic
041D09F	Bypass left common iliac artery to left external iliac artery with autologous venous tissue, open approach	0DBF0ZZ	Excision of right large intestine, open approach
041D09G	Bypass left common iliac artery to bilateral external iliac arteries with autologous venous tissue, open approach	0DBG0ZX	Excision of left large intestine, open approach, diagnostic
041D09H	Bypass left common iliac artery to right femoral artery with autologous venous tissue, open approach	0DBG0ZZ	Excision of left large intestine, open approach
041D09J	Bypass left common iliac artery to left femoral artery with autologous venous tissue, open approach	0DBH0ZX	Excision of cecum, open approach, diagnostic
041D09K	Bypass left common iliac artery to bilateral femoral arteries with autologous venous tissue, open approach	0DBH0ZZ	Excision of cecum, open approach
041D09Q	Bypass left common iliac artery to lower extremity artery with autologous venous tissue, open approach	0DBJ0ZX	Excision of appendix, open approach, diagnostic
041D09R	Bypass left common iliac artery to lower artery with autologous venous tissue, open approach	0DBJ0ZZ	Excision of appendix, open approach
041D0A0	Bypass left common iliac artery to abdominal aorta with autologous arterial tissue, open approach	0DBK0ZX	Excision of ascending colon, open approach, diagnostic
041D0A1	Bypass left common iliac artery to celiac artery with autologous arterial tissue, open approach	0DBK0ZZ	Excision of ascending colon, open approach
041D0A2	Bypass left common iliac artery to mesenteric artery with autologous arterial tissue, open approach	0DBL0ZX	Excision of transverse colon, open approach, diagnostic
041D0A3	Bypass left common iliac artery to right renal artery with autologous arterial tissue, open approach	0DBL0ZZ	Excision of transverse colon, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041D0A4	Bypass left common iliac artery to left renal artery with autologous arterial tissue, open approach	0DBM0ZX	Excision of descending colon, open approach, diagnostic
041D0A5	Bypass left common iliac artery to bilateral renal artery with autologous arterial tissue, open approach	0DBM0ZZ	Excision of descending colon, open approach
041D0A6	Bypass left common iliac artery to right common iliac artery with autologous arterial tissue, open approach	0DBN0ZX	Excision of sigmoid colon, open approach, diagnostic
041D0A7	Bypass left common iliac artery to left common iliac artery with autologous arterial tissue, open approach	0DBN0ZZ	Excision of sigmoid colon, open approach
041D0A8	Bypass left common iliac artery to bilateral common iliac arteries with autologous arterial tissue, open approach	0DBP0ZX	Excision of rectum, open approach, diagnostic
041D0A9	Bypass left common iliac artery to right internal iliac artery with autologous arterial tissue, open approach	0DBP0ZZ	Excision of rectum, open approach
041D0AB	Bypass left common iliac artery to left internal iliac artery with autologous arterial tissue, open approach	0DBS0ZX	Excision of greater omentum, open approach, diagnostic
041D0AC	Bypass left common iliac artery to bilateral internal iliac arteries with autologous arterial tissue, open approach	0DBS0ZZ	Excision of greater omentum, open approach
041D0AD	Bypass left common iliac artery to right external iliac artery with autologous arterial tissue, open approach	0DBT0ZX	Excision of lesser omentum, open approach, diagnostic
041D0AF	Bypass left common iliac artery to left external iliac artery with autologous arterial tissue, open approach	0DBT0ZZ	Excision of lesser omentum, open approach
041D0AG	Bypass left common iliac artery to bilateral external iliac arteries with autologous arterial tissue, open approach	0DBU0ZX	Excision of omentum, open approach, diagnostic
041D0AH	Bypass left common iliac artery to right femoral artery with autologous arterial tissue, open approach	0DBU0ZZ	Excision of omentum, open approach
041D0AJ	Bypass left common iliac artery to left femoral artery with autologous arterial tissue, open approach	0DBV0ZX	Excision of mesentery, open approach, diagnostic
041D0AK	Bypass left common iliac artery to bilateral femoral arteries with autologous arterial tissue, open approach	0DBV0ZZ	Excision of mesentery, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041D0AQ	Bypass left common iliac artery to lower extremity artery with autologous arterial tissue, open approach	0DBW0ZX	Excision of peritoneum, open approach, diagnostic
041D0AR	Bypass left common iliac artery to lower artery with autologous arterial tissue, open approach	0DBW0ZZ	Excision of peritoneum, open approach
041D0J0	Bypass left common iliac artery to abdominal aorta with synthetic substitute, open approach	0DC40ZZ	Extirpation of matter from esophagogastric junction, open approach
041D0J1	Bypass left common iliac artery to celiac artery with synthetic substitute, open approach	0DC60ZZ	Extirpation of matter from stomach, open approach
041D0J2	Bypass left common iliac artery to mesenteric artery with synthetic substitute, open approach	0DC70ZZ	Extirpation of matter from stomach, pylorus, open approach
041D0J3	Bypass left common iliac artery to right renal artery with synthetic substitute, open approach	0DC80ZZ	Extirpation of matter from small intestine, open approach
041D0J4	Bypass left common iliac artery to left renal artery with synthetic substitute, open approach	0DC90ZZ	Extirpation of matter from duodenum, open approach
041D0J5	Bypass left common iliac artery to bilateral renal artery with synthetic substitute, open approach	0DCA0ZZ	Extirpation of matter from jejunum, open approach
041D0J6	Bypass left common iliac artery to right common iliac artery with synthetic substitute, open approach	0DCB0ZZ	Extirpation of matter from ileum, open approach
041D0J7	Bypass left common iliac artery to left common iliac artery with synthetic substitute, open approach	0DCC0ZZ	Extirpation of matter from ileocecal valve, open approach
041D0J8	Bypass left common iliac artery to bilateral common iliac arteries with synthetic substitute, open approach	0DCE0ZZ	Extirpation of matter from large intestine, open approach
041D0J9	Bypass left common iliac artery to right internal iliac artery with synthetic substitute, open approach	0DCF0ZZ	Extirpation of matter from right large intestine, open approach
041D0JB	Bypass left common iliac artery to left internal iliac artery with synthetic substitute, open approach	0DCG0ZZ	Extirpation of matter from left large intestine, open approach
041D0JC	Bypass left common iliac artery to bilateral internal iliac arteries with synthetic substitute, open approach	0DCH0ZZ	Extirpation of matter from cecum, open approach
041D0JD	Bypass left common iliac artery to right external iliac artery with synthetic substitute, open approach	0DCJ0ZZ	Extirpation of matter from appendix, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041D0JF	Bypass left common iliac artery to left external iliac artery with synthetic substitute, open approach	0DCK0ZZ	Extirpation of matter from ascending colon, open approach
041D0JG	Bypass left common iliac artery to bilateral external iliac arteries with synthetic substitute, open approach	0DCL0ZZ	Extirpation of matter from transverse colon, open approach
041D0JH	Bypass left common iliac artery to right femoral artery with synthetic substitute, open approach	0DCM0ZZ	Extirpation of matter from descending colon, open approach
041D0JJ	Bypass left common iliac artery to left femoral artery with synthetic substitute, open approach	0DCN0ZZ	Extirpation of matter from sigmoid colon, open approach
041D0JK	Bypass left common iliac artery to bilateral femoral arteries with synthetic substitute, open approach	0DCP0ZZ	Extirpation of matter from rectum, open approach
041D0JQ	Bypass left common iliac artery to lower extremity artery with synthetic substitute, open approach	0DCS0ZZ	Extirpation of matter from greater omentum, open approach
041D0JR	Bypass left common iliac artery to lower artery with synthetic substitute, open approach	0DCT0ZZ	Extirpation of matter from lesser omentum, open approach
041D0K0	Bypass left common iliac artery to abdominal aorta with nonautologous tissue substitute, open approach	0DCU0ZZ	Extirpation of matter from omentum, open approach
041D0K1	Bypass left common iliac artery to celiac artery with nonautologous tissue substitute, open approach	0DCV0ZZ	Extirpation of matter from mesentery, open approach
041D0K2	Bypass left common iliac artery to mesenteric artery with nonautologous tissue substitute, open approach	0DCW0ZZ	Extirpation of matter from peritoneum, open approach
041D0K3	Bypass left common iliac artery to right renal artery with nonautologous tissue substitute, open approach	0DF60ZZ	Fragmentation in stomach, open approach
041D0K4	Bypass left common iliac artery to left renal artery with nonautologous tissue substitute, open approach	0DF80ZZ	Fragmentation in small intestine, open approach
041D0K5	Bypass left common iliac artery to bilateral renal artery with nonautologous tissue substitute, open approach	0DF90ZZ	Fragmentation in duodenum, open approach
041D0K6	Bypass left common iliac artery to right common iliac artery with nonautologous tissue substitute, open approach	0DFA0ZZ	Fragmentation in jejunum, open approach
041D0K7	Bypass left common iliac artery to left common iliac artery with nonautologous tissue substitute, open approach	0DFB0ZZ	Fragmentation in ileum, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041D0K8	Bypass left common iliac artery to bilateral common iliac arteries with nonautologous tissue substitute, open approach	0DFE0ZZ	Fragmentation in large intestine, open approach
041D0K9	Bypass left common iliac artery to right internal iliac artery with nonautologous tissue substitute, open approach	0DFF0ZZ	Fragmentation in right large intestine, open approach
041D0KB	Bypass left common iliac artery to left internal iliac artery with nonautologous tissue substitute, open approach	0DFG0ZZ	Fragmentation in left large intestine, open approach
041D0KC	Bypass left common iliac artery to bilateral internal iliac arteries with nonautologous tissue substitute, open approach	0DFH0ZZ	Fragmentation in cecum, open approach
041D0KD	Bypass left common iliac artery to right external iliac artery with nonautologous tissue substitute, open approach	0DFJ0ZZ	Fragmentation in appendix, open approach
041D0KF	Bypass left common iliac artery to left external iliac artery with nonautologous tissue substitute, open approach	0DFK0ZZ	Fragmentation in ascending colon, open approach
041D0KG	Bypass left common iliac artery to bilateral external iliac arteries with nonautologous tissue substitute, open approach	0DFL0ZZ	Fragmentation in transverse colon, open approach
041D0KH	Bypass left common iliac artery to right femoral artery with nonautologous tissue substitute, open approach	0DFM0ZZ	Fragmentation in descending colon, open approach
041D0KJ	Bypass left common iliac artery to left femoral artery with nonautologous tissue substitute, open approach	0DFN0ZZ	Fragmentation in sigmoid colon, open approach
041D0KK	Bypass left common iliac artery to bilateral femoral arteries with nonautologous tissue substitute, open approach	0DFP0ZZ	Fragmentation in rectum, open approach
041D0KQ	Bypass left common iliac artery to lower extremity artery with nonautologous tissue substitute, open approach	0DH00YZ	Insertion of other device into upper intestinal tract, open approach
041D0KR	Bypass left common iliac artery to lower artery with nonautologous tissue substitute, open approach	0DH601Z	Insertion of radioactive element into stomach, open approach
041D0Z0	Bypass left common iliac artery to abdominal aorta, open approach	0DH602Z	Insertion of monitoring device into stomach, open approach
041D0Z1	Bypass left common iliac artery to celiac artery, open approach	0DH603Z	Insertion of infusion device into stomach, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041D0Z2	Bypass left common iliac artery to mesenteric artery, open approach	0DH60DZ	Insertion of intraluminal device into stomach, open approach
041D0Z3	Bypass left common iliac artery to right renal artery, open approach	0DH60MZ	Insertion of stimulator lead into stomach, open approach
041D0Z4	Bypass left common iliac artery to left renal artery, open approach	0DH60UZ	Insertion of feeding device into stomach, open approach
041D0Z5	Bypass left common iliac artery to bilateral renal artery, open approach	0DH60YZ	Insertion of other device into stomach, open approach
041D0Z6	Bypass left common iliac artery to right common iliac artery, open approach	0DH801Z	Insertion of radioactive element into small intestine, open approach
041D0Z7	Bypass left common iliac artery to left common iliac artery, open approach	0DH802Z	Insertion of monitoring device into small intestine, open approach
041D0Z8	Bypass left common iliac artery to bilateral common iliac arteries, open approach	0DH803Z	Insertion of infusion device into small intestine, open approach
041D0Z9	Bypass left common iliac artery to right internal iliac artery, open approach	0DH80DZ	Insertion of intraluminal device into small intestine, open approach
041D0ZB	Bypass left common iliac artery to left internal iliac artery, open approach	0DH80UZ	Insertion of feeding device into small intestine, open approach
041D0ZC	Bypass left common iliac artery to bilateral internal iliac arteries, open approach	0DH901Z	Insertion of radioactive element into duodenum, open approach
041D0ZD	Bypass left common iliac artery to right external iliac artery, open approach	0DH902Z	Insertion of monitoring device into duodenum, open approach
041D0ZF	Bypass left common iliac artery to left external iliac artery, open approach	0DH903Z	Insertion of infusion device into duodenum, open approach
041D0ZG	Bypass left common iliac artery to bilateral external iliac arteries, open approach	0DH90DZ	Insertion of intraluminal device into duodenum, open approach
041D0ZH	Bypass left common iliac artery to right femoral artery, open approach	0DH90UZ	Insertion of feeding device into duodenum, open approach
041D0ZJ	Bypass left common iliac artery to left femoral artery, open approach	0DHA01Z	Insertion of radioactive element into jejunum, open approach
041D0ZK	Bypass left common iliac artery to bilateral femoral arteries, open approach	0DHA02Z	Insertion of monitoring device into jejunum, open approach
041D0ZQ	Bypass left common iliac artery to lower extremity artery, open approach	0DHA03Z	Insertion of infusion device into jejunum, open approach
041D0ZR	Bypass left common iliac artery to lower artery, open approach	0DHA0DZ	Insertion of intraluminal device into jejunum, open approach
041E099	Bypass right internal iliac artery to right internal iliac artery with autologous venous tissue, open approach	0DHA0UZ	Insertion of feeding device into jejunum, open approach
041E09B	Bypass right internal iliac artery to left internal iliac artery with autologous venous tissue, open approach	0DHB01Z	Insertion of radioactive element into ileum, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041E09C	Bypass right internal iliac artery to bilateral internal iliac arteries with autologous venous tissue, open approach	0DHB02Z	Insertion of monitoring device into ileum, open approach
041E09D	Bypass right internal iliac artery to right external iliac artery with autologous venous tissue, open approach	0DHB03Z	Insertion of infusion device into ileum, open approach
041E09F	Bypass right internal iliac artery to left external iliac artery with autologous venous tissue, open approach	0DHB0DZ	Insertion of intraluminal device into ileum, open approach
041E09G	Bypass right internal iliac artery to bilateral external iliac arteries with autologous venous tissue, open approach	0DHB0UZ	Insertion of feeding device into ileum, open approach
041E09H	Bypass right internal iliac artery to right femoral artery with autologous venous tissue, open approach	0DHD0YZ	Insertion of other device into lower intestinal tract, open approach
041E09J	Bypass right internal iliac artery to left femoral artery with autologous venous tissue, open approach	0DHE01Z	Insertion of radioactive element into large intestine, open approach
041E09K	Bypass right internal iliac artery to bilateral femoral arteries with autologous venous tissue, open approach	0DHE0DZ	Insertion of intraluminal device into large intestine, open approach
041E09P	Bypass right internal iliac artery to foot artery with autologous venous tissue, open approach	0DHP01Z	Insertion of radioactive element into rectum, open approach
041E09Q	Bypass right internal iliac artery to lower extremity artery with autologous venous tissue, open approach	0DHP0DZ	Insertion of intraluminal device into rectum, open approach
041E0A9	Bypass right internal iliac artery to right internal iliac artery with autologous arterial tissue, open approach	0DJ00ZZ	Inspection of upper intestinal tract, open approach
041E0AB	Bypass right internal iliac artery to left internal iliac artery with autologous arterial tissue, open approach	0DJ60ZZ	Inspection of stomach, open approach
041E0AC	Bypass right internal iliac artery to bilateral internal iliac arteries with autologous arterial tissue, open approach	0DJD0ZZ	Inspection of lower intestinal tract, open approach
041E0AD	Bypass right internal iliac artery to right external iliac artery with autologous arterial tissue, open approach	0DJU0ZZ	Inspection of omentum, open approach
041E0AF	Bypass right internal iliac artery to left external iliac artery with autologous arterial tissue, open approach	0DJV0ZZ	Inspection of mesentery, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041E0AG	Bypass right internal iliac artery to bilateral external iliac arteries with autologous arterial tissue, open approach	0DJW0ZZ	Inspection of peritoneum, open approach
041E0AH	Bypass right internal iliac artery to right femoral artery with autologous arterial tissue, open approach	0DL40CZ	Occlusion of esophagogastric junction with extraluminal device, open approach
041E0AJ	Bypass right internal iliac artery to left femoral artery with autologous arterial tissue, open approach	0DL40DZ	Occlusion of esophagogastric junction with intraluminal device, open approach
041E0AK	Bypass right internal iliac artery to bilateral femoral arteries with autologous arterial tissue, open approach	0DL40ZZ	Occlusion of esophagogastric junction, open approach
041E0AP	Bypass right internal iliac artery to foot artery with autologous arterial tissue, open approach	0DL60CZ	Occlusion of stomach with extraluminal device, open approach
041E0AQ	Bypass right internal iliac artery to lower extremity artery with autologous arterial tissue, open approach	0DL60DZ	Occlusion of stomach with intraluminal device, open approach
041E0J9	Bypass right internal iliac artery to right internal iliac artery with synthetic substitute, open approach	0DL60ZZ	Occlusion of stomach, open approach
041E0JB	Bypass right internal iliac artery to left internal iliac artery with synthetic substitute, open approach	0DL70CZ	Occlusion of stomach, pylorus with extraluminal device, open approach
041E0JC	Bypass right internal iliac artery to bilateral internal iliac arteries with synthetic substitute, open approach	0DL70DZ	Occlusion of stomach, pylorus with intraluminal device, open approach
041E0JD	Bypass right internal iliac artery to right external iliac artery with synthetic substitute, open approach	0DL70ZZ	Occlusion of stomach, pylorus, open approach
041E0JF	Bypass right internal iliac artery to left external iliac artery with synthetic substitute, open approach	0DL80CZ	Occlusion of small intestine with extraluminal device, open approach
041E0JG	Bypass right internal iliac artery to bilateral external iliac arteries with synthetic substitute, open approach	0DL80DZ	Occlusion of small intestine with intraluminal device, open approach
041E0JH	Bypass right internal iliac artery to right femoral artery with synthetic substitute, open approach	0DL80ZZ	Occlusion of small intestine, open approach
041E0JJ	Bypass right internal iliac artery to left femoral artery with synthetic substitute, open approach	0DL90CZ	Occlusion of duodenum with extraluminal device, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041E0JK	Bypass right internal iliac artery to bilateral femoral arteries with synthetic substitute, open approach	0DL90DZ	Occlusion of duodenum with intraluminal device, open approach
041E0JP	Bypass right internal iliac artery to foot artery with synthetic substitute, open approach	0DL90ZZ	Occlusion of duodenum, open approach
041E0JQ	Bypass right internal iliac artery to lower extremity artery with synthetic substitute, open approach	0DLA0CZ	Occlusion of jejunum with extraluminal device, open approach
041E0K9	Bypass right internal iliac artery to right internal iliac artery with nonautologous tissue substitute, open approach	0DLA0DZ	Occlusion of jejunum with intraluminal device, open approach
041E0KB	Bypass right internal iliac artery to left internal iliac artery with nonautologous tissue substitute, open approach	0DLA0ZZ	Occlusion of jejunum, open approach
041E0KC	Bypass right internal iliac artery to bilateral internal iliac arteries with nonautologous tissue substitute, open approach	0DLB0CZ	Occlusion of ileum with extraluminal device, open approach
041E0KD	Bypass right internal iliac artery to right external iliac artery with nonautologous tissue substitute, open approach	0DLB0DZ	Occlusion of ileum with intraluminal device, open approach
041E0KF	Bypass right internal iliac artery to left external iliac artery with nonautologous tissue substitute, open approach	0DLB0ZZ	Occlusion of ileum, open approach
041E0KG	Bypass right internal iliac artery to bilateral external iliac arteries with nonautologous tissue substitute, open approach	0DLC0CZ	Occlusion of ileocecal valve with extraluminal device, open approach
041E0KH	Bypass right internal iliac artery to right femoral artery with nonautologous tissue substitute, open approach	0DLC0DZ	Occlusion of ileocecal valve with intraluminal device, open approach
041E0KJ	Bypass right internal iliac artery to left femoral artery with nonautologous tissue substitute, open approach	0DLC0ZZ	Occlusion of ileocecal valve, open approach
041E0KK	Bypass right internal iliac artery to bilateral femoral arteries with nonautologous tissue substitute, open approach	0DLE0CZ	Occlusion of large intestine with extraluminal device, open approach
041E0KP	Bypass right internal iliac artery to foot artery with nonautologous tissue substitute, open approach	0DLE0DZ	Occlusion of large intestine with intraluminal device, open approach
041E0KQ	Bypass right internal iliac artery to lower extremity artery with nonautologous tissue substitute, open approach	0DLE0ZZ	Occlusion of large intestine, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041E0Z9	Bypass right internal iliac artery to right internal iliac artery, open approach	0DLF0CZ	Occlusion of right large intestine with extraluminal device, open approach
041E0ZB	Bypass right internal iliac artery to left internal iliac artery, open approach	0DLF0DZ	Occlusion of right large intestine with intraluminal device, open approach
041E0ZC	Bypass right internal iliac artery to bilateral internal iliac arteries, open approach	0DLF0ZZ	Occlusion of right large intestine, open approach
041E0ZD	Bypass right internal iliac artery to right external iliac artery, open approach	0DLG0CZ	Occlusion of left large intestine with extraluminal device, open approach
041E0ZF	Bypass right internal iliac artery to left external iliac artery, open approach	0DLG0DZ	Occlusion of left large intestine with intraluminal device, open approach
041E0ZG	Bypass right internal iliac artery to bilateral external iliac arteries, open approach	0DLG0ZZ	Occlusion of left large intestine, open approach
041E0ZH	Bypass right internal iliac artery to right femoral artery, open approach	0DLH0CZ	Occlusion of cecum with extraluminal device, open approach
041E0ZJ	Bypass right internal iliac artery to left femoral artery, open approach	0DLH0DZ	Occlusion of cecum with intraluminal device, open approach
041E0ZK	Bypass right internal iliac artery to bilateral femoral arteries, open approach	0DLH0ZZ	Occlusion of cecum, open approach
041E0ZP	Bypass right internal iliac artery to foot artery, open approach	0DLK0CZ	Occlusion of ascending colon with extraluminal device, open approach
041E0ZQ	Bypass right internal iliac artery to lower extremity artery, open approach	0DLK0DZ	Occlusion of ascending colon with intraluminal device, open approach
041F099	Bypass left internal iliac artery to right internal iliac artery with autologous venous tissue, open approach	0DLK0ZZ	Occlusion of ascending colon, open approach
041F09B	Bypass left internal iliac artery to left internal iliac artery with autologous venous tissue, open approach	0DLL0CZ	Occlusion of transverse colon with extraluminal device, open approach
041F09C	Bypass left internal iliac artery to bilateral internal iliac arteries with autologous venous tissue, open approach	0DLL0DZ	Occlusion of transverse colon with intraluminal device, open approach
041F09D	Bypass left internal iliac artery to right external iliac artery with autologous venous tissue, open approach	0DLL0ZZ	Occlusion of transverse colon, open approach
041F09F	Bypass left internal iliac artery to left external iliac artery with autologous venous tissue, open approach	0DLM0CZ	Occlusion of descending colon with extraluminal device, open approach
041F09G	Bypass left internal iliac artery to bilateral external iliac arteries with autologous venous tissue, open approach	0DLM0DZ	Occlusion of descending colon with intraluminal device, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041F09H	Bypass left internal iliac artery to right femoral artery with autologous venous tissue, open approach	0DLM0ZZ	Occlusion of descending colon, open approach
041F09J	Bypass left internal iliac artery to left femoral artery with autologous venous tissue, open approach	0DLN0CZ	Occlusion of sigmoid colon with extraluminal device, open approach
041F09K	Bypass left internal iliac artery to bilateral femoral arteries with autologous venous tissue, open approach	0DLN0DZ	Occlusion of sigmoid colon with intraluminal device, open approach
041F09P	Bypass left internal iliac artery to foot artery with autologous venous tissue, open approach	0DLN0ZZ	Occlusion of sigmoid colon, open approach
041F09Q	Bypass left internal iliac artery to lower extremity artery with autologous venous tissue, open approach	0DLP0CZ	Occlusion of rectum with extraluminal device, open approach
041F0A9	Bypass left internal iliac artery to right internal iliac artery with autologous arterial tissue, open approach	0DLP0DZ	Occlusion of rectum with intraluminal device, open approach
041F0AB	Bypass left internal iliac artery to left internal iliac artery with autologous arterial tissue, open approach	0DLP0ZZ	Occlusion of rectum, open approach
041F0AC	Bypass left internal iliac artery to bilateral internal iliac arteries with autologous arterial tissue, open approach	0DM60ZZ	Reattachment of stomach, open approach
041F0AD	Bypass left internal iliac artery to right external iliac artery with autologous arterial tissue, open approach	0DM80ZZ	Reattachment of small intestine, open approach
041F0AF	Bypass left internal iliac artery to left external iliac artery with autologous arterial tissue, open approach	0DM90ZZ	Reattachment of duodenum, open approach
041F0AG	Bypass left internal iliac artery to bilateral external iliac arteries with autologous arterial tissue, open approach	0DMA0ZZ	Reattachment of jejunum, open approach
041F0AH	Bypass left internal iliac artery to right femoral artery with autologous arterial tissue, open approach	0DMB0ZZ	Reattachment of ileum, open approach
041F0AJ	Bypass left internal iliac artery to left femoral artery with autologous arterial tissue, open approach	0DME0ZZ	Reattachment of large intestine, open approach
041F0AK	Bypass left internal iliac artery to bilateral femoral arteries with autologous arterial tissue, open approach	0DMF0ZZ	Reattachment of right large intestine, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041F0AP	Bypass left internal iliac artery to foot artery with autologous arterial tissue, open approach	0DMG0ZZ	Reattachment of left large intestine, open approach
041F0AQ	Bypass left internal iliac artery to lower extremity artery with autologous arterial tissue, open approach	0DMH0ZZ	Reattachment of cecum, open approach
041F0J9	Bypass left internal iliac artery to right internal iliac artery with synthetic substitute, open approach	0DMK0ZZ	Reattachment of ascending colon, open approach
041F0JB	Bypass left internal iliac artery to left internal iliac artery with synthetic substitute, open approach	0DML0ZZ	Reattachment of transverse colon, open approach
041F0JC	Bypass left internal iliac artery to bilateral internal iliac arteries with synthetic substitute, open approach	0DMM0ZZ	Reattachment of descending colon, open approach
041F0JD	Bypass left internal iliac artery to right external iliac artery with synthetic substitute, open approach	0DMN0ZZ	Reattachment of sigmoid colon, open approach
041F0JF	Bypass left internal iliac artery to left external iliac artery with synthetic substitute, open approach	0DMPOZZ	Reattachment of rectum, open approach
041F0JG	Bypass left internal iliac artery to bilateral external iliac arteries with synthetic substitute, open approach	0DN40ZZ	Release esophagogastric junction, open approach
041F0JH	Bypass left internal iliac artery to right femoral artery with synthetic substitute, open approach	0DN60ZZ	Release stomach, open approach
041F0JJ	Bypass left internal iliac artery to left femoral artery with synthetic substitute, open approach	0DN70ZZ	Release stomach, pylorus, open approach
041F0JK	Bypass left internal iliac artery to bilateral femoral arteries with synthetic substitute, open approach	0DN80ZZ	Release small intestine, open approach
041F0JP	Bypass left internal iliac artery to foot artery with synthetic substitute, open approach	0DN90ZZ	Release duodenum, open approach
041F0JQ	Bypass left internal iliac artery to lower extremity artery with synthetic substitute, open approach	0DNA0ZZ	Release jejunum, open approach
041F0K9	Bypass left internal iliac artery to right internal iliac artery with nonautologous tissue substitute, open approach	0DNB0ZZ	Release ileum, open approach
041F0KB	Bypass left internal iliac artery to left internal iliac artery with nonautologous tissue substitute, open approach	0DNC0ZZ	Release ileocecal valve, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041F0KC	Bypass left internal iliac artery to bilateral internal iliac arteries with nonautologous tissue substitute, open approach	0DNE0ZZ	Release large intestine, open approach
041F0KD	Bypass left internal iliac artery to right external iliac artery with nonautologous tissue substitute, open approach	0DNF0ZZ	Release right large intestine, open approach
041F0KF	Bypass left internal iliac artery to left external iliac artery with nonautologous tissue substitute, open approach	0DNG0ZZ	Release left large intestine, open approach
041F0KG	Bypass left internal iliac artery to bilateral external iliac arteries with nonautologous tissue substitute, open approach	0DNH0ZZ	Release cecum, open approach
041F0KH	Bypass left internal iliac artery to right femoral artery with nonautologous tissue substitute, open approach	0DNJ0ZZ	Release appendix, open approach
041F0KJ	Bypass left internal iliac artery to left femoral artery with nonautologous tissue substitute, open approach	0DNK0ZZ	Release ascending colon, open approach
041F0KK	Bypass left internal iliac artery to bilateral femoral arteries with nonautologous tissue substitute, open approach	0DNL0ZZ	Release transverse colon, open approach
041F0KP	Bypass left internal iliac artery to foot artery with nonautologous tissue substitute, open approach	0DNM0ZZ	Release descending colon, open approach
041F0KQ	Bypass left internal iliac artery to lower extremity artery with nonautologous tissue substitute, open approach	0DNN0ZZ	Release sigmoid colon, open approach
041F0Z9	Bypass left internal iliac artery to right internal iliac artery, open approach	0DNP0ZZ	Release rectum, open approach
041F0ZB	Bypass left internal iliac artery to left internal iliac artery, open approach	0DNS0ZZ	Release greater omentum, open approach
041F0ZC	Bypass left internal iliac artery to bilateral internal iliac arteries, open approach	0DNT0ZZ	Release lesser omentum, open approach
041F0ZD	Bypass left internal iliac artery to right external iliac artery, open approach	0DNU0ZZ	Release omentum, open approach
041F0ZF	Bypass left internal iliac artery to left external iliac artery, open approach	0DNV0ZZ	Release mesentery, open approach
041F0ZG	Bypass left internal iliac artery to bilateral external iliac arteries, open approach	0DNW0ZZ	Release peritoneum, open approach
041F0ZH	Bypass left internal iliac artery to right femoral artery, open approach	0DP000Z	Removal of drainage device from upper intestinal tract, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041F0ZJ	Bypass left internal iliac artery to left femoral artery, open approach	0DP002Z	Removal of monitoring device from upper intestinal tract, open approach
041F0ZK	Bypass left internal iliac artery to bilateral femoral arteries, open approach	0DP003Z	Removal of infusion device from upper intestinal tract, open approach
041F0ZP	Bypass left internal iliac artery to foot artery, open approach	0DP007Z	Removal of autologous tissue substitute from upper intestinal tract, open approach
041F0ZQ	Bypass left internal iliac artery to lower extremity artery, open approach	0DP00CZ	Removal of extraluminal device from upper intestinal tract, open approach
041H099	Bypass right external iliac artery to right internal iliac artery with autologous venous tissue, open approach	0DP00DZ	Removal of intraluminal device from upper intestinal tract, open approach
041H09B	Bypass right external iliac artery to left internal iliac artery with autologous venous tissue, open approach	0DP00JZ	Removal of synthetic substitute from upper intestinal tract, open approach
041H09C	Bypass right external iliac artery to bilateral internal iliac arteries with autologous venous tissue, open approach	0DP00KZ	Removal of nonautologous tissue substitute from upper intestinal tract, open approach
041H09D	Bypass right external iliac artery to right external iliac artery with autologous venous tissue, open approach	0DP00UZ	Removal of feeding device from upper intestinal tract, open approach
041H09F	Bypass right external iliac artery to left external iliac artery with autologous venous tissue, open approach	0DP00YZ	Removal of other device from upper intestinal tract, open approach
041H09G	Bypass right external iliac artery to bilateral external iliac arteries with autologous venous tissue, open approach	0DP600Z	Removal of drainage device from stomach, open approach
041H09H	Bypass right external iliac artery to right femoral artery with autologous venous tissue, open approach	0DP602Z	Removal of monitoring device from stomach, open approach
041H09J	Bypass right external iliac artery to left femoral artery with autologous venous tissue, open approach	0DP603Z	Removal of infusion device from stomach, open approach
041H09K	Bypass right external iliac artery to bilateral femoral arteries with autologous venous tissue, open approach	0DP607Z	Removal of autologous tissue substitute from stomach, open approach
041H09P	Bypass right external iliac artery to foot artery with autologous venous tissue, open approach	0DP60CZ	Removal of extraluminal device from stomach, open approach
041H09Q	Bypass right external iliac artery to lower extremity artery with autologous venous tissue, open approach	0DP60DZ	Removal of intraluminal device from stomach, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041H0A9	Bypass right external iliac artery to right internal iliac artery with autologous arterial tissue, open approach	0DP60JZ	Removal of synthetic substitute from stomach, open approach
041H0AB	Bypass right external iliac artery to left internal iliac artery with autologous arterial tissue, open approach	0DP60KZ	Removal of nonautologous tissue substitute from stomach, open approach
041H0AC	Bypass right external iliac artery to bilateral internal iliac arteries with autologous arterial tissue, open approach	0DP60MZ	Removal of stimulator lead from stomach, open approach
041H0AD	Bypass right external iliac artery to right external iliac artery with autologous arterial tissue, open approach	0DP60UZ	Removal of feeding device from stomach, open approach
041H0AF	Bypass right external iliac artery to left external iliac artery with autologous arterial tissue, open approach	0DP60YZ	Removal of other device from stomach, open approach
041H0AG	Bypass right external iliac artery to bilateral external iliac arteries with autologous arterial tissue, open approach	0DPD00Z	Removal of drainage device from lower intestinal tract, open approach
041H0AH	Bypass right external iliac artery to right femoral artery with autologous arterial tissue, open approach	0DPD02Z	Removal of monitoring device from lower intestinal tract, open approach
041H0AJ	Bypass right external iliac artery to left femoral artery with autologous arterial tissue, open approach	0DPD03Z	Removal of infusion device from lower intestinal tract, open approach
041H0AK	Bypass right external iliac artery to bilateral femoral arteries with autologous arterial tissue, open approach	0DPD07Z	Removal of autologous tissue substitute from lower intestinal tract, open approach
041H0AP	Bypass right external iliac artery to foot artery with autologous arterial tissue, open approach	0DPD0CZ	Removal of extraluminal device from lower intestinal tract, open approach
041H0AQ	Bypass right external iliac artery to lower extremity artery with autologous arterial tissue, open approach	0DPD0DZ	Removal of intraluminal device from lower intestinal tract, open approach
041H0J9	Bypass right external iliac artery to right internal iliac artery with synthetic substitute, open approach	0DPD0JZ	Removal of synthetic substitute from lower intestinal tract, open approach
041H0JB	Bypass right external iliac artery to left internal iliac artery with synthetic substitute, open approach	0DPD0KZ	Removal of nonautologous tissue substitute from lower intestinal tract, open approach
041H0JC	Bypass right external iliac artery to bilateral internal iliac arteries with synthetic substitute, open approach	0DPD0UZ	Removal of feeding device from lower intestinal tract, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041H0JD	Bypass right external iliac artery to right external iliac artery with synthetic substitute, open approach	0DPD0YZ	Removal of other device from lower intestinal tract, open approach
041H0JF	Bypass right external iliac artery to left external iliac artery with synthetic substitute, open approach	0DPP01Z	Removal of radioactive element from rectum, open approach
041H0JG	Bypass right external iliac artery to bilateral external iliac arteries with synthetic substitute, open approach	0DPU00Z	Removal of drainage device from omentum, open approach
041H0JH	Bypass right external iliac artery to right femoral artery with synthetic substitute, open approach	0DPU01Z	Removal of radioactive element from omentum, open approach
041H0JJ	Bypass right external iliac artery to left femoral artery with synthetic substitute, open approach	0DPU07Z	Removal of autologous tissue substitute from omentum, open approach
041H0JK	Bypass right external iliac artery to bilateral femoral arteries with synthetic substitute, open approach	0DPU0JZ	Removal of synthetic substitute from omentum, open approach
041H0JP	Bypass right external iliac artery to foot artery with synthetic substitute, open approach	0DPU0KZ	Removal of nonautologous tissue substitute from omentum, open approach
041H0JQ	Bypass right external iliac artery to lower extremity artery with synthetic substitute, open approach	0DPV00Z	Removal of drainage device from mesentery, open approach
041H0K9	Bypass right external iliac artery to right internal iliac artery with nonautologous tissue substitute, open approach	0DPV01Z	Removal of radioactive element from mesentery, open approach
041H0KB	Bypass right external iliac artery to left internal iliac artery with nonautologous tissue substitute, open approach	0DPV07Z	Removal of autologous tissue substitute from mesentery, open approach
041H0KC	Bypass right external iliac artery to bilateral internal iliac arteries with nonautologous tissue substitute, open approach	0DPV0JZ	Removal of synthetic substitute from mesentery, open approach
041H0KD	Bypass right external iliac artery to right external iliac artery with nonautologous tissue substitute, open approach	0DPV0KZ	Removal of nonautologous tissue substitute from mesentery, open approach
041H0KF	Bypass right external iliac artery to left external iliac artery with nonautologous tissue substitute, open approach	0DPW00Z	Removal of drainage device from peritoneum, open approach
041H0KG	Bypass right external iliac artery to bilateral external iliac arteries with nonautologous tissue substitute, open approach	0DPW01Z	Removal of radioactive element from peritoneum, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041H0KH	Bypass right external iliac artery to right femoral artery with nonautologous tissue substitute, open approach	0DPW07Z	Removal of autologous tissue substitute from peritoneum, open approach
041H0KJ	Bypass right external iliac artery to left femoral artery with nonautologous tissue substitute, open approach	0DPW0JZ	Removal of synthetic substitute from peritoneum, open approach
041H0KK	Bypass right external iliac artery to bilateral femoral arteries with nonautologous tissue substitute, open approach	0DPW0KZ	Removal of nonautologous tissue substitute from peritoneum, open approach
041H0KP	Bypass right external iliac artery to foot artery with nonautologous tissue substitute, open approach	0DQ40ZZ	Repair esophagogastric junction, open approach
041H0KQ	Bypass right external iliac artery to lower extremity artery with nonautologous tissue substitute, open approach	0DQ60ZZ	Repair stomach, open approach
041H0Z9	Bypass right external iliac artery to right internal iliac artery, open approach	0DQ70ZZ	Repair stomach, pylorus, open approach
041H0ZB	Bypass right external iliac artery to left internal iliac artery, open approach	0DQ80ZZ	Repair small intestine, open approach
041H0ZC	Bypass right external iliac artery to bilateral internal iliac arteries, open approach	0DQ90ZZ	Repair duodenum, open approach
041H0ZD	Bypass right external iliac artery to right external iliac artery, open approach	0DQA0ZZ	Repair jejunum, open approach
041H0ZF	Bypass right external iliac artery to left external iliac artery, open approach	0DQB0ZZ	Repair ileum, open approach
041H0ZG	Bypass right external iliac artery to bilateral external iliac arteries, open approach	0DQC0ZZ	Repair ileocecal valve, open approach
041H0ZH	Bypass right external iliac artery to right femoral artery, open approach	0DQE0ZZ	Repair large intestine, open approach
041H0ZJ	Bypass right external iliac artery to left femoral artery, open approach	0DQF0ZZ	Repair right large intestine, open approach
041H0ZK	Bypass right external iliac artery to bilateral femoral arteries, open approach	0DQG0ZZ	Repair left large intestine, open approach
041H0ZP	Bypass right external iliac artery to foot artery, open approach	0DQH0ZZ	Repair cecum, open approach
041H0ZQ	Bypass right external iliac artery to lower extremity artery, open approach	0DQJ0ZZ	Repair appendix, open approach
041J099	Bypass left external iliac artery to right internal iliac artery with autologous venous tissue, open approach	0DQK0ZZ	Repair ascending colon, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041J09B	Bypass left external iliac artery to left internal iliac artery with autologous venous tissue, open approach	0DQL0ZZ	Repair transverse colon, open approach
041J09C	Bypass left external iliac artery to bilateral internal iliac arteries with autologous venous tissue, open approach	0DQM0ZZ	Repair descending colon, open approach
041J09D	Bypass left external iliac artery to right external iliac artery with autologous venous tissue, open approach	0DQN0ZZ	Repair sigmoid colon, open approach
041J09F	Bypass left external iliac artery to left external iliac artery with autologous venous tissue, open approach	0DQP0ZZ	Repair rectum, open approach
041J09G	Bypass left external iliac artery to bilateral external iliac arteries with autologous venous tissue, open approach	0DQS0ZZ	Repair greater omentum, open approach
041J09H	Bypass left external iliac artery to right femoral artery with autologous venous tissue, open approach	0DQT0ZZ	Repair lesser omentum, open approach
041J09J	Bypass left external iliac artery to left femoral artery with autologous venous tissue, open approach	0DQU0ZZ	Repair omentum, open approach
041J09K	Bypass left external iliac artery to bilateral femoral arteries with autologous venous tissue, open approach	0DQV0ZZ	Repair mesentery, open approach
041J09P	Bypass left external iliac artery to foot artery with autologous venous tissue, open approach	0DQW0ZZ	Repair peritoneum, open approach
041J09Q	Bypass left external iliac artery to lower extremity artery with autologous venous tissue, open approach	0DRS07Z	Replacement of greater omentum with autologous tissue substitute, open approach
041J0A9	Bypass left external iliac artery to right internal iliac artery with autologous arterial tissue, open approach	0DRS0JZ	Replacement of greater omentum with synthetic substitute, open approach
041J0AB	Bypass left external iliac artery to left internal iliac artery with autologous arterial tissue, open approach	0DRS0KZ	Replacement of greater omentum with nonautologous tissue substitute, open approach
041J0AC	Bypass left external iliac artery to bilateral internal iliac arteries with autologous arterial tissue, open approach	0DRT07Z	Replacement of lesser omentum with autologous tissue substitute, open approach
041J0AD	Bypass left external iliac artery to right external iliac artery with autologous arterial tissue, open approach	0DRT0JZ	Replacement of lesser omentum with synthetic substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041J0AF	Bypass left external iliac artery to left external iliac artery with autologous arterial tissue, open approach	0DRT0KZ	Replacement of lesser omentum with nonautologous tissue substitute, open approach
041J0AG	Bypass left external iliac artery to bilateral external iliac arteries with autologous arterial tissue, open approach	0DRU07Z	Replacement of omentum with autologous tissue substitute, open approach
041J0AH	Bypass left external iliac artery to right femoral artery with autologous arterial tissue, open approach	0DRU0JZ	Replacement of omentum with synthetic substitute, open approach
041J0AJ	Bypass left external iliac artery to left femoral artery with autologous arterial tissue, open approach	0DRU0KZ	Replacement of omentum with nonautologous tissue substitute, open approach
041J0AK	Bypass left external iliac artery to bilateral femoral arteries with autologous arterial tissue, open approach	0DRV07Z	Replacement of mesentery with autologous tissue substitute, open approach
041J0AP	Bypass left external iliac artery to foot artery with autologous arterial tissue, open approach	0DRV0JZ	Replacement of mesentery with synthetic substitute, open approach
041J0AQ	Bypass left external iliac artery to lower extremity artery with autologous arterial tissue, open approach	0DRV0KZ	Replacement of mesentery with nonautologous tissue substitute, open approach
041J0J9	Bypass left external iliac artery to right internal iliac artery with synthetic substitute, open approach	0DRW07Z	Replacement of peritoneum with autologous tissue substitute, open approach
041J0JB	Bypass left external iliac artery to left internal iliac artery with synthetic substitute, open approach	0DRW0JZ	Replacement of peritoneum with synthetic substitute, open approach
041J0JC	Bypass left external iliac artery to bilateral internal iliac arteries with synthetic substitute, open approach	0DRW0KZ	Replacement of peritoneum with nonautologous tissue substitute, open approach
041J0JD	Bypass left external iliac artery to right external iliac artery with synthetic substitute, open approach	0DS60ZZ	Reposition stomach, open approach
041J0JF	Bypass left external iliac artery to left external iliac artery with synthetic substitute, open approach	0DS80ZZ	Reposition small intestine, open approach
041J0JG	Bypass left external iliac artery to bilateral external iliac arteries with synthetic substitute, open approach	0DS90ZZ	Reposition duodenum, open approach
041J0JH	Bypass left external iliac artery to right femoral artery with synthetic substitute, open approach	0DSA0ZZ	Reposition jejunum, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041J0JJ	Bypass left external iliac artery to left femoral artery with synthetic substitute, open approach	0DSB0ZZ	Reposition ileum, open approach
041J0JK	Bypass left external iliac artery to bilateral femoral arteries with synthetic substitute, open approach	0DSE0ZZ	Reposition large intestine, open approach
041J0JP	Bypass left external iliac artery to foot artery with synthetic substitute, open approach	0DSH0ZZ	Reposition cecum, open approach
041J0JQ	Bypass left external iliac artery to lower extremity artery with synthetic substitute, open approach	0DSK0ZZ	Reposition ascending colon, open approach
041J0K9	Bypass left external iliac artery to right internal iliac artery with nonautologous tissue substitute, open approach	0DSL0ZZ	Reposition transverse colon, open approach
041J0KB	Bypass left external iliac artery to left internal iliac artery with nonautologous tissue substitute, open approach	0DSM0ZZ	Reposition descending colon, open approach
041J0KC	Bypass left external iliac artery to bilateral internal iliac arteries with nonautologous tissue substitute, open approach	0DSN0ZZ	Reposition sigmoid colon, open approach
041J0KD	Bypass left external iliac artery to right external iliac artery with nonautologous tissue substitute, open approach	0DSP0ZZ	Reposition rectum, open approach
041J0KF	Bypass left external iliac artery to left external iliac artery with nonautologous tissue substitute, open approach	0DT30ZZ	Resection of lower esophagus, open approach
041J0KG	Bypass left external iliac artery to bilateral external iliac arteries with nonautologous tissue substitute, open approach	0DT40ZZ	Resection of esophagogastric junction, open approach
041J0KH	Bypass left external iliac artery to right femoral artery with nonautologous tissue substitute, open approach	0DT50ZZ	Resection of esophagus, open approach
041J0KJ	Bypass left external iliac artery to left femoral artery with nonautologous tissue substitute, open approach	0DT60ZZ	Resection of stomach, open approach
041J0KK	Bypass left external iliac artery to bilateral femoral arteries with nonautologous tissue substitute, open approach	0DT70ZZ	Resection of stomach, pylorus, open approach
041J0KP	Bypass left external iliac artery to foot artery with nonautologous tissue substitute, open approach	0DT80ZZ	Resection of small intestine, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

041J0KQ	Bypass left external iliac artery to lower extremity artery with nonautologous tissue substitute, open approach	0DT90ZZ	Resection of duodenum, open approach
041J0Z9	Bypass left external iliac artery to right internal iliac artery, open approach	0DTA0ZZ	Resection of jejunum, open approach
041J0ZB	Bypass left external iliac artery to left internal iliac artery, open approach	0DTB0ZZ	Resection of ileum, open approach
041J0ZC	Bypass left external iliac artery to bilateral internal iliac arteries, open approach	0DTC0ZZ	Resection of ileocecal valve, open approach
041J0ZD	Bypass left external iliac artery to right external iliac artery, open approach	0DTE0ZZ	Resection of large intestine, open approach
041J0ZF	Bypass left external iliac artery to left external iliac artery, open approach	0DTF0ZZ	Resection of right large intestine, open approach
041J0ZG	Bypass left external iliac artery to bilateral external iliac arteries, open approach	0DTG0ZZ	Resection of left large intestine, open approach
041J0ZH	Bypass left external iliac artery to right femoral artery, open approach	0DTH0ZZ	Resection of cecum, open approach
041J0ZJ	Bypass left external iliac artery to left femoral artery, open approach	0DTJ0ZZ	Resection of appendix, open approach
041J0ZK	Bypass left external iliac artery to bilateral femoral arteries, open approach	0DTK0ZZ	Resection of ascending colon, open approach
041J0ZP	Bypass left external iliac artery to foot artery, open approach	0DTL0ZZ	Resection of transverse colon, open approach
041J0ZQ	Bypass left external iliac artery to lower extremity artery, open approach	0DTM0ZZ	Resection of descending colon, open approach
04500ZZ	Destruction of abdominal aorta, open approach	0DTN0ZZ	Resection of sigmoid colon, open approach
04510ZZ	Destruction of celiac artery, open approach	0DTP0ZZ	Resection of rectum, open approach
04520ZZ	Destruction of gastric artery, open approach	0DTS0ZZ	Resection of greater omentum, open approach
04530ZZ	Destruction of hepatic artery, open approach	0DTT0ZZ	Resection of lesser omentum, open approach
04540ZZ	Destruction of splenic artery, open approach	0DTU0ZZ	Resection of omentum, open approach
04550ZZ	Destruction of superior mesenteric artery, open approach	0DU407Z	Supplement esophagogastric junction with autologous tissue substitute, open approach
04560ZZ	Destruction of right colic artery, open approach	0DU40JZ	Supplement esophagogastric junction with synthetic substitute, open approach
04570ZZ	Destruction of left colic artery, open approach	0DU40KZ	Supplement esophagogastric junction with nonautologous tissue substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04580ZZ	Destruction of middle colic artery, open approach	0DU607Z	Supplement stomach with autologous tissue substitute, open approach
04590ZZ	Destruction of right renal artery, open approach	0DU60JZ	Supplement stomach with synthetic substitute, open approach
045A0ZZ	Destruction of left renal artery, open approach	0DU60KZ	Supplement stomach with nonautologous tissue substitute, open approach
045B0ZZ	Destruction of inferior mesenteric artery, open approach	0DU707Z	Supplement stomach, pylorus with autologous tissue substitute, open approach
045C0ZZ	Destruction of right common iliac artery, open approach	0DU70JZ	Supplement stomach, pylorus with synthetic substitute, open approach
045D0ZZ	Destruction of left common iliac artery, open approach	0DU70KZ	Supplement stomach, pylorus with nonautologous tissue substitute, open approach
045E0ZZ	Destruction of right internal iliac artery, open approach	0DU807Z	Supplement small intestine with autologous tissue substitute, open approach
045F0ZZ	Destruction of left internal iliac artery, open approach	0DU80JZ	Supplement small intestine with synthetic substitute, open approach
045H0ZZ	Destruction of right external iliac artery, open approach	0DU80KZ	Supplement small intestine with nonautologous tissue substitute, open approach
045J0ZZ	Destruction of left external iliac artery, open approach	0DU907Z	Supplement duodenum with autologous tissue substitute, open approach
0470041	Dilation of abdominal aorta with drug-eluting intraluminal device, using drug-coated balloon, open approach	0DU90JZ	Supplement duodenum with synthetic substitute, open approach
0470046	Dilation of abdominal aorta, bifurcation, with drug-eluting intraluminal device, open approach	0DU90KZ	Supplement duodenum with nonautologous tissue substitute, open approach
047004Z	Dilation of abdominal aorta with drug-eluting intraluminal device, open approach	0DUA07Z	Supplement jejunum with autologous tissue substitute, open approach
0470056	Dilation of abdominal aorta, bifurcation, with two drug-eluting intraluminal devices, open approach	0DUA0JZ	Supplement jejunum with synthetic substitute, open approach
047005Z	Dilation of abdominal aorta with two drug-eluting intraluminal devices, open approach	0DUA0KZ	Supplement jejunum with nonautologous tissue substitute, open approach
0470066	Dilation of abdominal aorta, bifurcation, with three drug-eluting intraluminal devices, open approach	0DUB07Z	Supplement ileum with autologous tissue substitute, open approach
047006Z	Dilation of abdominal aorta with three drug-eluting intraluminal devices, open approach	0DUB0JZ	Supplement ileum with synthetic substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

0470076	Dilation of abdominal aorta, bifurcation, with four or more drug-eluting intraluminal devices, open approach	0DUB0KZ	Supplement ileum with nonautologous tissue substitute, open approach
047007Z	Dilation of abdominal aorta with four or more drug-eluting intraluminal devices, open approach	0DUC07Z	Supplement ileocecal valve with autologous tissue substitute, open approach
04700D1	Dilation of abdominal aorta with intraluminal device, using drug-coated balloon, open approach	0DUC0JZ	Supplement ileocecal valve with synthetic substitute, open approach
04700D6	Dilation of abdominal aorta, bifurcation, with intraluminal device, open approach	0DUC0KZ	Supplement ileocecal valve with nonautologous tissue substitute, open approach
04700DZ	Dilation of abdominal aorta with intraluminal device, open approach	0DUE07Z	Supplement large intestine with autologous tissue substitute, open approach
04700E6	Dilation of abdominal aorta, bifurcation, with two intraluminal devices, open approach	0DUE0JZ	Supplement large intestine with synthetic substitute, open approach
04700EZ	Dilation of abdominal aorta with two intraluminal devices, open approach	0DUE0KZ	Supplement large intestine with nonautologous tissue substitute, open approach
04700F6	Dilation of abdominal aorta, bifurcation, with three intraluminal devices, open approach	0DUF07Z	Supplement right large intestine with autologous tissue substitute, open approach
04700FZ	Dilation of abdominal aorta with three intraluminal devices, open approach	0DUF0JZ	Supplement right large intestine with synthetic substitute, open approach
04700G6	Dilation of abdominal aorta, bifurcation, with four or more intraluminal devices, open approach	0DUF0KZ	Supplement right large intestine with nonautologous tissue substitute, open approach
04700GZ	Dilation of abdominal aorta with four or more intraluminal devices, open approach	0DUG07Z	Supplement left large intestine with autologous tissue substitute, open approach
04700Z1	Dilation of abdominal aorta using drug-coated balloon, open approach	0DUG0JZ	Supplement left large intestine with synthetic substitute, open approach
04700Z6	Dilation of abdominal aorta, bifurcation, open approach	0DUG0KZ	Supplement left large intestine with nonautologous tissue substitute, open approach
04700ZZ	Dilation of abdominal aorta, open approach	0DUH07Z	Supplement cecum with autologous tissue substitute, open approach
0471041	Dilation of celiac artery with drug-eluting intraluminal device, using drug-coated balloon, open approach	0DUH0JZ	Supplement cecum with synthetic substitute, open approach
0471046	Dilation of celiac artery, bifurcation, with drug-eluting intraluminal device, open approach	0DUH0KZ	Supplement cecum with nonautologous tissue substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

047104Z	Dilation of celiac artery with drug-eluting intraluminal device, open approach	0DUK07Z	Supplement ascending colon with autologous tissue substitute, open approach
0471056	Dilation of celiac artery, bifurcation, with two drug-eluting intraluminal devices, open approach	0DUK0JZ	Supplement ascending colon with synthetic substitute, open approach
047105Z	Dilation of celiac artery with two drug-eluting intraluminal devices, open approach	0DUK0KZ	Supplement ascending colon with nonautologous tissue substitute, open approach
0471066	Dilation of celiac artery, bifurcation, with three drug-eluting intraluminal devices, open approach	0DUL07Z	Supplement transverse colon with autologous tissue substitute, open approach
047106Z	Dilation of celiac artery with three drug-eluting intraluminal devices, open approach	0DUL0JZ	Supplement transverse colon with synthetic substitute, open approach
0471076	Dilation of celiac artery, bifurcation, with four or more drug-eluting intraluminal devices, open approach	0DUL0KZ	Supplement transverse colon with nonautologous tissue substitute, open approach
047107Z	Dilation of celiac artery with four or more drug-eluting intraluminal devices, open approach	0DUM07Z	Supplement descending colon with autologous tissue substitute, open approach
04710D1	Dilation of celiac artery with intraluminal device, using drug-coated balloon, open approach	0DUM0JZ	Supplement descending colon with synthetic substitute, open approach
04710D6	Dilation of celiac artery, bifurcation, with intraluminal device, open approach	0DUM0KZ	Supplement descending colon with nonautologous tissue substitute, open approach
04710DZ	Dilation of celiac artery with intraluminal device, open approach	0DUN07Z	Supplement sigmoid colon with autologous tissue substitute, open approach
04710E6	Dilation of celiac artery, bifurcation, with two intraluminal devices, open approach	0DUN0JZ	Supplement sigmoid colon with synthetic substitute, open approach
04710EZ	Dilation of celiac artery with two intraluminal devices, open approach	0DUN0KZ	Supplement sigmoid colon with nonautologous tissue substitute, open approach
04710F6	Dilation of celiac artery, bifurcation, with three intraluminal devices, open approach	0DUP07Z	Supplement rectum with autologous tissue substitute, open approach
04710FZ	Dilation of celiac artery with three intraluminal devices, open approach	0DUP0JZ	Supplement rectum with synthetic substitute, open approach
04710G6	Dilation of celiac artery, bifurcation, with four or more intraluminal devices, open approach	0DUP0KZ	Supplement rectum with nonautologous tissue substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04710GZ	Dilation of celiac artery with four or more intraluminal devices, open approach	0DUS07Z	Supplement greater omentum with autologous tissue substitute, open approach
04710Z1	Dilation of celiac artery using drug-coated balloon, open approach	0DUS0JZ	Supplement greater omentum with synthetic substitute, open approach
04710Z6	Dilation of celiac artery, bifurcation, open approach	0DUS0KZ	Supplement greater omentum with nonautologous tissue substitute, open approach
04710ZZ	Dilation of celiac artery, open approach	0DUT07Z	Supplement lesser omentum with autologous tissue substitute, open approach
0472041	Dilation of gastric artery with drug-eluting intraluminal device, using drug-coated balloon, open approach	0DUT0JZ	Supplement lesser omentum with synthetic substitute, open approach
0472046	Dilation of gastric artery, bifurcation, with drug-eluting intraluminal device, open approach	0DUT0KZ	Supplement lesser omentum with nonautologous tissue substitute, open approach
047204Z	Dilation of gastric artery with drug-eluting intraluminal device, open approach	0DUU07Z	Supplement omentum with autologous tissue substitute, open approach
0472056	Dilation of gastric artery, bifurcation, with two drug-eluting intraluminal devices, open approach	0DUU0JZ	Supplement omentum with synthetic substitute, open approach
047205Z	Dilation of gastric artery with two drug-eluting intraluminal devices, open approach	0DUU0KZ	Supplement omentum with nonautologous tissue substitute, open approach
0472066	Dilation of gastric artery, bifurcation, with three drug-eluting intraluminal devices, open approach	0DUV07Z	Supplement mesentery with autologous tissue substitute, open approach
047206Z	Dilation of gastric artery with three drug-eluting intraluminal devices, open approach	0DUV0JZ	Supplement mesentery with synthetic substitute, open approach
0472076	Dilation of gastric artery, bifurcation, with four or more drug-eluting intraluminal devices, open approach	0DUV0KZ	Supplement mesentery with nonautologous tissue substitute, open approach
047207Z	Dilation of gastric artery with four or more drug-eluting intraluminal devices, open approach	0DUW07Z	Supplement peritoneum with autologous tissue substitute, open approach
04720D1	Dilation of gastric artery with intraluminal device, using drug-coated balloon, open approach	0DUW0JZ	Supplement peritoneum with synthetic substitute, open approach
04720D6	Dilation of gastric artery, bifurcation, with intraluminal device, open approach	0DUW0KZ	Supplement peritoneum with nonautologous tissue substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04720DZ	Dilation of gastric artery with intraluminal device, open approach	0DV40CZ	Restriction of esophagogastric junction with extraluminal device, open approach
04720E6	Dilation of gastric artery, bifurcation, with two intraluminal devices, open approach	0DV40DZ	Restriction of esophagogastric junction with intraluminal device, open approach
04720EZ	Dilation of gastric artery with two intraluminal devices, open approach	0DV40ZZ	Restriction of esophagogastric junction, open approach
04720F6	Dilation of gastric artery, bifurcation, with three intraluminal devices, open approach	0DV60CZ	Restriction of stomach with extraluminal device, open approach
04720FZ	Dilation of gastric artery with three intraluminal devices, open approach	0DV60DZ	Restriction of stomach with intraluminal device, open approach
04720G6	Dilation of gastric artery, bifurcation, with four or more intraluminal devices, open approach	0DV60ZZ	Restriction of stomach, open approach
04720GZ	Dilation of gastric artery with four or more intraluminal devices, open approach	0DV70CZ	Restriction of stomach, pylorus with extraluminal device, open approach
04720Z1	Dilation of gastric artery using drug-coated balloon, open approach	0DV70DZ	Restriction of stomach, pylorus with intraluminal device, open approach
04720Z6	Dilation of gastric artery, bifurcation, open approach	0DV70ZZ	Restriction of stomach, pylorus, open approach
04720ZZ	Dilation of gastric artery, open approach	0DV80CZ	Restriction of small intestine with extraluminal device, open approach
0473041	Dilation of hepatic artery with drug-eluting intraluminal device, using drug-coated balloon, open approach	0DV80DZ	Restriction of small intestine with intraluminal device, open approach
0473046	Dilation of hepatic artery, bifurcation, with drug-eluting intraluminal device, open approach	0DV80ZZ	Restriction of small intestine, open approach
047304Z	Dilation of hepatic artery with drug-eluting intraluminal device, open approach	0DV90CZ	Restriction of duodenum with extraluminal device, open approach
0473056	Dilation of hepatic artery, bifurcation, with two drug-eluting intraluminal devices, open approach	0DV90DZ	Restriction of duodenum with intraluminal device, open approach
047305Z	Dilation of hepatic artery with two drug-eluting intraluminal devices, open approach	0DV90ZZ	Restriction of duodenum, open approach
0473066	Dilation of hepatic artery, bifurcation, with three drug-eluting intraluminal devices, open approach	0DVA0CZ	Restriction of jejunum with extraluminal device, open approach
047306Z	Dilation of hepatic artery with three drug-eluting intraluminal devices, open approach	0DVA0DZ	Restriction of jejunum with intraluminal device, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

0473076	Dilation of hepatic artery, bifurcation, with four or more drug-eluting intraluminal devices, open approach	0DVA0ZZ	Restriction of jejunum, open approach
047307Z	Dilation of hepatic artery with four or more drug-eluting intraluminal devices, open approach	0DVB0CZ	Restriction of ileum with extraluminal device, open approach
04730D1	Dilation of hepatic artery with intraluminal device, using drug-coated balloon, open approach	0DVB0DZ	Restriction of ileum with intraluminal device, open approach
04730D6	Dilation of hepatic artery, bifurcation, with intraluminal device, open approach	0DVB0ZZ	Restriction of ileum, open approach
04730DZ	Dilation of hepatic artery with intraluminal device, open approach	0DVC0CZ	Restriction of ileocecal valve with extraluminal device, open approach
04730E6	Dilation of hepatic artery, bifurcation, with two intraluminal devices, open approach	0DVC0DZ	Restriction of ileocecal valve with intraluminal device, open approach
04730EZ	Dilation of hepatic artery with two intraluminal devices, open approach	0DVC0ZZ	Restriction of ileocecal valve, open approach
04730F6	Dilation of hepatic artery, bifurcation, with three intraluminal devices, open approach	0DVE0CZ	Restriction of large intestine with extraluminal device, open approach
04730FZ	Dilation of hepatic artery with three intraluminal devices, open approach	0DVE0DZ	Restriction of large intestine with intraluminal device, open approach
04730G6	Dilation of hepatic artery, bifurcation, with four or more intraluminal devices, open approach	0DVE0ZZ	Restriction of large intestine, open approach
04730GZ	Dilation of hepatic artery with four or more intraluminal devices, open approach	0DVF0CZ	Restriction of right large intestine with extraluminal device, open approach
04730Z1	Dilation of hepatic artery using drug-coated balloon, open approach	0DVF0DZ	Restriction of right large intestine with intraluminal device, open approach
04730Z6	Dilation of hepatic artery, bifurcation, open approach	0DVF0ZZ	Restriction of right large intestine, open approach
04730ZZ	Dilation of hepatic artery, open approach	0DVG0CZ	Restriction of left large intestine with extraluminal device, open approach
0474041	Dilation of splenic artery with drug-eluting intraluminal device, using drug-coated balloon, open approach	0DVG0DZ	Restriction of left large intestine with intraluminal device, open approach
0474046	Dilation of splenic artery, bifurcation, with drug-eluting intraluminal device, open approach	0DVG0ZZ	Restriction of left large intestine, open approach
047404Z	Dilation of splenic artery with drug-eluting intraluminal device, open approach	0DVH0CZ	Restriction of cecum with extraluminal device, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

0474056	Dilation of splenic artery, bifurcation, with two drug-eluting intraluminal devices, open approach	0DVH0DZ	Restriction of cecum with intraluminal device, open approach
047405Z	Dilation of splenic artery with two drug-eluting intraluminal devices, open approach	0DVH0ZZ	Restriction of cecum, open approach
0474066	Dilation of splenic artery, bifurcation, with three drug-eluting intraluminal devices, open approach	0DVK0CZ	Restriction of ascending colon with extraluminal device, open approach
047406Z	Dilation of splenic artery with three drug-eluting intraluminal devices, open approach	0DVK0DZ	Restriction of ascending colon with intraluminal device, open approach
0474076	Dilation of splenic artery, bifurcation, with four or more drug-eluting intraluminal devices, open approach	0DVK0ZZ	Restriction of ascending colon, open approach
047407Z	Dilation of splenic artery with four or more drug-eluting intraluminal devices, open approach	0DVL0CZ	Restriction of transverse colon with extraluminal device, open approach
04740D1	Dilation of splenic artery with intraluminal device, using drug-coated balloon, open approach	0DVL0DZ	Restriction of transverse colon with intraluminal device, open approach
04740D6	Dilation of splenic artery, bifurcation, with intraluminal device, open approach	0DVL0ZZ	Restriction of transverse colon, open approach
04740DZ	Dilation of splenic artery with intraluminal device, open approach	0DVM0CZ	Restriction of descending colon with extraluminal device, open approach
04740E6	Dilation of splenic artery, bifurcation, with two intraluminal devices, open approach	0DVM0DZ	Restriction of descending colon with intraluminal device, open approach
04740EZ	Dilation of splenic artery with two intraluminal devices, open approach	0DVM0ZZ	Restriction of descending colon, open approach
04740F6	Dilation of splenic artery, bifurcation, with three intraluminal devices, open approach	0DVN0CZ	Restriction of sigmoid colon with extraluminal device, open approach
04740FZ	Dilation of splenic artery with three intraluminal devices, open approach	0DVN0DZ	Restriction of sigmoid colon with intraluminal device, open approach
04740G6	Dilation of splenic artery, bifurcation, with four or more intraluminal devices, open approach	0DVN0ZZ	Restriction of sigmoid colon, open approach
04740GZ	Dilation of splenic artery with four or more intraluminal devices, open approach	0DVP0CZ	Restriction of rectum with extraluminal device, open approach
04740Z1	Dilation of splenic artery using drug-coated balloon, open approach	0DVP0DZ	Restriction of rectum with intraluminal device, open approach
04740Z6	Dilation of splenic artery, bifurcation, open approach	0DVP0ZZ	Restriction of rectum, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04740ZZ	Dilation of splenic artery, open approach	0DW000Z	Revision of drainage device in upper intestinal tract, open approach
0475041	Dilation of superior mesenteric artery with drug-eluting intraluminal device, using drug-coated balloon, open approach	0DW002Z	Revision of monitoring device in upper intestinal tract, open approach
0475046	Dilation of superior mesenteric artery, bifurcation, with drug-eluting intraluminal device, open approach	0DW003Z	Revision of infusion device in upper intestinal tract, open approach
047504Z	Dilation of superior mesenteric artery with drug-eluting intraluminal device, open approach	0DW007Z	Revision of autologous tissue substitute in upper intestinal tract, open approach
0475056	Dilation of superior mesenteric artery, bifurcation, with two drug-eluting intraluminal devices, open approach	0DW00CZ	Revision of extraluminal device in upper intestinal tract, open approach
047505Z	Dilation of superior mesenteric artery with two drug-eluting intraluminal devices, open approach	0DW00DZ	Revision of intraluminal device in upper intestinal tract, open approach
0475066	Dilation of superior mesenteric artery, bifurcation, with three drug-eluting intraluminal devices, open approach	0DW00JZ	Revision of synthetic substitute in upper intestinal tract, open approach
047506Z	Dilation of superior mesenteric artery with three drug-eluting intraluminal devices, open approach	0DW00KZ	Revision of nonautologous tissue substitute in upper intestinal tract, open approach
0475076	Dilation of superior mesenteric artery, bifurcation, with four or more drug-eluting intraluminal devices, open approach	0DW00UZ	Revision of feeding device in upper intestinal tract, open approach
047507Z	Dilation of superior mesenteric artery with four or more drug-eluting intraluminal devices, open approach	0DW00YZ	Revision of other device in upper intestinal tract, open approach
04750D1	Dilation of superior mesenteric artery with intraluminal device, using drug-coated balloon, open approach	0DW600Z	Revision of drainage device in stomach, open approach
04750D6	Dilation of superior mesenteric artery, bifurcation, with intraluminal device, open approach	0DW602Z	Revision of monitoring device in stomach, open approach
04750DZ	Dilation of superior mesenteric artery with intraluminal device, open approach	0DW603Z	Revision of infusion device in stomach, open approach
04750E6	Dilation of superior mesenteric artery, bifurcation, with two intraluminal devices, open approach	0DW607Z	Revision of autologous tissue substitute in stomach, open approach
04750EZ	Dilation of superior mesenteric artery with two intraluminal devices, open approach	0DW60CZ	Revision of extraluminal device in stomach, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04750F6	Dilation of superior mesenteric artery, bifurcation, with three intraluminal devices, open approach	0DW60DZ	Revision of intraluminal device in stomach, open approach
04750FZ	Dilation of superior mesenteric artery with three intraluminal devices, open approach	0DW60JZ	Revision of synthetic substitute in stomach, open approach
04750G6	Dilation of superior mesenteric artery, bifurcation, with four or more intraluminal devices, open approach	0DW60KZ	Revision of nonautologous tissue substitute in stomach, open approach
04750GZ	Dilation of superior mesenteric artery with four or more intraluminal devices, open approach	0DW60MZ	Revision of stimulator lead in stomach, open approach
04750Z1	Dilation of superior mesenteric artery using drug-coated balloon, open approach	0DW60UZ	Revision of feeding device in stomach, open approach
04750Z6	Dilation of superior mesenteric artery, bifurcation, open approach	0DW60YZ	Revision of other device in stomach, open approach
04750ZZ	Dilation of superior mesenteric artery, open approach	0DW807Z	Revision of autologous tissue substitute in small intestine, open approach
0476041	Dilation of right colic artery with drug-eluting intraluminal device, using drug-coated balloon, open approach	0DW80JZ	Revision of synthetic substitute in small intestine, open approach
0476046	Dilation of right colic artery, bifurcation, with drug-eluting intraluminal device, open approach	0DW80KZ	Revision of nonautologous tissue substitute in small intestine, open approach
047604Z	Dilation of right colic artery with drug-eluting intraluminal device, open approach	0DWD00Z	Revision of drainage device in lower intestinal tract, open approach
0476056	Dilation of right colic artery, bifurcation, with two drug-eluting intraluminal devices, open approach	0DWD02Z	Revision of monitoring device in lower intestinal tract, open approach
047605Z	Dilation of right colic artery with two drug-eluting intraluminal devices, open approach	0DWD03Z	Revision of infusion device in lower intestinal tract, open approach
0476066	Dilation of right colic artery, bifurcation, with three drug-eluting intraluminal devices, open approach	0DWD07Z	Revision of autologous tissue substitute in lower intestinal tract, open approach
047606Z	Dilation of right colic artery with three drug-eluting intraluminal devices, open approach	0DWD0CZ	Revision of extraluminal device in lower intestinal tract, open approach
0476076	Dilation of right colic artery, bifurcation, with four or more drug-eluting intraluminal devices, open approach	0DWD0DZ	Revision of intraluminal device in lower intestinal tract, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

047607Z	Dilation of right colic artery with four or more drug-eluting intraluminal devices, open approach	0DWD0JZ	Revision of synthetic substitute in lower intestinal tract, open approach
04760D1	Dilation of right colic artery with intraluminal device, using drug-coated balloon, open approach	0DWD0KZ	Revision of nonautologous tissue substitute in lower intestinal tract, open approach
04760D6	Dilation of right colic artery, bifurcation, with intraluminal device, open approach	0DWD0UZ	Revision of feeding device in lower intestinal tract, open approach
04760DZ	Dilation of right colic artery with intraluminal device, open approach	0DWD0YZ	Revision of other device in lower intestinal tract, open approach
04760E6	Dilation of right colic artery, bifurcation, with two intraluminal devices, open approach	0DWE07Z	Revision of autologous tissue substitute in large intestine, open approach
04760EZ	Dilation of right colic artery with two intraluminal devices, open approach	0DWE0JZ	Revision of synthetic substitute in large intestine, open approach
04760F6	Dilation of right colic artery, bifurcation, with three intraluminal devices, open approach	0DWE0KZ	Revision of nonautologous tissue substitute in large intestine, open approach
04760FZ	Dilation of right colic artery with three intraluminal devices, open approach	0DWU00Z	Revision of drainage device in omentum, open approach
04760G6	Dilation of right colic artery, bifurcation, with four or more intraluminal devices, open approach	0DWU07Z	Revision of autologous tissue substitute in omentum, open approach
04760GZ	Dilation of right colic artery with four or more intraluminal devices, open approach	0DWU0JZ	Revision of synthetic substitute in omentum, open approach
04760Z1	Dilation of right colic artery using drug-coated balloon, open approach	0DWU0KZ	Revision of nonautologous tissue substitute in omentum, open approach
04760Z6	Dilation of right colic artery, bifurcation, open approach	0DWV00Z	Revision of drainage device in mesentery, open approach
04760ZZ	Dilation of right colic artery, open approach	0DWV07Z	Revision of autologous tissue substitute in mesentery, open approach
0477041	Dilation of left colic artery with drug-eluting intraluminal device, using drug-coated balloon, open approach	0DWV0JZ	Revision of synthetic substitute in mesentery, open approach
0477046	Dilation of left colic artery, bifurcation, with drug-eluting intraluminal device, open approach	0DWV0KZ	Revision of nonautologous tissue substitute in mesentery, open approach
047704Z	Dilation of left colic artery with drug-eluting intraluminal device, open approach	0DWW00Z	Revision of drainage device in peritoneum, open approach
0477056	Dilation of left colic artery, bifurcation, with two drug-eluting intraluminal devices, open approach	0DWW07Z	Revision of autologous tissue substitute in peritoneum, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

047705Z	Dilation of left colic artery with two drug-eluting intraluminal devices, open approach	0DWW0JZ	Revision of synthetic substitute in peritoneum, open approach
0477066	Dilation of left colic artery, bifurcation, with three drug-eluting intraluminal devices, open approach	0DWW0KZ	Revision of nonautologous tissue substitute in peritoneum, open approach
047706Z	Dilation of left colic artery with three drug-eluting intraluminal devices, open approach	0DX60Z5	Transfer stomach to esophagus, open approach
0477076	Dilation of left colic artery, bifurcation, with four or more drug-eluting intraluminal devices, open approach	0DX80Z5	Transfer small intestine to esophagus, open approach
047707Z	Dilation of left colic artery with four or more drug-eluting intraluminal devices, open approach	0DX80ZB	Transfer small intestine to bladder, open approach
04770D1	Dilation of left colic artery with intraluminal device, using drug-coated balloon, open approach	0DX80ZC	Transfer small intestine to right ureter, open approach
04770D6	Dilation of left colic artery, bifurcation, with intraluminal device, open approach	0DX80ZD	Transfer small intestine to left ureter, open approach
04770DZ	Dilation of left colic artery with intraluminal device, open approach	0DX80ZF	Transfer small intestine to bilateral ureters, open approach
04770E6	Dilation of left colic artery, bifurcation, with two intraluminal devices, open approach	0DXE0Z5	Transfer large intestine to esophagus, open approach
04770EZ	Dilation of left colic artery with two intraluminal devices, open approach	0DXE0Z7	Transfer large intestine to vagina, open approach
04770F6	Dilation of left colic artery, bifurcation, with three intraluminal devices, open approach	0DXE0ZB	Transfer large intestine to bladder, open approach
04770FZ	Dilation of left colic artery with three intraluminal devices, open approach	0DY60Z0	Transplantation of stomach, allogeneic, open approach
04770G6	Dilation of left colic artery, bifurcation, with four or more intraluminal devices, open approach	0DY60Z1	Transplantation of stomach, syngeneic, open approach
04770GZ	Dilation of left colic artery with four or more intraluminal devices, open approach	0DY60Z2	Transplantation of stomach, zooplastic, open approach
04770Z1	Dilation of left colic artery using drug-coated balloon, open approach	0DY80Z0	Transplantation of small intestine, allogeneic, open approach
04770Z6	Dilation of left colic artery, bifurcation, open approach	0DY80Z1	Transplantation of small intestine, syngeneic, open approach
04770ZZ	Dilation of left colic artery, open approach	0DY80Z2	Transplantation of small intestine, zooplastic, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

0478041	Dilation of middle colic artery with drug-eluting intraluminal device, using drug-coated balloon, open approach	0DYE0Z0	Transplantation of large intestine, allogeneic, open approach
0478046	Dilation of middle colic artery, bifurcation, with drug-eluting intraluminal device, open approach	0DYE0Z1	Transplantation of large intestine, syngeneic, open approach
047804Z	Dilation of middle colic artery with drug-eluting intraluminal device, open approach	0DYE0Z2	Transplantation of large intestine, zooplastic, open approach
0478056	Dilation of middle colic artery, bifurcation, with two drug-eluting intraluminal devices, open approach	0F140D3	Bypass gallbladder to duodenum with intraluminal device, open approach
047805Z	Dilation of middle colic artery with two drug-eluting intraluminal devices, open approach	0F140D4	Bypass gallbladder to stomach with intraluminal device, open approach
0478066	Dilation of middle colic artery, bifurcation, with three drug-eluting intraluminal devices, open approach	0F140D5	Bypass gallbladder to right hepatic duct with intraluminal device, open approach
047806Z	Dilation of middle colic artery with three drug-eluting intraluminal devices, open approach	0F140D6	Bypass gallbladder to left hepatic duct with intraluminal device, open approach
0478076	Dilation of middle colic artery, bifurcation, with four or more drug-eluting intraluminal devices, open approach	0F140D7	Bypass gallbladder to caudate hepatic duct with intraluminal device, open approach
047807Z	Dilation of middle colic artery with four or more drug-eluting intraluminal devices, open approach	0F140D8	Bypass gallbladder to cystic duct with intraluminal device, open approach
04780D1	Dilation of middle colic artery with intraluminal device, using drug-coated balloon, open approach	0F140D9	Bypass gallbladder to common bile duct with intraluminal device, open approach
04780D6	Dilation of middle colic artery, bifurcation, with intraluminal device, open approach	0F140DB	Bypass gallbladder to small intestine with intraluminal device, open approach
04780DZ	Dilation of middle colic artery with intraluminal device, open approach	0F140Z3	Bypass gallbladder to duodenum, open approach
04780E6	Dilation of middle colic artery, bifurcation, with two intraluminal devices, open approach	0F140Z4	Bypass gallbladder to stomach, open approach
04780EZ	Dilation of middle colic artery with two intraluminal devices, open approach	0F140Z5	Bypass gallbladder to right hepatic duct, open approach
04780F6	Dilation of middle colic artery, bifurcation, with three intraluminal devices, open approach	0F140Z6	Bypass gallbladder to left hepatic duct, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04780FZ	Dilation of middle colic artery with three intraluminal devices, open approach	0F140Z7	Bypass gallbladder to caudate hepatic duct, open approach
04780G6	Dilation of middle colic artery, bifurcation, with four or more intraluminal devices, open approach	0F140Z8	Bypass gallbladder to cystic duct, open approach
04780GZ	Dilation of middle colic artery with four or more intraluminal devices, open approach	0F140Z9	Bypass gallbladder to common bile duct, open approach
04780Z1	Dilation of middle colic artery using drug-coated balloon, open approach	0F140ZB	Bypass gallbladder to small intestine, open approach
04780Z6	Dilation of middle colic artery, bifurcation, open approach	0F150D3	Bypass right hepatic duct to duodenum with intraluminal device, open approach
04780ZZ	Dilation of middle colic artery, open approach	0F150D4	Bypass right hepatic duct to stomach with intraluminal device, open approach
0479041	Dilation of right renal artery with drug-eluting intraluminal device, using drug-coated balloon, open approach	0F150D5	Bypass right hepatic duct to right hepatic duct with intraluminal device, open approach
0479046	Dilation of right renal artery, bifurcation, with drug-eluting intraluminal device, open approach	0F150D6	Bypass right hepatic duct to left hepatic duct with intraluminal device, open approach
047904Z	Dilation of right renal artery with drug-eluting intraluminal device, open approach	0F150D7	Bypass right hepatic duct to caudate hepatic duct with intraluminal device, open approach
0479056	Dilation of right renal artery, bifurcation, with two drug-eluting intraluminal devices, open approach	0F150D8	Bypass right hepatic duct to cystic duct with intraluminal device, open approach
047905Z	Dilation of right renal artery with two drug-eluting intraluminal devices, open approach	0F150D9	Bypass right hepatic duct to common bile duct with intraluminal device, open approach
0479066	Dilation of right renal artery, bifurcation, with three drug-eluting intraluminal devices, open approach	0F150DB	Bypass right hepatic duct to small intestine with intraluminal device, open approach
047906Z	Dilation of right renal artery with three drug-eluting intraluminal devices, open approach	0F150Z3	Bypass right hepatic duct to duodenum, open approach
0479076	Dilation of right renal artery, bifurcation, with four or more drug-eluting intraluminal devices, open approach	0F150Z4	Bypass right hepatic duct to stomach, open approach
047907Z	Dilation of right renal artery with four or more drug-eluting intraluminal devices, open approach	0F150Z5	Bypass right hepatic duct to right hepatic duct, open approach
04790D1	Dilation of right renal artery with intraluminal device, using drug-coated balloon, open approach	0F150Z6	Bypass right hepatic duct to left hepatic duct, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04790D6	Dilation of right renal artery, bifurcation, with intraluminal device, open approach	0F150Z7	Bypass right hepatic duct to caudate hepatic duct, open approach
04790DZ	Dilation of right renal artery with intraluminal device, open approach	0F150Z8	Bypass right hepatic duct to cystic duct, open approach
04790E6	Dilation of right renal artery, bifurcation, with two intraluminal devices, open approach	0F150Z9	Bypass right hepatic duct to common bile duct, open approach
04790EZ	Dilation of right renal artery with two intraluminal devices, open approach	0F150ZB	Bypass right hepatic duct to small intestine, open approach
04790F6	Dilation of right renal artery, bifurcation, with three intraluminal devices, open approach	0F160D3	Bypass left hepatic duct to duodenum with intraluminal device, open approach
04790FZ	Dilation of right renal artery with three intraluminal devices, open approach	0F160D4	Bypass left hepatic duct to stomach with intraluminal device, open approach
04790G6	Dilation of right renal artery, bifurcation, with four or more intraluminal devices, open approach	0F160D5	Bypass left hepatic duct to right hepatic duct with intraluminal device, open approach
04790GZ	Dilation of right renal artery with four or more intraluminal devices, open approach	0F160D6	Bypass left hepatic duct to left hepatic duct with intraluminal device, open approach
04790Z1	Dilation of right renal artery using drug-coated balloon, open approach	0F160D7	Bypass left hepatic duct to caudate hepatic duct with intraluminal device, open approach
04790Z6	Dilation of right renal artery, bifurcation, open approach	0F160D8	Bypass left hepatic duct to cystic duct with intraluminal device, open approach
04790ZZ	Dilation of right renal artery, open approach	0F160D9	Bypass left hepatic duct to common bile duct with intraluminal device, open approach
047A041	Dilation of left renal artery with drug-eluting intraluminal device, using drug-coated balloon, open approach	0F160DB	Bypass left hepatic duct to small intestine with intraluminal device, open approach
047A046	Dilation of left renal artery, bifurcation, with drug-eluting intraluminal device, open approach	0F160Z3	Bypass left hepatic duct to duodenum, open approach
047A04Z	Dilation of left renal artery with drug-eluting intraluminal device, open approach	0F160Z4	Bypass left hepatic duct to stomach, open approach
047A056	Dilation of left renal artery, bifurcation, with two drug-eluting intraluminal devices, open approach	0F160Z5	Bypass left hepatic duct to right hepatic duct, open approach
047A05Z	Dilation of left renal artery with two drug-eluting intraluminal devices, open approach	0F160Z6	Bypass left hepatic duct to left hepatic duct, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

047A066	Dilation of left renal artery, bifurcation, with three drug-eluting intraluminal devices, open approach	0F160Z7	Bypass left hepatic duct to caudate hepatic duct, open approach
047A06Z	Dilation of left renal artery with three drug-eluting intraluminal devices, open approach	0F160Z8	Bypass left hepatic duct to cystic duct, open approach
047A076	Dilation of left renal artery, bifurcation, with four or more drug-eluting intraluminal devices, open approach	0F160Z9	Bypass left hepatic duct to common bile duct, open approach
047A07Z	Dilation of left renal artery with four or more drug-eluting intraluminal devices, open approach	0F160ZB	Bypass left hepatic duct to small intestine, open approach
047A0D1	Dilation of left renal artery with intraluminal device, using drug-coated balloon, open approach	0F170D3	Bypass common hepatic duct to duodenum with intraluminal device, open approach
047A0D6	Dilation of left renal artery, bifurcation, with intraluminal device, open approach	0F170D4	Bypass common hepatic duct to stomach with intraluminal device, open approach
047A0DZ	Dilation of left renal artery with intraluminal device, open approach	0F170D5	Bypass common hepatic duct to right hepatic duct with intraluminal device, open approach
047A0E6	Dilation of left renal artery, bifurcation, with two intraluminal devices, open approach	0F170D6	Bypass common hepatic duct to left hepatic duct with intraluminal device, open approach
047A0EZ	Dilation of left renal artery with two intraluminal devices, open approach	0F170D7	Bypass common hepatic duct to caudate hepatic duct with intraluminal device, open approach
047A0F6	Dilation of left renal artery, bifurcation, with three intraluminal devices, open approach	0F170D8	Bypass common hepatic duct to cystic duct with intraluminal device, open approach
047A0FZ	Dilation of left renal artery with three intraluminal devices, open approach	0F170D9	Bypass common hepatic duct to common bile duct with intraluminal device, open approach
047A0G6	Dilation of left renal artery, bifurcation, with four or more intraluminal devices, open approach	0F170DB	Bypass common hepatic duct to small intestine with intraluminal device, open approach
047A0GZ	Dilation of left renal artery with four or more intraluminal devices, open approach	0F170Z3	Bypass common hepatic duct to duodenum, open approach
047A0Z1	Dilation of left renal artery using drug-coated balloon, open approach	0F170Z4	Bypass common hepatic duct to stomach, open approach
047A0Z6	Dilation of left renal artery, bifurcation, open approach	0F170Z5	Bypass common hepatic duct to right hepatic duct, open approach
047A0ZZ	Dilation of left renal artery, open approach	0F170Z6	Bypass common hepatic duct to left hepatic duct, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

047B041	Dilation of inferior mesenteric artery with drug-eluting intraluminal device, using drug-coated balloon, open approach	0F170Z7	Bypass common hepatic duct to caudate hepatic duct, open approach
047B046	Dilation of inferior mesenteric artery, bifurcation, with drug-eluting intraluminal device, open approach	0F170Z8	Bypass common hepatic duct to cystic duct, open approach
047B04Z	Dilation of inferior mesenteric artery with drug-eluting intraluminal device, open approach	0F170Z9	Bypass common hepatic duct to common bile duct, open approach
047B056	Dilation of inferior mesenteric artery, bifurcation, with two drug-eluting intraluminal devices, open approach	0F170ZB	Bypass common hepatic duct to small intestine, open approach
047B05Z	Dilation of inferior mesenteric artery with two drug-eluting intraluminal devices, open approach	0F180D3	Bypass cystic duct to duodenum with intraluminal device, open approach
047B066	Dilation of inferior mesenteric artery, bifurcation, with three drug-eluting intraluminal devices, open approach	0F180D4	Bypass cystic duct to stomach with intraluminal device, open approach
047B06Z	Dilation of inferior mesenteric artery with three drug-eluting intraluminal devices, open approach	0F180D5	Bypass cystic duct to right hepatic duct with intraluminal device, open approach
047B076	Dilation of inferior mesenteric artery, bifurcation, with four or more drug-eluting intraluminal devices, open approach	0F180D6	Bypass cystic duct to left hepatic duct with intraluminal device, open approach
047B07Z	Dilation of inferior mesenteric artery with four or more drug-eluting intraluminal devices, open approach	0F180D7	Bypass cystic duct to caudate hepatic duct with intraluminal device, open approach
047B0D1	Dilation of inferior mesenteric artery with intraluminal device, using drug-coated balloon, open approach	0F180D8	Bypass cystic duct to cystic duct with intraluminal device, open approach
047B0D6	Dilation of inferior mesenteric artery, bifurcation, with intraluminal device, open approach	0F180D9	Bypass cystic duct to common bile duct with intraluminal device, open approach
047B0DZ	Dilation of inferior mesenteric artery with intraluminal device, open approach	0F180DB	Bypass cystic duct to small intestine with intraluminal device, open approach
047B0E6	Dilation of inferior mesenteric artery, bifurcation, with two intraluminal devices, open approach	0F180Z3	Bypass cystic duct to duodenum, open approach
047B0EZ	Dilation of inferior mesenteric artery with two intraluminal devices, open approach	0F180Z4	Bypass cystic duct to stomach, open approach
047B0F6	Dilation of inferior mesenteric artery, bifurcation, with three intraluminal devices, open approach	0F180Z5	Bypass cystic duct to right hepatic duct, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

047B0FZ	Dilation of inferior mesenteric artery with three intraluminal devices, open approach	0F180Z6	Bypass cystic duct to left hepatic duct, open approach
047B0G6	Dilation of inferior mesenteric artery, bifurcation, with four or more intraluminal devices, open approach	0F180Z7	Bypass cystic duct to caudate hepatic duct, open approach
047B0GZ	Dilation of inferior mesenteric artery with four or more intraluminal devices, open approach	0F180Z8	Bypass cystic duct to cystic duct, open approach
047B0Z1	Dilation of inferior mesenteric artery using drug-coated balloon, open approach	0F180Z9	Bypass cystic duct to common bile duct, open approach
047B0Z6	Dilation of inferior mesenteric artery, bifurcation, open approach	0F180ZB	Bypass cystic duct to small intestine, open approach
047B0ZZ	Dilation of inferior mesenteric artery, open approach	0F190D3	Bypass common bile duct to duodenum with intraluminal device, open approach
047C041	Dilation of right common iliac artery with drug-eluting intraluminal device, using drug-coated balloon, open approach	0F190D4	Bypass common bile duct to stomach with intraluminal device, open approach
047C046	Dilation of right common iliac artery, bifurcation, with drug-eluting intraluminal device, open approach	0F190D5	Bypass common bile duct to right hepatic duct with intraluminal device, open approach
047C04Z	Dilation of right common iliac artery with drug-eluting intraluminal device, open approach	0F190D6	Bypass common bile duct to left hepatic duct with intraluminal device, open approach
047C056	Dilation of right common iliac artery, bifurcation, with two drug-eluting intraluminal devices, open approach	0F190D7	Bypass common bile duct to caudate hepatic duct with intraluminal device, open approach
047C05Z	Dilation of right common iliac artery with two drug-eluting intraluminal devices, open approach	0F190D8	Bypass common bile duct to cystic duct with intraluminal device, open approach
047C066	Dilation of right common iliac artery, bifurcation, with three drug-eluting intraluminal devices, open approach	0F190D9	Bypass common bile duct to common bile duct with intraluminal device, open approach
047C06Z	Dilation of right common iliac artery with three drug-eluting intraluminal devices, open approach	0F190DB	Bypass common bile duct to small intestine with intraluminal device, open approach
047C076	Dilation of right common iliac artery, bifurcation, with four or more drug-eluting intraluminal devices, open approach	0F190Z3	Bypass common bile duct to duodenum, open approach
047C07Z	Dilation of right common iliac artery with four or more drug-eluting intraluminal devices, open approach	0F190Z4	Bypass common bile duct to stomach, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

047C0D1	Dilation of right common iliac artery with intraluminal device, using drug-coated balloon, open approach	0F190Z5	Bypass common bile duct to right hepatic duct, open approach
047C0D6	Dilation of right common iliac artery, bifurcation, with intraluminal device, open approach	0F190Z6	Bypass common bile duct to left hepatic duct, open approach
047C0DZ	Dilation of right common iliac artery with intraluminal device, open approach	0F190Z7	Bypass common bile duct to caudate hepatic duct, open approach
047C0E6	Dilation of right common iliac artery, bifurcation, with two intraluminal devices, open approach	0F190Z8	Bypass common bile duct to cystic duct, open approach
047C0EZ	Dilation of right common iliac artery with two intraluminal devices, open approach	0F190Z9	Bypass common bile duct to common bile duct, open approach
047C0F6	Dilation of right common iliac artery, bifurcation, with three intraluminal devices, open approach	0F190ZB	Bypass common bile duct to small intestine, open approach
047C0FZ	Dilation of right common iliac artery with three intraluminal devices, open approach	0F1D0D3	Bypass pancreatic duct to duodenum with intraluminal device, open approach
047C0G6	Dilation of right common iliac artery, bifurcation, with four or more intraluminal devices, open approach	0F1D0D4	Bypass pancreatic duct to stomach with intraluminal device, open approach
047C0GZ	Dilation of right common iliac artery with four or more intraluminal devices, open approach	0F1D0DB	Bypass pancreatic duct to small intestine with intraluminal device, open approach
047C0Z1	Dilation of right common iliac artery using drug-coated balloon, open approach	0F1D0DC	Bypass pancreatic duct to large intestine with intraluminal device, open approach
047C0Z6	Dilation of right common iliac artery, bifurcation, open approach	0F1D0Z3	Bypass pancreatic duct to duodenum, open approach
047C0ZZ	Dilation of right common iliac artery, open approach	0F1D0Z4	Bypass pancreatic duct to stomach, open approach
047D041	Dilation of left common iliac artery with drug-eluting intraluminal device, using drug-coated balloon, open approach	0F1D0ZB	Bypass pancreatic duct to small intestine, open approach
047D046	Dilation of left common iliac artery, bifurcation, with drug-eluting intraluminal device, open approach	0F1D0ZC	Bypass pancreatic duct to large intestine, open approach
047D04Z	Dilation of left common iliac artery with drug-eluting intraluminal device, open approach	0F1F0D3	Bypass accessory pancreatic duct to duodenum with intraluminal device, open approach
047D056	Dilation of left common iliac artery, bifurcation, with two drug-eluting intraluminal devices, open approach	0F1F0DB	Bypass accessory pancreatic duct to small intestine with intraluminal device, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

047D05Z	Dilation of left common iliac artery with two drug-eluting intraluminal devices, open approach	0F1F0DC	Bypass accessory pancreatic duct to large intestine with intraluminal device, open approach
047D066	Dilation of left common iliac artery, bifurcation, with three drug-eluting intraluminal devices, open approach	0F1F0Z3	Bypass accessory pancreatic duct to duodenum, open approach
047D06Z	Dilation of left common iliac artery with three drug-eluting intraluminal devices, open approach	0F1F0ZB	Bypass accessory pancreatic duct to small intestine, open approach
047D076	Dilation of left common iliac artery, bifurcation, with four or more drug-eluting intraluminal devices, open approach	0F1F0ZC	Bypass accessory pancreatic duct to large intestine, open approach
047D07Z	Dilation of left common iliac artery with four or more drug-eluting intraluminal devices, open approach	0F1G0D3	Bypass pancreas to duodenum with intraluminal device, open approach
047D0D1	Dilation of left common iliac artery with intraluminal device, using drug-coated balloon, open approach	0F1G0DB	Bypass pancreas to small intestine with intraluminal device, open approach
047D0D6	Dilation of left common iliac artery, bifurcation, with intraluminal device, open approach	0F1G0DC	Bypass pancreas to large intestine with intraluminal device, open approach
047D0DZ	Dilation of left common iliac artery with intraluminal device, open approach	0F1G0Z3	Bypass pancreas to duodenum, open approach
047D0E6	Dilation of left common iliac artery, bifurcation, with two intraluminal devices, open approach	0F1G0ZB	Bypass pancreas to small intestine, open approach
047D0EZ	Dilation of left common iliac artery with two intraluminal devices, open approach	0F1G0ZC	Bypass pancreas to large intestine, open approach
047D0F6	Dilation of left common iliac artery, bifurcation, with three intraluminal devices, open approach	0F500Z3	Destruction of liver using laser interstitial thermal therapy, open approach
047D0FZ	Dilation of left common iliac artery with three intraluminal devices, open approach	0F500ZF	Destruction of liver using irreversible electroporation, open approach
047D0G6	Dilation of left common iliac artery, bifurcation, with four or more intraluminal devices, open approach	0F500ZZ	Destruction of liver, open approach
047D0GZ	Dilation of left common iliac artery with four or more intraluminal devices, open approach	0F510Z3	Destruction of right lobe liver using laser interstitial thermal therapy, open approach
047D0Z1	Dilation of left common iliac artery using drug-coated balloon, open approach	0F510ZF	Destruction of right lobe liver using irreversible electroporation, open approach
047D0Z6	Dilation of left common iliac artery, bifurcation, open approach	0F510ZZ	Destruction of right lobe liver, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

047D0ZZ	Dilation of left common iliac artery, open approach	0F520Z3	Destruction of left lobe liver using laser interstitial thermal therapy, open approach
047E041	Dilation of right internal iliac artery with drug-eluting intraluminal device, using drug-coated balloon, open approach	0F520ZF	Destruction of left lobe liver using irreversible electroporation, open approach
047E046	Dilation of right internal iliac artery, bifurcation, with drug-eluting intraluminal device, open approach	0F520ZZ	Destruction of left lobe liver, open approach
047E04Z	Dilation of right internal iliac artery with drug-eluting intraluminal device, open approach	0F540Z3	Destruction of gallbladder using laser interstitial thermal therapy, open approach
047E056	Dilation of right internal iliac artery, bifurcation, with two drug-eluting intraluminal devices, open approach	0F540ZZ	Destruction of gallbladder, open approach
047E05Z	Dilation of right internal iliac artery with two drug-eluting intraluminal devices, open approach	0F550Z3	Destruction of right hepatic duct using laser interstitial thermal therapy, open approach
047E066	Dilation of right internal iliac artery, bifurcation, with three drug-eluting intraluminal devices, open approach	0F550ZZ	Destruction of right hepatic duct, open approach
047E06Z	Dilation of right internal iliac artery with three drug-eluting intraluminal devices, open approach	0F560Z3	Destruction of left hepatic duct using laser interstitial thermal therapy, open approach
047E076	Dilation of right internal iliac artery, bifurcation, with four or more drug-eluting intraluminal devices, open approach	0F560ZZ	Destruction of left hepatic duct, open approach
047E07Z	Dilation of right internal iliac artery with four or more drug-eluting intraluminal devices, open approach	0F570Z3	Destruction of common hepatic duct using laser interstitial thermal therapy, open approach
047E0D1	Dilation of right internal iliac artery with intraluminal device, using drug-coated balloon, open approach	0F570ZZ	Destruction of common hepatic duct, open approach
047E0D6	Dilation of right internal iliac artery, bifurcation, with intraluminal device, open approach	0F580Z3	Destruction of cystic duct using laser interstitial thermal therapy, open approach
047E0DZ	Dilation of right internal iliac artery with intraluminal device, open approach	0F580ZZ	Destruction of cystic duct, open approach
047E0E6	Dilation of right internal iliac artery, bifurcation, with two intraluminal devices, open approach	0F590Z3	Destruction of common bile duct using laser interstitial thermal therapy, open approach
047E0EZ	Dilation of right internal iliac artery with two intraluminal devices, open approach	0F590ZZ	Destruction of common bile duct, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

047E0F6	Dilation of right internal iliac artery, bifurcation, with three intraluminal devices, open approach	0F5C0Z3	Destruction of ampulla of vater using laser interstitial thermal therapy, open approach
047E0FZ	Dilation of right internal iliac artery with three intraluminal devices, open approach	0F5C0ZZ	Destruction of ampulla of vater, open approach
047E0G6	Dilation of right internal iliac artery, bifurcation, with four or more intraluminal devices, open approach	0F5D0Z3	Destruction of pancreatic duct using laser interstitial thermal therapy, open approach
047E0GZ	Dilation of right internal iliac artery with four or more intraluminal devices, open approach	0F5D0ZZ	Destruction of pancreatic duct, open approach
047E0Z1	Dilation of right internal iliac artery using drug-coated balloon, open approach	0F5F0Z3	Destruction of accessory pancreatic duct using laser interstitial thermal therapy, open approach
047E0Z6	Dilation of right internal iliac artery, bifurcation, open approach	0F5F0ZZ	Destruction of accessory pancreatic duct, open approach
047E0ZZ	Dilation of right internal iliac artery, open approach	0F5G0Z3	Destruction of pancreas using laser interstitial thermal therapy, open approach
047F041	Dilation of left internal iliac artery with drug-eluting intraluminal device, using drug-coated balloon, open approach	0F5G0ZF	Destruction of pancreas using irreversible electroporation, open approach
047F046	Dilation of left internal iliac artery, bifurcation, with drug-eluting intraluminal device, open approach	0F5G0ZZ	Destruction of pancreas, open approach
047F04Z	Dilation of left internal iliac artery with drug-eluting intraluminal device, open approach	0F750DZ	Dilation of right hepatic duct with intraluminal device, open approach
047F056	Dilation of left internal iliac artery, bifurcation, with two drug-eluting intraluminal devices, open approach	0F750ZZ	Dilation of right hepatic duct, open approach
047F05Z	Dilation of left internal iliac artery with two drug-eluting intraluminal devices, open approach	0F760DZ	Dilation of left hepatic duct with intraluminal device, open approach
047F066	Dilation of left internal iliac artery, bifurcation, with three drug-eluting intraluminal devices, open approach	0F760ZZ	Dilation of left hepatic duct, open approach
047F06Z	Dilation of left internal iliac artery with three drug-eluting intraluminal devices, open approach	0F770DZ	Dilation of common hepatic duct with intraluminal device, open approach
047F076	Dilation of left internal iliac artery, bifurcation, with four or more drug-eluting intraluminal devices, open approach	0F770ZZ	Dilation of common hepatic duct, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

047F07Z	Dilation of left internal iliac artery with four or more drug-eluting intraluminal devices, open approach	0F780DZ	Dilation of cystic duct with intraluminal device, open approach
047F0D1	Dilation of left internal iliac artery with intraluminal device, using drug-coated balloon, open approach	0F780ZZ	Dilation of cystic duct, open approach
047F0D6	Dilation of left internal iliac artery, bifurcation, with intraluminal device, open approach	0F790DZ	Dilation of common bile duct with intraluminal device, open approach
047F0DZ	Dilation of left internal iliac artery with intraluminal device, open approach	0F790ZZ	Dilation of common bile duct, open approach
047F0E6	Dilation of left internal iliac artery, bifurcation, with two intraluminal devices, open approach	0F7C0DZ	Dilation of ampulla of vater with intraluminal device, open approach
047F0EZ	Dilation of left internal iliac artery with two intraluminal devices, open approach	0F7C0ZZ	Dilation of ampulla of vater, open approach
047F0F6	Dilation of left internal iliac artery, bifurcation, with three intraluminal devices, open approach	0F7D0DZ	Dilation of pancreatic duct with intraluminal device, open approach
047F0FZ	Dilation of left internal iliac artery with three intraluminal devices, open approach	0F7D0ZZ	Dilation of pancreatic duct, open approach
047F0G6	Dilation of left internal iliac artery, bifurcation, with four or more intraluminal devices, open approach	0F7F0DZ	Dilation of accessory pancreatic duct with intraluminal device, open approach
047F0GZ	Dilation of left internal iliac artery with four or more intraluminal devices, open approach	0F7F0ZZ	Dilation of accessory pancreatic duct, open approach
047F0Z1	Dilation of left internal iliac artery using drug-coated balloon, open approach	0F800ZZ	Division of liver, open approach
047F0Z6	Dilation of left internal iliac artery, bifurcation, open approach	0F810ZZ	Division of right lobe liver, open approach
047F0ZZ	Dilation of left internal iliac artery, open approach	0F820ZZ	Division of left lobe liver, open approach
047H041	Dilation of right external iliac artery with drug-eluting intraluminal device, using drug-coated balloon, open approach	0F8G0ZZ	Division of pancreas, open approach
047H046	Dilation of right external iliac artery, bifurcation, with drug-eluting intraluminal device, open approach	0F9000Z	Drainage of liver with drainage device, open approach
047H04Z	Dilation of right external iliac artery with drug-eluting intraluminal device, open approach	0F900ZX	Drainage of liver, open approach, diagnostic

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

047H056	Dilation of right external iliac artery, bifurcation, with two drug-eluting intraluminal devices, open approach	0F900ZZ	Drainage of liver, open approach
047H05Z	Dilation of right external iliac artery with two drug-eluting intraluminal devices, open approach	0F9100Z	Drainage of right lobe liver with drainage device, open approach
047H066	Dilation of right external iliac artery, bifurcation, with three drug-eluting intraluminal devices, open approach	0F910ZX	Drainage of right lobe liver, open approach, diagnostic
047H06Z	Dilation of right external iliac artery with three drug-eluting intraluminal devices, open approach	0F910ZZ	Drainage of right lobe liver, open approach
047H076	Dilation of right external iliac artery, bifurcation, with four or more drug-eluting intraluminal devices, open approach	0F9200Z	Drainage of left lobe liver with drainage device, open approach
047H07Z	Dilation of right external iliac artery with four or more drug-eluting intraluminal devices, open approach	0F920ZX	Drainage of left lobe liver, open approach, diagnostic
047H0D1	Dilation of right external iliac artery with intraluminal device, using drug-coated balloon, open approach	0F920ZZ	Drainage of left lobe liver, open approach
047H0D6	Dilation of right external iliac artery, bifurcation, with intraluminal device, open approach	0F9400Z	Drainage of gallbladder with drainage device, open approach
047H0DZ	Dilation of right external iliac artery with intraluminal device, open approach	0F940ZX	Drainage of gallbladder, open approach, diagnostic
047H0E6	Dilation of right external iliac artery, bifurcation, with two intraluminal devices, open approach	0F940ZZ	Drainage of gallbladder, open approach
047H0EZ	Dilation of right external iliac artery with two intraluminal devices, open approach	0F9500Z	Drainage of right hepatic duct with drainage device, open approach
047H0F6	Dilation of right external iliac artery, bifurcation, with three intraluminal devices, open approach	0F950ZX	Drainage of right hepatic duct, open approach, diagnostic
047H0FZ	Dilation of right external iliac artery with three intraluminal devices, open approach	0F950ZZ	Drainage of right hepatic duct, open approach
047H0G6	Dilation of right external iliac artery, bifurcation, with four or more intraluminal devices, open approach	0F9600Z	Drainage of left hepatic duct with drainage device, open approach
047H0GZ	Dilation of right external iliac artery with four or more intraluminal devices, open approach	0F960ZX	Drainage of left hepatic duct, open approach, diagnostic

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

047H0Z1	Dilation of right external iliac artery using drug-coated balloon, open approach	0F960ZZ	Drainage of left hepatic duct, open approach
047H0Z6	Dilation of right external iliac artery, bifurcation, open approach	0F9700Z	Drainage of common hepatic duct with drainage device, open approach
047H0ZZ	Dilation of right external iliac artery, open approach	0F970ZX	Drainage of common hepatic duct, open approach, diagnostic
047J041	Dilation of left external iliac artery with drug-eluting intraluminal device, using drug-coated balloon, open approach	0F970ZZ	Drainage of common hepatic duct, open approach
047J046	Dilation of left external iliac artery, bifurcation, with drug-eluting intraluminal device, open approach	0F9800Z	Drainage of cystic duct with drainage device, open approach
047J04Z	Dilation of left external iliac artery with drug-eluting intraluminal device, open approach	0F980ZX	Drainage of cystic duct, open approach, diagnostic
047J056	Dilation of left external iliac artery, bifurcation, with two drug-eluting intraluminal devices, open approach	0F980ZZ	Drainage of cystic duct, open approach
047J05Z	Dilation of left external iliac artery with two drug-eluting intraluminal devices, open approach	0F9900Z	Drainage of common bile duct with drainage device, open approach
047J066	Dilation of left external iliac artery, bifurcation, with three drug-eluting intraluminal devices, open approach	0F990ZX	Drainage of common bile duct, open approach, diagnostic
047J06Z	Dilation of left external iliac artery with three drug-eluting intraluminal devices, open approach	0F990ZZ	Drainage of common bile duct, open approach
047J076	Dilation of left external iliac artery, bifurcation, with four or more drug-eluting intraluminal devices, open approach	0F9C00Z	Drainage of ampulla of vater with drainage device, open approach
047J07Z	Dilation of left external iliac artery with four or more drug-eluting intraluminal devices, open approach	0F9C0ZX	Drainage of ampulla of vater, open approach, diagnostic
047J0D1	Dilation of left external iliac artery with intraluminal device, using drug-coated balloon, open approach	0F9C0ZZ	Drainage of ampulla of vater, open approach
047J0D6	Dilation of left external iliac artery, bifurcation, with intraluminal device, open approach	0F9D00Z	Drainage of pancreatic duct with drainage device, open approach
047J0DZ	Dilation of left external iliac artery with intraluminal device, open approach	0F9D0ZX	Drainage of pancreatic duct, open approach, diagnostic
047J0E6	Dilation of left external iliac artery, bifurcation, with two intraluminal devices, open approach	0F9D0ZZ	Drainage of pancreatic duct, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

047J0EZ	Dilation of left external iliac artery with two intraluminal devices, open approach	0F9F00Z	Drainage of accessory pancreatic duct with drainage device, open approach
047J0F6	Dilation of left external iliac artery, bifurcation, with three intraluminal devices, open approach	0F9F0ZX	Drainage of accessory pancreatic duct, open approach, diagnostic
047J0FZ	Dilation of left external iliac artery with three intraluminal devices, open approach	0F9F0ZZ	Drainage of accessory pancreatic duct, open approach
047J0G6	Dilation of left external iliac artery, bifurcation, with four or more intraluminal devices, open approach	0F9G00Z	Drainage of pancreas with drainage device, open approach
047J0GZ	Dilation of left external iliac artery with four or more intraluminal devices, open approach	0F9G0ZX	Drainage of pancreas, open approach, diagnostic
047J0Z1	Dilation of left external iliac artery using drug-coated balloon, open approach	0F9G0ZZ	Drainage of pancreas, open approach
047J0Z6	Dilation of left external iliac artery, bifurcation, open approach	0FB00ZX	Excision of liver, open approach, diagnostic
047J0ZZ	Dilation of left external iliac artery, open approach	0FB00ZZ	Excision of liver, open approach
049000Z	Drainage of abdominal aorta with drainage device, open approach	0FB10ZX	Excision of right lobe liver, open approach, diagnostic
04900ZX	Drainage of abdominal aorta, open approach, diagnostic	0FB10ZZ	Excision of right lobe liver, open approach
04900ZZ	Drainage of abdominal aorta, open approach	0FB20ZX	Excision of left lobe liver, open approach, diagnostic
049100Z	Drainage of celiac artery with drainage device, open approach	0FB20ZZ	Excision of left lobe liver, open approach
04910ZX	Drainage of celiac artery, open approach, diagnostic	0FB40ZX	Excision of gallbladder, open approach, diagnostic
04910ZZ	Drainage of celiac artery, open approach	0FB40ZZ	Excision of gallbladder, open approach
049200Z	Drainage of gastric artery with drainage device, open approach	0FB50ZX	Excision of right hepatic duct, open approach, diagnostic
04920ZX	Drainage of gastric artery, open approach, diagnostic	0FB50ZZ	Excision of right hepatic duct, open approach
04920ZZ	Drainage of gastric artery, open approach	0FB60ZX	Excision of left hepatic duct, open approach, diagnostic
049300Z	Drainage of hepatic artery with drainage device, open approach	0FB60ZZ	Excision of left hepatic duct, open approach
04930ZX	Drainage of hepatic artery, open approach, diagnostic	0FB70ZX	Excision of common hepatic duct, open approach, diagnostic
04930ZZ	Drainage of hepatic artery, open approach	0FB70ZZ	Excision of common hepatic duct, open approach
049400Z	Drainage of splenic artery with drainage device, open approach	0FB80ZX	Excision of cystic duct, open approach, diagnostic

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04940ZX	Drainage of splenic artery, open approach, diagnostic	0FB80ZZ	Excision of cystic duct, open approach
04940ZZ	Drainage of splenic artery, open approach	0FB90ZX	Excision of common bile duct, open approach, diagnostic
049500Z	Drainage of superior mesenteric artery with drainage device, open approach	0FB90ZZ	Excision of common bile duct, open approach
04950ZX	Drainage of superior mesenteric artery, open approach, diagnostic	0FBC0ZX	Excision of ampulla of vater, open approach, diagnostic
04950ZZ	Drainage of superior mesenteric artery, open approach	0FBC0ZZ	Excision of ampulla of vater, open approach
049600Z	Drainage of right colic artery with drainage device, open approach	0FBD0ZX	Excision of pancreatic duct, open approach, diagnostic
04960ZX	Drainage of right colic artery, open approach, diagnostic	0FBD0ZZ	Excision of pancreatic duct, open approach
04960ZZ	Drainage of right colic artery, open approach	0FBF0ZX	Excision of accessory pancreatic duct, open approach, diagnostic
049700Z	Drainage of left colic artery with drainage device, open approach	0FBF0ZZ	Excision of accessory pancreatic duct, open approach
04970ZX	Drainage of left colic artery, open approach, diagnostic	0FBG0ZX	Excision of pancreas, open approach, diagnostic
04970ZZ	Drainage of left colic artery, open approach	0FBG0ZZ	Excision of pancreas, open approach
049800Z	Drainage of middle colic artery with drainage device, open approach	0FC00ZZ	Extirpation of matter from liver, open approach
04980ZX	Drainage of middle colic artery, open approach, diagnostic	0FC10ZZ	Extirpation of matter from right lobe liver, open approach
04980ZZ	Drainage of middle colic artery, open approach	0FC20ZZ	Extirpation of matter from left lobe liver, open approach
049900Z	Drainage of right renal artery with drainage device, open approach	0FC40ZZ	Extirpation of matter from gallbladder, open approach
04990ZX	Drainage of right renal artery, open approach, diagnostic	0FC50ZZ	Extirpation of matter from right hepatic duct, open approach
04990ZZ	Drainage of right renal artery, open approach	0FC60ZZ	Extirpation of matter from left hepatic duct, open approach
049A00Z	Drainage of left renal artery with drainage device, open approach	0FC70ZZ	Extirpation of matter from common hepatic duct, open approach
049A0ZX	Drainage of left renal artery, open approach, diagnostic	0FC80ZZ	Extirpation of matter from cystic duct, open approach
049A0ZZ	Drainage of left renal artery, open approach	0FC90ZZ	Extirpation of matter from common bile duct, open approach
049B00Z	Drainage of inferior mesenteric artery with drainage device, open approach	0FCC0ZZ	Extirpation of matter from ampulla of vater, open approach
049B0ZX	Drainage of inferior mesenteric artery, open approach, diagnostic	0FCD0ZZ	Extirpation of matter from pancreatic duct, open approach
049B0ZZ	Drainage of inferior mesenteric artery, open approach	0FCF0ZZ	Extirpation of matter from accessory pancreatic duct, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

049C00Z	Drainage of right common iliac artery with drainage device, open approach	0FCG0ZZ	Extrirption of matter from pancreas, open approach
049C0ZX	Drainage of right common iliac artery, open approach, diagnostic	0FF40ZZ	Fragmentation in gallbladder, open approach
049C0ZZ	Drainage of right common iliac artery, open approach	0FF50ZZ	Fragmentation in right hepatic duct, open approach
049D00Z	Drainage of left common iliac artery with drainage device, open approach	0FF60ZZ	Fragmentation in left hepatic duct, open approach
049D0ZX	Drainage of left common iliac artery, open approach, diagnostic	0FF70ZZ	Fragmentation in common hepatic duct, open approach
049D0ZZ	Drainage of left common iliac artery, open approach	0FF80ZZ	Fragmentation in cystic duct, open approach
049E00Z	Drainage of right internal iliac artery with drainage device, open approach	0FF90ZZ	Fragmentation in common bile duct, open approach
049E0ZX	Drainage of right internal iliac artery, open approach, diagnostic	0FFC0ZZ	Fragmentation in ampulla of vater, open approach
049E0ZZ	Drainage of right internal iliac artery, open approach	0FFD0ZZ	Fragmentation in pancreatic duct, open approach
049F00Z	Drainage of left internal iliac artery with drainage device, open approach	0FFF0ZZ	Fragmentation in accessory pancreatic duct, open approach
049F0ZX	Drainage of left internal iliac artery, open approach, diagnostic	0FH001Z	Insertion of radioactive element into liver, open approach
049F0ZZ	Drainage of left internal iliac artery, open approach	0FH002Z	Insertion of monitoring device into liver, open approach
049H00Z	Drainage of right external iliac artery with drainage device, open approach	0FH003Z	Insertion of infusion device into liver, open approach
049H0ZX	Drainage of right external iliac artery, open approach, diagnostic	0FH00YZ	Insertion of other device into liver, open approach
049H0ZZ	Drainage of right external iliac artery, open approach	0FH102Z	Insertion of monitoring device into right lobe liver, open approach
049J00Z	Drainage of left external iliac artery with drainage device, open approach	0FH103Z	Insertion of infusion device into right lobe liver, open approach
049J0ZX	Drainage of left external iliac artery, open approach, diagnostic	0FH202Z	Insertion of monitoring device into left lobe liver, open approach
049J0ZZ	Drainage of left external iliac artery, open approach	0FH203Z	Insertion of infusion device into left lobe liver, open approach
04B00ZX	Excision of abdominal aorta, open approach, diagnostic	0FH401Z	Insertion of radioactive element into gallbladder, open approach
04B00ZZ	Excision of abdominal aorta, open approach	0FH402Z	Insertion of monitoring device into gallbladder, open approach
04B10ZX	Excision of celiac artery, open approach, diagnostic	0FH403Z	Insertion of infusion device into gallbladder, open approach
04B10ZZ	Excision of celiac artery, open approach	0FH40YZ	Insertion of other device into gallbladder, open approach
04B20ZX	Excision of gastric artery, open approach, diagnostic	0FHB01Z	Insertion of radioactive element into hepatobiliary duct, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04B20ZZ	Excision of gastric artery, open approach	0FHB02Z	Insertion of monitoring device into hepatobiliary duct, open approach
04B30ZX	Excision of hepatic artery, open approach, diagnostic	0FHB03Z	Insertion of infusion device into hepatobiliary duct, open approach
04B30ZZ	Excision of hepatic artery, open approach	0FHB0DZ	Insertion of intraluminal device into hepatobiliary duct, open approach
04B40ZX	Excision of splenic artery, open approach, diagnostic	0FHB0YZ	Insertion of other device into hepatobiliary duct, open approach
04B40ZZ	Excision of splenic artery, open approach	0FHD01Z	Insertion of radioactive element into pancreatic duct, open approach
04B50ZX	Excision of superior mesenteric artery, open approach, diagnostic	0FHD02Z	Insertion of monitoring device into pancreatic duct, open approach
04B50ZZ	Excision of superior mesenteric artery, open approach	0FHD03Z	Insertion of infusion device into pancreatic duct, open approach
04B60ZX	Excision of right colic artery, open approach, diagnostic	0FHD0DZ	Insertion of intraluminal device into pancreatic duct, open approach
04B60ZZ	Excision of right colic artery, open approach	0FHD0YZ	Insertion of other device into pancreatic duct, open approach
04B70ZX	Excision of left colic artery, open approach, diagnostic	0FHG01Z	Insertion of radioactive element into pancreas, open approach
04B70ZZ	Excision of left colic artery, open approach	0FHG02Z	Insertion of monitoring device into pancreas, open approach
04B80ZX	Excision of middle colic artery, open approach, diagnostic	0FHG03Z	Insertion of infusion device into pancreas, open approach
04B80ZZ	Excision of middle colic artery, open approach	0FHG0YZ	Insertion of other device into pancreas, open approach
04B90ZX	Excision of right renal artery, open approach, diagnostic	0FJ00ZZ	Inspection of liver, open approach
04B90ZZ	Excision of right renal artery, open approach	0FJ40ZZ	Inspection of gallbladder, open approach
04BA0ZX	Excision of left renal artery, open approach, diagnostic	0FJB0ZZ	Inspection of hepatobiliary duct, open approach
04BA0ZZ	Excision of left renal artery, open approach	0FJD0ZZ	Inspection of pancreatic duct, open approach
04BB0ZX	Excision of inferior mesenteric artery, open approach, diagnostic	0FJG0ZZ	Inspection of pancreas, open approach
04BB0ZZ	Excision of inferior mesenteric artery, open approach	0FL50CZ	Occlusion of right hepatic duct with extraluminal device, open approach
04BC0ZX	Excision of right common iliac artery, open approach, diagnostic	0FL50DZ	Occlusion of right hepatic duct with intraluminal device, open approach
04BC0ZZ	Excision of right common iliac artery, open approach	0FL50ZZ	Occlusion of right hepatic duct, open approach
04BD0ZX	Excision of left common iliac artery, open approach, diagnostic	0FL60CZ	Occlusion of left hepatic duct with extraluminal device, open approach
04BD0ZZ	Excision of left common iliac artery, open approach	0FL60DZ	Occlusion of left hepatic duct with intraluminal device, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04BE0ZX	Excision of right internal iliac artery, open approach, diagnostic	0FL60ZZ	Occlusion of left hepatic duct, open approach
04BE0ZZ	Excision of right internal iliac artery, open approach	0FL70CZ	Occlusion of common hepatic duct with extraluminal device, open approach
04BF0ZX	Excision of left internal iliac artery, open approach, diagnostic	0FL70DZ	Occlusion of common hepatic duct with intraluminal device, open approach
04BF0ZZ	Excision of left internal iliac artery, open approach	0FL70ZZ	Occlusion of common hepatic duct, open approach
04BH0ZX	Excision of right external iliac artery, open approach, diagnostic	0FL80CZ	Occlusion of cystic duct with extraluminal device, open approach
04BH0ZZ	Excision of right external iliac artery, open approach	0FL80DZ	Occlusion of cystic duct with intraluminal device, open approach
04BJ0ZX	Excision of left external iliac artery, open approach, diagnostic	0FL80ZZ	Occlusion of cystic duct, open approach
04BJ0ZZ	Excision of left external iliac artery, open approach	0FL90CZ	Occlusion of common bile duct with extraluminal device, open approach
04C00Z6	Extrirpation of matter from abdominal aorta, bifurcation, open approach	0FL90DZ	Occlusion of common bile duct with intraluminal device, open approach
04C00ZZ	Extrirpation of matter from abdominal aorta, open approach	0FL90ZZ	Occlusion of common bile duct, open approach
04C10Z6	Extrirpation of matter from celiac artery, bifurcation, open approach	0FLC0CZ	Occlusion of ampulla of vater with extraluminal device, open approach
04C10ZZ	Extrirpation of matter from celiac artery, open approach	0FLC0DZ	Occlusion of ampulla of vater with intraluminal device, open approach
04C20Z6	Extrirpation of matter from gastric artery, bifurcation, open approach	0FLC0ZZ	Occlusion of ampulla of vater, open approach
04C20ZZ	Extrirpation of matter from gastric artery, open approach	0FLD0CZ	Occlusion of pancreatic duct with extraluminal device, open approach
04C30Z6	Extrirpation of matter from hepatic artery, bifurcation, open approach	0FLD0DZ	Occlusion of pancreatic duct with intraluminal device, open approach
04C30ZZ	Extrirpation of matter from hepatic artery, open approach	0FLD0ZZ	Occlusion of pancreatic duct, open approach
04C40Z6	Extrirpation of matter from splenic artery, bifurcation, open approach	0FLF0CZ	Occlusion of accessory pancreatic duct with extraluminal device, open approach
04C40ZZ	Extrirpation of matter from splenic artery, open approach	0FLF0DZ	Occlusion of accessory pancreatic duct with intraluminal device, open approach
04C50Z6	Extrirpation of matter from superior mesenteric artery, bifurcation, open approach	0FLF0ZZ	Occlusion of accessory pancreatic duct, open approach
04C50ZZ	Extrirpation of matter from superior mesenteric artery, open approach	0FM00ZZ	Reattachment of liver, open approach
04C60Z6	Extrirpation of matter from right colic artery, bifurcation, open approach	0FM10ZZ	Reattachment of right lobe liver, open approach
04C60ZZ	Extrirpation of matter from right colic artery, open approach	0FM20ZZ	Reattachment of left lobe liver, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04C70Z6	Extrication of matter from left colic artery, bifurcation, open approach	0FM40ZZ	Reattachment of gallbladder, open approach
04C70ZZ	Extrication of matter from left colic artery, open approach	0FM50ZZ	Reattachment of right hepatic duct, open approach
04C80Z6	Extrication of matter from middle colic artery, bifurcation, open approach	0FM60ZZ	Reattachment of left hepatic duct, open approach
04C80ZZ	Extrication of matter from middle colic artery, open approach	0FM70ZZ	Reattachment of common hepatic duct, open approach
04C90Z6	Extrication of matter from right renal artery, bifurcation, open approach	0FM80ZZ	Reattachment of cystic duct, open approach
04C90ZZ	Extrication of matter from right renal artery, open approach	0FM90ZZ	Reattachment of common bile duct, open approach
04CA0Z6	Extrication of matter from left renal artery, bifurcation, open approach	0FMC0ZZ	Reattachment of ampulla of vater, open approach
04CA0ZZ	Extrication of matter from left renal artery, open approach	0FMD0ZZ	Reattachment of pancreatic duct, open approach
04CB0Z6	Extrication of matter from inferior mesenteric artery, bifurcation, open approach	0FMF0ZZ	Reattachment of accessory pancreatic duct, open approach
04CB0ZZ	Extrication of matter from inferior mesenteric artery, open approach	0FMG0ZZ	Reattachment of pancreas, open approach
04CC0Z6	Extrication of matter from right common iliac artery, bifurcation, open approach	0FN00ZZ	Release liver, open approach
04CC0ZZ	Extrication of matter from right common iliac artery, open approach	0FN10ZZ	Release right lobe liver, open approach
04CD0Z6	Extrication of matter from left common iliac artery, bifurcation, open approach	0FN20ZZ	Release left lobe liver, open approach
04CD0ZZ	Extrication of matter from left common iliac artery, open approach	0FN40ZZ	Release gallbladder, open approach
04CE0Z6	Extrication of matter from right internal iliac artery, bifurcation, open approach	0FN50ZZ	Release right hepatic duct, open approach
04CE0ZZ	Extrication of matter from right internal iliac artery, open approach	0FN60ZZ	Release left hepatic duct, open approach
04CF0Z6	Extrication of matter from left internal iliac artery, bifurcation, open approach	0FN70ZZ	Release common hepatic duct, open approach
04CF0ZZ	Extrication of matter from left internal iliac artery, open approach	0FN80ZZ	Release cystic duct, open approach
04CH0Z6	Extrication of matter from right external iliac artery, bifurcation, open approach	0FN90ZZ	Release common bile duct, open approach
04CH0ZZ	Extrication of matter from right external iliac artery, open approach	0FNC0ZZ	Release ampulla of vater, open approach
04CJ0Z6	Extrication of matter from left external iliac artery, bifurcation, open approach	0FND0ZZ	Release pancreatic duct, open approach
04CJ0ZZ	Extrication of matter from left external iliac artery, open approach	0FNF0ZZ	Release accessory pancreatic duct, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04H002Z	Insertion of monitoring device into abdominal aorta, open approach	0FNG0ZZ	Release pancreas, open approach
04H003Z	Insertion of infusion device into abdominal aorta, open approach	0FP000Z	Removal of drainage device from liver, open approach
04H00DZ	Insertion of intraluminal device into abdominal aorta, open approach	0FP002Z	Removal of monitoring device from liver, open approach
04H103Z	Insertion of infusion device into celiac artery, open approach	0FP003Z	Removal of infusion device from liver, open approach
04H10DZ	Insertion of intraluminal device into celiac artery, open approach	0FP00YZ	Removal of other device from liver, open approach
04H203Z	Insertion of infusion device into gastric artery, open approach	0FP400Z	Removal of drainage device from gallbladder, open approach
04H20DZ	Insertion of intraluminal device into gastric artery, open approach	0FP402Z	Removal of monitoring device from gallbladder, open approach
04H303Z	Insertion of infusion device into hepatic artery, open approach	0FP403Z	Removal of infusion device from gallbladder, open approach
04H30DZ	Insertion of intraluminal device into hepatic artery, open approach	0FP40DZ	Removal of intraluminal device from gallbladder, open approach
04H403Z	Insertion of infusion device into splenic artery, open approach	0FP40YZ	Removal of other device from gallbladder, open approach
04H40DZ	Insertion of intraluminal device into splenic artery, open approach	0FPB00Z	Removal of drainage device from hepatobiliary duct, open approach
04H503Z	Insertion of infusion device into superior mesenteric artery, open approach	0FPB01Z	Removal of radioactive element from hepatobiliary duct, open approach
04H50DZ	Insertion of intraluminal device into superior mesenteric artery, open approach	0FPB02Z	Removal of monitoring device from hepatobiliary duct, open approach
04H603Z	Insertion of infusion device into right colic artery, open approach	0FPB03Z	Removal of infusion device from hepatobiliary duct, open approach
04H60DZ	Insertion of intraluminal device into right colic artery, open approach	0FPB07Z	Removal of autologous tissue substitute from hepatobiliary duct, open approach
04H703Z	Insertion of infusion device into left colic artery, open approach	0FPB0CZ	Removal of extraluminal device from hepatobiliary duct, open approach
04H70DZ	Insertion of intraluminal device into left colic artery, open approach	0FPB0DZ	Removal of intraluminal device from hepatobiliary duct, open approach
04H803Z	Insertion of infusion device into middle colic artery, open approach	0FPB0JZ	Removal of synthetic substitute from hepatobiliary duct, open approach
04H80DZ	Insertion of intraluminal device into middle colic artery, open approach	0FPB0KZ	Removal of nonautologous tissue substitute from hepatobiliary duct, open approach
04H903Z	Insertion of infusion device into right renal artery, open approach	0FPB0YZ	Removal of other device from hepatobiliary duct, open approach
04H90DZ	Insertion of intraluminal device into right renal artery, open approach	0FPD00Z	Removal of drainage device from pancreatic duct, open approach
04HA03Z	Insertion of infusion device into left renal artery, open approach	0FPD01Z	Removal of radioactive element from pancreatic duct, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04HA0DZ	Insertion of intraluminal device into left renal artery, open approach	0FPD02Z	Removal of monitoring device from pancreatic duct, open approach
04HB03Z	Insertion of infusion device into inferior mesenteric artery, open approach	0FPD03Z	Removal of infusion device from pancreatic duct, open approach
04HB0DZ	Insertion of intraluminal device into inferior mesenteric artery, open approach	0FPD07Z	Removal of autologous tissue substitute from pancreatic duct, open approach
04HC03Z	Insertion of infusion device into right common iliac artery, open approach	0FPD0CZ	Removal of extraluminal device from pancreatic duct, open approach
04HC0DZ	Insertion of intraluminal device into right common iliac artery, open approach	0FPD0DZ	Removal of intraluminal device from pancreatic duct, open approach
04HD03Z	Insertion of infusion device into left common iliac artery, open approach	0FPD0JZ	Removal of synthetic substitute from pancreatic duct, open approach
04HD0DZ	Insertion of intraluminal device into left common iliac artery, open approach	0FPD0KZ	Removal of nonautologous tissue substitute from pancreatic duct, open approach
04HE03Z	Insertion of infusion device into right internal iliac artery, open approach	0FPD0YZ	Removal of other device from pancreatic duct, open approach
04HE0DZ	Insertion of intraluminal device into right internal iliac artery, open approach	0FPG00Z	Removal of drainage device from pancreas, open approach
04HF03Z	Insertion of infusion device into left internal iliac artery, open approach	0FPG02Z	Removal of monitoring device from pancreas, open approach
04HF0DZ	Insertion of intraluminal device into left internal iliac artery, open approach	0FPG03Z	Removal of infusion device from pancreas, open approach
04HH03Z	Insertion of infusion device into right external iliac artery, open approach	0FPG0DZ	Removal of intraluminal device from pancreas, open approach
04HH0DZ	Insertion of intraluminal device into right external iliac artery, open approach	0FPG0YZ	Removal of other device from pancreas, open approach
04HJ03Z	Insertion of infusion device into left external iliac artery, open approach	0FQ00ZZ	Repair liver, open approach
04HJ0DZ	Insertion of intraluminal device into left external iliac artery, open approach	0FQ10ZZ	Repair right lobe liver, open approach
04L00CZ	Occlusion of abdominal aorta with extraluminal device, open approach	0FQ20ZZ	Repair left lobe liver, open approach
04L00DJ	Occlusion of abdominal aorta with intraluminal device, temporary, open approach	0FQ40ZZ	Repair gallbladder, open approach
04L00DZ	Occlusion of abdominal aorta with intraluminal device, open approach	0FQ50ZZ	Repair right hepatic duct, open approach
04L00ZZ	Occlusion of abdominal aorta, open approach	0FQ60ZZ	Repair left hepatic duct, open approach
04L10CZ	Occlusion of celiac artery with extraluminal device, open approach	0FQ70ZZ	Repair common hepatic duct, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04L10DZ	Occlusion of celiac artery with intraluminal device, open approach	0FQ80ZZ	Repair cystic duct, open approach
04L10ZZ	Occlusion of celiac artery, open approach	0FQ90ZZ	Repair common bile duct, open approach
04L20CZ	Occlusion of gastric artery with extraluminal device, open approach	0FQC0ZZ	Repair ampulla of vater, open approach
04L20DZ	Occlusion of gastric artery with intraluminal device, open approach	0FQD0ZZ	Repair pancreatic duct, open approach
04L20ZZ	Occlusion of gastric artery, open approach	0FQF0ZZ	Repair accessory pancreatic duct, open approach
04L30CZ	Occlusion of hepatic artery with extraluminal device, open approach	0FQG0ZZ	Repair pancreas, open approach
04L30DZ	Occlusion of hepatic artery with intraluminal device, open approach	0FR507Z	Replacement of right hepatic duct with autologous tissue substitute, open approach
04L30ZZ	Occlusion of hepatic artery, open approach	0FR50JZ	Replacement of right hepatic duct with synthetic substitute, open approach
04L40CZ	Occlusion of splenic artery with extraluminal device, open approach	0FR50KZ	Replacement of right hepatic duct with nonautologous tissue substitute, open approach
04L40DZ	Occlusion of splenic artery with intraluminal device, open approach	0FR607Z	Replacement of left hepatic duct with autologous tissue substitute, open approach
04L40ZZ	Occlusion of splenic artery, open approach	0FR60JZ	Replacement of left hepatic duct with synthetic substitute, open approach
04L50CZ	Occlusion of superior mesenteric artery with extraluminal device, open approach	0FR60KZ	Replacement of left hepatic duct with nonautologous tissue substitute, open approach
04L50DZ	Occlusion of superior mesenteric artery with intraluminal device, open approach	0FR707Z	Replacement of common hepatic duct with autologous tissue substitute, open approach
04L50ZZ	Occlusion of superior mesenteric artery, open approach	0FR70JZ	Replacement of common hepatic duct with synthetic substitute, open approach
04L60CZ	Occlusion of right colic artery with extraluminal device, open approach	0FR70KZ	Replacement of common hepatic duct with nonautologous tissue substitute, open approach
04L60DZ	Occlusion of right colic artery with intraluminal device, open approach	0FR807Z	Replacement of cystic duct with autologous tissue substitute, open approach
04L60ZZ	Occlusion of right colic artery, open approach	0FR80JZ	Replacement of cystic duct with synthetic substitute, open approach
04L70CZ	Occlusion of left colic artery with extraluminal device, open approach	0FR80KZ	Replacement of cystic duct with nonautologous tissue substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04L70DZ	Occlusion of left colic artery with intraluminal device, open approach	0FR907Z	Replacement of common bile duct with autologous tissue substitute, open approach
04L70ZZ	Occlusion of left colic artery, open approach	0FR90JZ	Replacement of common bile duct with synthetic substitute, open approach
04L80CZ	Occlusion of middle colic artery with extraluminal device, open approach	0FR90KZ	Replacement of common bile duct with nonautologous tissue substitute, open approach
04L80DZ	Occlusion of middle colic artery with intraluminal device, open approach	0FRC07Z	Replacement of ampulla of vater with autologous tissue substitute, open approach
04L80ZZ	Occlusion of middle colic artery, open approach	0FRC0JZ	Replacement of ampulla of vater with synthetic substitute, open approach
04L90CZ	Occlusion of right renal artery with extraluminal device, open approach	0FRC0KZ	Replacement of ampulla of vater with nonautologous tissue substitute, open approach
04L90DZ	Occlusion of right renal artery with intraluminal device, open approach	0FRD07Z	Replacement of pancreatic duct with autologous tissue substitute, open approach
04L90ZZ	Occlusion of right renal artery, open approach	0FRD0JZ	Replacement of pancreatic duct with synthetic substitute, open approach
04LA0CZ	Occlusion of left renal artery with extraluminal device, open approach	0FRD0KZ	Replacement of pancreatic duct with nonautologous tissue substitute, open approach
04LA0DZ	Occlusion of left renal artery with intraluminal device, open approach	0FRF07Z	Replacement of accessory pancreatic duct with autologous tissue substitute, open approach
04LA0ZZ	Occlusion of left renal artery, open approach	0FRF0JZ	Replacement of accessory pancreatic duct with synthetic substitute, open approach
04LB0CZ	Occlusion of inferior mesenteric artery with extraluminal device, open approach	0FRF0KZ	Replacement of accessory pancreatic duct with nonautologous tissue substitute, open approach
04LB0DZ	Occlusion of inferior mesenteric artery with intraluminal device, open approach	0FS00ZZ	Reposition liver, open approach
04LB0ZZ	Occlusion of inferior mesenteric artery, open approach	0FS40ZZ	Reposition gallbladder, open approach
04LC0CZ	Occlusion of right common iliac artery with extraluminal device, open approach	0FS50ZZ	Reposition right hepatic duct, open approach
04LC0DZ	Occlusion of right common iliac artery with intraluminal device, open approach	0FS60ZZ	Reposition left hepatic duct, open approach
04LC0ZZ	Occlusion of right common iliac artery, open approach	0FS70ZZ	Reposition common hepatic duct, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04LD0CZ	Occlusion of left common iliac artery with extraluminal device, open approach	0FS80ZZ	Reposition cystic duct, open approach
04LD0DZ	Occlusion of left common iliac artery with intraluminal device, open approach	0FS90ZZ	Reposition common bile duct, open approach
04LD0ZZ	Occlusion of left common iliac artery, open approach	0FSC0ZZ	Reposition ampulla of vater, open approach
04LE0CT	Occlusion of right uterine artery with extraluminal device, open approach	0FSD0ZZ	Reposition pancreatic duct, open approach
04LE0CV	Occlusion of right prostatic artery with extraluminal device, open approach	0FSF0ZZ	Reposition accessory pancreatic duct, open approach
04LE0CZ	Occlusion of right internal iliac artery with extraluminal device, open approach	0FSG0ZZ	Reposition pancreas, open approach
04LE0DT	Occlusion of right uterine artery with intraluminal device, open approach	0FT00ZZ	Resection of liver, open approach
04LE0DV	Occlusion of right prostatic artery with intraluminal device, open approach	0FT10ZZ	Resection of right lobe liver, open approach
04LE0DZ	Occlusion of right internal iliac artery with intraluminal device, open approach	0FT20ZZ	Resection of left lobe liver, open approach
04LE0ZT	Occlusion of right uterine artery, open approach	0FT40ZZ	Resection of gallbladder, open approach
04LE0ZV	Occlusion of right prostatic artery, open approach	0FT50ZZ	Resection of right hepatic duct, open approach
04LE0ZZ	Occlusion of right internal iliac artery, open approach	0FT60ZZ	Resection of left hepatic duct, open approach
04LF0CU	Occlusion of left uterine artery with extraluminal device, open approach	0FT70ZZ	Resection of common hepatic duct, open approach
04LF0CW	Occlusion of left prostatic artery with extraluminal device, open approach	0FT80ZZ	Resection of cystic duct, open approach
04LF0CZ	Occlusion of left internal iliac artery with extraluminal device, open approach	0FT90ZZ	Resection of common bile duct, open approach
04LF0DU	Occlusion of left uterine artery with intraluminal device, open approach	0FTC0ZZ	Resection of ampulla of vater, open approach
04LF0DW	Occlusion of left prostatic artery with intraluminal device, open approach	0FTD0ZZ	Resection of pancreatic duct, open approach
04LF0DZ	Occlusion of left internal iliac artery with intraluminal device, open approach	0FTF0ZZ	Resection of accessory pancreatic duct, open approach
04LF0ZU	Occlusion of left uterine artery, open approach	0FTG0ZZ	Resection of pancreas, open approach
04LF0ZW	Occlusion of left prostatic artery, open approach	0FU507Z	Supplement right hepatic duct with autologous tissue substitute, open approach
04LF0ZZ	Occlusion of left internal iliac artery, open approach	0FU50JZ	Supplement right hepatic duct with synthetic substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04LH0CZ	Occlusion of right external iliac artery with extraluminal device, open approach	0FU50KZ	Supplement right hepatic duct with nonautologous tissue substitute, open approach
04LH0DZ	Occlusion of right external iliac artery with intraluminal device, open approach	0FU607Z	Supplement left hepatic duct with autologous tissue substitute, open approach
04LH0ZZ	Occlusion of right external iliac artery, open approach	0FU60JZ	Supplement left hepatic duct with synthetic substitute, open approach
04LJ0CZ	Occlusion of left external iliac artery with extraluminal device, open approach	0FU60KZ	Supplement left hepatic duct with nonautologous tissue substitute, open approach
04LJ0DZ	Occlusion of left external iliac artery with intraluminal device, open approach	0FU707Z	Supplement common hepatic duct with autologous tissue substitute, open approach
04LJ0ZZ	Occlusion of left external iliac artery, open approach	0FU70JZ	Supplement common hepatic duct with synthetic substitute, open approach
04N00ZZ	Release abdominal aorta, open approach	0FU70KZ	Supplement common hepatic duct with nonautologous tissue substitute, open approach
04N10ZZ	Release celiac artery, open approach	0FU807Z	Supplement cystic duct with autologous tissue substitute, open approach
04N20ZZ	Release gastric artery, open approach	0FU80JZ	Supplement cystic duct with synthetic substitute, open approach
04N30ZZ	Release hepatic artery, open approach	0FU80KZ	Supplement cystic duct with nonautologous tissue substitute, open approach
04N40ZZ	Release splenic artery, open approach	0FU907Z	Supplement common bile duct with autologous tissue substitute, open approach
04N50ZZ	Release superior mesenteric artery, open approach	0FU90JZ	Supplement common bile duct with synthetic substitute, open approach
04N60ZZ	Release right colic artery, open approach	0FU90KZ	Supplement common bile duct with nonautologous tissue substitute, open approach
04N70ZZ	Release left colic artery, open approach	0FUC07Z	Supplement ampulla of vater with autologous tissue substitute, open approach
04N80ZZ	Release middle colic artery, open approach	0FUC0JZ	Supplement ampulla of vater with synthetic substitute, open approach
04N90ZZ	Release right renal artery, open approach	0FUC0KZ	Supplement ampulla of vater with nonautologous tissue substitute, open approach
04NA0ZZ	Release left renal artery, open approach	0FUD07Z	Supplement pancreatic duct with autologous tissue substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04NB0ZZ	Release inferior mesenteric artery, open approach	0FUD0JZ	Supplement pancreatic duct with synthetic substitute, open approach
04NC0ZZ	Release right common iliac artery, open approach	0FUD0KZ	Supplement pancreatic duct with nonautologous tissue substitute, open approach
04ND0ZZ	Release left common iliac artery, open approach	0FUF07Z	Supplement accessory pancreatic duct with autologous tissue substitute, open approach
04NE0ZZ	Release right internal iliac artery, open approach	0FUF0JZ	Supplement accessory pancreatic duct with synthetic substitute, open approach
04NF0ZZ	Release left internal iliac artery, open approach	0FUF0KZ	Supplement accessory pancreatic duct with nonautologous tissue substitute, open approach
04NH0ZZ	Release right external iliac artery, open approach	0FV50CZ	Restriction of right hepatic duct with extraluminal device, open approach
04NJ0ZZ	Release left external iliac artery, open approach	0FV50DZ	Restriction of right hepatic duct with intraluminal device, open approach
04Q00ZZ	Repair abdominal aorta, open approach	0FV50ZZ	Restriction of right hepatic duct, open approach
04Q10ZZ	Repair celiac artery, open approach	0FV60CZ	Restriction of left hepatic duct with extraluminal device, open approach
04Q20ZZ	Repair gastric artery, open approach	0FV60DZ	Restriction of left hepatic duct with intraluminal device, open approach
04Q30ZZ	Repair hepatic artery, open approach	0FV60ZZ	Restriction of left hepatic duct, open approach
04Q40ZZ	Repair splenic artery, open approach	0FV70CZ	Restriction of common hepatic duct with extraluminal device, open approach
04Q50ZZ	Repair superior mesenteric artery, open approach	0FV70DZ	Restriction of common hepatic duct with intraluminal device, open approach
04Q60ZZ	Repair right colic artery, open approach	0FV70ZZ	Restriction of common hepatic duct, open approach
04Q70ZZ	Repair left colic artery, open approach	0FV80CZ	Restriction of cystic duct with extraluminal device, open approach
04Q80ZZ	Repair middle colic artery, open approach	0FV80DZ	Restriction of cystic duct with intraluminal device, open approach
04Q90ZZ	Repair right renal artery, open approach	0FV80ZZ	Restriction of cystic duct, open approach
04QA0ZZ	Repair left renal artery, open approach	0FV90CZ	Restriction of common bile duct with extraluminal device, open approach
04QB0ZZ	Repair inferior mesenteric artery, open approach	0FV90DZ	Restriction of common bile duct with intraluminal device, open approach
04QC0ZZ	Repair right common iliac artery, open approach	0FV90ZZ	Restriction of common bile duct, open approach
04QD0ZZ	Repair left common iliac artery, open approach	0FVC0CZ	Restriction of ampulla of vater with extraluminal device, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04QE0ZZ	Repair right internal iliac artery, open approach	0FVC0DZ	Restriction of ampulla of vater with intraluminal device, open approach
04QF0ZZ	Repair left internal iliac artery, open approach	0FVC0ZZ	Restriction of ampulla of vater, open approach
04QH0ZZ	Repair right external iliac artery, open approach	0FVD0CZ	Restriction of pancreatic duct with extraluminal device, open approach
04QJ0ZZ	Repair left external iliac artery, open approach	0FVD0DZ	Restriction of pancreatic duct with intraluminal device, open approach
04R007Z	Replacement of abdominal aorta with autologous tissue substitute, open approach	0FVD0ZZ	Restriction of pancreatic duct, open approach
04R00JZ	Replacement of abdominal aorta with synthetic substitute, open approach	0FVF0CZ	Restriction of accessory pancreatic duct with extraluminal device, open approach
04R00KZ	Replacement of abdominal aorta with nonautologous tissue substitute, open approach	0FVF0DZ	Restriction of accessory pancreatic duct with intraluminal device, open approach
04R107Z	Replacement of celiac artery with autologous tissue substitute, open approach	0FVF0ZZ	Restriction of accessory pancreatic duct, open approach
04R10JZ	Replacement of celiac artery with synthetic substitute, open approach	0FW000Z	Revision of drainage device in liver, open approach
04R10KZ	Replacement of celiac artery with nonautologous tissue substitute, open approach	0FW002Z	Revision of monitoring device in liver, open approach
04R207Z	Replacement of gastric artery with autologous tissue substitute, open approach	0FW003Z	Revision of infusion device in liver, open approach
04R20JZ	Replacement of gastric artery with synthetic substitute, open approach	0FW00YZ	Revision of other device in liver, open approach
04R20KZ	Replacement of gastric artery with nonautologous tissue substitute, open approach	0FW400Z	Revision of drainage device in gallbladder, open approach
04R307Z	Replacement of hepatic artery with autologous tissue substitute, open approach	0FW402Z	Revision of monitoring device in gallbladder, open approach
04R30JZ	Replacement of hepatic artery with synthetic substitute, open approach	0FW403Z	Revision of infusion device in gallbladder, open approach
04R30KZ	Replacement of hepatic artery with nonautologous tissue substitute, open approach	0FW40DZ	Revision of intraluminal device in gallbladder, open approach
04R407Z	Replacement of splenic artery with autologous tissue substitute, open approach	0FW40YZ	Revision of other device in gallbladder, open approach
04R40JZ	Replacement of splenic artery with synthetic substitute, open approach	0FWB00Z	Revision of drainage device in hepatobiliary duct, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04R40KZ	Replacement of splenic artery with nonautologous tissue substitute, open approach	0FWB02Z	Revision of monitoring device in hepatobiliary duct, open approach
04R507Z	Replacement of superior mesenteric artery with autologous tissue substitute, open approach	0FWB03Z	Revision of infusion device in hepatobiliary duct, open approach
04R50JZ	Replacement of superior mesenteric artery with synthetic substitute, open approach	0FWB07Z	Revision of autologous tissue substitute in hepatobiliary duct, open approach
04R50KZ	Replacement of superior mesenteric artery with nonautologous tissue substitute, open approach	0FWB0CZ	Revision of extraluminal device in hepatobiliary duct, open approach
04R607Z	Replacement of right colic artery with autologous tissue substitute, open approach	0FWB0DZ	Revision of intraluminal device in hepatobiliary duct, open approach
04R60JZ	Replacement of right colic artery with synthetic substitute, open approach	0FWB0JZ	Revision of synthetic substitute in hepatobiliary duct, open approach
04R60KZ	Replacement of right colic artery with nonautologous tissue substitute, open approach	0FWB0KZ	Revision of nonautologous tissue substitute in hepatobiliary duct, open approach
04R707Z	Replacement of left colic artery with autologous tissue substitute, open approach	0FWB0YZ	Revision of other device in hepatobiliary duct, open approach
04R70JZ	Replacement of left colic artery with synthetic substitute, open approach	0FWD00Z	Revision of drainage device in pancreatic duct, open approach
04R70KZ	Replacement of left colic artery with nonautologous tissue substitute, open approach	0FWD02Z	Revision of monitoring device in pancreatic duct, open approach
04R807Z	Replacement of middle colic artery with autologous tissue substitute, open approach	0FWD03Z	Revision of infusion device in pancreatic duct, open approach
04R80JZ	Replacement of middle colic artery with synthetic substitute, open approach	0FWD07Z	Revision of autologous tissue substitute in pancreatic duct, open approach
04R80KZ	Replacement of middle colic artery with nonautologous tissue substitute, open approach	0FWD0CZ	Revision of extraluminal device in pancreatic duct, open approach
04R907Z	Replacement of right renal artery with autologous tissue substitute, open approach	0FWD0DZ	Revision of intraluminal device in pancreatic duct, open approach
04R90JZ	Replacement of right renal artery with synthetic substitute, open approach	0FWD0JZ	Revision of synthetic substitute in pancreatic duct, open approach
04R90KZ	Replacement of right renal artery with nonautologous tissue substitute, open approach	0FWD0KZ	Revision of nonautologous tissue substitute in pancreatic duct, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04RA07Z	Replacement of left renal artery with autologous tissue substitute, open approach	0FWD0YZ	Revision of other device in pancreatic duct, open approach
04RA0JZ	Replacement of left renal artery with synthetic substitute, open approach	0FWG00Z	Revision of drainage device in pancreas, open approach
04RA0KZ	Replacement of left renal artery with nonautologous tissue substitute, open approach	0FWG02Z	Revision of monitoring device in pancreas, open approach
04RB07Z	Replacement of inferior mesenteric artery with autologous tissue substitute, open approach	0FWG03Z	Revision of infusion device in pancreas, open approach
04RB0JZ	Replacement of inferior mesenteric artery with synthetic substitute, open approach	0FWG0DZ	Revision of intraluminal device in pancreas, open approach
04RB0KZ	Replacement of inferior mesenteric artery with nonautologous tissue substitute, open approach	0FWG0YZ	Revision of other device in pancreas, open approach
04RC07Z	Replacement of right common iliac artery with autologous tissue substitute, open approach	0FY00Z0	Transplantation of liver, allogeneic, open approach
04RC0JZ	Replacement of right common iliac artery with synthetic substitute, open approach	0FY00Z1	Transplantation of liver, syngeneic, open approach
04RC0KZ	Replacement of right common iliac artery with nonautologous tissue substitute, open approach	0FY00Z2	Transplantation of liver, zooplasmic, open approach
04RD07Z	Replacement of left common iliac artery with autologous tissue substitute, open approach	0FYG0Z0	Transplantation of pancreas, allogeneic, open approach
04RD0JZ	Replacement of left common iliac artery with synthetic substitute, open approach	0FYG0Z1	Transplantation of pancreas, syngeneic, open approach
04RD0KZ	Replacement of left common iliac artery with nonautologous tissue substitute, open approach	0FYG0Z2	Transplantation of pancreas, zooplasmic, open approach
04RE07Z	Replacement of right internal iliac artery with autologous tissue substitute, open approach	0G520Z3	Destruction of left adrenal gland using laser interstitial thermal therapy, open approach
04RE0JZ	Replacement of right internal iliac artery with synthetic substitute, open approach	0G520ZZ	Destruction of left adrenal gland, open approach
04RE0KZ	Replacement of right internal iliac artery with nonautologous tissue substitute, open approach	0G530Z3	Destruction of right adrenal gland using laser interstitial thermal therapy, open approach
04RF07Z	Replacement of left internal iliac artery with autologous tissue substitute, open approach	0G530ZZ	Destruction of right adrenal gland, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04RF0JZ	Replacement of left internal iliac artery with synthetic substitute, open approach	0G540Z3	Destruction of bilateral adrenal glands using laser interstitial thermal therapy, open approach
04RF0KZ	Replacement of left internal iliac artery with nonautologous tissue substitute, open approach	0G540ZZ	Destruction of bilateral adrenal glands, open approach
04RH07Z	Replacement of right external iliac artery with autologous tissue substitute, open approach	0G9200Z	Drainage of left adrenal gland with drainage device, open approach
04RH0JZ	Replacement of right external iliac artery with synthetic substitute, open approach	0G920ZX	Drainage of left adrenal gland, open approach, diagnostic
04RH0KZ	Replacement of right external iliac artery with nonautologous tissue substitute, open approach	0G920ZZ	Drainage of left adrenal gland, open approach
04RJ07Z	Replacement of left external iliac artery with autologous tissue substitute, open approach	0G9300Z	Drainage of right adrenal gland with drainage device, open approach
04RJ0JZ	Replacement of left external iliac artery with synthetic substitute, open approach	0G930ZX	Drainage of right adrenal gland, open approach, diagnostic
04RJ0KZ	Replacement of left external iliac artery with nonautologous tissue substitute, open approach	0G930ZZ	Drainage of right adrenal gland, open approach
04S00ZZ	Reposition abdominal aorta, open approach	0G9400Z	Drainage of bilateral adrenal glands with drainage device, open approach
04S10ZZ	Reposition celiac artery, open approach	0G940ZX	Drainage of bilateral adrenal glands, open approach, diagnostic
04S20ZZ	Reposition gastric artery, open approach	0G940ZZ	Drainage of bilateral adrenal glands, open approach
04S30ZZ	Reposition hepatic artery, open approach	0GB20ZX	Excision of left adrenal gland, open approach, diagnostic
04S40ZZ	Reposition splenic artery, open approach	0GB20ZZ	Excision of left adrenal gland, open approach
04S50ZZ	Reposition superior mesenteric artery, open approach	0GB30ZX	Excision of right adrenal gland, open approach, diagnostic
04S60ZZ	Reposition right colic artery, open approach	0GB30ZZ	Excision of right adrenal gland, open approach
04S70ZZ	Reposition left colic artery, open approach	0GB40ZX	Excision of bilateral adrenal glands, open approach, diagnostic
04S80ZZ	Reposition middle colic artery, open approach	0GB40ZZ	Excision of bilateral adrenal glands, open approach
04S90ZZ	Reposition right renal artery, open approach	0GC20ZZ	Extirpation of matter from left adrenal gland, open approach
04SA0ZZ	Reposition left renal artery, open approach	0GC30ZZ	Extirpation of matter from right adrenal gland, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04SB0ZZ	Reposition inferior mesenteric artery, open approach	0GC40ZZ	Extrirpation of matter from bilateral adrenal glands, open approach
04SC0ZZ	Reposition right common iliac artery, open approach	0GM20ZZ	Reattachment of left adrenal gland, open approach
04SD0ZZ	Reposition left common iliac artery, open approach	0GM30ZZ	Reattachment of right adrenal gland, open approach
04SE0ZZ	Reposition right internal iliac artery, open approach	0GN20ZZ	Release left adrenal gland, open approach
04SF0ZZ	Reposition left internal iliac artery, open approach	0GN30ZZ	Release right adrenal gland, open approach
04SH0ZZ	Reposition right external iliac artery, open approach	0GN40ZZ	Release bilateral adrenal glands, open approach
04SJ0ZZ	Reposition left external iliac artery, open approach	0GQ20ZZ	Repair left adrenal gland, open approach
04U007Z	Supplement abdominal aorta with autologous tissue substitute, open approach	0GQ30ZZ	Repair right adrenal gland, open approach
04U00JZ	Supplement abdominal aorta with synthetic substitute, open approach	0GQ40ZZ	Repair bilateral adrenal glands, open approach
04U00KZ	Supplement abdominal aorta with nonautologous tissue substitute, open approach	0GS20ZZ	Reposition left adrenal gland, open approach
04U107Z	Supplement celiac artery with autologous tissue substitute, open approach	0GS30ZZ	Reposition right adrenal gland, open approach
04U10JZ	Supplement celiac artery with synthetic substitute, open approach	0GT20ZZ	Resection of left adrenal gland, open approach
04U10KZ	Supplement celiac artery with nonautologous tissue substitute, open approach	0GT30ZZ	Resection of right adrenal gland, open approach
04U207Z	Supplement gastric artery with autologous tissue substitute, open approach	0GT40ZZ	Resection of bilateral adrenal glands, open approach
04U20JZ	Supplement gastric artery with synthetic substitute, open approach	0SG0070	Fusion of lumbar vertebral joint with autologous tissue substitute, anterior approach, anterior column, open approach
04U20KZ	Supplement gastric artery with nonautologous tissue substitute, open approach	0SG00A0	Fusion of lumbar vertebral joint with interbody fusion device, anterior approach, anterior column, open approach
04U307Z	Supplement hepatic artery with autologous tissue substitute, open approach	0SG00J0	Fusion of lumbar vertebral joint with synthetic substitute, anterior approach, anterior column, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04U30JZ	Supplement hepatic artery with synthetic substitute, open approach	0SG00K0	Fusion of lumbar vertebral joint with nonautologous tissue substitute, anterior approach, anterior column, open approach
04U30KZ	Supplement hepatic artery with nonautologous tissue substitute, open approach	0SG00Z0	Fusion of lumbar vertebral joint, anterior approach, anterior column, open approach
04U407Z	Supplement splenic artery with autologous tissue substitute, open approach	0SG1070	Fusion of 2 or more lumbar vertebral joints with autologous tissue substitute, anterior approach, anterior column, open approach
04U40JZ	Supplement splenic artery with synthetic substitute, open approach	0SG10A0	Fusion of 2 or more lumbar vertebral joints with interbody fusion device, anterior approach, anterior column, open approach
04U40KZ	Supplement splenic artery with nonautologous tissue substitute, open approach	0SG10J0	Fusion of 2 or more lumbar vertebral joints with synthetic substitute, anterior approach, anterior column, open approach
04U507Z	Supplement superior mesenteric artery with autologous tissue substitute, open approach	0SG10K0	Fusion of 2 or more lumbar vertebral joints with nonautologous tissue substitute, anterior approach, anterior column, open approach
04U50JZ	Supplement superior mesenteric artery with synthetic substitute, open approach	0SG10Z0	Fusion of 2 or more lumbar vertebral joints, anterior approach, anterior column, open approach
04U50KZ	Supplement superior mesenteric artery with nonautologous tissue substitute, open approach	0SG3070	Fusion of lumbosacral joint with autologous tissue substitute, anterior approach, anterior column, open approach
04U607Z	Supplement right colic artery with autologous tissue substitute, open approach	0SG30A0	Fusion of lumbosacral joint with interbody fusion device, anterior approach, anterior column, open approach
04U60JZ	Supplement right colic artery with synthetic substitute, open approach	0SG30J0	Fusion of lumbosacral joint with synthetic substitute, anterior approach, anterior column, open approach
04U60KZ	Supplement right colic artery with nonautologous tissue substitute, open approach	0SG30K0	Fusion of lumbosacral joint with nonautologous tissue substitute, anterior approach, anterior column, open approach
04U707Z	Supplement left colic artery with autologous tissue substitute, open approach	0SG30Z0	Fusion of lumbosacral joint, anterior approach, anterior column, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04U70JZ	Supplement left colic artery with synthetic substitute, open approach	0T13073	Bypass right kidney pelvis to right kidney pelvis with autologous tissue substitute, open approach
04U70KZ	Supplement left colic artery with nonautologous tissue substitute, open approach	0T13074	Bypass right kidney pelvis to left kidney pelvis with autologous tissue substitute, open approach
04U807Z	Supplement middle colic artery with autologous tissue substitute, open approach	0T13076	Bypass right kidney pelvis to right ureter with autologous tissue substitute, open approach
04U80JZ	Supplement middle colic artery with synthetic substitute, open approach	0T13077	Bypass right kidney pelvis to left ureter with autologous tissue substitute, open approach
04U80KZ	Supplement middle colic artery with nonautologous tissue substitute, open approach	0T13078	Bypass right kidney pelvis to colon with autologous tissue substitute, open approach
04U907Z	Supplement right renal artery with autologous tissue substitute, open approach	0T13079	Bypass right kidney pelvis to colocolic with autologous tissue substitute, open approach
04U90JZ	Supplement right renal artery with synthetic substitute, open approach	0T1307A	Bypass right kidney pelvis to ileum with autologous tissue substitute, open approach
04U90KZ	Supplement right renal artery with nonautologous tissue substitute, open approach	0T1307B	Bypass right kidney pelvis to bladder with autologous tissue substitute, open approach
04UA07Z	Supplement left renal artery with autologous tissue substitute, open approach	0T1307C	Bypass right kidney pelvis to ileocutaneous with autologous tissue substitute, open approach
04UA0JZ	Supplement left renal artery with synthetic substitute, open approach	0T1307D	Bypass right kidney pelvis to cutaneous with autologous tissue substitute, open approach
04UA0KZ	Supplement left renal artery with nonautologous tissue substitute, open approach	0T130J3	Bypass right kidney pelvis to right kidney pelvis with synthetic substitute, open approach
04UB07Z	Supplement inferior mesenteric artery with autologous tissue substitute, open approach	0T130J4	Bypass right kidney pelvis to left kidney pelvis with synthetic substitute, open approach
04UB0JZ	Supplement inferior mesenteric artery with synthetic substitute, open approach	0T130J6	Bypass right kidney pelvis to right ureter with synthetic substitute, open approach
04UB0KZ	Supplement inferior mesenteric artery with nonautologous tissue substitute, open approach	0T130J7	Bypass right kidney pelvis to left ureter with synthetic substitute, open approach
04UC07Z	Supplement right common iliac artery with autologous tissue substitute, open approach	0T130J8	Bypass right kidney pelvis to colon with synthetic substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04UC0JZ	Supplement right common iliac artery with synthetic substitute, open approach	0T130J9	Bypass right kidney pelvis to colocolic with synthetic substitute, open approach
04UC0KZ	Supplement right common iliac artery with nonautologous tissue substitute, open approach	0T130JA	Bypass right kidney pelvis to ileum with synthetic substitute, open approach
04UD07Z	Supplement left common iliac artery with autologous tissue substitute, open approach	0T130JB	Bypass right kidney pelvis to bladder with synthetic substitute, open approach
04UD0JZ	Supplement left common iliac artery with synthetic substitute, open approach	0T130JC	Bypass right kidney pelvis to ileocolic with synthetic substitute, open approach
04UD0KZ	Supplement left common iliac artery with nonautologous tissue substitute, open approach	0T130JD	Bypass right kidney pelvis to cutaneous with synthetic substitute, open approach
04UE07Z	Supplement right internal iliac artery with autologous tissue substitute, open approach	0T130K3	Bypass right kidney pelvis to right kidney pelvis with nonautologous tissue substitute, open approach
04UE0JZ	Supplement right internal iliac artery with synthetic substitute, open approach	0T130K4	Bypass right kidney pelvis to left kidney pelvis with nonautologous tissue substitute, open approach
04UE0KZ	Supplement right internal iliac artery with nonautologous tissue substitute, open approach	0T130K6	Bypass right kidney pelvis to right ureter with nonautologous tissue substitute, open approach
04UF07Z	Supplement left internal iliac artery with autologous tissue substitute, open approach	0T130K7	Bypass right kidney pelvis to left ureter with nonautologous tissue substitute, open approach
04UF0JZ	Supplement left internal iliac artery with synthetic substitute, open approach	0T130K8	Bypass right kidney pelvis to colon with nonautologous tissue substitute, open approach
04UF0KZ	Supplement left internal iliac artery with nonautologous tissue substitute, open approach	0T130K9	Bypass right kidney pelvis to colocolic with nonautologous tissue substitute, open approach
04UH07Z	Supplement right external iliac artery with autologous tissue substitute, open approach	0T130KA	Bypass right kidney pelvis to ileum with nonautologous tissue substitute, open approach
04UH0JZ	Supplement right external iliac artery with synthetic substitute, open approach	0T130KB	Bypass right kidney pelvis to bladder with nonautologous tissue substitute, open approach
04UH0KZ	Supplement right external iliac artery with nonautologous tissue substitute, open approach	0T130KC	Bypass right kidney pelvis to ileocolic with nonautologous tissue substitute, open approach
04UJ07Z	Supplement left external iliac artery with autologous tissue substitute, open approach	0T130KD	Bypass right kidney pelvis to cutaneous with nonautologous tissue substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04UJ0JZ	Supplement left external iliac artery with synthetic substitute, open approach	0T130Z3	Bypass right kidney pelvis to right kidney pelvis, open approach
04UJ0KZ	Supplement left external iliac artery with nonautologous tissue substitute, open approach	0T130Z4	Bypass right kidney pelvis to left kidney pelvis, open approach
04V00C6	Restriction of abdominal aorta, bifurcation, with extraluminal device, open approach	0T130Z6	Bypass right kidney pelvis to right ureter, open approach
04V00CZ	Restriction of abdominal aorta with extraluminal device, open approach	0T130Z7	Bypass right kidney pelvis to left ureter, open approach
04V00D6	Restriction of abdominal aorta, bifurcation, with intraluminal device, open approach	0T130Z8	Bypass right kidney pelvis to colon, open approach
04V00DJ	Restriction of abdominal aorta with intraluminal device, temporary, open approach	0T130Z9	Bypass right kidney pelvis to colo-cutaneous, open approach
04V00DZ	Restriction of abdominal aorta with intraluminal device, open approach	0T130ZA	Bypass right kidney pelvis to ileum, open approach
04V00E6	Restriction of abdominal aorta, bifurcation, with branched or fenestrated intraluminal device, one or two arteries, open approach	0T130ZB	Bypass right kidney pelvis to bladder, open approach
04V00EZ	Restriction of abdominal aorta with branched or fenestrated intraluminal device, one or two arteries, open approach	0T130ZC	Bypass right kidney pelvis to ileo-cutaneous, open approach
04V00F6	Restriction of abdominal aorta, bifurcation, with branched or fenestrated intraluminal device, three or more arteries, open approach	0T130ZD	Bypass right kidney pelvis to cutaneous, open approach
04V00FZ	Restriction of abdominal aorta with branched or fenestrated intraluminal device, three or more arteries, open approach	0T14073	Bypass left kidney pelvis to right kidney pelvis with autologous tissue substitute, open approach
04V00Z6	Restriction of abdominal aorta, bifurcation, open approach	0T14074	Bypass left kidney pelvis to left kidney pelvis with autologous tissue substitute, open approach
04V00ZZ	Restriction of abdominal aorta, open approach	0T14076	Bypass left kidney pelvis to right ureter with autologous tissue substitute, open approach
04V10CZ	Restriction of celiac artery with extraluminal device, open approach	0T14077	Bypass left kidney pelvis to left ureter with autologous tissue substitute, open approach
04V10DZ	Restriction of celiac artery with intraluminal device, open approach	0T14078	Bypass left kidney pelvis to colon with autologous tissue substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04V10ZZ	Restriction of celiac artery, open approach	0T14079	Bypass left kidney pelvis to colocolic with autologous tissue substitute, open approach
04V20CZ	Restriction of gastric artery with extraluminal device, open approach	0T1407A	Bypass left kidney pelvis to ileum with autologous tissue substitute, open approach
04V20DZ	Restriction of gastric artery with intraluminal device, open approach	0T1407B	Bypass left kidney pelvis to bladder with autologous tissue substitute, open approach
04V20ZZ	Restriction of gastric artery, open approach	0T1407C	Bypass left kidney pelvis to ileocolic with autologous tissue substitute, open approach
04V30CZ	Restriction of hepatic artery with extraluminal device, open approach	0T1407D	Bypass left kidney pelvis to cutaneous with autologous tissue substitute, open approach
04V30DZ	Restriction of hepatic artery with intraluminal device, open approach	0T140J3	Bypass left kidney pelvis to right kidney pelvis with synthetic substitute, open approach
04V30ZZ	Restriction of hepatic artery, open approach	0T140J4	Bypass left kidney pelvis to left kidney pelvis with synthetic substitute, open approach
04V40CZ	Restriction of splenic artery with extraluminal device, open approach	0T140J6	Bypass left kidney pelvis to right ureter with synthetic substitute, open approach
04V40DZ	Restriction of splenic artery with intraluminal device, open approach	0T140J7	Bypass left kidney pelvis to left ureter with synthetic substitute, open approach
04V40ZZ	Restriction of splenic artery, open approach	0T140J8	Bypass left kidney pelvis to colon with synthetic substitute, open approach
04V50CZ	Restriction of superior mesenteric artery with extraluminal device, open approach	0T140J9	Bypass left kidney pelvis to colocolic with synthetic substitute, open approach
04V50DZ	Restriction of superior mesenteric artery with intraluminal device, open approach	0T140JA	Bypass left kidney pelvis to ileum with synthetic substitute, open approach
04V50ZZ	Restriction of superior mesenteric artery, open approach	0T140JB	Bypass left kidney pelvis to bladder with synthetic substitute, open approach
04V60CZ	Restriction of right colic artery with extraluminal device, open approach	0T140JC	Bypass left kidney pelvis to ileocolic with synthetic substitute, open approach
04V60DZ	Restriction of right colic artery with intraluminal device, open approach	0T140JD	Bypass left kidney pelvis to cutaneous with synthetic substitute, open approach
04V60ZZ	Restriction of right colic artery, open approach	0T140K3	Bypass left kidney pelvis to right kidney pelvis with nonautologous tissue substitute, open approach
04V70CZ	Restriction of left colic artery with extraluminal device, open approach	0T140K4	Bypass left kidney pelvis to left kidney pelvis with nonautologous tissue substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04V70DZ	Restriction of left colic artery with intraluminal device, open approach	0T140K6	Bypass left kidney pelvis to right ureter with nonautologous tissue substitute, open approach
04V70ZZ	Restriction of left colic artery, open approach	0T140K7	Bypass left kidney pelvis to left ureter with nonautologous tissue substitute, open approach
04V80CZ	Restriction of middle colic artery with extraluminal device, open approach	0T140K8	Bypass left kidney pelvis to colon with nonautologous tissue substitute, open approach
04V80DZ	Restriction of middle colic artery with intraluminal device, open approach	0T140K9	Bypass left kidney pelvis to colocolic with nonautologous tissue substitute, open approach
04V80ZZ	Restriction of middle colic artery, open approach	0T140KA	Bypass left kidney pelvis to ileum with nonautologous tissue substitute, open approach
04V90CZ	Restriction of right renal artery with extraluminal device, open approach	0T140KB	Bypass left kidney pelvis to bladder with nonautologous tissue substitute, open approach
04V90DZ	Restriction of right renal artery with intraluminal device, open approach	0T140KC	Bypass left kidney pelvis to ileocutaneous with nonautologous tissue substitute, open approach
04V90ZZ	Restriction of right renal artery, open approach	0T140KD	Bypass left kidney pelvis to cutaneous with nonautologous tissue substitute, open approach
04VA0CZ	Restriction of left renal artery with extraluminal device, open approach	0T140Z3	Bypass left kidney pelvis to right kidney pelvis, open approach
04VA0DZ	Restriction of left renal artery with intraluminal device, open approach	0T140Z4	Bypass left kidney pelvis to left kidney pelvis, open approach
04VA0ZZ	Restriction of left renal artery, open approach	0T140Z6	Bypass left kidney pelvis to right ureter, open approach
04VB0CZ	Restriction of inferior mesenteric artery with extraluminal device, open approach	0T140Z7	Bypass left kidney pelvis to left ureter, open approach
04VB0DZ	Restriction of inferior mesenteric artery with intraluminal device, open approach	0T140Z8	Bypass left kidney pelvis to colon, open approach
04VB0ZZ	Restriction of inferior mesenteric artery, open approach	0T140Z9	Bypass left kidney pelvis to colocolic, open approach
04VC0CZ	Restriction of right common iliac artery with extraluminal device, open approach	0T140ZA	Bypass left kidney pelvis to ileum, open approach
04VC0DZ	Restriction of right common iliac artery with intraluminal device, open approach	0T140ZB	Bypass left kidney pelvis to bladder, open approach
04VC0EZ	Restriction of right common iliac artery with branched or fenestrated intraluminal device, one or two arteries, open approach	0T140ZC	Bypass left kidney pelvis to ileocutaneous, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04VC0FZ	Restriction of right common iliac artery with branched or fenestrated intraluminal device, three or more arteries, open approach	0T140ZD	Bypass left kidney pelvis to cutaneous, open approach
04VC0ZZ	Restriction of right common iliac artery, open approach	0T16076	Bypass right ureter to right ureter with autologous tissue substitute, open approach
04VD0CZ	Restriction of left common iliac artery with extraluminal device, open approach	0T16077	Bypass right ureter to left ureter with autologous tissue substitute, open approach
04VD0DZ	Restriction of left common iliac artery with intraluminal device, open approach	0T16078	Bypass right ureter to colon with autologous tissue substitute, open approach
04VD0EZ	Restriction of left common iliac artery with branched or fenestrated intraluminal device, one or two arteries, open approach	0T16079	Bypass right ureter to colocolic with autologous tissue substitute, open approach
04VD0FZ	Restriction of left common iliac artery with branched or fenestrated intraluminal device, three or more arteries, open approach	0T1607A	Bypass right ureter to ileum with autologous tissue substitute, open approach
04VD0ZZ	Restriction of left common iliac artery, open approach	0T1607B	Bypass right ureter to bladder with autologous tissue substitute, open approach
04VE0CZ	Restriction of right internal iliac artery with extraluminal device, open approach	0T1607C	Bypass right ureter to ileocutaneous with autologous tissue substitute, open approach
04VE0DZ	Restriction of right internal iliac artery with intraluminal device, open approach	0T1607D	Bypass right ureter to cutaneous with autologous tissue substitute, open approach
04VE0ZZ	Restriction of right internal iliac artery, open approach	0T160J6	Bypass right ureter to right ureter with synthetic substitute, open approach
04VF0CZ	Restriction of left internal iliac artery with extraluminal device, open approach	0T160J7	Bypass right ureter to left ureter with synthetic substitute, open approach
04VF0DZ	Restriction of left internal iliac artery with intraluminal device, open approach	0T160J8	Bypass right ureter to colon with synthetic substitute, open approach
04VF0ZZ	Restriction of left internal iliac artery, open approach	0T160J9	Bypass right ureter to colocolic with synthetic substitute, open approach
04VH0CZ	Restriction of right external iliac artery with extraluminal device, open approach	0T160JA	Bypass right ureter to ileum with synthetic substitute, open approach
04VH0DZ	Restriction of right external iliac artery with intraluminal device, open approach	0T160JB	Bypass right ureter to bladder with synthetic substitute, open approach
04VH0ZZ	Restriction of right external iliac artery, open approach	0T160JC	Bypass right ureter to ileocutaneous with synthetic substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

04VJ0CZ	Restriction of left external iliac artery with extraluminal device, open approach	0T160JD	Bypass right ureter to cutaneous with synthetic substitute, open approach
04VJ0DZ	Restriction of left external iliac artery with intraluminal device, open approach	0T160K6	Bypass right ureter to right ureter with nonautologous tissue substitute, open approach
04VJ0ZZ	Restriction of left external iliac artery, open approach	0T160K7	Bypass right ureter to left ureter with nonautologous tissue substitute, open approach
0610075	Bypass inferior vena cava to superior mesenteric vein with autologous tissue substitute, open approach	0T160K8	Bypass right ureter to colon with nonautologous tissue substitute, open approach
0610076	Bypass inferior vena cava to inferior mesenteric vein with autologous tissue substitute, open approach	0T160K9	Bypass right ureter to colocutaneous with nonautologous tissue substitute, open approach
061007P	Bypass inferior vena cava to pulmonary trunk with autologous tissue substitute, open approach	0T160KA	Bypass right ureter to ileum with nonautologous tissue substitute, open approach
061007Q	Bypass inferior vena cava to right pulmonary artery with autologous tissue substitute, open approach	0T160KB	Bypass right ureter to bladder with nonautologous tissue substitute, open approach
061007R	Bypass inferior vena cava to left pulmonary artery with autologous tissue substitute, open approach	0T160KC	Bypass right ureter to ileocutaneous with nonautologous tissue substitute, open approach
061007Y	Bypass inferior vena cava to lower vein with autologous tissue substitute, open approach	0T160KD	Bypass right ureter to cutaneous with nonautologous tissue substitute, open approach
0610095	Bypass inferior vena cava to superior mesenteric vein with autologous venous tissue, open approach	0T160Z6	Bypass right ureter to right ureter, open approach
0610096	Bypass inferior vena cava to inferior mesenteric vein with autologous venous tissue, open approach	0T160Z7	Bypass right ureter to left ureter, open approach
061009P	Bypass inferior vena cava to pulmonary trunk with autologous venous tissue, open approach	0T160Z8	Bypass right ureter to colon, open approach
061009Q	Bypass inferior vena cava to right pulmonary artery with autologous venous tissue, open approach	0T160Z9	Bypass right ureter to colocutaneous, open approach
061009R	Bypass inferior vena cava to left pulmonary artery with autologous venous tissue, open approach	0T160ZA	Bypass right ureter to ileum, open approach
061009Y	Bypass inferior vena cava to lower vein with autologous venous tissue, open approach	0T160ZB	Bypass right ureter to bladder, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06100A5	Bypass inferior vena cava to superior mesenteric vein with autologous arterial tissue, open approach	0T160ZC	Bypass right ureter to ileocutaneous, open approach
06100A6	Bypass inferior vena cava to inferior mesenteric vein with autologous arterial tissue, open approach	0T160ZD	Bypass right ureter to cutaneous, open approach
06100AP	Bypass inferior vena cava to pulmonary trunk with autologous arterial tissue, open approach	0T17076	Bypass left ureter to right ureter with autologous tissue substitute, open approach
06100AQ	Bypass inferior vena cava to right pulmonary artery with autologous arterial tissue, open approach	0T17077	Bypass left ureter to left ureter with autologous tissue substitute, open approach
06100AR	Bypass inferior vena cava to left pulmonary artery with autologous arterial tissue, open approach	0T17078	Bypass left ureter to colon with autologous tissue substitute, open approach
06100AY	Bypass inferior vena cava to lower vein with autologous arterial tissue, open approach	0T17079	Bypass left ureter to colocutaneous with autologous tissue substitute, open approach
06100J5	Bypass inferior vena cava to superior mesenteric vein with synthetic substitute, open approach	0T1707A	Bypass left ureter to ileum with autologous tissue substitute, open approach
06100J6	Bypass inferior vena cava to inferior mesenteric vein with synthetic substitute, open approach	0T1707B	Bypass left ureter to bladder with autologous tissue substitute, open approach
06100JP	Bypass inferior vena cava to pulmonary trunk with synthetic substitute, open approach	0T1707C	Bypass left ureter to ileocutaneous with autologous tissue substitute, open approach
06100JQ	Bypass inferior vena cava to right pulmonary artery with synthetic substitute, open approach	0T1707D	Bypass left ureter to cutaneous with autologous tissue substitute, open approach
06100JR	Bypass inferior vena cava to left pulmonary artery with synthetic substitute, open approach	0T170J6	Bypass left ureter to right ureter with synthetic substitute, open approach
06100JY	Bypass inferior vena cava to lower vein with synthetic substitute, open approach	0T170J7	Bypass left ureter to left ureter with synthetic substitute, open approach
06100K5	Bypass inferior vena cava to superior mesenteric vein with nonautologous tissue substitute, open approach	0T170J8	Bypass left ureter to colon with synthetic substitute, open approach
06100K6	Bypass inferior vena cava to inferior mesenteric vein with nonautologous tissue substitute, open approach	0T170J9	Bypass left ureter to colocutaneous with synthetic substitute, open approach
06100KP	Bypass inferior vena cava to pulmonary trunk with nonautologous tissue substitute, open approach	0T170JA	Bypass left ureter to ileum with synthetic substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06100KQ	Bypass inferior vena cava to right pulmonary artery with nonautologous tissue substitute, open approach	0T170JB	Bypass left ureter to bladder with synthetic substitute, open approach
06100KR	Bypass inferior vena cava to left pulmonary artery with nonautologous tissue substitute, open approach	0T170JC	Bypass left ureter to ileocutaneous with synthetic substitute, open approach
06100KY	Bypass inferior vena cava to lower vein with nonautologous tissue substitute, open approach	0T170JD	Bypass left ureter to cutaneous with synthetic substitute, open approach
06100Z5	Bypass inferior vena cava to superior mesenteric vein, open approach	0T170K6	Bypass left ureter to right ureter with nonautologous tissue substitute, open approach
06100Z6	Bypass inferior vena cava to inferior mesenteric vein, open approach	0T170K7	Bypass left ureter to left ureter with nonautologous tissue substitute, open approach
06100ZP	Bypass inferior vena cava to pulmonary trunk, open approach	0T170K8	Bypass left ureter to colon with nonautologous tissue substitute, open approach
06100ZQ	Bypass inferior vena cava to right pulmonary artery, open approach	0T170K9	Bypass left ureter to colocutaneous with nonautologous tissue substitute, open approach
06100ZR	Bypass inferior vena cava to left pulmonary artery, open approach	0T170KA	Bypass left ureter to ileum with nonautologous tissue substitute, open approach
06100ZY	Bypass inferior vena cava to lower vein, open approach	0T170KB	Bypass left ureter to bladder with nonautologous tissue substitute, open approach
0611079	Bypass splenic vein to right renal vein with autologous tissue substitute, open approach	0T170KC	Bypass left ureter to ileocutaneous with nonautologous tissue substitute, open approach
061107B	Bypass splenic vein to left renal vein with autologous tissue substitute, open approach	0T170KD	Bypass left ureter to cutaneous with nonautologous tissue substitute, open approach
061107Y	Bypass splenic vein to lower vein with autologous tissue substitute, open approach	0T170Z6	Bypass left ureter to right ureter, open approach
0611099	Bypass splenic vein to right renal vein with autologous venous tissue, open approach	0T170Z7	Bypass left ureter to left ureter, open approach
061109B	Bypass splenic vein to left renal vein with autologous venous tissue, open approach	0T170Z8	Bypass left ureter to colon, open approach
061109Y	Bypass splenic vein to lower vein with autologous venous tissue, open approach	0T170Z9	Bypass left ureter to colocutaneous, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06110A9	Bypass splenic vein to right renal vein with autologous arterial tissue, open approach	0T170ZA	Bypass left ureter to ileum, open approach
06110AB	Bypass splenic vein to left renal vein with autologous arterial tissue, open approach	0T170ZB	Bypass left ureter to bladder, open approach
06110AY	Bypass splenic vein to lower vein with autologous arterial tissue, open approach	0T170ZC	Bypass left ureter to ileocutaneous, open approach
06110J9	Bypass splenic vein to right renal vein with synthetic substitute, open approach	0T170ZD	Bypass left ureter to cutaneous, open approach
06110JB	Bypass splenic vein to left renal vein with synthetic substitute, open approach	0T18076	Bypass bilateral ureters to right ureter with autologous tissue substitute, open approach
06110JY	Bypass splenic vein to lower vein with synthetic substitute, open approach	0T18077	Bypass bilateral ureters to left ureter with autologous tissue substitute, open approach
06110K9	Bypass splenic vein to right renal vein with nonautologous tissue substitute, open approach	0T18078	Bypass bilateral ureters to colon with autologous tissue substitute, open approach
06110KB	Bypass splenic vein to left renal vein with nonautologous tissue substitute, open approach	0T18079	Bypass bilateral ureters to colocutaneous with autologous tissue substitute, open approach
06110KY	Bypass splenic vein to lower vein with nonautologous tissue substitute, open approach	0T1807A	Bypass bilateral ureters to ileum with autologous tissue substitute, open approach
06110Z9	Bypass splenic vein to right renal vein, open approach	0T1807B	Bypass bilateral ureters to bladder with autologous tissue substitute, open approach
06110ZB	Bypass splenic vein to left renal vein, open approach	0T1807C	Bypass bilateral ureters to ileocutaneous with autologous tissue substitute, open approach
06110ZY	Bypass splenic vein to lower vein, open approach	0T1807D	Bypass bilateral ureters to cutaneous with autologous tissue substitute, open approach
061207Y	Bypass gastric vein to lower vein with autologous tissue substitute, open approach	0T180J6	Bypass bilateral ureters to right ureter with synthetic substitute, open approach
061209Y	Bypass gastric vein to lower vein with autologous venous tissue, open approach	0T180J7	Bypass bilateral ureters to left ureter with synthetic substitute, open approach
06120AY	Bypass gastric vein to lower vein with autologous arterial tissue, open approach	0T180J8	Bypass bilateral ureters to colon with synthetic substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06120JY	Bypass gastric vein to lower vein with synthetic substitute, open approach	0T180J9	Bypass bilateral ureters to colo-cutaneous with synthetic substitute, open approach
06120KY	Bypass gastric vein to lower vein with nonautologous tissue substitute, open approach	0T180JA	Bypass bilateral ureters to ileum with synthetic substitute, open approach
06120ZY	Bypass gastric vein to lower vein, open approach	0T180JB	Bypass bilateral ureters to bladder with synthetic substitute, open approach
061307Y	Bypass esophageal vein to lower vein with autologous tissue substitute, open approach	0T180JC	Bypass bilateral ureters to ileo-cutaneous with synthetic substitute, open approach
061309Y	Bypass esophageal vein to lower vein with autologous venous tissue, open approach	0T180JD	Bypass bilateral ureters to cutaneous with synthetic substitute, open approach
06130AY	Bypass esophageal vein to lower vein with autologous arterial tissue, open approach	0T180K6	Bypass bilateral ureters to right ureter with nonautologous tissue substitute, open approach
06130JY	Bypass esophageal vein to lower vein with synthetic substitute, open approach	0T180K7	Bypass bilateral ureters to left ureter with nonautologous tissue substitute, open approach
06130KY	Bypass esophageal vein to lower vein with nonautologous tissue substitute, open approach	0T180K8	Bypass bilateral ureters to colon with nonautologous tissue substitute, open approach
06130ZY	Bypass esophageal vein to lower vein, open approach	0T180K9	Bypass bilateral ureters to colo-cutaneous with nonautologous tissue substitute, open approach
061407Y	Bypass hepatic vein to lower vein with autologous tissue substitute, open approach	0T180KA	Bypass bilateral ureters to ileum with nonautologous tissue substitute, open approach
061409Y	Bypass hepatic vein to lower vein with autologous venous tissue, open approach	0T180KB	Bypass bilateral ureters to bladder with nonautologous tissue substitute, open approach
06140AY	Bypass hepatic vein to lower vein with autologous arterial tissue, open approach	0T180KC	Bypass bilateral ureters to ileo-cutaneous with nonautologous tissue substitute, open approach
06140JY	Bypass hepatic vein to lower vein with synthetic substitute, open approach	0T180KD	Bypass bilateral ureters to cutaneous with nonautologous tissue substitute, open approach
06140KY	Bypass hepatic vein to lower vein with nonautologous tissue substitute, open approach	0T180Z6	Bypass bilateral ureters to right ureter, open approach
06140ZY	Bypass hepatic vein to lower vein, open approach	0T180Z7	Bypass bilateral ureters to left ureter, open approach
061507Y	Bypass superior mesenteric vein to lower vein with autologous tissue substitute, open approach	0T180Z8	Bypass bilateral ureters to colon, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

061509Y	Bypass superior mesenteric vein to lower vein with autologous venous tissue, open approach	0T180Z9	Bypass bilateral ureters to colocutaneous, open approach
06150AY	Bypass superior mesenteric vein to lower vein with autologous arterial tissue, open approach	0T180ZA	Bypass bilateral ureters to ileum, open approach
06150JY	Bypass superior mesenteric vein to lower vein with synthetic substitute, open approach	0T180ZB	Bypass bilateral ureters to bladder, open approach
06150KY	Bypass superior mesenteric vein to lower vein with nonautologous tissue substitute, open approach	0T180ZC	Bypass bilateral ureters to ileocutaneous, open approach
06150ZY	Bypass superior mesenteric vein to lower vein, open approach	0T180ZD	Bypass bilateral ureters to cutaneous, open approach
061607Y	Bypass inferior mesenteric vein to lower vein with autologous tissue substitute, open approach	0T1B079	Bypass bladder to colocutaneous with autologous tissue substitute, open approach
061609Y	Bypass inferior mesenteric vein to lower vein with autologous venous tissue, open approach	0T1B07C	Bypass bladder to ileocutaneous with autologous tissue substitute, open approach
06160AY	Bypass inferior mesenteric vein to lower vein with autologous arterial tissue, open approach	0T1B07D	Bypass bladder to cutaneous with autologous tissue substitute, open approach
06160JY	Bypass inferior mesenteric vein to lower vein with synthetic substitute, open approach	0T1B0J9	Bypass bladder to colocutaneous with synthetic substitute, open approach
06160KY	Bypass inferior mesenteric vein to lower vein with nonautologous tissue substitute, open approach	0T1B0JC	Bypass bladder to ileocutaneous with synthetic substitute, open approach
06160ZY	Bypass inferior mesenteric vein to lower vein, open approach	0T1B0JD	Bypass bladder to cutaneous with synthetic substitute, open approach
061707Y	Bypass colic vein to lower vein with autologous tissue substitute, open approach	0T1B0K9	Bypass bladder to colocutaneous with nonautologous tissue substitute, open approach
061709Y	Bypass colic vein to lower vein with autologous venous tissue, open approach	0T1B0KC	Bypass bladder to ileocutaneous with nonautologous tissue substitute, open approach
06170AY	Bypass colic vein to lower vein with autologous arterial tissue, open approach	0T1B0KD	Bypass bladder to cutaneous with nonautologous tissue substitute, open approach
06170JY	Bypass colic vein to lower vein with synthetic substitute, open approach	0T1B0Z9	Bypass bladder to colocutaneous, open approach
06170KY	Bypass colic vein to lower vein with nonautologous tissue substitute, open approach	0T1B0ZC	Bypass bladder to ileocutaneous, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06170ZY	Bypass colic vein to lower vein, open approach	0T1B0ZD	Bypass bladder to cutaneous, open approach
0618079	Bypass portal vein to right renal vein with autologous tissue substitute, open approach	0T500ZZ	Destruction of right kidney, open approach
061807B	Bypass portal vein to left renal vein with autologous tissue substitute, open approach	0T510ZZ	Destruction of left kidney, open approach
061807Y	Bypass portal vein to lower vein with autologous tissue substitute, open approach	0T530ZZ	Destruction of right kidney pelvis, open approach
0618099	Bypass portal vein to right renal vein with autologous venous tissue, open approach	0T540ZZ	Destruction of left kidney pelvis, open approach
061809B	Bypass portal vein to left renal vein with autologous venous tissue, open approach	0T560ZZ	Destruction of right ureter, open approach
061809Y	Bypass portal vein to lower vein with autologous venous tissue, open approach	0T570ZZ	Destruction of left ureter, open approach
06180A9	Bypass portal vein to right renal vein with autologous arterial tissue, open approach	0T5B0ZZ	Destruction of bladder, open approach
06180AB	Bypass portal vein to left renal vein with autologous arterial tissue, open approach	0T730DZ	Dilation of right kidney pelvis with intraluminal device, open approach
06180AY	Bypass portal vein to lower vein with autologous arterial tissue, open approach	0T730ZZ	Dilation of right kidney pelvis, open approach
06180J9	Bypass portal vein to right renal vein with synthetic substitute, open approach	0T740DZ	Dilation of left kidney pelvis with intraluminal device, open approach
06180JB	Bypass portal vein to left renal vein with synthetic substitute, open approach	0T740ZZ	Dilation of left kidney pelvis, open approach
06180JY	Bypass portal vein to lower vein with synthetic substitute, open approach	0T760DZ	Dilation of right ureter with intraluminal device, open approach
06180K9	Bypass portal vein to right renal vein with nonautologous tissue substitute, open approach	0T760ZZ	Dilation of right ureter, open approach
06180KB	Bypass portal vein to left renal vein with nonautologous tissue substitute, open approach	0T770DZ	Dilation of left ureter with intraluminal device, open approach
06180KY	Bypass portal vein to lower vein with nonautologous tissue substitute, open approach	0T770ZZ	Dilation of left ureter, open approach
06180Z9	Bypass portal vein to right renal vein, open approach	0T780DZ	Dilation of bilateral ureters with intraluminal device, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06180ZB	Bypass portal vein to left renal vein, open approach	0T780ZZ	Dilation of bilateral ureters, open approach
06180ZY	Bypass portal vein to lower vein, open approach	0T7B0DZ	Dilation of bladder with intraluminal device, open approach
061907Y	Bypass right renal vein to lower vein with autologous tissue substitute, open approach	0T7B0ZZ	Dilation of bladder, open approach
061909Y	Bypass right renal vein to lower vein with autologous venous tissue, open approach	0T820ZZ	Division of bilateral kidneys, open approach
06190AY	Bypass right renal vein to lower vein with autologous arterial tissue, open approach	0T9000Z	Drainage of right kidney with drainage device, open approach
06190JY	Bypass right renal vein to lower vein with synthetic substitute, open approach	0T900ZX	Drainage of right kidney, open approach, diagnostic
06190KY	Bypass right renal vein to lower vein with nonautologous tissue substitute, open approach	0T900ZZ	Drainage of right kidney, open approach
06190ZY	Bypass right renal vein to lower vein, open approach	0T9100Z	Drainage of left kidney with drainage device, open approach
061B07Y	Bypass left renal vein to lower vein with autologous tissue substitute, open approach	0T910ZX	Drainage of left kidney, open approach, diagnostic
061B09Y	Bypass left renal vein to lower vein with autologous venous tissue, open approach	0T910ZZ	Drainage of left kidney, open approach
061B0AY	Bypass left renal vein to lower vein with autologous arterial tissue, open approach	0T9300Z	Drainage of right kidney pelvis with drainage device, open approach
061B0JY	Bypass left renal vein to lower vein with synthetic substitute, open approach	0T930ZX	Drainage of right kidney pelvis, open approach, diagnostic
061B0KY	Bypass left renal vein to lower vein with nonautologous tissue substitute, open approach	0T930ZZ	Drainage of right kidney pelvis, open approach
061B0ZY	Bypass left renal vein to lower vein, open approach	0T9400Z	Drainage of left kidney pelvis with drainage device, open approach
061C07Y	Bypass right common iliac vein to lower vein with autologous tissue substitute, open approach	0T940ZX	Drainage of left kidney pelvis, open approach, diagnostic
061C09Y	Bypass right common iliac vein to lower vein with autologous venous tissue, open approach	0T940ZZ	Drainage of left kidney pelvis, open approach
061C0AY	Bypass right common iliac vein to lower vein with autologous arterial tissue, open approach	0T9600Z	Drainage of right ureter with drainage device, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

061C0JY	Bypass right common iliac vein to lower vein with synthetic substitute, open approach	0T960ZX	Drainage of right ureter, open approach, diagnostic
061C0KY	Bypass right common iliac vein to lower vein with nonautologous tissue substitute, open approach	0T960ZZ	Drainage of right ureter, open approach
061C0ZY	Bypass right common iliac vein to lower vein, open approach	0T9700Z	Drainage of left ureter with drainage device, open approach
061D07Y	Bypass left common iliac vein to lower vein with autologous tissue substitute, open approach	0T970ZX	Drainage of left ureter, open approach, diagnostic
061D09Y	Bypass left common iliac vein to lower vein with autologous venous tissue, open approach	0T970ZZ	Drainage of left ureter, open approach
061D0AY	Bypass left common iliac vein to lower vein with autologous arterial tissue, open approach	0T9800Z	Drainage of bilateral ureters with drainage device, open approach
061D0JY	Bypass left common iliac vein to lower vein with synthetic substitute, open approach	0T980ZX	Drainage of bilateral ureters, open approach, diagnostic
061D0KY	Bypass left common iliac vein to lower vein with nonautologous tissue substitute, open approach	0T980ZZ	Drainage of bilateral ureters, open approach
061D0ZY	Bypass left common iliac vein to lower vein, open approach	0T9B00Z	Drainage of bladder with drainage device, open approach
061F07Y	Bypass right external iliac vein to lower vein with autologous tissue substitute, open approach	0T9B0ZX	Drainage of bladder, open approach, diagnostic
061F09Y	Bypass right external iliac vein to lower vein with autologous venous tissue, open approach	0T9B0ZZ	Drainage of bladder, open approach
061F0AY	Bypass right external iliac vein to lower vein with autologous arterial tissue, open approach	0TB00ZX	Excision of right kidney, open approach, diagnostic
061F0JY	Bypass right external iliac vein to lower vein with synthetic substitute, open approach	0TB00ZZ	Excision of right kidney, open approach
061F0KY	Bypass right external iliac vein to lower vein with nonautologous tissue substitute, open approach	0TB10ZX	Excision of left kidney, open approach, diagnostic
061F0ZY	Bypass right external iliac vein to lower vein, open approach	0TB10ZZ	Excision of left kidney, open approach
061G07Y	Bypass left external iliac vein to lower vein with autologous tissue substitute, open approach	0TB30ZX	Excision of right kidney pelvis, open approach, diagnostic

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

061G09Y	Bypass left external iliac vein to lower vein with autologous venous tissue, open approach	0TB30ZZ	Excision of right kidney pelvis, open approach
061G0AY	Bypass left external iliac vein to lower vein with autologous arterial tissue, open approach	0TB40ZX	Excision of left kidney pelvis, open approach, diagnostic
061G0JY	Bypass left external iliac vein to lower vein with synthetic substitute, open approach	0TB40ZZ	Excision of left kidney pelvis, open approach
061G0KY	Bypass left external iliac vein to lower vein with nonautologous tissue substitute, open approach	0TB60ZX	Excision of right ureter, open approach, diagnostic
061G0ZY	Bypass left external iliac vein to lower vein, open approach	0TB60ZZ	Excision of right ureter, open approach
061H07Y	Bypass right hypogastric vein to lower vein with autologous tissue substitute, open approach	0TB70ZX	Excision of left ureter, open approach, diagnostic
061H09Y	Bypass right hypogastric vein to lower vein with autologous venous tissue, open approach	0TB70ZZ	Excision of left ureter, open approach
061H0AY	Bypass right hypogastric vein to lower vein with autologous arterial tissue, open approach	0TBB0ZX	Excision of bladder, open approach, diagnostic
061H0JY	Bypass right hypogastric vein to lower vein with synthetic substitute, open approach	0TBB0ZZ	Excision of bladder, open approach
061H0KY	Bypass right hypogastric vein to lower vein with nonautologous tissue substitute, open approach	0TC00ZZ	Extirpation of matter from right kidney, open approach
061H0ZY	Bypass right hypogastric vein to lower vein, open approach	0TC10ZZ	Extirpation of matter from left kidney, open approach
061J07Y	Bypass left hypogastric vein to lower vein with autologous tissue substitute, open approach	0TC30ZZ	Extirpation of matter from right kidney pelvis, open approach
061J09Y	Bypass left hypogastric vein to lower vein with autologous venous tissue, open approach	0TC40ZZ	Extirpation of matter from left kidney pelvis, open approach
061J0AY	Bypass left hypogastric vein to lower vein with autologous arterial tissue, open approach	0TC60ZZ	Extirpation of matter from right ureter, open approach
061J0JY	Bypass left hypogastric vein to lower vein with synthetic substitute, open approach	0TC70ZZ	Extirpation of matter from left ureter, open approach
061J0KY	Bypass left hypogastric vein to lower vein with nonautologous tissue substitute, open approach	0TCB0ZZ	Extirpation of matter from bladder, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

061J0ZY	Bypass left hypogastric vein to lower vein, open approach	0TD00ZZ	Extraction of right kidney, open approach
06500ZZ	Destruction of inferior vena cava, open approach	0TD10ZZ	Extraction of left kidney, open approach
06510ZZ	Destruction of splenic vein, open approach	0TF30ZZ	Fragmentation in right kidney pelvis, open approach
06520ZZ	Destruction of gastric vein, open approach	0TF40ZZ	Fragmentation in left kidney pelvis, open approach
06530ZZ	Destruction of esophageal vein, open approach	0TF60ZZ	Fragmentation in right ureter, open approach
06540ZZ	Destruction of hepatic vein, open approach	0TF70ZZ	Fragmentation in left ureter, open approach
06550ZZ	Destruction of superior mesenteric vein, open approach	0TFB0ZZ	Fragmentation in bladder, open approach
06560ZZ	Destruction of inferior mesenteric vein, open approach	0TH501Z	Insertion of radioactive element into kidney, open approach
06570ZZ	Destruction of colic vein, open approach	0TH502Z	Insertion of monitoring device into kidney, open approach
06580ZZ	Destruction of portal vein, open approach	0TH503Z	Insertion of infusion device into kidney, open approach
06590ZZ	Destruction of right renal vein, open approach	0TH50YZ	Insertion of other device into kidney, open approach
065B0ZZ	Destruction of left renal vein, open approach	0TH901Z	Insertion of radioactive element into ureter, open approach
065C0ZZ	Destruction of right common iliac vein, open approach	0TH902Z	Insertion of monitoring device into ureter, open approach
065D0ZZ	Destruction of left common iliac vein, open approach	0TH903Z	Insertion of infusion device into ureter, open approach
065F0ZZ	Destruction of right external iliac vein, open approach	0TH90MZ	Insertion of stimulator lead into ureter, open approach
065G0ZZ	Destruction of left external iliac vein, open approach	0TH90YZ	Insertion of other device into ureter, open approach
065H0ZZ	Destruction of right hypogastric vein, open approach	0THB01Z	Insertion of radioactive element into bladder, open approach
065J0ZZ	Destruction of left hypogastric vein, open approach	0THB02Z	Insertion of monitoring device into bladder, open approach
06700DZ	Dilation of inferior vena cava with intraluminal device, open approach	0THB03Z	Insertion of infusion device into bladder, open approach
06700ZZ	Dilation of inferior vena cava, open approach	0THB0LZ	Insertion of artificial sphincter into bladder, open approach
06710DZ	Dilation of splenic vein with intraluminal device, open approach	0THB0MZ	Insertion of stimulator lead into bladder, open approach
06710ZZ	Dilation of splenic vein, open approach	0THB0YZ	Insertion of other device into bladder, open approach
06720DZ	Dilation of gastric vein with intraluminal device, open approach	0TJ50ZZ	Inspection of kidney, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06720ZZ	Dilation of gastric vein, open approach	0TJ90ZZ	Inspection of ureter, open approach
06730DZ	Dilation of esophageal vein with intraluminal device, open approach	0TJB0ZZ	Inspection of bladder, open approach
06730ZZ	Dilation of esophageal vein, open approach	0TL30CZ	Occlusion of right kidney pelvis with extraluminal device, open approach
06740DZ	Dilation of hepatic vein with intraluminal device, open approach	0TL30DZ	Occlusion of right kidney pelvis with intraluminal device, open approach
06740ZZ	Dilation of hepatic vein, open approach	0TL30ZZ	Occlusion of right kidney pelvis, open approach
06750DZ	Dilation of superior mesenteric vein with intraluminal device, open approach	0TL40CZ	Occlusion of left kidney pelvis with extraluminal device, open approach
06750ZZ	Dilation of superior mesenteric vein, open approach	0TL40DZ	Occlusion of left kidney pelvis with intraluminal device, open approach
06760DZ	Dilation of inferior mesenteric vein with intraluminal device, open approach	0TL40ZZ	Occlusion of left kidney pelvis, open approach
06760ZZ	Dilation of inferior mesenteric vein, open approach	0TL60CZ	Occlusion of right ureter with extraluminal device, open approach
06770DZ	Dilation of colic vein with intraluminal device, open approach	0TL60DZ	Occlusion of right ureter with intraluminal device, open approach
06770ZZ	Dilation of colic vein, open approach	0TL60ZZ	Occlusion of right ureter, open approach
06780DZ	Dilation of portal vein with intraluminal device, open approach	0TL70CZ	Occlusion of left ureter with extraluminal device, open approach
06780ZZ	Dilation of portal vein, open approach	0TL70DZ	Occlusion of left ureter with intraluminal device, open approach
06790DZ	Dilation of right renal vein with intraluminal device, open approach	0TL70ZZ	Occlusion of left ureter, open approach
06790ZZ	Dilation of right renal vein, open approach	0TLB0CZ	Occlusion of bladder with extraluminal device, open approach
067B0DZ	Dilation of left renal vein with intraluminal device, open approach	0TLB0DZ	Occlusion of bladder with intraluminal device, open approach
067B0ZZ	Dilation of left renal vein, open approach	0TLB0ZZ	Occlusion of bladder, open approach
067C0DZ	Dilation of right common iliac vein with intraluminal device, open approach	0TM00ZZ	Reattachment of right kidney, open approach
067C0ZZ	Dilation of right common iliac vein, open approach	0TM10ZZ	Reattachment of left kidney, open approach
067D0DZ	Dilation of left common iliac vein with intraluminal device, open approach	0TM20ZZ	Reattachment of bilateral kidneys, open approach
067D0ZZ	Dilation of left common iliac vein, open approach	0TM30ZZ	Reattachment of right kidney pelvis, open approach
067F0DZ	Dilation of right external iliac vein with intraluminal device, open approach	0TM40ZZ	Reattachment of left kidney pelvis, open approach
067F0ZZ	Dilation of right external iliac vein, open approach	0TM60ZZ	Reattachment of right ureter, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

067G0DZ	Dilation of left external iliac vein with intraluminal device, open approach	0TM70ZZ	Reattachment of left ureter, open approach
067G0ZZ	Dilation of left external iliac vein, open approach	0TM80ZZ	Reattachment of bilateral ureters, open approach
067H0DZ	Dilation of right hypogastric vein with intraluminal device, open approach	0TMB0ZZ	Reattachment of bladder, open approach
067H0ZZ	Dilation of right hypogastric vein, open approach	0TN00ZZ	Release right kidney, open approach
067J0DZ	Dilation of left hypogastric vein with intraluminal device, open approach	0TN10ZZ	Release left kidney, open approach
067J0ZZ	Dilation of left hypogastric vein, open approach	0TN30ZZ	Release right kidney pelvis, open approach
069000Z	Drainage of inferior vena cava with drainage device, open approach	0TN40ZZ	Release left kidney pelvis, open approach
06900ZX	Drainage of inferior vena cava, open approach, diagnostic	0TN60ZZ	Release right ureter, open approach
06900ZZ	Drainage of inferior vena cava, open approach	0TN70ZZ	Release left ureter, open approach
069100Z	Drainage of splenic vein with drainage device, open approach	0TNB0ZZ	Release bladder, open approach
06910ZX	Drainage of splenic vein, open approach, diagnostic	0TP500Z	Removal of drainage device from kidney, open approach
06910ZZ	Drainage of splenic vein, open approach	0TP502Z	Removal of monitoring device from kidney, open approach
069200Z	Drainage of gastric vein with drainage device, open approach	0TP503Z	Removal of infusion device from kidney, open approach
06920ZX	Drainage of gastric vein, open approach, diagnostic	0TP507Z	Removal of autologous tissue substitute from kidney, open approach
06920ZZ	Drainage of gastric vein, open approach	0TP50CZ	Removal of extraluminal device from kidney, open approach
069300Z	Drainage of esophageal vein with drainage device, open approach	0TP50DZ	Removal of intraluminal device from kidney, open approach
06930ZX	Drainage of esophageal vein, open approach, diagnostic	0TP50JZ	Removal of synthetic substitute from kidney, open approach
06930ZZ	Drainage of esophageal vein, open approach	0TP50KZ	Removal of nonautologous tissue substitute from kidney, open approach
069400Z	Drainage of hepatic vein with drainage device, open approach	0TP50YZ	Removal of other device from kidney, open approach
06940ZX	Drainage of hepatic vein, open approach, diagnostic	0TP900Z	Removal of drainage device from ureter, open approach
06940ZZ	Drainage of hepatic vein, open approach	0TP902Z	Removal of monitoring device from ureter, open approach
069500Z	Drainage of superior mesenteric vein with drainage device, open approach	0TP903Z	Removal of infusion device from ureter, open approach
06950ZX	Drainage of superior mesenteric vein, open approach, diagnostic	0TP907Z	Removal of autologous tissue substitute from ureter, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06950ZZ	Drainage of superior mesenteric vein, open approach	0TP90CZ	Removal of extraluminal device from ureter, open approach
069600Z	Drainage of inferior mesenteric vein with drainage device, open approach	0TP90DZ	Removal of intraluminal device from ureter, open approach
06960ZX	Drainage of inferior mesenteric vein, open approach, diagnostic	0TP90JZ	Removal of synthetic substitute from ureter, open approach
06960ZZ	Drainage of inferior mesenteric vein, open approach	0TP90KZ	Removal of nonautologous tissue substitute from ureter, open approach
069700Z	Drainage of colic vein with drainage device, open approach	0TP90MZ	Removal of stimulator lead from ureter, open approach
06970ZX	Drainage of colic vein, open approach, diagnostic	0TP90YZ	Removal of other device from ureter, open approach
06970ZZ	Drainage of colic vein, open approach	0TPB00Z	Removal of drainage device from bladder, open approach
069800Z	Drainage of portal vein with drainage device, open approach	0TPB02Z	Removal of monitoring device from bladder, open approach
06980ZX	Drainage of portal vein, open approach, diagnostic	0TPB03Z	Removal of infusion device from bladder, open approach
06980ZZ	Drainage of portal vein, open approach	0TPB07Z	Removal of autologous tissue substitute from bladder, open approach
069900Z	Drainage of right renal vein with drainage device, open approach	0TPB0CZ	Removal of extraluminal device from bladder, open approach
06990ZX	Drainage of right renal vein, open approach, diagnostic	0TPB0DZ	Removal of intraluminal device from bladder, open approach
06990ZZ	Drainage of right renal vein, open approach	0TPB0JZ	Removal of synthetic substitute from bladder, open approach
069B00Z	Drainage of left renal vein with drainage device, open approach	0TPB0KZ	Removal of nonautologous tissue substitute from bladder, open approach
069B0ZX	Drainage of left renal vein, open approach, diagnostic	0TPB0LZ	Removal of artificial sphincter from bladder, open approach
069B0ZZ	Drainage of left renal vein, open approach	0TPB0MZ	Removal of stimulator lead from bladder, open approach
069C00Z	Drainage of right common iliac vein with drainage device, open approach	0TPB0YZ	Removal of other device from bladder, open approach
069C0ZX	Drainage of right common iliac vein, open approach, diagnostic	0TQ00ZZ	Repair right kidney, open approach
069C0ZZ	Drainage of right common iliac vein, open approach	0TQ10ZZ	Repair left kidney, open approach
069D00Z	Drainage of left common iliac vein with drainage device, open approach	0TQ30ZZ	Repair right kidney pelvis, open approach
069D0ZX	Drainage of left common iliac vein, open approach, diagnostic	0TQ40ZZ	Repair left kidney pelvis, open approach
069D0ZZ	Drainage of left common iliac vein, open approach	0TQ60ZZ	Repair right ureter, open approach
069F00Z	Drainage of right external iliac vein with drainage device, open approach	0TQ70ZZ	Repair left ureter, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

069F0ZX	Drainage of right external iliac vein, open approach, diagnostic	0TQB0ZZ	Repair bladder, open approach
069F0ZZ	Drainage of right external iliac vein, open approach	0TR307Z	Replacement of right kidney pelvis with autologous tissue substitute, open approach
069G00Z	Drainage of left external iliac vein with drainage device, open approach	0TR30JZ	Replacement of right kidney pelvis with synthetic substitute, open approach
069G0ZX	Drainage of left external iliac vein, open approach, diagnostic	0TR30KZ	Replacement of right kidney pelvis with nonautologous tissue substitute, open approach
069G0ZZ	Drainage of left external iliac vein, open approach	0TR407Z	Replacement of left kidney pelvis with autologous tissue substitute, open approach
069H00Z	Drainage of right hypogastric vein with drainage device, open approach	0TR40JZ	Replacement of left kidney pelvis with synthetic substitute, open approach
069H0ZX	Drainage of right hypogastric vein, open approach, diagnostic	0TR40KZ	Replacement of left kidney pelvis with nonautologous tissue substitute, open approach
069H0ZZ	Drainage of right hypogastric vein, open approach	0TR607Z	Replacement of right ureter with autologous tissue substitute, open approach
069J00Z	Drainage of left hypogastric vein with drainage device, open approach	0TR60JZ	Replacement of right ureter with synthetic substitute, open approach
069J0ZX	Drainage of left hypogastric vein, open approach, diagnostic	0TR60KZ	Replacement of right ureter with nonautologous tissue substitute, open approach
069J0ZZ	Drainage of left hypogastric vein, open approach	0TR707Z	Replacement of left ureter with autologous tissue substitute, open approach
06B00ZX	Excision of inferior vena cava, open approach, diagnostic	0TR70JZ	Replacement of left ureter with synthetic substitute, open approach
06B00ZZ	Excision of inferior vena cava, open approach	0TR70KZ	Replacement of left ureter with nonautologous tissue substitute, open approach
06B10ZX	Excision of splenic vein, open approach, diagnostic	0TRB07Z	Replacement of bladder with autologous tissue substitute, open approach
06B10ZZ	Excision of splenic vein, open approach	0TRB0JZ	Replacement of bladder with synthetic substitute, open approach
06B20ZX	Excision of gastric vein, open approach, diagnostic	0TRB0KZ	Replacement of bladder with nonautologous tissue substitute, open approach
06B20ZZ	Excision of gastric vein, open approach	0TRC07Z	Replacement of bladder neck with autologous tissue substitute, open approach
06B30ZX	Excision of esophageal vein, open approach, diagnostic	0TRC0JZ	Replacement of bladder neck with synthetic substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06B30ZZ	Excision of esophageal vein, open approach	0TRC0KZ	Replacement of bladder neck with nonautologous tissue substitute, open approach
06B40ZX	Excision of hepatic vein, open approach, diagnostic	0TS00ZZ	Reposition right kidney, open approach
06B40ZZ	Excision of hepatic vein, open approach	0TS10ZZ	Reposition left kidney, open approach
06B50ZX	Excision of superior mesenteric vein, open approach, diagnostic	0TS20ZZ	Reposition bilateral kidneys, open approach
06B50ZZ	Excision of superior mesenteric vein, open approach	0TS30ZZ	Reposition right kidney pelvis, open approach
06B60ZX	Excision of inferior mesenteric vein, open approach, diagnostic	0TS40ZZ	Reposition left kidney pelvis, open approach
06B60ZZ	Excision of inferior mesenteric vein, open approach	0TS60ZZ	Reposition right ureter, open approach
06B70ZX	Excision of colic vein, open approach, diagnostic	0TS70ZZ	Reposition left ureter, open approach
06B70ZZ	Excision of colic vein, open approach	0TS80ZZ	Reposition bilateral ureters, open approach
06B80ZX	Excision of portal vein, open approach, diagnostic	0TSB0ZZ	Reposition bladder, open approach
06B80ZZ	Excision of portal vein, open approach	0TT00ZZ	Resection of right kidney, open approach
06B90ZX	Excision of right renal vein, open approach, diagnostic	0TT10ZZ	Resection of left kidney, open approach
06B90ZZ	Excision of right renal vein, open approach	0TT20ZZ	Resection of bilateral kidneys, open approach
06BB0ZX	Excision of left renal vein, open approach, diagnostic	0TT30ZZ	Resection of right kidney pelvis, open approach
06BB0ZZ	Excision of left renal vein, open approach	0TT40ZZ	Resection of left kidney pelvis, open approach
06BC0ZX	Excision of right common iliac vein, open approach, diagnostic	0TT60ZZ	Resection of right ureter, open approach
06BC0ZZ	Excision of right common iliac vein, open approach	0TT70ZZ	Resection of left ureter, open approach
06BD0ZX	Excision of left common iliac vein, open approach, diagnostic	0TTB0ZZ	Resection of bladder, open approach
06BD0ZZ	Excision of left common iliac vein, open approach	0TTD0ZZ	Resection of urethra, open approach
06BF0ZX	Excision of right external iliac vein, open approach, diagnostic	0TU307Z	Supplement right kidney pelvis with autologous tissue substitute, open approach
06BF0ZZ	Excision of right external iliac vein, open approach	0TU30JZ	Supplement right kidney pelvis with synthetic substitute, open approach
06BG0ZX	Excision of left external iliac vein, open approach, diagnostic	0TU30KZ	Supplement right kidney pelvis with nonautologous tissue substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06BG0ZZ	Excision of left external iliac vein, open approach	0TU407Z	Supplement left kidney pelvis with autologous tissue substitute, open approach
06BH0ZX	Excision of right hypogastric vein, open approach, diagnostic	0TU40JZ	Supplement left kidney pelvis with synthetic substitute, open approach
06BH0ZZ	Excision of right hypogastric vein, open approach	0TU40KZ	Supplement left kidney pelvis with nonautologous tissue substitute, open approach
06BJ0ZX	Excision of left hypogastric vein, open approach, diagnostic	0TU607Z	Supplement right ureter with autologous tissue substitute, open approach
06BJ0ZZ	Excision of left hypogastric vein, open approach	0TU60JZ	Supplement right ureter with synthetic substitute, open approach
06C00ZZ	Extrirpation of matter from inferior vena cava, open approach	0TU60KZ	Supplement right ureter with nonautologous tissue substitute, open approach
06C10ZZ	Extrirpation of matter from splenic vein, open approach	0TU707Z	Supplement left ureter with autologous tissue substitute, open approach
06C20ZZ	Extrirpation of matter from gastric vein, open approach	0TU70JZ	Supplement left ureter with synthetic substitute, open approach
06C30ZZ	Extrirpation of matter from esophageal vein, open approach	0TU70KZ	Supplement left ureter with nonautologous tissue substitute, open approach
06C40ZZ	Extrirpation of matter from hepatic vein, open approach	0TUB07Z	Supplement bladder with autologous tissue substitute, open approach
06C50ZZ	Extrirpation of matter from superior mesenteric vein, open approach	0TUB0JZ	Supplement bladder with synthetic substitute, open approach
06C60ZZ	Extrirpation of matter from inferior mesenteric vein, open approach	0TUB0KZ	Supplement bladder with nonautologous tissue substitute, open approach
06C70ZZ	Extrirpation of matter from colic vein, open approach	0TV30CZ	Restriction of right kidney pelvis with extraluminal device, open approach
06C80ZZ	Extrirpation of matter from portal vein, open approach	0TV30DZ	Restriction of right kidney pelvis with intraluminal device, open approach
06C90ZZ	Extrirpation of matter from right renal vein, open approach	0TV30ZZ	Restriction of right kidney pelvis, open approach
06CB0ZZ	Extrirpation of matter from left renal vein, open approach	0TV40CZ	Restriction of left kidney pelvis with extraluminal device, open approach
06CC0ZZ	Extrirpation of matter from right common iliac vein, open approach	0TV40DZ	Restriction of left kidney pelvis with intraluminal device, open approach
06CD0ZZ	Extrirpation of matter from left common iliac vein, open approach	0TV40ZZ	Restriction of left kidney pelvis, open approach
06CF0ZZ	Extrirpation of matter from right external iliac vein, open approach	0TV60CZ	Restriction of right ureter with extraluminal device, open approach
06CG0ZZ	Extrirpation of matter from left external iliac vein, open approach	0TV60DZ	Restriction of right ureter with intraluminal device, open approach
06CH0ZZ	Extrirpation of matter from right hypogastric vein, open approach	0TV60ZZ	Restriction of right ureter, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06CJ0ZZ	Extrication of matter from left hypogastric vein, open approach	0TV70CZ	Restriction of left ureter with extraluminal device, open approach
06H003T	Insertion of infusion device, via umbilical vein, into inferior vena cava, open approach	0TV70DZ	Restriction of left ureter with intraluminal device, open approach
06H003Z	Insertion of infusion device into inferior vena cava, open approach	0TV70ZZ	Restriction of left ureter, open approach
06H00DZ	Insertion of intraluminal device into inferior vena cava, open approach	0TVB0CZ	Restriction of bladder with extraluminal device, open approach
06H103Z	Insertion of infusion device into splenic vein, open approach	0TVB0DZ	Restriction of bladder with intraluminal device, open approach
06H10DZ	Insertion of intraluminal device into splenic vein, open approach	0TVB0ZZ	Restriction of bladder, open approach
06H203Z	Insertion of infusion device into gastric vein, open approach	0TW500Z	Revision of drainage device in kidney, open approach
06H20DZ	Insertion of intraluminal device into gastric vein, open approach	0TW502Z	Revision of monitoring device in kidney, open approach
06H303Z	Insertion of infusion device into esophageal vein, open approach	0TW503Z	Revision of infusion device in kidney, open approach
06H30DZ	Insertion of intraluminal device into esophageal vein, open approach	0TW507Z	Revision of autologous tissue substitute in kidney, open approach
06H403Z	Insertion of infusion device into hepatic vein, open approach	0TW50CZ	Revision of extraluminal device in kidney, open approach
06H40DZ	Insertion of intraluminal device into hepatic vein, open approach	0TW50DZ	Revision of intraluminal device in kidney, open approach
06H503Z	Insertion of infusion device into superior mesenteric vein, open approach	0TW50JZ	Revision of synthetic substitute in kidney, open approach
06H50DZ	Insertion of intraluminal device into superior mesenteric vein, open approach	0TW50KZ	Revision of nonautologous tissue substitute in kidney, open approach
06H603Z	Insertion of infusion device into inferior mesenteric vein, open approach	0TW50YZ	Revision of other device in kidney, open approach
06H60DZ	Insertion of intraluminal device into inferior mesenteric vein, open approach	0TW900Z	Revision of drainage device in ureter, open approach
06H703Z	Insertion of infusion device into colic vein, open approach	0TW902Z	Revision of monitoring device in ureter, open approach
06H70DZ	Insertion of intraluminal device into colic vein, open approach	0TW903Z	Revision of infusion device in ureter, open approach
06H803Z	Insertion of infusion device into portal vein, open approach	0TW907Z	Revision of autologous tissue substitute in ureter, open approach
06H80DZ	Insertion of intraluminal device into portal vein, open approach	0TW90CZ	Revision of extraluminal device in ureter, open approach
06H903Z	Insertion of infusion device into right renal vein, open approach	0TW90DZ	Revision of intraluminal device in ureter, open approach
06H90DZ	Insertion of intraluminal device into right renal vein, open approach	0TW90JZ	Revision of synthetic substitute in ureter, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06HB03Z	Insertion of infusion device into left renal vein, open approach	0TW90KZ	Revision of nonautologous tissue substitute in ureter, open approach
06HB0DZ	Insertion of intraluminal device into left renal vein, open approach	0TW90MZ	Revision of stimulator lead in ureter, open approach
06HC03Z	Insertion of infusion device into right common iliac vein, open approach	0TW90YZ	Revision of other device in ureter, open approach
06HC0DZ	Insertion of intraluminal device into right common iliac vein, open approach	0TWB00Z	Revision of drainage device in bladder, open approach
06HD03Z	Insertion of infusion device into left common iliac vein, open approach	0TWB02Z	Revision of monitoring device in bladder, open approach
06HD0DZ	Insertion of intraluminal device into left common iliac vein, open approach	0TWB03Z	Revision of infusion device in bladder, open approach
06HF03Z	Insertion of infusion device into right external iliac vein, open approach	0TWB07Z	Revision of autologous tissue substitute in bladder, open approach
06HF0DZ	Insertion of intraluminal device into right external iliac vein, open approach	0TWB0CZ	Revision of extraluminal device in bladder, open approach
06HG03Z	Insertion of infusion device into left external iliac vein, open approach	0TWB0DZ	Revision of intraluminal device in bladder, open approach
06HG0DZ	Insertion of intraluminal device into left external iliac vein, open approach	0TWB0JZ	Revision of synthetic substitute in bladder, open approach
06HH03Z	Insertion of infusion device into right hypogastric vein, open approach	0TWB0KZ	Revision of nonautologous tissue substitute in bladder, open approach
06HH0DZ	Insertion of intraluminal device into right hypogastric vein, open approach	0TWB0LZ	Revision of artificial sphincter in bladder, open approach
06HJ03Z	Insertion of infusion device into left hypogastric vein, open approach	0TWB0MZ	Revision of stimulator lead in bladder, open approach
06HJ0DZ	Insertion of intraluminal device into left hypogastric vein, open approach	0TWB0YZ	Revision of other device in bladder, open approach
06L00CZ	Occlusion of inferior vena cava with extraluminal device, open approach	0TY00Z0	Transplantation of right kidney, allogeneic, open approach
06L00DZ	Occlusion of inferior vena cava with intraluminal device, open approach	0TY00Z1	Transplantation of right kidney, syngeneic, open approach
06L00ZZ	Occlusion of inferior vena cava, open approach	0TY00Z2	Transplantation of right kidney, zooplasic, open approach
06L10CZ	Occlusion of splenic vein with extraluminal device, open approach	0TY10Z0	Transplantation of left kidney, allogeneic, open approach
06L10DZ	Occlusion of splenic vein with intraluminal device, open approach	0TY10Z1	Transplantation of left kidney, syngeneic, open approach
06L10ZZ	Occlusion of splenic vein, open approach	0TY10Z2	Transplantation of left kidney, zooplasic, open approach
06L20CZ	Occlusion of gastric vein with extraluminal device, open approach	0U15075	Bypass right fallopian tube to right fallopian tube with autologous tissue substitute, open approach
06L20DZ	Occlusion of gastric vein with intraluminal device, open approach	0U15076	Bypass right fallopian tube to left fallopian tube with autologous tissue substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06L20ZZ	Occlusion of gastric vein, open approach	0U15079	Bypass right fallopian tube to uterus with autologous tissue substitute, open approach
06L30CZ	Occlusion of esophageal vein with extraluminal device, open approach	0U150J5	Bypass right fallopian tube to right fallopian tube with synthetic substitute, open approach
06L30DZ	Occlusion of esophageal vein with intraluminal device, open approach	0U150J6	Bypass right fallopian tube to left fallopian tube with synthetic substitute, open approach
06L30ZZ	Occlusion of esophageal vein, open approach	0U150J9	Bypass right fallopian tube to uterus with synthetic substitute, open approach
06L40CZ	Occlusion of hepatic vein with extraluminal device, open approach	0U150K5	Bypass right fallopian tube to right fallopian tube with nonautologous tissue substitute, open approach
06L40DZ	Occlusion of hepatic vein with intraluminal device, open approach	0U150K6	Bypass right fallopian tube to left fallopian tube with nonautologous tissue substitute, open approach
06L40ZZ	Occlusion of hepatic vein, open approach	0U150K9	Bypass right fallopian tube to uterus with nonautologous tissue substitute, open approach
06L50CZ	Occlusion of superior mesenteric vein with extraluminal device, open approach	0U150Z5	Bypass right fallopian tube to right fallopian tube, open approach
06L50DZ	Occlusion of superior mesenteric vein with intraluminal device, open approach	0U150Z6	Bypass right fallopian tube to left fallopian tube, open approach
06L50ZZ	Occlusion of superior mesenteric vein, open approach	0U150Z9	Bypass right fallopian tube to uterus, open approach
06L60CZ	Occlusion of inferior mesenteric vein with extraluminal device, open approach	0U16075	Bypass left fallopian tube to right fallopian tube with autologous tissue substitute, open approach
06L60DZ	Occlusion of inferior mesenteric vein with intraluminal device, open approach	0U16076	Bypass left fallopian tube to left fallopian tube with autologous tissue substitute, open approach
06L60ZZ	Occlusion of inferior mesenteric vein, open approach	0U16079	Bypass left fallopian tube to uterus with autologous tissue substitute, open approach
06L70CZ	Occlusion of colic vein with extraluminal device, open approach	0U160J5	Bypass left fallopian tube to right fallopian tube with synthetic substitute, open approach
06L70DZ	Occlusion of colic vein with intraluminal device, open approach	0U160J6	Bypass left fallopian tube to left fallopian tube with synthetic substitute, open approach
06L70ZZ	Occlusion of colic vein, open approach	0U160J9	Bypass left fallopian tube to uterus with synthetic substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06L80CZ	Occlusion of portal vein with extraluminal device, open approach	0U160K5	Bypass left fallopian tube to right fallopian tube with nonautologous tissue substitute, open approach
06L80DZ	Occlusion of portal vein with intraluminal device, open approach	0U160K6	Bypass left fallopian tube to left fallopian tube with nonautologous tissue substitute, open approach
06L80ZZ	Occlusion of portal vein, open approach	0U160K9	Bypass left fallopian tube to uterus with nonautologous tissue substitute, open approach
06L90CZ	Occlusion of right renal vein with extraluminal device, open approach	0U160Z5	Bypass left fallopian tube to right fallopian tube, open approach
06L90DZ	Occlusion of right renal vein with intraluminal device, open approach	0U160Z6	Bypass left fallopian tube to left fallopian tube, open approach
06L90ZZ	Occlusion of right renal vein, open approach	0U160Z9	Bypass left fallopian tube to uterus, open approach
06LB0CZ	Occlusion of left renal vein with extraluminal device, open approach	0U500ZZ	Destruction of right ovary, open approach
06LB0DZ	Occlusion of left renal vein with intraluminal device, open approach	0U510ZZ	Destruction of left ovary, open approach
06LB0ZZ	Occlusion of left renal vein, open approach	0U520ZZ	Destruction of bilateral ovaries, open approach
06LC0CZ	Occlusion of right common iliac vein with extraluminal device, open approach	0U540ZZ	Destruction of uterine supporting structure, open approach
06LC0DZ	Occlusion of right common iliac vein with intraluminal device, open approach	0U550ZZ	Destruction of right fallopian tube, open approach
06LC0ZZ	Occlusion of right common iliac vein, open approach	0U560ZZ	Destruction of left fallopian tube, open approach
06LD0CZ	Occlusion of left common iliac vein with extraluminal device, open approach	0U570ZZ	Destruction of bilateral fallopian tubes, open approach
06LD0DZ	Occlusion of left common iliac vein with intraluminal device, open approach	0U590ZZ	Destruction of uterus, open approach
06LD0ZZ	Occlusion of left common iliac vein, open approach	0U5B0ZZ	Destruction of endometrium, open approach
06LF0CZ	Occlusion of right external iliac vein with extraluminal device, open approach	0U5C0ZZ	Destruction of cervix, open approach
06LF0DZ	Occlusion of right external iliac vein with intraluminal device, open approach	0U5G0ZZ	Destruction of vagina, open approach
06LF0ZZ	Occlusion of right external iliac vein, open approach	0U750DZ	Dilation of right fallopian tube with intraluminal device, open approach
06LG0CZ	Occlusion of left external iliac vein with extraluminal device, open approach	0U750ZZ	Dilation of right fallopian tube, open approach
06LG0DZ	Occlusion of left external iliac vein with intraluminal device, open approach	0U760DZ	Dilation of left fallopian tube with intraluminal device, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06LG0ZZ	Occlusion of left external iliac vein, open approach	0U760ZZ	Dilation of left fallopian tube, open approach
06LH0CZ	Occlusion of right hypogastric vein with extraluminal device, open approach	0U770DZ	Dilation of bilateral fallopian tubes with intraluminal device, open approach
06LH0DZ	Occlusion of right hypogastric vein with intraluminal device, open approach	0U770ZZ	Dilation of bilateral fallopian tubes, open approach
06LH0ZZ	Occlusion of right hypogastric vein, open approach	0U790DZ	Dilation of uterus with intraluminal device, open approach
06LJ0CZ	Occlusion of left hypogastric vein with extraluminal device, open approach	0U790ZZ	Dilation of uterus, open approach
06LJ0DZ	Occlusion of left hypogastric vein with intraluminal device, open approach	0U7C0DZ	Dilation of cervix with intraluminal device, open approach
06LJ0ZZ	Occlusion of left hypogastric vein, open approach	0U7C0ZZ	Dilation of cervix, open approach
06N00ZZ	Release inferior vena cava, open approach	0U7G0DZ	Dilation of vagina with intraluminal device, open approach
06N10ZZ	Release splenic vein, open approach	0U7G0ZZ	Dilation of vagina, open approach
06N20ZZ	Release gastric vein, open approach	0U800ZZ	Division of right ovary, open approach
06N30ZZ	Release esophageal vein, open approach	0U810ZZ	Division of left ovary, open approach
06N40ZZ	Release hepatic vein, open approach	0U820ZZ	Division of bilateral ovaries, open approach
06N50ZZ	Release superior mesenteric vein, open approach	0U840ZZ	Division of uterine supporting structure, open approach
06N60ZZ	Release inferior mesenteric vein, open approach	0U9000Z	Drainage of right ovary with drainage device, open approach
06N70ZZ	Release colic vein, open approach	0U900ZX	Drainage of right ovary, open approach, diagnostic
06N80ZZ	Release portal vein, open approach	0U900ZZ	Drainage of right ovary, open approach
06N90ZZ	Release right renal vein, open approach	0U9100Z	Drainage of left ovary with drainage device, open approach
06NB0ZZ	Release left renal vein, open approach	0U910ZX	Drainage of left ovary, open approach, diagnostic
06NC0ZZ	Release right common iliac vein, open approach	0U910ZZ	Drainage of left ovary, open approach
06ND0ZZ	Release left common iliac vein, open approach	0U9200Z	Drainage of bilateral ovaries with drainage device, open approach
06NF0ZZ	Release right external iliac vein, open approach	0U920ZX	Drainage of bilateral ovaries, open approach, diagnostic
06NG0ZZ	Release left external iliac vein, open approach	0U920ZZ	Drainage of bilateral ovaries, open approach
06NH0ZZ	Release right hypogastric vein, open approach	0U9400Z	Drainage of uterine supporting structure with drainage device, open approach
06NJ0ZZ	Release left hypogastric vein, open approach	0U940ZX	Drainage of uterine supporting structure, open approach, diagnostic
06Q00ZZ	Repair inferior vena cava, open approach	0U940ZZ	Drainage of uterine supporting structure, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06Q10ZZ	Repair splenic vein, open approach	0U9500Z	Drainage of right fallopian tube with drainage device, open approach
06Q20ZZ	Repair gastric vein, open approach	0U950ZX	Drainage of right fallopian tube, open approach, diagnostic
06Q30ZZ	Repair esophageal vein, open approach	0U950ZZ	Drainage of right fallopian tube, open approach
06Q40ZZ	Repair hepatic vein, open approach	0U9600Z	Drainage of left fallopian tube with drainage device, open approach
06Q50ZZ	Repair superior mesenteric vein, open approach	0U960ZX	Drainage of left fallopian tube, open approach, diagnostic
06Q60ZZ	Repair inferior mesenteric vein, open approach	0U960ZZ	Drainage of left fallopian tube, open approach
06Q70ZZ	Repair colic vein, open approach	0U9700Z	Drainage of bilateral fallopian tubes with drainage device, open approach
06Q80ZZ	Repair portal vein, open approach	0U970ZX	Drainage of bilateral fallopian tubes, open approach, diagnostic
06Q90ZZ	Repair right renal vein, open approach	0U970ZZ	Drainage of bilateral fallopian tubes, open approach
06QB0ZZ	Repair left renal vein, open approach	0U9900Z	Drainage of uterus with drainage device, open approach
06QC0ZZ	Repair right common iliac vein, open approach	0U990ZX	Drainage of uterus, open approach, diagnostic
06QD0ZZ	Repair left common iliac vein, open approach	0U990ZZ	Drainage of uterus, open approach
06QF0ZZ	Repair right external iliac vein, open approach	0U9C00Z	Drainage of cervix with drainage device, open approach
06QG0ZZ	Repair left external iliac vein, open approach	0U9C0ZX	Drainage of cervix, open approach, diagnostic
06QH0ZZ	Repair right hypogastric vein, open approach	0U9C0ZZ	Drainage of cervix, open approach
06QJ0ZZ	Repair left hypogastric vein, open approach	0U9G00Z	Drainage of vagina with drainage device, open approach
06R007Z	Replacement of inferior vena cava with autologous tissue substitute, open approach	0U9G0ZX	Drainage of vagina, open approach, diagnostic
06R00JZ	Replacement of inferior vena cava with synthetic substitute, open approach	0U9G0ZZ	Drainage of vagina, open approach
06R00KZ	Replacement of inferior vena cava with nonautologous tissue substitute, open approach	0UB00ZX	Excision of right ovary, open approach, diagnostic
06R107Z	Replacement of splenic vein with autologous tissue substitute, open approach	0UB00ZZ	Excision of right ovary, open approach
06R10JZ	Replacement of splenic vein with synthetic substitute, open approach	0UB10ZX	Excision of left ovary, open approach, diagnostic

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06R10KZ	Replacement of splenic vein with nonautologous tissue substitute, open approach	0UB10ZZ	Excision of left ovary, open approach
06R207Z	Replacement of gastric vein with autologous tissue substitute, open approach	0UB20ZX	Excision of bilateral ovaries, open approach, diagnostic
06R20JZ	Replacement of gastric vein with synthetic substitute, open approach	0UB20ZZ	Excision of bilateral ovaries, open approach
06R20KZ	Replacement of gastric vein with nonautologous tissue substitute, open approach	0UB40ZX	Excision of uterine supporting structure, open approach, diagnostic
06R307Z	Replacement of esophageal vein with autologous tissue substitute, open approach	0UB40ZZ	Excision of uterine supporting structure, open approach
06R30JZ	Replacement of esophageal vein with synthetic substitute, open approach	0UB50ZX	Excision of right fallopian tube, open approach, diagnostic
06R30KZ	Replacement of esophageal vein with nonautologous tissue substitute, open approach	0UB50ZZ	Excision of right fallopian tube, open approach
06R407Z	Replacement of hepatic vein with autologous tissue substitute, open approach	0UB60ZX	Excision of left fallopian tube, open approach, diagnostic
06R40JZ	Replacement of hepatic vein with synthetic substitute, open approach	0UB60ZZ	Excision of left fallopian tube, open approach
06R40KZ	Replacement of hepatic vein with nonautologous tissue substitute, open approach	0UB70ZX	Excision of bilateral fallopian tubes, open approach, diagnostic
06R507Z	Replacement of superior mesenteric vein with autologous tissue substitute, open approach	0UB70ZZ	Excision of bilateral fallopian tubes, open approach
06R50JZ	Replacement of superior mesenteric vein with synthetic substitute, open approach	0UB90ZX	Excision of uterus, open approach, diagnostic
06R50KZ	Replacement of superior mesenteric vein with nonautologous tissue substitute, open approach	0UB90ZZ	Excision of uterus, open approach
06R607Z	Replacement of inferior mesenteric vein with autologous tissue substitute, open approach	0UBC0ZX	Excision of cervix, open approach, diagnostic
06R60JZ	Replacement of inferior mesenteric vein with synthetic substitute, open approach	0UBC0ZZ	Excision of cervix, open approach
06R60KZ	Replacement of inferior mesenteric vein with nonautologous tissue substitute, open approach	0UBG0ZX	Excision of vagina, open approach, diagnostic

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06R707Z	Replacement of colic vein with autologous tissue substitute, open approach	0UBG0ZZ	Excision of vagina, open approach
06R70JZ	Replacement of colic vein with synthetic substitute, open approach	0UC00ZZ	Extrirpation of matter from right ovary, open approach
06R70KZ	Replacement of colic vein with nonautologous tissue substitute, open approach	0UC10ZZ	Extrirpation of matter from left ovary, open approach
06R807Z	Replacement of portal vein with autologous tissue substitute, open approach	0UC20ZZ	Extrirpation of matter from bilateral ovaries, open approach
06R80JZ	Replacement of portal vein with synthetic substitute, open approach	0UC40ZZ	Extrirpation of matter from uterine supporting structure, open approach
06R80KZ	Replacement of portal vein with nonautologous tissue substitute, open approach	0UC50ZZ	Extrirpation of matter from right fallopian tube, open approach
06R907Z	Replacement of right renal vein with autologous tissue substitute, open approach	0UC60ZZ	Extrirpation of matter from left fallopian tube, open approach
06R90JZ	Replacement of right renal vein with synthetic substitute, open approach	0UC70ZZ	Extrirpation of matter from bilateral fallopian tubes, open approach
06R90KZ	Replacement of right renal vein with nonautologous tissue substitute, open approach	0UC90ZZ	Extrirpation of matter from uterus, open approach
06RB07Z	Replacement of left renal vein with autologous tissue substitute, open approach	0UCB0ZZ	Extrirpation of matter from endometrium, open approach
06RB0JZ	Replacement of left renal vein with synthetic substitute, open approach	0UCC0ZZ	Extrirpation of matter from cervix, open approach
06RB0KZ	Replacement of left renal vein with nonautologous tissue substitute, open approach	0UCG0ZZ	Extrirpation of matter from vagina, open approach
06RC07Z	Replacement of right common iliac vein with autologous tissue substitute, open approach	0UF50ZZ	Fragmentation in right fallopian tube, open approach
06RC0JZ	Replacement of right common iliac vein with synthetic substitute, open approach	0UF60ZZ	Fragmentation in left fallopian tube, open approach
06RC0KZ	Replacement of right common iliac vein with nonautologous tissue substitute, open approach	0UF70ZZ	Fragmentation in bilateral fallopian tubes, open approach
06RD07Z	Replacement of left common iliac vein with autologous tissue substitute, open approach	0UF90ZZ	Fragmentation in uterus, open approach
06RD0JZ	Replacement of left common iliac vein with synthetic substitute, open approach	0UH301Z	Insertion of radioactive element into ovary, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06RD0KZ	Replacement of left common iliac vein with nonautologous tissue substitute, open approach	0UH303Z	Insertion of infusion device into ovary, open approach
06RF07Z	Replacement of right external iliac vein with autologous tissue substitute, open approach	0UH30YZ	Insertion of other device into ovary, open approach
06RF0JZ	Replacement of right external iliac vein with synthetic substitute, open approach	0UH803Z	Insertion of infusion device into fallopian tube, open approach
06RF0KZ	Replacement of right external iliac vein with nonautologous tissue substitute, open approach	0UH80YZ	Insertion of other device into fallopian tube, open approach
06RG07Z	Replacement of left external iliac vein with autologous tissue substitute, open approach	0UH901Z	Insertion of radioactive element into uterus, open approach
06RG0JZ	Replacement of left external iliac vein with synthetic substitute, open approach	0UH90HZ	Insertion of contraceptive device into uterus, open approach
06RG0KZ	Replacement of left external iliac vein with nonautologous tissue substitute, open approach	0UHC01Z	Insertion of radioactive element into cervix, open approach
06RH07Z	Replacement of right hypogastric vein with autologous tissue substitute, open approach	0UHD03Z	Insertion of infusion device into uterus and cervix, open approach
06RH0JZ	Replacement of right hypogastric vein with synthetic substitute, open approach	0UHD0YZ	Insertion of other device into uterus and cervix, open approach
06RH0KZ	Replacement of right hypogastric vein with nonautologous tissue substitute, open approach	0UHG01Z	Insertion of radioactive element into vagina, open approach
06RJ07Z	Replacement of left hypogastric vein with autologous tissue substitute, open approach	0UHH03Z	Insertion of infusion device into vagina and cul-de-sac, open approach
06RJ0JZ	Replacement of left hypogastric vein with synthetic substitute, open approach	0UHH0YZ	Insertion of other device into vagina and cul-de-sac, open approach
06RJ0KZ	Replacement of left hypogastric vein with nonautologous tissue substitute, open approach	0UJ30ZZ	Inspection of ovary, open approach
06S00ZZ	Reposition inferior vena cava, open approach	0UJ80ZZ	Inspection of fallopian tube, open approach
06S10ZZ	Reposition splenic vein, open approach	0UJD0ZZ	Inspection of uterus and cervix, open approach
06S20ZZ	Reposition gastric vein, open approach	0UJH0ZZ	Inspection of vagina and cul-de-sac, open approach
06S30ZZ	Reposition esophageal vein, open approach	0UL50CZ	Occlusion of right fallopian tube with extraluminal device, open approach
06S40ZZ	Reposition hepatic vein, open approach	0UL50DZ	Occlusion of right fallopian tube with intraluminal device, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06S50ZZ	Reposition superior mesenteric vein, open approach	0UL50ZZ	Occlusion of right fallopian tube, open approach
06S60ZZ	Reposition inferior mesenteric vein, open approach	0UL60CZ	Occlusion of left fallopian tube with extraluminal device, open approach
06S70ZZ	Reposition colic vein, open approach	0UL60DZ	Occlusion of left fallopian tube with intraluminal device, open approach
06S80ZZ	Reposition portal vein, open approach	0UL60ZZ	Occlusion of left fallopian tube, open approach
06S90ZZ	Reposition right renal vein, open approach	0UL70CZ	Occlusion of bilateral fallopian tubes with extraluminal device, open approach
06SB0ZZ	Reposition left renal vein, open approach	0UL70DZ	Occlusion of bilateral fallopian tubes with intraluminal device, open approach
06SC0ZZ	Reposition right common iliac vein, open approach	0UL70ZZ	Occlusion of bilateral fallopian tubes, open approach
06SD0ZZ	Reposition left common iliac vein, open approach	0UM00ZZ	Reattachment of right ovary, open approach
06SF0ZZ	Reposition right external iliac vein, open approach	0UM10ZZ	Reattachment of left ovary, open approach
06SG0ZZ	Reposition left external iliac vein, open approach	0UM20ZZ	Reattachment of bilateral ovaries, open approach
06SH0ZZ	Reposition right hypogastric vein, open approach	0UM40ZZ	Reattachment of uterine supporting structure, open approach
06SJ0ZZ	Reposition left hypogastric vein, open approach	0UM50ZZ	Reattachment of right fallopian tube, open approach
06U007Z	Supplement inferior vena cava with autologous tissue substitute, open approach	0UM60ZZ	Reattachment of left fallopian tube, open approach
06U00JZ	Supplement inferior vena cava with synthetic substitute, open approach	0UM70ZZ	Reattachment of bilateral fallopian tubes, open approach
06U00KZ	Supplement inferior vena cava with nonautologous tissue substitute, open approach	0UM90ZZ	Reattachment of uterus, open approach
06U107Z	Supplement splenic vein with autologous tissue substitute, open approach	0UMC0ZZ	Reattachment of cervix, open approach
06U10JZ	Supplement splenic vein with synthetic substitute, open approach	0UMG0ZZ	Reattachment of vagina, open approach
06U10KZ	Supplement splenic vein with nonautologous tissue substitute, open approach	0UN00ZZ	Release right ovary, open approach
06U207Z	Supplement gastric vein with autologous tissue substitute, open approach	0UN10ZZ	Release left ovary, open approach
06U20JZ	Supplement gastric vein with synthetic substitute, open approach	0UN20ZZ	Release bilateral ovaries, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06U20KZ	Supplement gastric vein with nonautologous tissue substitute, open approach	0UN40ZZ	Release uterine supporting structure, open approach
06U307Z	Supplement esophageal vein with autologous tissue substitute, open approach	0UN50ZZ	Release right fallopian tube, open approach
06U30JZ	Supplement esophageal vein with synthetic substitute, open approach	0UN60ZZ	Release left fallopian tube, open approach
06U30KZ	Supplement esophageal vein with nonautologous tissue substitute, open approach	0UN70ZZ	Release bilateral fallopian tubes, open approach
06U407Z	Supplement hepatic vein with autologous tissue substitute, open approach	0UN90ZZ	Release uterus, open approach
06U40JZ	Supplement hepatic vein with synthetic substitute, open approach	0UNC0ZZ	Release cervix, open approach
06U40KZ	Supplement hepatic vein with nonautologous tissue substitute, open approach	0UNG0ZZ	Release vagina, open approach
06U507Z	Supplement superior mesenteric vein with autologous tissue substitute, open approach	0UP300Z	Removal of drainage device from ovary, open approach
06U50JZ	Supplement superior mesenteric vein with synthetic substitute, open approach	0UP303Z	Removal of infusion device from ovary, open approach
06U50KZ	Supplement superior mesenteric vein with nonautologous tissue substitute, open approach	0UP30YZ	Removal of other device from ovary, open approach
06U607Z	Supplement inferior mesenteric vein with autologous tissue substitute, open approach	0UP800Z	Removal of drainage device from fallopian tube, open approach
06U60JZ	Supplement inferior mesenteric vein with synthetic substitute, open approach	0UP803Z	Removal of infusion device from fallopian tube, open approach
06U60KZ	Supplement inferior mesenteric vein with nonautologous tissue substitute, open approach	0UP807Z	Removal of autologous tissue substitute from fallopian tube, open approach
06U707Z	Supplement colic vein with autologous tissue substitute, open approach	0UP80CZ	Removal of extraluminal device from fallopian tube, open approach
06U70JZ	Supplement colic vein with synthetic substitute, open approach	0UP80DZ	Removal of intraluminal device from fallopian tube, open approach
06U70KZ	Supplement colic vein with nonautologous tissue substitute, open approach	0UP80JZ	Removal of synthetic substitute from fallopian tube, open approach
06U807Z	Supplement portal vein with autologous tissue substitute, open approach	0UP80KZ	Removal of nonautologous tissue substitute from fallopian tube, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06U80JZ	Supplement portal vein with synthetic substitute, open approach	0UP80YZ	Removal of other device from fallopian tube, open approach
06U80KZ	Supplement portal vein with nonautologous tissue substitute, open approach	0UPD00Z	Removal of drainage device from uterus and cervix, open approach
06U907Z	Supplement right renal vein with autologous tissue substitute, open approach	0UPD01Z	Removal of radioactive element from uterus and cervix, open approach
06U90JZ	Supplement right renal vein with synthetic substitute, open approach	0UPD03Z	Removal of infusion device from uterus and cervix, open approach
06U90KZ	Supplement right renal vein with nonautologous tissue substitute, open approach	0UPD07Z	Removal of autologous tissue substitute from uterus and cervix, open approach
06UB07Z	Supplement left renal vein with autologous tissue substitute, open approach	0UPD0CZ	Removal of extraluminal device from uterus and cervix, open approach
06UB0JZ	Supplement left renal vein with synthetic substitute, open approach	0UPD0DZ	Removal of intraluminal device from uterus and cervix, open approach
06UB0KZ	Supplement left renal vein with nonautologous tissue substitute, open approach	0UPD0HZ	Removal of contraceptive device from uterus and cervix, open approach
06UC07Z	Supplement right common iliac vein with autologous tissue substitute, open approach	0UPD0JZ	Removal of synthetic substitute from uterus and cervix, open approach
06UC0JZ	Supplement right common iliac vein with synthetic substitute, open approach	0UPD0KZ	Removal of nonautologous tissue substitute from uterus and cervix, open approach
06UC0KZ	Supplement right common iliac vein with nonautologous tissue substitute, open approach	0UPD0YZ	Removal of other device from uterus and cervix, open approach
06UD07Z	Supplement left common iliac vein with autologous tissue substitute, open approach	0UPH00Z	Removal of drainage device from vagina and cul-de-sac, open approach
06UD0JZ	Supplement left common iliac vein with synthetic substitute, open approach	0UPH01Z	Removal of radioactive element from vagina and cul-de-sac, open approach
06UD0KZ	Supplement left common iliac vein with nonautologous tissue substitute, open approach	0UPH03Z	Removal of infusion device from vagina and cul-de-sac, open approach
06UF07Z	Supplement right external iliac vein with autologous tissue substitute, open approach	0UPH07Z	Removal of autologous tissue substitute from vagina and cul-de-sac, open approach
06UF0JZ	Supplement right external iliac vein with synthetic substitute, open approach	0UPH0DZ	Removal of intraluminal device from vagina and cul-de-sac, open approach
06UF0KZ	Supplement right external iliac vein with nonautologous tissue substitute, open approach	0UPH0JZ	Removal of synthetic substitute from vagina and cul-de-sac, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06UG07Z	Supplement left external iliac vein with autologous tissue substitute, open approach	0UPH0KZ	Removal of nonautologous tissue substitute from vagina and cul-de-sac, open approach
06UG0JZ	Supplement left external iliac vein with synthetic substitute, open approach	0UPH0YZ	Removal of other device from vagina and cul-de-sac, open approach
06UG0KZ	Supplement left external iliac vein with nonautologous tissue substitute, open approach	0UQ00ZZ	Repair right ovary, open approach
06UH07Z	Supplement right hypogastric vein with autologous tissue substitute, open approach	0UQ10ZZ	Repair left ovary, open approach
06UH0JZ	Supplement right hypogastric vein with synthetic substitute, open approach	0UQ20ZZ	Repair bilateral ovaries, open approach
06UH0KZ	Supplement right hypogastric vein with nonautologous tissue substitute, open approach	0UQ40ZZ	Repair uterine supporting structure, open approach
06UJ07Z	Supplement left hypogastric vein with autologous tissue substitute, open approach	0UQ50ZZ	Repair right fallopian tube, open approach
06UJ0JZ	Supplement left hypogastric vein with synthetic substitute, open approach	0UQ60ZZ	Repair left fallopian tube, open approach
06UJ0KZ	Supplement left hypogastric vein with nonautologous tissue substitute, open approach	0UQ70ZZ	Repair bilateral fallopian tubes, open approach
06V00CZ	Restriction of inferior vena cava with extraluminal device, open approach	0UQ90ZZ	Repair uterus, open approach
06V00DZ	Restriction of inferior vena cava with intraluminal device, open approach	0UQC0ZZ	Repair cervix, open approach
06V00ZZ	Restriction of inferior vena cava, open approach	0UQG0ZZ	Repair vagina, open approach
06V10CZ	Restriction of splenic vein with extraluminal device, open approach	0US00ZZ	Reposition right ovary, open approach
06V10DZ	Restriction of splenic vein with intraluminal device, open approach	0US10ZZ	Reposition left ovary, open approach
06V10ZZ	Restriction of splenic vein, open approach	0US20ZZ	Reposition bilateral ovaries, open approach
06V20CZ	Restriction of gastric vein with extraluminal device, open approach	0US40ZZ	Reposition uterine supporting structure, open approach
06V20DZ	Restriction of gastric vein with intraluminal device, open approach	0US50ZZ	Reposition right fallopian tube, open approach
06V20ZZ	Restriction of gastric vein, open approach	0US60ZZ	Reposition left fallopian tube, open approach
06V30CZ	Restriction of esophageal vein with extraluminal device, open approach	0US70ZZ	Reposition bilateral fallopian tubes, open approach
06V30DZ	Restriction of esophageal vein with intraluminal device, open approach	0US90ZZ	Reposition uterus, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06V30ZZ	Restriction of esophageal vein, open approach	0USC0ZZ	Reposition cervix, open approach
06V40CZ	Restriction of hepatic vein with extraluminal device, open approach	0USG0ZZ	Reposition vagina, open approach
06V40DZ	Restriction of hepatic vein with intraluminal device, open approach	0UT00ZZ	Resection of right ovary, open approach
06V40ZZ	Restriction of hepatic vein, open approach	0UT10ZZ	Resection of left ovary, open approach
06V50CZ	Restriction of superior mesenteric vein with extraluminal device, open approach	0UT20ZZ	Resection of bilateral ovaries, open approach
06V50DZ	Restriction of superior mesenteric vein with intraluminal device, open approach	0UT40ZZ	Resection of uterine supporting structure, open approach
06V50ZZ	Restriction of superior mesenteric vein, open approach	0UT50ZZ	Resection of right fallopian tube, open approach
06V60CZ	Restriction of inferior mesenteric vein with extraluminal device, open approach	0UT60ZZ	Resection of left fallopian tube, open approach
06V60DZ	Restriction of inferior mesenteric vein with intraluminal device, open approach	0UT70ZZ	Resection of bilateral fallopian tubes, open approach
06V60ZZ	Restriction of inferior mesenteric vein, open approach	0UT90ZL	Resection of uterus, supracervical, open approach
06V70CZ	Restriction of colic vein with extraluminal device, open approach	0UT90ZZ	Resection of uterus, open approach
06V70DZ	Restriction of colic vein with intraluminal device, open approach	0UTC0ZZ	Resection of cervix, open approach
06V70ZZ	Restriction of colic vein, open approach	0UTG0ZZ	Resection of vagina, open approach
06V80CZ	Restriction of portal vein with extraluminal device, open approach	0UU407Z	Supplement uterine supporting structure with autologous tissue substitute, open approach
06V80DZ	Restriction of portal vein with intraluminal device, open approach	0UU40JZ	Supplement uterine supporting structure with synthetic substitute, open approach
06V80ZZ	Restriction of portal vein, open approach	0UU40KZ	Supplement uterine supporting structure with nonautologous tissue substitute, open approach
06V90CZ	Restriction of right renal vein with extraluminal device, open approach	0UU507Z	Supplement right fallopian tube with autologous tissue substitute, open approach
06V90DZ	Restriction of right renal vein with intraluminal device, open approach	0UU50JZ	Supplement right fallopian tube with synthetic substitute, open approach
06V90ZZ	Restriction of right renal vein, open approach	0UU50KZ	Supplement right fallopian tube with nonautologous tissue substitute, open approach
06VB0CZ	Restriction of left renal vein with extraluminal device, open approach	0UU607Z	Supplement left fallopian tube with autologous tissue substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

06VB0DZ	Restriction of left renal vein with intraluminal device, open approach	0UU60JZ	Supplement left fallopian tube with synthetic substitute, open approach
06VB0ZZ	Restriction of left renal vein, open approach	0UU60KZ	Supplement left fallopian tube with nonautologous tissue substitute, open approach
06VC0CZ	Restriction of right common iliac vein with extraluminal device, open approach	0UU707Z	Supplement bilateral fallopian tubes with autologous tissue substitute, open approach
06VC0DZ	Restriction of right common iliac vein with intraluminal device, open approach	0UU70JZ	Supplement bilateral fallopian tubes with synthetic substitute, open approach
06VC0ZZ	Restriction of right common iliac vein, open approach	0UU70KZ	Supplement bilateral fallopian tubes with nonautologous tissue substitute, open approach
06VD0CZ	Restriction of left common iliac vein with extraluminal device, open approach	0UUG07Z	Supplement vagina with autologous tissue substitute, open approach
06VD0DZ	Restriction of left common iliac vein with intraluminal device, open approach	0UUG0JZ	Supplement vagina with synthetic substitute, open approach
06VD0ZZ	Restriction of left common iliac vein, open approach	0UUG0KZ	Supplement vagina with nonautologous tissue substitute, open approach
06VF0CZ	Restriction of right external iliac vein with extraluminal device, open approach	0UVC0CZ	Restriction of cervix with extraluminal device, open approach
06VF0DZ	Restriction of right external iliac vein with intraluminal device, open approach	0UVC0DZ	Restriction of cervix with intraluminal device, open approach
06VF0ZZ	Restriction of right external iliac vein, open approach	0UVC0ZZ	Restriction of cervix, open approach
06VG0CZ	Restriction of left external iliac vein with extraluminal device, open approach	0UW300Z	Revision of drainage device in ovary, open approach
06VG0DZ	Restriction of left external iliac vein with intraluminal device, open approach	0UW303Z	Revision of infusion device in ovary, open approach
06VG0ZZ	Restriction of left external iliac vein, open approach	0UW30YZ	Revision of other device in ovary, open approach
06VH0CZ	Restriction of right hypogastric vein with extraluminal device, open approach	0UW800Z	Revision of drainage device in fallopian tube, open approach
06VH0DZ	Restriction of right hypogastric vein with intraluminal device, open approach	0UW803Z	Revision of infusion device in fallopian tube, open approach
06VH0ZZ	Restriction of right hypogastric vein, open approach	0UW807Z	Revision of autologous tissue substitute in fallopian tube, open approach
06VJ0CZ	Restriction of left hypogastric vein with extraluminal device, open approach	0UW80CZ	Revision of extraluminal device in fallopian tube, open approach
06VJ0DZ	Restriction of left hypogastric vein with intraluminal device, open approach	0UW80DZ	Revision of intraluminal device in fallopian tube, open approach
06VJ0ZZ	Restriction of left hypogastric vein, open approach	0UW80JZ	Revision of synthetic substitute in fallopian tube, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

075B0ZZ	Destruction of mesenteric lymphatic, open approach	0UW80KZ	Revision of nonautologous tissue substitute in fallopian tube, open approach
075C0ZZ	Destruction of pelvis lymphatic, open approach	0UW80YZ	Revision of other device in fallopian tube, open approach
075D0ZZ	Destruction of aortic lymphatic, open approach	0UWD00Z	Revision of drainage device in uterus and cervix, open approach
075P0ZZ	Destruction of spleen, open approach	0UWD01Z	Revision of radioactive element in uterus and cervix, open approach
079B00Z	Drainage of mesenteric lymphatic with drainage device, open approach	0UWD03Z	Revision of infusion device in uterus and cervix, open approach
079B0ZX	Drainage of mesenteric lymphatic, open approach, diagnostic	0UWD07Z	Revision of autologous tissue substitute in uterus and cervix, open approach
079B0ZZ	Drainage of mesenteric lymphatic, open approach	0UWD0CZ	Revision of extraluminal device in uterus and cervix, open approach
079C00Z	Drainage of pelvis lymphatic with drainage device, open approach	0UWD0DZ	Revision of intraluminal device in uterus and cervix, open approach
079C0ZX	Drainage of pelvis lymphatic, open approach, diagnostic	0UWD0HZ	Revision of contraceptive device in uterus and cervix, open approach
079C0ZZ	Drainage of pelvis lymphatic, open approach	0UWD0JZ	Revision of synthetic substitute in uterus and cervix, open approach
079D00Z	Drainage of aortic lymphatic with drainage device, open approach	0UWD0KZ	Revision of nonautologous tissue substitute in uterus and cervix, open approach
079D0ZX	Drainage of aortic lymphatic, open approach, diagnostic	0UWD0YZ	Revision of other device in uterus and cervix, open approach
079D0ZZ	Drainage of aortic lymphatic, open approach	0UWH00Z	Revision of drainage device in vagina and cul-de-sac, open approach
079P00Z	Drainage of spleen with drainage device, open approach	0UWH01Z	Revision of radioactive element in vagina and cul-de-sac, open approach
079P0ZX	Drainage of spleen, open approach, diagnostic	0UWH03Z	Revision of infusion device in vagina and cul-de-sac, open approach
079P0ZZ	Drainage of spleen, open approach	0UWH07Z	Revision of autologous tissue substitute in vagina and cul-de-sac, open approach
07BB0ZX	Excision of mesenteric lymphatic, open approach, diagnostic	0UWH0DZ	Revision of intraluminal device in vagina and cul-de-sac, open approach
07BB0ZZ	Excision of mesenteric lymphatic, open approach	0UWH0JZ	Revision of synthetic substitute in vagina and cul-de-sac, open approach
07BC0ZX	Excision of pelvis lymphatic, open approach, diagnostic	0UWH0KZ	Revision of nonautologous tissue substitute in vagina and cul-de-sac, open approach
07BC0ZZ	Excision of pelvis lymphatic, open approach	0UWH0YZ	Revision of other device in vagina and cul-de-sac, open approach
07BD0ZX	Excision of aortic lymphatic, open approach, diagnostic	0UY00Z0	Transplantation of right ovary, allogeneic, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

07BD0ZZ	Excision of aortic lymphatic, open approach	0UY00Z1	Transplantation of right ovary, syngeneic, open approach
07BP0ZX	Excision of spleen, open approach, diagnostic	0UY00Z2	Transplantation of right ovary, zooplastic, open approach
07BP0ZZ	Excision of spleen, open approach	0UY10Z0	Transplantation of left ovary, allogeneic, open approach
07CB0ZZ	Extirpation of matter from mesenteric lymphatic, open approach	0UY10Z1	Transplantation of left ovary, syngeneic, open approach
07CC0ZZ	Extirpation of matter from pelvis lymphatic, open approach	0UY10Z2	Transplantation of left ovary, zooplastic, open approach
07CD0ZZ	Extirpation of matter from aortic lymphatic, open approach	0UY90Z0	Transplantation of uterus, allogeneic, open approach
07CP0ZZ	Extirpation of matter from spleen, open approach	0UY90Z1	Transplantation of uterus, syngeneic, open approach
07HP01Z	Insertion of radioactive element into spleen, open approach	0UY90Z2	Transplantation of uterus, zooplastic, open approach
07HP03Z	Insertion of infusion device into spleen, open approach	0V500Z3	Destruction of prostate using laser interstitial thermal therapy, open approach
07HP0YZ	Insertion of other device into spleen, open approach	0V500ZZ	Destruction of prostate, open approach
07JP0ZZ	Inspection of spleen, open approach	0V510ZZ	Destruction of right seminal vesicle, open approach
07LB0CZ	Occlusion of mesenteric lymphatic with extraluminal device, open approach	0V520ZZ	Destruction of left seminal vesicle, open approach
07LB0DZ	Occlusion of mesenteric lymphatic with intraluminal device, open approach	0V530ZZ	Destruction of bilateral seminal vesicles, open approach
07LB0ZZ	Occlusion of mesenteric lymphatic, open approach	0V9000Z	Drainage of prostate with drainage device, open approach
07LC0CZ	Occlusion of pelvis lymphatic with extraluminal device, open approach	0V900ZX	Drainage of prostate, open approach, diagnostic
07LC0DZ	Occlusion of pelvis lymphatic with intraluminal device, open approach	0V900ZZ	Drainage of prostate, open approach
07LC0ZZ	Occlusion of pelvis lymphatic, open approach	0V9100Z	Drainage of right seminal vesicle with drainage device, open approach
07LD0CZ	Occlusion of aortic lymphatic with extraluminal device, open approach	0V910ZX	Drainage of right seminal vesicle, open approach, diagnostic
07LD0DZ	Occlusion of aortic lymphatic with intraluminal device, open approach	0V910ZZ	Drainage of right seminal vesicle, open approach
07LD0ZZ	Occlusion of aortic lymphatic, open approach	0V9200Z	Drainage of left seminal vesicle with drainage device, open approach
07NB0ZZ	Release mesenteric lymphatic, open approach	0V920ZX	Drainage of left seminal vesicle, open approach, diagnostic
07NC0ZZ	Release pelvis lymphatic, open approach	0V920ZZ	Drainage of left seminal vesicle, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

07ND0ZZ	Release aortic lymphatic, open approach	0V9300Z	Drainage of bilateral seminal vesicles with drainage device, open approach
07NP0ZZ	Release spleen, open approach	0V930ZX	Drainage of bilateral seminal vesicles, open approach, diagnostic
07PP00Z	Removal of drainage device from spleen, open approach	0V930ZZ	Drainage of bilateral seminal vesicles, open approach
07PP03Z	Removal of infusion device from spleen, open approach	0VB00ZX	Excision of prostate, open approach, diagnostic
07PP0YZ	Removal of other device from spleen, open approach	0VB00ZZ	Excision of prostate, open approach
07QB0ZZ	Repair mesenteric lymphatic, open approach	0VB10ZX	Excision of right seminal vesicle, open approach, diagnostic
07QC0ZZ	Repair pelvis lymphatic, open approach	0VB10ZZ	Excision of right seminal vesicle, open approach
07QD0ZZ	Repair aortic lymphatic, open approach	0VB20ZX	Excision of left seminal vesicle, open approach, diagnostic
07QP0ZZ	Repair spleen, open approach	0VB20ZZ	Excision of left seminal vesicle, open approach
07SP0ZZ	Reposition spleen, open approach	0VB30ZX	Excision of bilateral seminal vesicles, open approach, diagnostic
07TB0ZZ	Resection of mesenteric lymphatic, open approach	0VB30ZZ	Excision of bilateral seminal vesicles, open approach
07TC0ZZ	Resection of pelvis lymphatic, open approach	0VC00ZZ	Extrirpation of matter from prostate, open approach
07TD0ZZ	Resection of aortic lymphatic, open approach	0VC10ZZ	Extrirpation of matter from right seminal vesicle, open approach
07TP0ZZ	Resection of spleen, open approach	0VC20ZZ	Extrirpation of matter from left seminal vesicle, open approach
07UB07Z	Supplement mesenteric lymphatic with autologous tissue substitute, open approach	0VC30ZZ	Extrirpation of matter from bilateral seminal vesicles, open approach
07UB0JZ	Supplement mesenteric lymphatic with synthetic substitute, open approach	0VH001Z	Insertion of radioactive element into prostate, open approach
07UB0KZ	Supplement mesenteric lymphatic with nonautologous tissue substitute, open approach	0VH403Z	Insertion of infusion device into prostate and seminal vesicles, open approach
07UC07Z	Supplement pelvis lymphatic with autologous tissue substitute, open approach	0VH40YZ	Insertion of other device into prostate and seminal vesicles, open approach
07UC0JZ	Supplement pelvis lymphatic with synthetic substitute, open approach	0VJ40ZZ	Inspection of prostate and seminal vesicles, open approach
07UC0KZ	Supplement pelvis lymphatic with nonautologous tissue substitute, open approach	0VN00ZZ	Release prostate, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

07UD07Z	Supplement aortic lymphatic with autologous tissue substitute, open approach	0VN10ZZ	Release right seminal vesicle, open approach
07UD0JZ	Supplement aortic lymphatic with synthetic substitute, open approach	0VN20ZZ	Release left seminal vesicle, open approach
07UD0KZ	Supplement aortic lymphatic with nonautologous tissue substitute, open approach	0VN30ZZ	Release bilateral seminal vesicles, open approach
07VB0CZ	Restriction of mesenteric lymphatic with extraluminal device, open approach	0VP400Z	Removal of drainage device from prostate and seminal vesicles, open approach
07VB0DZ	Restriction of mesenteric lymphatic with intraluminal device, open approach	0VP401Z	Removal of radioactive element from prostate and seminal vesicles, open approach
07VB0ZZ	Restriction of mesenteric lymphatic, open approach	0VP403Z	Removal of infusion device from prostate and seminal vesicles, open approach
07VC0CZ	Restriction of pelvis lymphatic with extraluminal device, open approach	0VP407Z	Removal of autologous tissue substitute from prostate and seminal vesicles, open approach
07VC0DZ	Restriction of pelvis lymphatic with intraluminal device, open approach	0VP40JZ	Removal of synthetic substitute from prostate and seminal vesicles, open approach
07VC0ZZ	Restriction of pelvis lymphatic, open approach	0VP40KZ	Removal of nonautologous tissue substitute from prostate and seminal vesicles, open approach
07VD0CZ	Restriction of aortic lymphatic with extraluminal device, open approach	0VP40YZ	Removal of other device from prostate and seminal vesicles, open approach
07VD0DZ	Restriction of aortic lymphatic with intraluminal device, open approach	0VQ00ZZ	Repair prostate, open approach
07VD0ZZ	Restriction of aortic lymphatic, open approach	0VQ10ZZ	Repair right seminal vesicle, open approach
07WP00Z	Revision of drainage device in spleen, open approach	0VQ20ZZ	Repair left seminal vesicle, open approach
07WP03Z	Revision of infusion device in spleen, open approach	0VQ30ZZ	Repair bilateral seminal vesicles, open approach
07WP0YZ	Revision of other device in spleen, open approach	0VT00ZZ	Resection of prostate, open approach
07YP0Z0	Transplantation of spleen, allogeneic, open approach	0VT10ZZ	Resection of right seminal vesicle, open approach
07YP0Z1	Transplantation of spleen, syngeneic, open approach	0VT20ZZ	Resection of left seminal vesicle, open approach
07YP0Z2	Transplantation of spleen, zooplastic, open approach	0VT30ZZ	Resection of bilateral seminal vesicles, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

0B5R0ZZ	Destruction of right diaphragm, open approach	0VU107Z	Supplement right seminal vesicle with autologous tissue substitute, open approach
0B5S0ZZ	Destruction of left diaphragm, open approach	0VU10JZ	Supplement right seminal vesicle with synthetic substitute, open approach
0B5T0ZZ	Destruction of diaphragm, open approach	0VU10KZ	Supplement right seminal vesicle with nonautologous tissue substitute, open approach
0B9R00Z	Drainage of right diaphragm with drainage device, open approach	0VU207Z	Supplement left seminal vesicle with autologous tissue substitute, open approach
0B9R0ZX	Drainage of right diaphragm, open approach, diagnostic	0VU20JZ	Supplement left seminal vesicle with synthetic substitute, open approach
0B9R0ZZ	Drainage of right diaphragm, open approach	0VU20KZ	Supplement left seminal vesicle with nonautologous tissue substitute, open approach
0B9S00Z	Drainage of left diaphragm with drainage device, open approach	0VU307Z	Supplement bilateral seminal vesicles with autologous tissue substitute, open approach
0B9S0ZX	Drainage of left diaphragm, open approach, diagnostic	0VU30JZ	Supplement bilateral seminal vesicles with synthetic substitute, open approach
0B9S0ZZ	Drainage of left diaphragm, open approach	0VU30KZ	Supplement bilateral seminal vesicles with nonautologous tissue substitute, open approach
0B9T00Z	Drainage of diaphragm with drainage device, open approach	0VW400Z	Revision of drainage device in prostate and seminal vesicles, open approach
0B9T0ZX	Drainage of diaphragm, open approach, diagnostic	0VW403Z	Revision of infusion device in prostate and seminal vesicles, open approach
0B9T0ZZ	Drainage of diaphragm, open approach	0VW407Z	Revision of autologous tissue substitute in prostate and seminal vesicles, open approach
0BBR0ZX	Excision of right diaphragm, open approach, diagnostic	0VW40JZ	Revision of synthetic substitute in prostate and seminal vesicles, open approach
0BBR0ZZ	Excision of right diaphragm, open approach	0VW40KZ	Revision of nonautologous tissue substitute in prostate and seminal vesicles, open approach
0BBS0ZX	Excision of left diaphragm, open approach, diagnostic	0VW40YZ	Revision of other device in prostate and seminal vesicles, open approach
0BBS0ZZ	Excision of left diaphragm, open approach	0W0F07Z	Alteration of abdominal wall with autologous tissue substitute, open approach
0BBT0ZX	Excision of diaphragm, open approach, diagnostic	0W0F0JZ	Alteration of abdominal wall with synthetic substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

0BBT0ZZ	Excision of diaphragm, open approach	0W0F0KZ	Alteration of abdominal wall with nonautologous tissue substitute, open approach
0BCR0ZZ	Extrirpation of matter from right diaphragm, open approach	0W0F0ZZ	Alteration of abdominal wall, open approach
0BCS0ZZ	Extrirpation of matter from left diaphragm, open approach	0W1G0J4	Bypass peritoneal cavity to cutaneous with synthetic substitute, open approach
0BCT0ZZ	Extrirpation of matter from diaphragm, open approach	0W1G0J6	Bypass peritoneal cavity to bladder with synthetic substitute, open approach
0BHR02Z	Insertion of monitoring device into right diaphragm, open approach	0W1G0J9	Bypass peritoneal cavity to right pleural cavity with synthetic substitute, open approach
0BHR0MZ	Insertion of diaphragmatic pacemaker lead into right diaphragm, open approach	0W1G0JB	Bypass peritoneal cavity to left pleural cavity with synthetic substitute, open approach
0BHS02Z	Insertion of monitoring device into left diaphragm, open approach	0W1G0JG	Bypass peritoneal cavity to peritoneal cavity with synthetic substitute, open approach
0BHS0MZ	Insertion of diaphragmatic pacemaker lead into left diaphragm, open approach	0W1G0JJ	Bypass peritoneal cavity to pelvic cavity with synthetic substitute, open approach
0BHT02Z	Insertion of monitoring device into diaphragm, open approach	0W1G0JW	Bypass peritoneal cavity to upper vein with synthetic substitute, open approach
0BHT0MZ	Insertion of diaphragmatic pacemaker lead into diaphragm, open approach	0W1G0JY	Bypass peritoneal cavity to lower vein with synthetic substitute, open approach
0BHT0YZ	Insertion of other device into diaphragm, open approach	0W1J0J4	Bypass pelvic cavity to cutaneous with synthetic substitute, open approach
0BJT0ZZ	Inspection of diaphragm, open approach	0W1J0J9	Bypass pelvic cavity to right pleural cavity with synthetic substitute, open approach
0BMR0ZZ	Reattachment of right diaphragm, open approach	0W1J0JB	Bypass pelvic cavity to left pleural cavity with synthetic substitute, open approach
0BMS0ZZ	Reattachment of left diaphragm, open approach	0W1J0JG	Bypass pelvic cavity to peritoneal cavity with synthetic substitute, open approach
0BMT0ZZ	Reattachment of diaphragm, open approach	0W1J0JJ	Bypass pelvic cavity to pelvic cavity with synthetic substitute, open approach
0BNR0ZZ	Release right diaphragm, open approach	0W1J0JW	Bypass pelvic cavity to upper vein with synthetic substitute, open approach
0BNS0ZZ	Release left diaphragm, open approach	0W1J0JY	Bypass pelvic cavity to lower vein with synthetic substitute, open approach
0BNT0ZZ	Release diaphragm, open approach	0W3F0ZZ	Control bleeding in abdominal wall, open approach
0BPT00Z	Removal of drainage device from diaphragm, open approach	0W3G0ZZ	Control bleeding in peritoneal cavity, open approach
0BPT02Z	Removal of monitoring device from diaphragm, open approach	0W3H0ZZ	Control bleeding in retroperitoneum, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

0BPT07Z	Removal of autologous tissue substitute from diaphragm, open approach	0W3J0ZZ	Control bleeding in pelvic cavity, open approach
0BPT0JZ	Removal of synthetic substitute from diaphragm, open approach	0W3P0ZZ	Control bleeding in gastrointestinal tract, open approach
0BPT0KZ	Removal of nonautologous tissue substitute from diaphragm, open approach	0W3R0ZZ	Control bleeding in genitourinary tract, open approach
0BPT0MZ	Removal of diaphragmatic pacemaker lead from diaphragm, open approach	0W9F00Z	Drainage of abdominal wall with drainage device, open approach
0BPT0YZ	Removal of other device from diaphragm, open approach	0W9F0ZX	Drainage of abdominal wall, open approach, diagnostic
0BQR0ZZ	Repair right diaphragm, open approach	0W9F0ZZ	Drainage of abdominal wall, open approach
0BQS0ZZ	Repair left diaphragm, open approach	0W9G00Z	Drainage of peritoneal cavity with drainage device, open approach
0BQT0ZZ	Repair diaphragm, open approach	0W9G0ZX	Drainage of peritoneal cavity, open approach, diagnostic
0BRT07Z	Replacement of diaphragm with autologous tissue substitute, open approach	0W9G0ZZ	Drainage of peritoneal cavity, open approach
0BRT0JZ	Replacement of diaphragm with synthetic substitute, open approach	0W9H00Z	Drainage of retroperitoneum with drainage device, open approach
0BRT0KZ	Replacement of diaphragm with nonautologous tissue substitute, open approach	0W9H0ZX	Drainage of retroperitoneum, open approach, diagnostic
0BSR0ZZ	Reposition right diaphragm, open approach	0W9H0ZZ	Drainage of retroperitoneum, open approach
0BSS0ZZ	Reposition left diaphragm, open approach	0W9J00Z	Drainage of pelvic cavity with drainage device, open approach
0BST0ZZ	Reposition diaphragm, open approach	0W9J0ZX	Drainage of pelvic cavity, open approach, diagnostic
0BTR0ZZ	Resection of right diaphragm, open approach	0W9J0ZZ	Drainage of pelvic cavity, open approach
0BTS0ZZ	Resection of left diaphragm, open approach	0WBF0ZX	Excision of abdominal wall, open approach, diagnostic
0BTT0ZZ	Resection of diaphragm, open approach	0WBF0ZZ	Excision of abdominal wall, open approach
0BUR07Z	Supplement right diaphragm with autologous tissue substitute, open approach	0WBH0ZX	Excision of retroperitoneum, open approach, diagnostic
0BUR0JZ	Supplement right diaphragm with synthetic substitute, open approach	0WBH0ZZ	Excision of retroperitoneum, open approach
0BUR0KZ	Supplement right diaphragm with nonautologous tissue substitute, open approach	0WCG0ZZ	Extirpation of matter from peritoneal cavity, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

0BUS07Z	Supplement left diaphragm with autologous tissue substitute, open approach	0WCJ0ZZ	Extrirpation of matter from pelvic cavity, open approach
0BUS0JZ	Supplement left diaphragm with synthetic substitute, open approach	0WCP0ZZ	Extrirpation of matter from gastrointestinal tract, open approach
0BUS0KZ	Supplement left diaphragm with nonautologous tissue substitute, open approach	0WCR0ZZ	Extrirpation of matter from genitourinary tract, open approach
0BUT07Z	Supplement diaphragm with autologous tissue substitute, open approach	0WFG0ZZ	Fragmentation in peritoneal cavity, open approach
0BUT0JZ	Supplement diaphragm with synthetic substitute, open approach	0WFJ0ZZ	Fragmentation in pelvic cavity, open approach
0BUT0KZ	Supplement diaphragm with nonautologous tissue substitute, open approach	0WFP0ZZ	Fragmentation in gastrointestinal tract, open approach
0BWT00Z	Revision of drainage device in diaphragm, open approach	0WFR0ZZ	Fragmentation in genitourinary tract, open approach
0BWT02Z	Revision of monitoring device in diaphragm, open approach	0WHF01Z	Insertion of radioactive element into abdominal wall, open approach
0BWT07Z	Revision of autologous tissue substitute in diaphragm, open approach	0WHF03Z	Insertion of infusion device into abdominal wall, open approach
0BWT0JZ	Revision of synthetic substitute in diaphragm, open approach	0WHF0YZ	Insertion of other device into abdominal wall, open approach
0BWT0KZ	Revision of nonautologous tissue substitute in diaphragm, open approach	0WHG01Z	Insertion of radioactive element into peritoneal cavity, open approach
0BWT0MZ	Revision of diaphragmatic pacemaker lead in diaphragm, open approach	0WHG03Z	Insertion of infusion device into peritoneal cavity, open approach
0BWT0YZ	Revision of other device in diaphragm, open approach	0WHG0YZ	Insertion of other device into peritoneal cavity, open approach
0D11076	Bypass upper esophagus to stomach with autologous tissue substitute, open approach	0WHH01Z	Insertion of radioactive element into retroperitoneum, open approach
0D11079	Bypass upper esophagus to duodenum with autologous tissue substitute, open approach	0WHH03Z	Insertion of infusion device into retroperitoneum, open approach
0D1107A	Bypass upper esophagus to jejunum with autologous tissue substitute, open approach	0WHH0YZ	Insertion of other device into retroperitoneum, open approach
0D1107B	Bypass upper esophagus to ileum with autologous tissue substitute, open approach	0WHJ01Z	Insertion of radioactive element into pelvic cavity, open approach
0D110J6	Bypass upper esophagus to stomach with synthetic substitute, open approach	0WHJ03Z	Insertion of infusion device into pelvic cavity, open approach
0D110J9	Bypass upper esophagus to duodenum with synthetic substitute, open approach	0WHJ0YZ	Insertion of other device into pelvic cavity, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

0D110JA	Bypass upper esophagus to jejunum with synthetic substitute, open approach	0WHP01Z	Insertion of radioactive element into gastrointestinal tract, open approach
0D110JB	Bypass upper esophagus to ileum with synthetic substitute, open approach	0WHP03Z	Insertion of infusion device into gastrointestinal tract, open approach
0D110K6	Bypass upper esophagus to stomach with nonautologous tissue substitute, open approach	0WHP0YZ	Insertion of other device into gastrointestinal tract, open approach
0D110K9	Bypass upper esophagus to duodenum with nonautologous tissue substitute, open approach	0WHR01Z	Insertion of radioactive element into genitourinary tract, open approach
0D110KA	Bypass upper esophagus to jejunum with nonautologous tissue substitute, open approach	0WHR03Z	Insertion of infusion device into genitourinary tract, open approach
0D110KB	Bypass upper esophagus to ileum with nonautologous tissue substitute, open approach	0WHR0YZ	Insertion of other device into genitourinary tract, open approach
0D110Z6	Bypass upper esophagus to stomach, open approach	0WJF0ZZ	Inspection of abdominal wall, open approach
0D110Z9	Bypass upper esophagus to duodenum, open approach	0WJG0ZZ	Inspection of peritoneal cavity, open approach
0D110ZA	Bypass upper esophagus to jejunum, open approach	0WJH0ZZ	Inspection of retroperitoneum, open approach
0D110ZB	Bypass upper esophagus to ileum, open approach	0WJJ0ZZ	Inspection of pelvic cavity, open approach
0D12076	Bypass middle esophagus to stomach with autologous tissue substitute, open approach	0WJP0ZZ	Inspection of gastrointestinal tract, open approach
0D12079	Bypass middle esophagus to duodenum with autologous tissue substitute, open approach	0WJR0ZZ	Inspection of genitourinary tract, open approach
0D1207A	Bypass middle esophagus to jejunum with autologous tissue substitute, open approach	0WMF0ZZ	Reattachment of abdominal wall, open approach
0D1207B	Bypass middle esophagus to ileum with autologous tissue substitute, open approach	0WPF00Z	Removal of drainage device from abdominal wall, open approach
0D120J6	Bypass middle esophagus to stomach with synthetic substitute, open approach	0WPF01Z	Removal of radioactive element from abdominal wall, open approach
0D120J9	Bypass middle esophagus to duodenum with synthetic substitute, open approach	0WPF03Z	Removal of infusion device from abdominal wall, open approach
0D120JA	Bypass middle esophagus to jejunum with synthetic substitute, open approach	0WPF07Z	Removal of autologous tissue substitute from abdominal wall, open approach
0D120JB	Bypass middle esophagus to ileum with synthetic substitute, open approach	0WPF0JZ	Removal of synthetic substitute from abdominal wall, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

0D120K6	Bypass middle esophagus to stomach with nonautologous tissue substitute, open approach	0WPF0KZ	Removal of nonautologous tissue substitute from abdominal wall, open approach
0D120K9	Bypass middle esophagus to duodenum with nonautologous tissue substitute, open approach	0WPF0YZ	Removal of other device from abdominal wall, open approach
0D120KA	Bypass middle esophagus to jejunum with nonautologous tissue substitute, open approach	0WPG00Z	Removal of drainage device from peritoneal cavity, open approach
0D120KB	Bypass middle esophagus to ileum with nonautologous tissue substitute, open approach	0WPG01Z	Removal of radioactive element from peritoneal cavity, open approach
0D120Z6	Bypass middle esophagus to stomach, open approach	0WPG03Z	Removal of infusion device from peritoneal cavity, open approach
0D120Z9	Bypass middle esophagus to duodenum, open approach	0WPG0JZ	Removal of synthetic substitute from peritoneal cavity, open approach
0D120ZA	Bypass middle esophagus to jejunum, open approach	0WPG0YZ	Removal of other device from peritoneal cavity, open approach
0D120ZB	Bypass middle esophagus to ileum, open approach	0WPH00Z	Removal of drainage device from retroperitoneum, open approach
0D13074	Bypass lower esophagus to cutaneous with autologous tissue substitute, open approach	0WPH01Z	Removal of radioactive element from retroperitoneum, open approach
0D13076	Bypass lower esophagus to stomach with autologous tissue substitute, open approach	0WPH03Z	Removal of infusion device from retroperitoneum, open approach
0D13079	Bypass lower esophagus to duodenum with autologous tissue substitute, open approach	0WPH0YZ	Removal of other device from retroperitoneum, open approach
0D1307A	Bypass lower esophagus to jejunum with autologous tissue substitute, open approach	0WPJ00Z	Removal of drainage device from pelvic cavity, open approach
0D1307B	Bypass lower esophagus to ileum with autologous tissue substitute, open approach	0WPJ01Z	Removal of radioactive element from pelvic cavity, open approach
0D130J4	Bypass lower esophagus to cutaneous with synthetic substitute, open approach	0WPJ03Z	Removal of infusion device from pelvic cavity, open approach
0D130J6	Bypass lower esophagus to stomach with synthetic substitute, open approach	0WPJ0JZ	Removal of synthetic substitute from pelvic cavity, open approach
0D130J9	Bypass lower esophagus to duodenum with synthetic substitute, open approach	0WPJ0YZ	Removal of other device from pelvic cavity, open approach
0D130JA	Bypass lower esophagus to jejunum with synthetic substitute, open approach	0WPP01Z	Removal of radioactive element from gastrointestinal tract, open approach
0D130JB	Bypass lower esophagus to ileum with synthetic substitute, open approach	0WPP03Z	Removal of infusion device from gastrointestinal tract, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

0D130K4	Bypass lower esophagus to cutaneous with nonautologous tissue substitute, open approach	0WPP0YZ	Removal of other device from gastrointestinal tract, open approach
0D130K6	Bypass lower esophagus to stomach with nonautologous tissue substitute, open approach	0WPR01Z	Removal of radioactive element from genitourinary tract, open approach
0D130K9	Bypass lower esophagus to duodenum with nonautologous tissue substitute, open approach	0WPR03Z	Removal of infusion device from genitourinary tract, open approach
0D130KA	Bypass lower esophagus to jejunum with nonautologous tissue substitute, open approach	0WPR0YZ	Removal of other device from genitourinary tract, open approach
0D130KB	Bypass lower esophagus to ileum with nonautologous tissue substitute, open approach	0WQF0ZZ	Repair abdominal wall, open approach
0D130Z4	Bypass lower esophagus to cutaneous, open approach	0WUF07Z	Supplement abdominal wall with autologous tissue substitute, open approach
0D130Z6	Bypass lower esophagus to stomach, open approach	0WUF0JZ	Supplement abdominal wall with synthetic substitute, open approach
0D130Z9	Bypass lower esophagus to duodenum, open approach	0WUF0KZ	Supplement abdominal wall with nonautologous tissue substitute, open approach
0D130ZA	Bypass lower esophagus to jejunum, open approach	0WWF00Z	Revision of drainage device in abdominal wall, open approach
0D130ZB	Bypass lower esophagus to ileum, open approach	0WWF01Z	Revision of radioactive element in abdominal wall, open approach
0D15076	Bypass esophagus to stomach with autologous tissue substitute, open approach	0WWF03Z	Revision of infusion device in abdominal wall, open approach
0D15079	Bypass esophagus to duodenum with autologous tissue substitute, open approach	0WWF07Z	Revision of autologous tissue substitute in abdominal wall, open approach
0D1507A	Bypass esophagus to jejunum with autologous tissue substitute, open approach	0WWF0JZ	Revision of synthetic substitute in abdominal wall, open approach
0D1507B	Bypass esophagus to ileum with autologous tissue substitute, open approach	0WWF0KZ	Revision of nonautologous tissue substitute in abdominal wall, open approach
0D150J6	Bypass esophagus to stomach with synthetic substitute, open approach	0WWF0YZ	Revision of other device in abdominal wall, open approach
0D150J9	Bypass esophagus to duodenum with synthetic substitute, open approach	0WWG00Z	Revision of drainage device in peritoneal cavity, open approach
0D150JA	Bypass esophagus to jejunum with synthetic substitute, open approach	0WWG01Z	Revision of radioactive element in peritoneal cavity, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

0D150JB	Bypass esophagus to ileum with synthetic substitute, open approach	0WWG03Z	Revision of infusion device in peritoneal cavity, open approach
0D150K6	Bypass esophagus to stomach with nonautologous tissue substitute, open approach	0WWG0JZ	Revision of synthetic substitute in peritoneal cavity, open approach
0D150K9	Bypass esophagus to duodenum with nonautologous tissue substitute, open approach	0WWG0YZ	Revision of other device in peritoneal cavity, open approach
0D150KA	Bypass esophagus to jejunum with nonautologous tissue substitute, open approach	0WWH00Z	Revision of drainage device in retroperitoneum, open approach
0D150KB	Bypass esophagus to ileum with nonautologous tissue substitute, open approach	0WWH01Z	Revision of radioactive element in retroperitoneum, open approach
0D150Z6	Bypass esophagus to stomach, open approach	0WWH03Z	Revision of infusion device in retroperitoneum, open approach
0D150Z9	Bypass esophagus to duodenum, open approach	0WWH0YZ	Revision of other device in retroperitoneum, open approach
0D150ZA	Bypass esophagus to jejunum, open approach	0WWJ00Z	Revision of drainage device in pelvic cavity, open approach
0D150ZB	Bypass esophagus to ileum, open approach	0WWJ01Z	Revision of radioactive element in pelvic cavity, open approach
0D16074	Bypass stomach to cutaneous with autologous tissue substitute, open approach	0WWJ03Z	Revision of infusion device in pelvic cavity, open approach
0D16079	Bypass stomach to duodenum with autologous tissue substitute, open approach	0WWJ0JZ	Revision of synthetic substitute in pelvic cavity, open approach
0D1607A	Bypass stomach to jejunum with autologous tissue substitute, open approach	0WWJ0YZ	Revision of other device in pelvic cavity, open approach
0D1607B	Bypass stomach to ileum with autologous tissue substitute, open approach	0WWP01Z	Revision of radioactive element in gastrointestinal tract, open approach
0D1607L	Bypass stomach to transverse colon with autologous tissue substitute, open approach	0WWP03Z	Revision of infusion device in gastrointestinal tract, open approach
0D160J4	Bypass stomach to cutaneous with synthetic substitute, open approach	0WWP0YZ	Revision of other device in gastrointestinal tract, open approach
0D160J9	Bypass stomach to duodenum with synthetic substitute, open approach	0WWR01Z	Revision of radioactive element in genitourinary tract, open approach
0D160JA	Bypass stomach to jejunum with synthetic substitute, open approach	0WWR03Z	Revision of infusion device in genitourinary tract, open approach
0D160JB	Bypass stomach to ileum with synthetic substitute, open approach	0WWR0YZ	Revision of other device in genitourinary tract, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

0D160JL	Bypass stomach to transverse colon with synthetic substitute, open approach	0Y350ZZ	Control bleeding in right inguinal region, open approach
0D160K4	Bypass stomach to cutaneous with nonautologous tissue substitute, open approach	0Y360ZZ	Control bleeding in left inguinal region, open approach
0D160K9	Bypass stomach to duodenum with nonautologous tissue substitute, open approach	0Y9500Z	Drainage of right inguinal region with drainage device, open approach
0D160KA	Bypass stomach to jejunum with nonautologous tissue substitute, open approach	0Y950ZX	Drainage of right inguinal region, open approach, diagnostic
0D160KB	Bypass stomach to ileum with nonautologous tissue substitute, open approach	0Y950ZZ	Drainage of right inguinal region, open approach
0D160KL	Bypass stomach to transverse colon with nonautologous tissue substitute, open approach	0Y9600Z	Drainage of left inguinal region with drainage device, open approach
0D160Z4	Bypass stomach to cutaneous, open approach	0Y960ZX	Drainage of left inguinal region, open approach, diagnostic
0D160Z9	Bypass stomach to duodenum, open approach	0Y960ZZ	Drainage of left inguinal region, open approach
0D160ZA	Bypass stomach to jejunum, open approach	0YB50ZX	Excision of right inguinal region, open approach, diagnostic
0D160ZB	Bypass stomach to ileum, open approach	0YB50ZZ	Excision of right inguinal region, open approach
0D160ZL	Bypass stomach to transverse colon, open approach	0YB60ZX	Excision of left inguinal region, open approach, diagnostic
0D18074	Bypass small intestine to cutaneous with autologous tissue substitute, open approach	0YB60ZZ	Excision of left inguinal region, open approach
0D18078	Bypass small intestine to small intestine with autologous tissue substitute, open approach	0YB70ZZ	Excision of right femoral region, open approach
0D1807H	Bypass small intestine to cecum with autologous tissue substitute, open approach	0YB80ZZ	Excision of left femoral region, open approach
0D1807K	Bypass small intestine to ascending colon with autologous tissue substitute, open approach	0YH501Z	Insertion of radioactive element into right inguinal region, open approach
0D1807L	Bypass small intestine to transverse colon with autologous tissue substitute, open approach	0YH503Z	Insertion of infusion device into right inguinal region, open approach
0D1807M	Bypass small intestine to descending colon with autologous tissue substitute, open approach	0YH50YZ	Insertion of other device into right inguinal region, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

0D1807N	Bypass small intestine to sigmoid colon with autologous tissue substitute, open approach	0YH601Z	Insertion of radioactive element into left inguinal region, open approach
0D1807P	Bypass small intestine to rectum with autologous tissue substitute, open approach	0YH603Z	Insertion of infusion device into left inguinal region, open approach
0D1807Q	Bypass small intestine to anus with autologous tissue substitute, open approach	0YH60YZ	Insertion of other device into left inguinal region, open approach
0D180J4	Bypass small intestine to cutaneous with synthetic substitute, open approach	0YJ50ZZ	Inspection of right inguinal region, open approach
0D180J8	Bypass small intestine to small intestine with synthetic substitute, open approach	0YJ60ZZ	Inspection of left inguinal region, open approach
0D180JH	Bypass small intestine to cecum with synthetic substitute, open approach	0YJ70ZZ	Inspection of right femoral region, open approach
0D180JK	Bypass small intestine to ascending colon with synthetic substitute, open approach	0YJA0ZZ	Inspection of bilateral inguinal region, open approach
0D180JL	Bypass small intestine to transverse colon with synthetic substitute, open approach	0YM50ZZ	Reattachment of right inguinal region, open approach
0D180JM	Bypass small intestine to descending colon with synthetic substitute, open approach	0YM60ZZ	Reattachment of left inguinal region, open approach
0D180JN	Bypass small intestine to sigmoid colon with synthetic substitute, open approach	0YQ50ZZ	Repair right inguinal region, open approach
0D180JP	Bypass small intestine to rectum with synthetic substitute, open approach	0YQ60ZZ	Repair left inguinal region, open approach
0D180JQ	Bypass small intestine to anus with synthetic substitute, open approach	0YQ70ZZ	Repair right femoral region, open approach
0D180K4	Bypass small intestine to cutaneous with nonautologous tissue substitute, open approach	0YQ80ZZ	Repair left femoral region, open approach
0D180K8	Bypass small intestine to small intestine with nonautologous tissue substitute, open approach	0YQA0ZZ	Repair bilateral inguinal region, open approach
0D180KH	Bypass small intestine to cecum with nonautologous tissue substitute, open approach	0YQE0ZZ	Repair bilateral femoral region, open approach
0D180KK	Bypass small intestine to ascending colon with nonautologous tissue substitute, open approach	0YU507Z	Supplement right inguinal region with autologous tissue substitute, open approach
0D180KL	Bypass small intestine to transverse colon with nonautologous tissue substitute, open approach	0YU50JZ	Supplement right inguinal region with synthetic substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

0D180KM	Bypass small intestine to descending colon with nonautologous tissue substitute, open approach	0YU50KZ	Supplement right inguinal region with nonautologous tissue substitute, open approach
0D180KN	Bypass small intestine to sigmoid colon with nonautologous tissue substitute, open approach	0YU607Z	Supplement left inguinal region with autologous tissue substitute, open approach
0D180KP	Bypass small intestine to rectum with nonautologous tissue substitute, open approach	0YU60JZ	Supplement left inguinal region with synthetic substitute, open approach
0D180KQ	Bypass small intestine to anus with nonautologous tissue substitute, open approach	0YU60KZ	Supplement left inguinal region with nonautologous tissue substitute, open approach
0D180Z4	Bypass small intestine to cutaneous, open approach	0YU707Z	Supplement right femoral region with autologous tissue substitute, open approach
0D180Z8	Bypass small intestine to small intestine, open approach	0YU70JZ	Supplement right femoral region with synthetic substitute, open approach
0D180ZH	Bypass small intestine to cecum, open approach	0YU70KZ	Supplement right femoral region with nonautologous tissue substitute, open approach
0D180ZK	Bypass small intestine to ascending colon, open approach	0YU807Z	Supplement left femoral region with autologous tissue substitute, open approach
0D180ZL	Bypass small intestine to transverse colon, open approach	0YU80JZ	Supplement left femoral region with synthetic substitute, open approach
0D180ZM	Bypass small intestine to descending colon, open approach	0YU80KZ	Supplement left femoral region with nonautologous tissue substitute, open approach
0D180ZN	Bypass small intestine to sigmoid colon, open approach	0YUA07Z	Supplement bilateral inguinal region with autologous tissue substitute, open approach
0D180ZP	Bypass small intestine to rectum, open approach	0YUA0JZ	Supplement bilateral inguinal region with synthetic substitute, open approach
0D180ZQ	Bypass small intestine to anus, open approach	0YUA0KZ	Supplement bilateral inguinal region with nonautologous tissue substitute, open approach
0D19074	Bypass duodenum to cutaneous with autologous tissue substitute, open approach	0YUE07Z	Supplement bilateral femoral region with autologous tissue substitute, open approach
0D19079	Bypass duodenum to duodenum with autologous tissue substitute, open approach	0YUE0JZ	Supplement bilateral femoral region with synthetic substitute, open approach
0D1907A	Bypass duodenum to jejunum with autologous tissue substitute, open approach	0YUE0KZ	Supplement bilateral femoral region with nonautologous tissue substitute, open approach

Abdominopelvic surgery, open approach, procedure codes: (ABDOMIOPEN)

0D1907B	Bypass duodenum to ileum with autologous tissue substitute, open approach	XRGB092	Fusion of lumbar vertebral joint using nanotextured surface interbody fusion device, open approach, new technology group 2
0D1907L	Bypass duodenum to transverse colon with autologous tissue substitute, open approach	XRGB0F3	Fusion of lumbar vertebral joint using radiolucent porous interbody fusion device, open approach, new technology group 3
0D190J4	Bypass duodenum to cutaneous with synthetic substitute, open approach	XRCG092	Fusion of 2 or more lumbar vertebral joints using nanotextured surface interbody fusion device, open approach, new technology group 2
0D190J9	Bypass duodenum to duodenum with synthetic substitute, open approach	XRCG0F3	Fusion of 2 or more lumbar vertebral joints using radiolucent porous interbody fusion device, open approach, new technology group 3
0D190JA	Bypass duodenum to jejunum with synthetic substitute, open approach	XRGD092	Fusion of lumbosacral joint using nanotextured surface interbody fusion device, open approach, new technology group 2
0D190JB	Bypass duodenum to ileum with synthetic substitute, open approach	XRGD0F3	Fusion of lumbosacral joint using radiolucent porous interbody fusion device, open approach, new technology group 3

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

008Q4ZZ	Division of vagus nerve, percutaneous endoscopic approach	0D194JB	Bypass duodenum to ileum with synthetic substitute, percutaneous endoscopic approach
01594ZZ	Destruction of lumbar plexus, percutaneous endoscopic approach	0D194JL	Bypass duodenum to transverse colon with synthetic substitute, percutaneous endoscopic approach
015A4ZZ	Destruction of lumbosacral plexus, percutaneous endoscopic approach	0D194K4	Bypass duodenum to cutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
015B4ZZ	Destruction of lumbar nerve, percutaneous endoscopic approach	0D194K9	Bypass duodenum to duodenum with nonautologous tissue substitute, percutaneous endoscopic approach
015C4ZZ	Destruction of pudendal nerve, percutaneous endoscopic approach	0D194KA	Bypass duodenum to jejunum with nonautologous tissue substitute, percutaneous endoscopic approach
015M4ZZ	Destruction of abdominal sympathetic nerve, percutaneous endoscopic approach	0D194KB	Bypass duodenum to ileum with nonautologous tissue substitute, percutaneous endoscopic approach
015N4ZZ	Destruction of lumbar sympathetic nerve, percutaneous endoscopic approach	0D194KL	Bypass duodenum to transverse colon with nonautologous tissue substitute, percutaneous endoscopic approach
015P4ZZ	Destruction of sacral sympathetic nerve, percutaneous endoscopic approach	0D194Z4	Bypass duodenum to cutaneous, percutaneous endoscopic approach
015Q4ZZ	Destruction of sacral plexus, percutaneous endoscopic approach	0D194Z9	Bypass duodenum to duodenum, percutaneous endoscopic approach
015R4ZZ	Destruction of sacral nerve, percutaneous endoscopic approach	0D194ZA	Bypass duodenum to jejunum, percutaneous endoscopic approach
01894ZZ	Division of lumbar plexus, percutaneous endoscopic approach	0D194ZB	Bypass duodenum to ileum, percutaneous endoscopic approach
018A4ZZ	Division of lumbosacral plexus, percutaneous endoscopic approach	0D194ZL	Bypass duodenum to transverse colon, percutaneous endoscopic approach
018B4ZZ	Division of lumbar nerve, percutaneous endoscopic approach	0D1A474	Bypass jejunum to cutaneous with autologous tissue substitute, percutaneous endoscopic approach
018C4ZZ	Division of pudendal nerve, percutaneous endoscopic approach	0D1A47A	Bypass jejunum to jejunum with autologous tissue substitute, percutaneous endoscopic approach
018M4ZZ	Division of abdominal sympathetic nerve, percutaneous endoscopic approach	0D1A47B	Bypass jejunum to ileum with autologous tissue substitute, percutaneous endoscopic approach
018N4ZZ	Division of lumbar sympathetic nerve, percutaneous endoscopic approach	0D1A47H	Bypass jejunum to cecum with autologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

018P4ZZ	Division of sacral sympathetic nerve, percutaneous endoscopic approach	0D1A47K	Bypass jejunum to ascending colon with autologous tissue substitute, percutaneous endoscopic approach
018Q4ZZ	Division of sacral plexus, percutaneous endoscopic approach	0D1A47L	Bypass jejunum to transverse colon with autologous tissue substitute, percutaneous endoscopic approach
018R4ZZ	Division of sacral nerve, percutaneous endoscopic approach	0D1A47M	Bypass jejunum to descending colon with autologous tissue substitute, percutaneous endoscopic approach
019940Z	Drainage of lumbar plexus with drainage device, percutaneous endoscopic approach	0D1A47N	Bypass jejunum to sigmoid colon with autologous tissue substitute, percutaneous endoscopic approach
01994ZX	Drainage of lumbar plexus, percutaneous endoscopic approach, diagnostic	0D1A47P	Bypass jejunum to rectum with autologous tissue substitute, percutaneous endoscopic approach
01994ZZ	Drainage of lumbar plexus, percutaneous endoscopic approach	0D1A47Q	Bypass jejunum to anus with autologous tissue substitute, percutaneous endoscopic approach
019A40Z	Drainage of lumbosacral plexus with drainage device, percutaneous endoscopic approach	0D1A4J4	Bypass jejunum to cutaneous with synthetic substitute, percutaneous endoscopic approach
019A4ZX	Drainage of lumbosacral plexus, percutaneous endoscopic approach, diagnostic	0D1A4JA	Bypass jejunum to jejunum with synthetic substitute, percutaneous endoscopic approach
019A4ZZ	Drainage of lumbosacral plexus, percutaneous endoscopic approach	0D1A4JB	Bypass jejunum to ileum with synthetic substitute, percutaneous endoscopic approach
019B40Z	Drainage of lumbar nerve with drainage device, percutaneous endoscopic approach	0D1A4JH	Bypass jejunum to cecum with synthetic substitute, percutaneous endoscopic approach
019B4ZX	Drainage of lumbar nerve, percutaneous endoscopic approach, diagnostic	0D1A4JK	Bypass jejunum to ascending colon with synthetic substitute, percutaneous endoscopic approach
019B4ZZ	Drainage of lumbar nerve, percutaneous endoscopic approach	0D1A4JL	Bypass jejunum to transverse colon with synthetic substitute, percutaneous endoscopic approach
019C40Z	Drainage of pudendal nerve with drainage device, percutaneous endoscopic approach	0D1A4JM	Bypass jejunum to descending colon with synthetic substitute, percutaneous endoscopic approach
019C4ZX	Drainage of pudendal nerve, percutaneous endoscopic approach, diagnostic	0D1A4JN	Bypass jejunum to sigmoid colon with synthetic substitute, percutaneous endoscopic approach
019C4ZZ	Drainage of pudendal nerve, percutaneous endoscopic approach	0D1A4JP	Bypass jejunum to rectum with synthetic substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

019M40Z	Drainage of abdominal sympathetic nerve with drainage device, percutaneous endoscopic approach	0D1A4JQ	Bypass jejunum to anus with synthetic substitute, percutaneous endoscopic approach
019M4ZX	Drainage of abdominal sympathetic nerve, percutaneous endoscopic approach, diagnostic	0D1A4K4	Bypass jejunum to cutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
019M4ZZ	Drainage of abdominal sympathetic nerve, percutaneous endoscopic approach	0D1A4KA	Bypass jejunum to jejunum with nonautologous tissue substitute, percutaneous endoscopic approach
019N40Z	Drainage of lumbar sympathetic nerve with drainage device, percutaneous endoscopic approach	0D1A4KB	Bypass jejunum to ileum with nonautologous tissue substitute, percutaneous endoscopic approach
019N4ZX	Drainage of lumbar sympathetic nerve, percutaneous endoscopic approach, diagnostic	0D1A4KH	Bypass jejunum to cecum with nonautologous tissue substitute, percutaneous endoscopic approach
019N4ZZ	Drainage of lumbar sympathetic nerve, percutaneous endoscopic approach	0D1A4KK	Bypass jejunum to ascending colon with nonautologous tissue substitute, percutaneous endoscopic approach
019P40Z	Drainage of sacral sympathetic nerve with drainage device, percutaneous endoscopic approach	0D1A4KL	Bypass jejunum to transverse colon with nonautologous tissue substitute, percutaneous endoscopic approach
019P4ZX	Drainage of sacral sympathetic nerve, percutaneous endoscopic approach, diagnostic	0D1A4KM	Bypass jejunum to descending colon with nonautologous tissue substitute, percutaneous endoscopic approach
019P4ZZ	Drainage of sacral sympathetic nerve, percutaneous endoscopic approach	0D1A4KN	Bypass jejunum to sigmoid colon with nonautologous tissue substitute, percutaneous endoscopic approach
019Q40Z	Drainage of sacral plexus with drainage device, percutaneous endoscopic approach	0D1A4KP	Bypass jejunum to rectum with nonautologous tissue substitute, percutaneous endoscopic approach
019Q4ZX	Drainage of sacral plexus, percutaneous endoscopic approach, diagnostic	0D1A4KQ	Bypass jejunum to anus with nonautologous tissue substitute, percutaneous endoscopic approach
019Q4ZZ	Drainage of sacral plexus, percutaneous endoscopic approach	0D1A4Z4	Bypass jejunum to cutaneous, percutaneous endoscopic approach
019R40Z	Drainage of sacral nerve with drainage device, percutaneous endoscopic approach	0D1A4ZA	Bypass jejunum to jejunum, percutaneous endoscopic approach
019R4ZX	Drainage of sacral nerve, percutaneous endoscopic approach, diagnostic	0D1A4ZB	Bypass jejunum to ileum, percutaneous endoscopic approach
019R4ZZ	Drainage of sacral nerve, percutaneous endoscopic approach	0D1A4ZH	Bypass jejunum to cecum, percutaneous endoscopic approach
01B94ZX	Excision of lumbar plexus, percutaneous endoscopic approach, diagnostic	0D1A4ZK	Bypass jejunum to ascending colon, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

01B94ZZ	Excision of lumbar plexus, percutaneous endoscopic approach	0D1A4ZL	Bypass jejunum to transverse colon, percutaneous endoscopic approach
01BA4ZX	Excision of lumbosacral plexus, percutaneous endoscopic approach, diagnostic	0D1A4ZM	Bypass jejunum to descending colon, percutaneous endoscopic approach
01BA4ZZ	Excision of lumbosacral plexus, percutaneous endoscopic approach	0D1A4ZN	Bypass jejunum to sigmoid colon, percutaneous endoscopic approach
01BB4ZX	Excision of lumbar nerve, percutaneous endoscopic approach, diagnostic	0D1A4ZP	Bypass jejunum to rectum, percutaneous endoscopic approach
01BB4ZZ	Excision of lumbar nerve, percutaneous endoscopic approach	0D1A4ZQ	Bypass jejunum to anus, percutaneous endoscopic approach
01BC4ZX	Excision of pudendal nerve, percutaneous endoscopic approach, diagnostic	0D1B474	Bypass ileum to cutaneous with autologous tissue substitute, percutaneous endoscopic approach
01BC4ZZ	Excision of pudendal nerve, percutaneous endoscopic approach	0D1B47B	Bypass ileum to ileum with autologous tissue substitute, percutaneous endoscopic approach
01BM4ZX	Excision of abdominal sympathetic nerve, percutaneous endoscopic approach, diagnostic	0D1B47H	Bypass ileum to cecum with autologous tissue substitute, percutaneous endoscopic approach
01BM4ZZ	Excision of abdominal sympathetic nerve, percutaneous endoscopic approach	0D1B47K	Bypass ileum to ascending colon with autologous tissue substitute, percutaneous endoscopic approach
01BN4ZX	Excision of lumbar sympathetic nerve, percutaneous endoscopic approach, diagnostic	0D1B47L	Bypass ileum to transverse colon with autologous tissue substitute, percutaneous endoscopic approach
01BN4ZZ	Excision of lumbar sympathetic nerve, percutaneous endoscopic approach	0D1B47M	Bypass ileum to descending colon with autologous tissue substitute, percutaneous endoscopic approach
01BP4ZX	Excision of sacral sympathetic nerve, percutaneous endoscopic approach, diagnostic	0D1B47N	Bypass ileum to sigmoid colon with autologous tissue substitute, percutaneous endoscopic approach
01BP4ZZ	Excision of sacral sympathetic nerve, percutaneous endoscopic approach	0D1B47P	Bypass ileum to rectum with autologous tissue substitute, percutaneous endoscopic approach
01BQ4ZX	Excision of sacral plexus, percutaneous endoscopic approach, diagnostic	0D1B47Q	Bypass ileum to anus with autologous tissue substitute, percutaneous endoscopic approach
01BQ4ZZ	Excision of sacral plexus, percutaneous endoscopic approach	0D1B4J4	Bypass ileum to cutaneous with synthetic substitute, percutaneous endoscopic approach
01BR4ZX	Excision of sacral nerve, percutaneous endoscopic approach, diagnostic	0D1B4JB	Bypass ileum to ileum with synthetic substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

01BR4ZZ	Excision of sacral nerve, percutaneous endoscopic approach	0D1B4JH	Bypass ileum to cecum with synthetic substitute, percutaneous endoscopic approach
01C94ZZ	Extrirpation of matter from lumbar plexus, percutaneous endoscopic approach	0D1B4JK	Bypass ileum to ascending colon with synthetic substitute, percutaneous endoscopic approach
01CA4ZZ	Extrirpation of matter from lumbosacral plexus, percutaneous endoscopic approach	0D1B4JL	Bypass ileum to transverse colon with synthetic substitute, percutaneous endoscopic approach
01CB4ZZ	Extrirpation of matter from lumbar nerve, percutaneous endoscopic approach	0D1B4JM	Bypass ileum to descending colon with synthetic substitute, percutaneous endoscopic approach
01CC4ZZ	Extrirpation of matter from pudendal nerve, percutaneous endoscopic approach	0D1B4JN	Bypass ileum to sigmoid colon with synthetic substitute, percutaneous endoscopic approach
01CM4ZZ	Extrirpation of matter from abdominal sympathetic nerve, percutaneous endoscopic approach	0D1B4JP	Bypass ileum to rectum with synthetic substitute, percutaneous endoscopic approach
01CN4ZZ	Extrirpation of matter from lumbar sympathetic nerve, percutaneous endoscopic approach	0D1B4JQ	Bypass ileum to anus with synthetic substitute, percutaneous endoscopic approach
01CP4ZZ	Extrirpation of matter from sacral sympathetic nerve, percutaneous endoscopic approach	0D1B4K4	Bypass ileum to cutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
01CQ4ZZ	Extrirpation of matter from sacral plexus, percutaneous endoscopic approach	0D1B4KB	Bypass ileum to ileum with nonautologous tissue substitute, percutaneous endoscopic approach
01CR4ZZ	Extrirpation of matter from sacral nerve, percutaneous endoscopic approach	0D1B4KH	Bypass ileum to cecum with nonautologous tissue substitute, percutaneous endoscopic approach
01D94ZZ	Extraction of lumbar plexus, percutaneous endoscopic approach	0D1B4KK	Bypass ileum to ascending colon with nonautologous tissue substitute, percutaneous endoscopic approach
01DA4ZZ	Extraction of lumbosacral plexus, percutaneous endoscopic approach	0D1B4KL	Bypass ileum to transverse colon with nonautologous tissue substitute, percutaneous endoscopic approach
01DB4ZZ	Extraction of lumbar nerve, percutaneous endoscopic approach	0D1B4KM	Bypass ileum to descending colon with nonautologous tissue substitute, percutaneous endoscopic approach
01DC4ZZ	Extraction of pudendal nerve, percutaneous endoscopic approach	0D1B4KN	Bypass ileum to sigmoid colon with nonautologous tissue substitute, percutaneous endoscopic approach
01DM4ZZ	Extraction of abdominal sympathetic nerve, percutaneous endoscopic approach	0D1B4KP	Bypass ileum to rectum with nonautologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

01DN4ZZ	Extraction of lumbar sympathetic nerve, percutaneous endoscopic approach	0D1B4KQ	Bypass ileum to anus with nonautologous tissue substitute, percutaneous endoscopic approach
01DP4ZZ	Extraction of sacral sympathetic nerve, percutaneous endoscopic approach	0D1B4Z4	Bypass ileum to cutaneous, percutaneous endoscopic approach
01DQ4ZZ	Extraction of sacral plexus, percutaneous endoscopic approach	0D1B4ZB	Bypass ileum to ileum, percutaneous endoscopic approach
01DR4ZZ	Extraction of sacral nerve, percutaneous endoscopic approach	0D1B4ZH	Bypass ileum to cecum, percutaneous endoscopic approach
01N94ZZ	Release lumbar plexus, percutaneous endoscopic approach	0D1B4ZK	Bypass ileum to ascending colon, percutaneous endoscopic approach
01NA4ZZ	Release lumbosacral plexus, percutaneous endoscopic approach	0D1B4ZL	Bypass ileum to transverse colon, percutaneous endoscopic approach
01NB4ZZ	Release lumbar nerve, percutaneous endoscopic approach	0D1B4ZM	Bypass ileum to descending colon, percutaneous endoscopic approach
01NC4ZZ	Release pudendal nerve, percutaneous endoscopic approach	0D1B4ZN	Bypass ileum to sigmoid colon, percutaneous endoscopic approach
01NM4ZZ	Release abdominal sympathetic nerve, percutaneous endoscopic approach	0D1B4ZP	Bypass ileum to rectum, percutaneous endoscopic approach
01NN4ZZ	Release lumbar sympathetic nerve, percutaneous endoscopic approach	0D1B4ZQ	Bypass ileum to anus, percutaneous endoscopic approach
01NP4ZZ	Release sacral sympathetic nerve, percutaneous endoscopic approach	0D1E474	Bypass large intestine to cutaneous with autologous tissue substitute, percutaneous endoscopic approach
01NQ4ZZ	Release sacral plexus, percutaneous endoscopic approach	0D1E47E	Bypass large intestine to large intestine with autologous tissue substitute, percutaneous endoscopic approach
01NR4ZZ	Release sacral nerve, percutaneous endoscopic approach	0D1E47P	Bypass large intestine to rectum with autologous tissue substitute, percutaneous endoscopic approach
01Q94ZZ	Repair lumbar plexus, percutaneous endoscopic approach	0D1E4J4	Bypass large intestine to cutaneous with synthetic substitute, percutaneous endoscopic approach
01QA4ZZ	Repair lumbosacral plexus, percutaneous endoscopic approach	0D1E4JE	Bypass large intestine to large intestine with synthetic substitute, percutaneous endoscopic approach
01QB4ZZ	Repair lumbar nerve, percutaneous endoscopic approach	0D1E4JP	Bypass large intestine to rectum with synthetic substitute, percutaneous endoscopic approach
01QC4ZZ	Repair pudendal nerve, percutaneous endoscopic approach	0D1E4K4	Bypass large intestine to cutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
01QM4ZZ	Repair abdominal sympathetic nerve, percutaneous endoscopic approach	0D1E4KE	Bypass large intestine to large intestine with nonautologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

01QN4ZZ	Repair lumbar sympathetic nerve, percutaneous endoscopic approach	0D1E4KP	Bypass large intestine to rectum with nonautologous tissue substitute, percutaneous endoscopic approach
01QP4ZZ	Repair sacral sympathetic nerve, percutaneous endoscopic approach	0D1E4Z4	Bypass large intestine to cutaneous, percutaneous endoscopic approach
01QQ4ZZ	Repair sacral plexus, percutaneous endoscopic approach	0D1E4ZE	Bypass large intestine to large intestine, percutaneous endoscopic approach
01QR4ZZ	Repair sacral nerve, percutaneous endoscopic approach	0D1E4ZP	Bypass large intestine to rectum, percutaneous endoscopic approach
01RB47Z	Replacement of lumbar nerve with autologous tissue substitute, percutaneous endoscopic approach	0D1H474	Bypass cecum to cutaneous with autologous tissue substitute, percutaneous endoscopic approach
01RB4JZ	Replacement of lumbar nerve with synthetic substitute, percutaneous endoscopic approach	0D1H47H	Bypass cecum to cecum with autologous tissue substitute, percutaneous endoscopic approach
01RB4KZ	Replacement of lumbar nerve with nonautologous tissue substitute, percutaneous endoscopic approach	0D1H47K	Bypass cecum to ascending colon with autologous tissue substitute, percutaneous endoscopic approach
01RC47Z	Replacement of pudendal nerve with autologous tissue substitute, percutaneous endoscopic approach	0D1H47L	Bypass cecum to transverse colon with autologous tissue substitute, percutaneous endoscopic approach
01RC4JZ	Replacement of pudendal nerve with synthetic substitute, percutaneous endoscopic approach	0D1H47M	Bypass cecum to descending colon with autologous tissue substitute, percutaneous endoscopic approach
01RC4KZ	Replacement of pudendal nerve with nonautologous tissue substitute, percutaneous endoscopic approach	0D1H47N	Bypass cecum to sigmoid colon with autologous tissue substitute, percutaneous endoscopic approach
01RR47Z	Replacement of sacral nerve with autologous tissue substitute, percutaneous endoscopic approach	0D1H47P	Bypass cecum to rectum with autologous tissue substitute, percutaneous endoscopic approach
01RR4JZ	Replacement of sacral nerve with synthetic substitute, percutaneous endoscopic approach	0D1H4J4	Bypass cecum to cutaneous with synthetic substitute, percutaneous endoscopic approach
01RR4KZ	Replacement of sacral nerve with nonautologous tissue substitute, percutaneous endoscopic approach	0D1H4JH	Bypass cecum to cecum with synthetic substitute, percutaneous endoscopic approach
01S94ZZ	Reposition lumbar plexus, percutaneous endoscopic approach	0D1H4JK	Bypass cecum to ascending colon with synthetic substitute, percutaneous endoscopic approach
01SA4ZZ	Reposition lumbosacral plexus, percutaneous endoscopic approach	0D1H4JL	Bypass cecum to transverse colon with synthetic substitute, percutaneous endoscopic approach
01SB4ZZ	Reposition lumbar nerve, percutaneous endoscopic approach	0D1H4JM	Bypass cecum to descending colon with synthetic substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIPOOTHER)

01SC4ZZ	Reposition pudendal nerve, percutaneous endoscopic approach	0D1H4JN	Bypass cecum to sigmoid colon with synthetic substitute, percutaneous endoscopic approach
01SQ4ZZ	Reposition sacral plexus, percutaneous endoscopic approach	0D1H4JP	Bypass cecum to rectum with synthetic substitute, percutaneous endoscopic approach
01SR4ZZ	Reposition sacral nerve, percutaneous endoscopic approach	0D1H4K4	Bypass cecum to cutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
01UB47Z	Supplement lumbar nerve with autologous tissue substitute, percutaneous endoscopic approach	0D1H4KH	Bypass cecum to cecum with nonautologous tissue substitute, percutaneous endoscopic approach
01UB4JZ	Supplement lumbar nerve with synthetic substitute, percutaneous endoscopic approach	0D1H4KK	Bypass cecum to ascending colon with nonautologous tissue substitute, percutaneous endoscopic approach
01UB4KZ	Supplement lumbar nerve with nonautologous tissue substitute, percutaneous endoscopic approach	0D1H4KL	Bypass cecum to transverse colon with nonautologous tissue substitute, percutaneous endoscopic approach
01UC47Z	Supplement pudendal nerve with autologous tissue substitute, percutaneous endoscopic approach	0D1H4KM	Bypass cecum to descending colon with nonautologous tissue substitute, percutaneous endoscopic approach
01UC4JZ	Supplement pudendal nerve with synthetic substitute, percutaneous endoscopic approach	0D1H4KN	Bypass cecum to sigmoid colon with nonautologous tissue substitute, percutaneous endoscopic approach
01UC4KZ	Supplement pudendal nerve with nonautologous tissue substitute, percutaneous endoscopic approach	0D1H4KP	Bypass cecum to rectum with nonautologous tissue substitute, percutaneous endoscopic approach
01UR47Z	Supplement sacral nerve with autologous tissue substitute, percutaneous endoscopic approach	0D1H4Z4	Bypass cecum to cutaneous, percutaneous endoscopic approach
01UR4JZ	Supplement sacral nerve with synthetic substitute, percutaneous endoscopic approach	0D1H4ZH	Bypass cecum to cecum, percutaneous endoscopic approach
01UR4KZ	Supplement sacral nerve with nonautologous tissue substitute, percutaneous endoscopic approach	0D1H4ZK	Bypass cecum to ascending colon, percutaneous endoscopic approach
01XB4ZB	Transfer lumbar nerve to lumbar nerve, percutaneous endoscopic approach	0D1H4ZL	Bypass cecum to transverse colon, percutaneous endoscopic approach
01XB4ZC	Transfer lumbar nerve to perineal nerve, percutaneous endoscopic approach	0D1H4ZM	Bypass cecum to descending colon, percutaneous endoscopic approach
01XC4ZB	Transfer pudendal nerve to lumbar nerve, percutaneous endoscopic approach	0D1H4ZN	Bypass cecum to sigmoid colon, percutaneous endoscopic approach
01XC4ZC	Transfer pudendal nerve to perineal nerve, percutaneous endoscopic approach	0D1H4ZP	Bypass cecum to rectum, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0410490	Bypass abdominal aorta to abdominal aorta with autologous venous tissue, percutaneous endoscopic approach	0D1K474	Bypass ascending colon to cutaneous with autologous tissue substitute, percutaneous endoscopic approach
0410491	Bypass abdominal aorta to celiac artery with autologous venous tissue, percutaneous endoscopic approach	0D1K47K	Bypass ascending colon to ascending colon with autologous tissue substitute, percutaneous endoscopic approach
0410492	Bypass abdominal aorta to mesenteric artery with autologous venous tissue, percutaneous endoscopic approach	0D1K47L	Bypass ascending colon to transverse colon with autologous tissue substitute, percutaneous endoscopic approach
0410493	Bypass abdominal aorta to right renal artery with autologous venous tissue, percutaneous endoscopic approach	0D1K47M	Bypass ascending colon to descending colon with autologous tissue substitute, percutaneous endoscopic approach
0410494	Bypass abdominal aorta to left renal artery with autologous venous tissue, percutaneous endoscopic approach	0D1K47N	Bypass ascending colon to sigmoid colon with autologous tissue substitute, percutaneous endoscopic approach
0410495	Bypass abdominal aorta to bilateral renal artery with autologous venous tissue, percutaneous endoscopic approach	0D1K47P	Bypass ascending colon to rectum with autologous tissue substitute, percutaneous endoscopic approach
0410496	Bypass abdominal aorta to right common iliac artery with autologous venous tissue, percutaneous endoscopic approach	0D1K4J4	Bypass ascending colon to cutaneous with synthetic substitute, percutaneous endoscopic approach
0410497	Bypass abdominal aorta to left common iliac artery with autologous venous tissue, percutaneous endoscopic approach	0D1K4JK	Bypass ascending colon to ascending colon with synthetic substitute, percutaneous endoscopic approach
0410498	Bypass abdominal aorta to bilateral common iliac arteries with autologous venous tissue, percutaneous endoscopic approach	0D1K4JL	Bypass ascending colon to transverse colon with synthetic substitute, percutaneous endoscopic approach
0410499	Bypass abdominal aorta to right internal iliac artery with autologous venous tissue, percutaneous endoscopic approach	0D1K4JM	Bypass ascending colon to descending colon with synthetic substitute, percutaneous endoscopic approach
041049B	Bypass abdominal aorta to left internal iliac artery with autologous venous tissue, percutaneous endoscopic approach	0D1K4JN	Bypass ascending colon to sigmoid colon with synthetic substitute, percutaneous endoscopic approach
041049C	Bypass abdominal aorta to bilateral internal iliac arteries with autologous venous tissue, percutaneous endoscopic approach	0D1K4JP	Bypass ascending colon to rectum with synthetic substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041049D	Bypass abdominal aorta to right external iliac artery with autologous venous tissue, percutaneous endoscopic approach	0D1K4K4	Bypass ascending colon to cutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
041049F	Bypass abdominal aorta to left external iliac artery with autologous venous tissue, percutaneous endoscopic approach	0D1K4KK	Bypass ascending colon to ascending colon with nonautologous tissue substitute, percutaneous endoscopic approach
041049G	Bypass abdominal aorta to bilateral external iliac arteries with autologous venous tissue, percutaneous endoscopic approach	0D1K4KL	Bypass ascending colon to transverse colon with nonautologous tissue substitute, percutaneous endoscopic approach
041049H	Bypass abdominal aorta to right femoral artery with autologous venous tissue, percutaneous endoscopic approach	0D1K4KM	Bypass ascending colon to descending colon with nonautologous tissue substitute, percutaneous endoscopic approach
041049J	Bypass abdominal aorta to left femoral artery with autologous venous tissue, percutaneous endoscopic approach	0D1K4KN	Bypass ascending colon to sigmoid colon with nonautologous tissue substitute, percutaneous endoscopic approach
041049K	Bypass abdominal aorta to bilateral femoral arteries with autologous venous tissue, percutaneous endoscopic approach	0D1K4KP	Bypass ascending colon to rectum with nonautologous tissue substitute, percutaneous endoscopic approach
041049Q	Bypass abdominal aorta to lower extremity artery with autologous venous tissue, percutaneous endoscopic approach	0D1K4Z4	Bypass ascending colon to cutaneous, percutaneous endoscopic approach
041049R	Bypass abdominal aorta to lower artery with autologous venous tissue, percutaneous endoscopic approach	0D1K4ZK	Bypass ascending colon to ascending colon, percutaneous endoscopic approach
04104A0	Bypass abdominal aorta to abdominal aorta with autologous arterial tissue, percutaneous endoscopic approach	0D1K4ZL	Bypass ascending colon to transverse colon, percutaneous endoscopic approach
04104A1	Bypass abdominal aorta to celiac artery with autologous arterial tissue, percutaneous endoscopic approach	0D1K4ZM	Bypass ascending colon to descending colon, percutaneous endoscopic approach
04104A2	Bypass abdominal aorta to mesenteric artery with autologous arterial tissue, percutaneous endoscopic approach	0D1K4ZN	Bypass ascending colon to sigmoid colon, percutaneous endoscopic approach
04104A3	Bypass abdominal aorta to right renal artery with autologous arterial tissue, percutaneous endoscopic approach	0D1K4ZP	Bypass ascending colon to rectum, percutaneous endoscopic approach
04104A4	Bypass abdominal aorta to left renal artery with autologous arterial tissue, percutaneous endoscopic approach	0D1L474	Bypass transverse colon to cutaneous with autologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04104A5	Bypass abdominal aorta to bilateral renal artery with autologous arterial tissue, percutaneous endoscopic approach	0D1L47L	Bypass transverse colon to transverse colon with autologous tissue substitute, percutaneous endoscopic approach
04104A6	Bypass abdominal aorta to right common iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0D1L47M	Bypass transverse colon to descending colon with autologous tissue substitute, percutaneous endoscopic approach
04104A7	Bypass abdominal aorta to left common iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0D1L47N	Bypass transverse colon to sigmoid colon with autologous tissue substitute, percutaneous endoscopic approach
04104A8	Bypass abdominal aorta to bilateral common iliac arteries with autologous arterial tissue, percutaneous endoscopic approach	0D1L47P	Bypass transverse colon to rectum with autologous tissue substitute, percutaneous endoscopic approach
04104A9	Bypass abdominal aorta to right internal iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0D1L4J4	Bypass transverse colon to cutaneous with synthetic substitute, percutaneous endoscopic approach
04104AB	Bypass abdominal aorta to left internal iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0D1L4JL	Bypass transverse colon to transverse colon with synthetic substitute, percutaneous endoscopic approach
04104AC	Bypass abdominal aorta to bilateral internal iliac arteries with autologous arterial tissue, percutaneous endoscopic approach	0D1L4JM	Bypass transverse colon to descending colon with synthetic substitute, percutaneous endoscopic approach
04104AD	Bypass abdominal aorta to right external iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0D1L4JN	Bypass transverse colon to sigmoid colon with synthetic substitute, percutaneous endoscopic approach
04104AF	Bypass abdominal aorta to left external iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0D1L4JP	Bypass transverse colon to rectum with synthetic substitute, percutaneous endoscopic approach
04104AG	Bypass abdominal aorta to bilateral external iliac arteries with autologous arterial tissue, percutaneous endoscopic approach	0D1L4K4	Bypass transverse colon to cutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
04104AH	Bypass abdominal aorta to right femoral artery with autologous arterial tissue, percutaneous endoscopic approach	0D1L4KL	Bypass transverse colon to transverse colon with nonautologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04104AJ	Bypass abdominal aorta to left femoral artery with autologous arterial tissue, percutaneous endoscopic approach	0D1L4KM	Bypass transverse colon to descending colon with nonautologous tissue substitute, percutaneous endoscopic approach
04104AK	Bypass abdominal aorta to bilateral femoral arteries with autologous arterial tissue, percutaneous endoscopic approach	0D1L4KN	Bypass transverse colon to sigmoid colon with nonautologous tissue substitute, percutaneous endoscopic approach
04104AQ	Bypass abdominal aorta to lower extremity artery with autologous arterial tissue, percutaneous endoscopic approach	0D1L4KP	Bypass transverse colon to rectum with nonautologous tissue substitute, percutaneous endoscopic approach
04104AR	Bypass abdominal aorta to lower artery with autologous arterial tissue, percutaneous endoscopic approach	0D1L4Z4	Bypass transverse colon to cutaneous, percutaneous endoscopic approach
04104J0	Bypass abdominal aorta to abdominal aorta with synthetic substitute, percutaneous endoscopic approach	0D1L4ZL	Bypass transverse colon to transverse colon, percutaneous endoscopic approach
04104J1	Bypass abdominal aorta to celiac artery with synthetic substitute, percutaneous endoscopic approach	0D1L4ZM	Bypass transverse colon to descending colon, percutaneous endoscopic approach
04104J2	Bypass abdominal aorta to mesenteric artery with synthetic substitute, percutaneous endoscopic approach	0D1L4ZN	Bypass transverse colon to sigmoid colon, percutaneous endoscopic approach
04104J3	Bypass abdominal aorta to right renal artery with synthetic substitute, percutaneous endoscopic approach	0D1L4ZP	Bypass transverse colon to rectum, percutaneous endoscopic approach
04104J4	Bypass abdominal aorta to left renal artery with synthetic substitute, percutaneous endoscopic approach	0D1M474	Bypass descending colon to cutaneous with autologous tissue substitute, percutaneous endoscopic approach
04104J5	Bypass abdominal aorta to bilateral renal artery with synthetic substitute, percutaneous endoscopic approach	0D1M47M	Bypass descending colon to descending colon with autologous tissue substitute, percutaneous endoscopic approach
04104J6	Bypass abdominal aorta to right common iliac artery with synthetic substitute, percutaneous endoscopic approach	0D1M47N	Bypass descending colon to sigmoid colon with autologous tissue substitute, percutaneous endoscopic approach
04104J7	Bypass abdominal aorta to left common iliac artery with synthetic substitute, percutaneous endoscopic approach	0D1M47P	Bypass descending colon to rectum with autologous tissue substitute, percutaneous endoscopic approach
04104J8	Bypass abdominal aorta to bilateral common iliac arteries with synthetic substitute, percutaneous endoscopic approach	0D1M4J4	Bypass descending colon to cutaneous with synthetic substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04104J9	Bypass abdominal aorta to right internal iliac artery with synthetic substitute, percutaneous endoscopic approach	0D1M4JM	Bypass descending colon to descending colon with synthetic substitute, percutaneous endoscopic approach
04104JB	Bypass abdominal aorta to left internal iliac artery with synthetic substitute, percutaneous endoscopic approach	0D1M4JN	Bypass descending colon to sigmoid colon with synthetic substitute, percutaneous endoscopic approach
04104JC	Bypass abdominal aorta to bilateral internal iliac arteries with synthetic substitute, percutaneous endoscopic approach	0D1M4JP	Bypass descending colon to rectum with synthetic substitute, percutaneous endoscopic approach
04104JD	Bypass abdominal aorta to right external iliac artery with synthetic substitute, percutaneous endoscopic approach	0D1M4K4	Bypass descending colon to cutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
04104JF	Bypass abdominal aorta to left external iliac artery with synthetic substitute, percutaneous endoscopic approach	0D1M4KM	Bypass descending colon to descending colon with nonautologous tissue substitute, percutaneous endoscopic approach
04104JG	Bypass abdominal aorta to bilateral external iliac arteries with synthetic substitute, percutaneous endoscopic approach	0D1M4KN	Bypass descending colon to sigmoid colon with nonautologous tissue substitute, percutaneous endoscopic approach
04104JH	Bypass abdominal aorta to right femoral artery with synthetic substitute, percutaneous endoscopic approach	0D1M4KP	Bypass descending colon to rectum with nonautologous tissue substitute, percutaneous endoscopic approach
04104JJ	Bypass abdominal aorta to left femoral artery with synthetic substitute, percutaneous endoscopic approach	0D1M4Z4	Bypass descending colon to cutaneous, percutaneous endoscopic approach
04104JK	Bypass abdominal aorta to bilateral femoral arteries with synthetic substitute, percutaneous endoscopic approach	0D1M4ZM	Bypass descending colon to descending colon, percutaneous endoscopic approach
04104JQ	Bypass abdominal aorta to lower extremity artery with synthetic substitute, percutaneous endoscopic approach	0D1M4ZN	Bypass descending colon to sigmoid colon, percutaneous endoscopic approach
04104JR	Bypass abdominal aorta to lower artery with synthetic substitute, percutaneous endoscopic approach	0D1M4ZP	Bypass descending colon to rectum, percutaneous endoscopic approach
04104K0	Bypass abdominal aorta to abdominal aorta with nonautologous tissue substitute, percutaneous endoscopic approach	0D1N474	Bypass sigmoid colon to cutaneous with autologous tissue substitute, percutaneous endoscopic approach
04104K1	Bypass abdominal aorta to celiac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D1N47N	Bypass sigmoid colon to sigmoid colon with autologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04104K2	Bypass abdominal aorta to mesenteric artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D1N47P	Bypass sigmoid colon to rectum with autologous tissue substitute, percutaneous endoscopic approach
04104K3	Bypass abdominal aorta to right renal artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D1N4J4	Bypass sigmoid colon to cutaneous with synthetic substitute, percutaneous endoscopic approach
04104K4	Bypass abdominal aorta to left renal artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D1N4JN	Bypass sigmoid colon to sigmoid colon with synthetic substitute, percutaneous endoscopic approach
04104K5	Bypass abdominal aorta to bilateral renal artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D1N4JP	Bypass sigmoid colon to rectum with synthetic substitute, percutaneous endoscopic approach
04104K6	Bypass abdominal aorta to right common iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D1N4K4	Bypass sigmoid colon to cutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
04104K7	Bypass abdominal aorta to left common iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D1N4KN	Bypass sigmoid colon to sigmoid colon with nonautologous tissue substitute, percutaneous endoscopic approach
04104K8	Bypass abdominal aorta to bilateral common iliac arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0D1N4KP	Bypass sigmoid colon to rectum with nonautologous tissue substitute, percutaneous endoscopic approach
04104K9	Bypass abdominal aorta to right internal iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D1N4Z4	Bypass sigmoid colon to cutaneous, percutaneous endoscopic approach
04104KB	Bypass abdominal aorta to left internal iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D1N4ZN	Bypass sigmoid colon to sigmoid colon, percutaneous endoscopic approach
04104KC	Bypass abdominal aorta to bilateral internal iliac arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0D1N4ZP	Bypass sigmoid colon to rectum, percutaneous endoscopic approach
04104KD	Bypass abdominal aorta to right external iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D534Z3	Destruction of lower esophagus using laser interstitial thermal therapy, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04104KF	Bypass abdominal aorta to left external iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D534ZZ	Destruction of lower esophagus, percutaneous endoscopic approach
04104KG	Bypass abdominal aorta to bilateral external iliac arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0D544Z3	Destruction of esophagogastric junction using laser interstitial thermal therapy, percutaneous endoscopic approach
04104KH	Bypass abdominal aorta to right femoral artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D544ZZ	Destruction of esophagogastric junction, percutaneous endoscopic approach
04104KJ	Bypass abdominal aorta to left femoral artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D564Z3	Destruction of stomach using laser interstitial thermal therapy, percutaneous endoscopic approach
04104KK	Bypass abdominal aorta to bilateral femoral arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0D564ZZ	Destruction of stomach, percutaneous endoscopic approach
04104KQ	Bypass abdominal aorta to lower extremity artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D574Z3	Destruction of stomach, pylorus using laser interstitial thermal therapy, percutaneous endoscopic approach
04104KR	Bypass abdominal aorta to lower artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D574ZZ	Destruction of stomach, pylorus, percutaneous endoscopic approach
04104Z0	Bypass abdominal aorta to abdominal aorta, percutaneous endoscopic approach	0D584Z3	Destruction of small intestine using laser interstitial thermal therapy, percutaneous endoscopic approach
04104Z1	Bypass abdominal aorta to celiac artery, percutaneous endoscopic approach	0D584ZZ	Destruction of small intestine, percutaneous endoscopic approach
04104Z2	Bypass abdominal aorta to mesenteric artery, percutaneous endoscopic approach	0D594Z3	Destruction of duodenum using laser interstitial thermal therapy, percutaneous endoscopic approach
04104Z3	Bypass abdominal aorta to right renal artery, percutaneous endoscopic approach	0D594ZZ	Destruction of duodenum, percutaneous endoscopic approach
04104Z4	Bypass abdominal aorta to left renal artery, percutaneous endoscopic approach	0D5A4Z3	Destruction of jejunum using laser interstitial thermal therapy, percutaneous endoscopic approach
04104Z5	Bypass abdominal aorta to bilateral renal artery, percutaneous endoscopic approach	0D5A4ZZ	Destruction of jejunum, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04104Z6	Bypass abdominal aorta to right common iliac artery, percutaneous endoscopic approach	0D5B4Z3	Destruction of ileum using laser interstitial thermal therapy, percutaneous endoscopic approach
04104Z7	Bypass abdominal aorta to left common iliac artery, percutaneous endoscopic approach	0D5B4ZZ	Destruction of ileum, percutaneous endoscopic approach
04104Z8	Bypass abdominal aorta to bilateral common iliac arteries, percutaneous endoscopic approach	0D5C4Z3	Destruction of ileocecal valve using laser interstitial thermal therapy, percutaneous endoscopic approach
04104Z9	Bypass abdominal aorta to right internal iliac artery, percutaneous endoscopic approach	0D5C4ZZ	Destruction of ileocecal valve, percutaneous endoscopic approach
04104ZB	Bypass abdominal aorta to left internal iliac artery, percutaneous endoscopic approach	0D5E4Z3	Destruction of large intestine using laser interstitial thermal therapy, percutaneous endoscopic approach
04104ZC	Bypass abdominal aorta to bilateral internal iliac arteries, percutaneous endoscopic approach	0D5E4ZZ	Destruction of large intestine, percutaneous endoscopic approach
04104ZD	Bypass abdominal aorta to right external iliac artery, percutaneous endoscopic approach	0D5F4Z3	Destruction of right large intestine using laser interstitial thermal therapy, percutaneous endoscopic approach
04104ZF	Bypass abdominal aorta to left external iliac artery, percutaneous endoscopic approach	0D5F4ZZ	Destruction of right large intestine, percutaneous endoscopic approach
04104ZG	Bypass abdominal aorta to bilateral external iliac arteries, percutaneous endoscopic approach	0D5G4Z3	Destruction of left large intestine using laser interstitial thermal therapy, percutaneous endoscopic approach
04104ZH	Bypass abdominal aorta to right femoral artery, percutaneous endoscopic approach	0D5G4ZZ	Destruction of left large intestine, percutaneous endoscopic approach
04104ZJ	Bypass abdominal aorta to left femoral artery, percutaneous endoscopic approach	0D5H4Z3	Destruction of cecum using laser interstitial thermal therapy, percutaneous endoscopic approach
04104ZK	Bypass abdominal aorta to bilateral femoral arteries, percutaneous endoscopic approach	0D5H4ZZ	Destruction of cecum, percutaneous endoscopic approach
04104ZQ	Bypass abdominal aorta to lower extremity artery, percutaneous endoscopic approach	0D5J4Z3	Destruction of appendix using laser interstitial thermal therapy, percutaneous endoscopic approach
04104ZR	Bypass abdominal aorta to lower artery, percutaneous endoscopic approach	0D5J4ZZ	Destruction of appendix, percutaneous endoscopic approach
0413493	Bypass hepatic artery to right renal artery with autologous venous tissue, percutaneous endoscopic approach	0D5K4Z3	Destruction of ascending colon using laser interstitial thermal therapy, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0413494	Bypass hepatic artery to left renal artery with autologous venous tissue, percutaneous endoscopic approach	0D5K4ZZ	Destruction of ascending colon, percutaneous endoscopic approach
0413495	Bypass hepatic artery to bilateral renal artery with autologous venous tissue, percutaneous endoscopic approach	0D5L4Z3	Destruction of transverse colon using laser interstitial thermal therapy, percutaneous endoscopic approach
04134A3	Bypass hepatic artery to right renal artery with autologous arterial tissue, percutaneous endoscopic approach	0D5L4ZZ	Destruction of transverse colon, percutaneous endoscopic approach
04134A4	Bypass hepatic artery to left renal artery with autologous arterial tissue, percutaneous endoscopic approach	0D5M4Z3	Destruction of descending colon using laser interstitial thermal therapy, percutaneous endoscopic approach
04134A5	Bypass hepatic artery to bilateral renal artery with autologous arterial tissue, percutaneous endoscopic approach	0D5M4ZZ	Destruction of descending colon, percutaneous endoscopic approach
04134J3	Bypass hepatic artery to right renal artery with synthetic substitute, percutaneous endoscopic approach	0D5N4Z3	Destruction of sigmoid colon using laser interstitial thermal therapy, percutaneous endoscopic approach
04134J4	Bypass hepatic artery to left renal artery with synthetic substitute, percutaneous endoscopic approach	0D5N4ZZ	Destruction of sigmoid colon, percutaneous endoscopic approach
04134J5	Bypass hepatic artery to bilateral renal artery with synthetic substitute, percutaneous endoscopic approach	0D5P4Z3	Destruction of rectum using laser interstitial thermal therapy, percutaneous endoscopic approach
04134K3	Bypass hepatic artery to right renal artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D5P4ZZ	Destruction of rectum, percutaneous endoscopic approach
04134K4	Bypass hepatic artery to left renal artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D5S4ZZ	Destruction of greater omentum, percutaneous endoscopic approach
04134K5	Bypass hepatic artery to bilateral renal artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D5T4ZZ	Destruction of lesser omentum, percutaneous endoscopic approach
04134Z3	Bypass hepatic artery to right renal artery, percutaneous endoscopic approach	0D5U4ZZ	Destruction of omentum, percutaneous endoscopic approach
04134Z4	Bypass hepatic artery to left renal artery, percutaneous endoscopic approach	0D5V4ZZ	Destruction of mesentery, percutaneous endoscopic approach
04134Z5	Bypass hepatic artery to bilateral renal artery, percutaneous endoscopic approach	0D5W4ZZ	Destruction of peritoneum, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0414493	Bypass splenic artery to right renal artery with autologous venous tissue, percutaneous endoscopic approach	0D744DZ	Dilation of esophagogastric junction with intraluminal device, percutaneous endoscopic approach
0414494	Bypass splenic artery to left renal artery with autologous venous tissue, percutaneous endoscopic approach	0D744ZZ	Dilation of esophagogastric junction, percutaneous endoscopic approach
0414495	Bypass splenic artery to bilateral renal artery with autologous venous tissue, percutaneous endoscopic approach	0D764DZ	Dilation of stomach with intraluminal device, percutaneous endoscopic approach
04144A3	Bypass splenic artery to right renal artery with autologous arterial tissue, percutaneous endoscopic approach	0D764ZZ	Dilation of stomach, percutaneous endoscopic approach
04144A4	Bypass splenic artery to left renal artery with autologous arterial tissue, percutaneous endoscopic approach	0D774DZ	Dilation of stomach, pylorus with intraluminal device, percutaneous endoscopic approach
04144A5	Bypass splenic artery to bilateral renal artery with autologous arterial tissue, percutaneous endoscopic approach	0D774ZZ	Dilation of stomach, pylorus, percutaneous endoscopic approach
04144J3	Bypass splenic artery to right renal artery with synthetic substitute, percutaneous endoscopic approach	0D784DZ	Dilation of small intestine with intraluminal device, percutaneous endoscopic approach
04144J4	Bypass splenic artery to left renal artery with synthetic substitute, percutaneous endoscopic approach	0D784ZZ	Dilation of small intestine, percutaneous endoscopic approach
04144J5	Bypass splenic artery to bilateral renal artery with synthetic substitute, percutaneous endoscopic approach	0D794DZ	Dilation of duodenum with intraluminal device, percutaneous endoscopic approach
04144K3	Bypass splenic artery to right renal artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D794ZZ	Dilation of duodenum, percutaneous endoscopic approach
04144K4	Bypass splenic artery to left renal artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D7A4DZ	Dilation of jejunum with intraluminal device, percutaneous endoscopic approach
04144K5	Bypass splenic artery to bilateral renal artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D7A4ZZ	Dilation of jejunum, percutaneous endoscopic approach
04144Z3	Bypass splenic artery to right renal artery, percutaneous endoscopic approach	0D7B4DZ	Dilation of ileum with intraluminal device, percutaneous endoscopic approach
04144Z4	Bypass splenic artery to left renal artery, percutaneous endoscopic approach	0D7B4ZZ	Dilation of ileum, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04144Z5	Bypass splenic artery to bilateral renal artery, percutaneous endoscopic approach	0D7C4DZ	Dilation of ileocecal valve with intraluminal device, percutaneous endoscopic approach
041C490	Bypass right common iliac artery to abdominal aorta with autologous venous tissue, percutaneous endoscopic approach	0D7C4ZZ	Dilation of ileocecal valve, percutaneous endoscopic approach
041C491	Bypass right common iliac artery to celiac artery with autologous venous tissue, percutaneous endoscopic approach	0D7E4DZ	Dilation of large intestine with intraluminal device, percutaneous endoscopic approach
041C492	Bypass right common iliac artery to mesenteric artery with autologous venous tissue, percutaneous endoscopic approach	0D7E4ZZ	Dilation of large intestine, percutaneous endoscopic approach
041C493	Bypass right common iliac artery to right renal artery with autologous venous tissue, percutaneous endoscopic approach	0D7F4DZ	Dilation of right large intestine with intraluminal device, percutaneous endoscopic approach
041C494	Bypass right common iliac artery to left renal artery with autologous venous tissue, percutaneous endoscopic approach	0D7F4ZZ	Dilation of right large intestine, percutaneous endoscopic approach
041C495	Bypass right common iliac artery to bilateral renal artery with autologous venous tissue, percutaneous endoscopic approach	0D7G4DZ	Dilation of left large intestine with intraluminal device, percutaneous endoscopic approach
041C496	Bypass right common iliac artery to right common iliac artery with autologous venous tissue, percutaneous endoscopic approach	0D7G4ZZ	Dilation of left large intestine, percutaneous endoscopic approach
041C497	Bypass right common iliac artery to left common iliac artery with autologous venous tissue, percutaneous endoscopic approach	0D7H4DZ	Dilation of cecum with intraluminal device, percutaneous endoscopic approach
041C498	Bypass right common iliac artery to bilateral common iliac arteries with autologous venous tissue, percutaneous endoscopic approach	0D7H4ZZ	Dilation of cecum, percutaneous endoscopic approach
041C499	Bypass right common iliac artery to right internal iliac artery with autologous venous tissue, percutaneous endoscopic approach	0D7K4DZ	Dilation of ascending colon with intraluminal device, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041C49B	Bypass right common iliac artery to left internal iliac artery with autologous venous tissue, percutaneous endoscopic approach	0D7K4ZZ	Dilation of ascending colon, percutaneous endoscopic approach
041C49C	Bypass right common iliac artery to bilateral internal iliac arteries with autologous venous tissue, percutaneous endoscopic approach	0D7L4DZ	Dilation of transverse colon with intraluminal device, percutaneous endoscopic approach
041C49D	Bypass right common iliac artery to right external iliac artery with autologous venous tissue, percutaneous endoscopic approach	0D7L4ZZ	Dilation of transverse colon, percutaneous endoscopic approach
041C49F	Bypass right common iliac artery to left external iliac artery with autologous venous tissue, percutaneous endoscopic approach	0D7M4DZ	Dilation of descending colon with intraluminal device, percutaneous endoscopic approach
041C49G	Bypass right common iliac artery to bilateral external iliac arteries with autologous venous tissue, percutaneous endoscopic approach	0D7M4ZZ	Dilation of descending colon, percutaneous endoscopic approach
041C49H	Bypass right common iliac artery to right femoral artery with autologous venous tissue, percutaneous endoscopic approach	0D7N4DZ	Dilation of sigmoid colon with intraluminal device, percutaneous endoscopic approach
041C49J	Bypass right common iliac artery to left femoral artery with autologous venous tissue, percutaneous endoscopic approach	0D7N4ZZ	Dilation of sigmoid colon, percutaneous endoscopic approach
041C49K	Bypass right common iliac artery to bilateral femoral arteries with autologous venous tissue, percutaneous endoscopic approach	0D7P4DZ	Dilation of rectum with intraluminal device, percutaneous endoscopic approach
041C49Q	Bypass right common iliac artery to lower extremity artery with autologous venous tissue, percutaneous endoscopic approach	0D7P4ZZ	Dilation of rectum, percutaneous endoscopic approach
041C49R	Bypass right common iliac artery to lower artery with autologous venous tissue, percutaneous endoscopic approach	0D844ZZ	Division of esophagogastric junction, percutaneous endoscopic approach
041C4A0	Bypass right common iliac artery to abdominal aorta with autologous arterial tissue, percutaneous endoscopic approach	0D874ZZ	Division of stomach, pylorus, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041C4A1	Bypass right common iliac artery to celiac artery with autologous arterial tissue, percutaneous endoscopic approach	0D9440Z	Drainage of esophagogastric junction with drainage device, percutaneous endoscopic approach
041C4A2	Bypass right common iliac artery to mesenteric artery with autologous arterial tissue, percutaneous endoscopic approach	0D944ZX	Drainage of esophagogastric junction, percutaneous endoscopic approach, diagnostic
041C4A3	Bypass right common iliac artery to right renal artery with autologous arterial tissue, percutaneous endoscopic approach	0D944ZZ	Drainage of esophagogastric junction, percutaneous endoscopic approach
041C4A4	Bypass right common iliac artery to left renal artery with autologous arterial tissue, percutaneous endoscopic approach	0D9640Z	Drainage of stomach with drainage device, percutaneous endoscopic approach
041C4A5	Bypass right common iliac artery to bilateral renal artery with autologous arterial tissue, percutaneous endoscopic approach	0D964ZX	Drainage of stomach, percutaneous endoscopic approach, diagnostic
041C4A6	Bypass right common iliac artery to right common iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0D964ZZ	Drainage of stomach, percutaneous endoscopic approach
041C4A7	Bypass right common iliac artery to left common iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0D9740Z	Drainage of stomach, pylorus with drainage device, percutaneous endoscopic approach
041C4A8	Bypass right common iliac artery to bilateral common iliac arteries with autologous arterial tissue, percutaneous endoscopic approach	0D974ZX	Drainage of stomach, pylorus, percutaneous endoscopic approach, diagnostic
041C4A9	Bypass right common iliac artery to right internal iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0D974ZZ	Drainage of stomach, pylorus, percutaneous endoscopic approach
041C4AB	Bypass right common iliac artery to left internal iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0D9840Z	Drainage of small intestine with drainage device, percutaneous endoscopic approach
041C4AC	Bypass right common iliac artery to bilateral internal iliac arteries with autologous arterial tissue, percutaneous endoscopic approach	0D984ZX	Drainage of small intestine, percutaneous endoscopic approach, diagnostic

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041C4AD	Bypass right common iliac artery to right external iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0D984ZZ	Drainage of small intestine, percutaneous endoscopic approach
041C4AF	Bypass right common iliac artery to left external iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0D9940Z	Drainage of duodenum with drainage device, percutaneous endoscopic approach
041C4AG	Bypass right common iliac artery to bilateral external iliac arteries with autologous arterial tissue, percutaneous endoscopic approach	0D994ZX	Drainage of duodenum, percutaneous endoscopic approach, diagnostic
041C4AH	Bypass right common iliac artery to right femoral artery with autologous arterial tissue, percutaneous endoscopic approach	0D994ZZ	Drainage of duodenum, percutaneous endoscopic approach
041C4AJ	Bypass right common iliac artery to left femoral artery with autologous arterial tissue, percutaneous endoscopic approach	0D9A40Z	Drainage of jejunum with drainage device, percutaneous endoscopic approach
041C4AK	Bypass right common iliac artery to bilateral femoral arteries with autologous arterial tissue, percutaneous endoscopic approach	0D9A4ZX	Drainage of jejunum, percutaneous endoscopic approach, diagnostic
041C4AQ	Bypass right common iliac artery to lower extremity artery with autologous arterial tissue, percutaneous endoscopic approach	0D9A4ZZ	Drainage of jejunum, percutaneous endoscopic approach
041C4AR	Bypass right common iliac artery to lower artery with autologous arterial tissue, percutaneous endoscopic approach	0D9B40Z	Drainage of ileum with drainage device, percutaneous endoscopic approach
041C4J0	Bypass right common iliac artery to abdominal aorta with synthetic substitute, percutaneous endoscopic approach	0D9B4ZX	Drainage of ileum, percutaneous endoscopic approach, diagnostic
041C4J1	Bypass right common iliac artery to celiac artery with synthetic substitute, percutaneous endoscopic approach	0D9B4ZZ	Drainage of ileum, percutaneous endoscopic approach
041C4J2	Bypass right common iliac artery to mesenteric artery with synthetic substitute, percutaneous endoscopic approach	0D9C40Z	Drainage of ileocecal valve with drainage device, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041C4J3	Bypass right common iliac artery to right renal artery with synthetic substitute, percutaneous endoscopic approach	0D9C4ZX	Drainage of ileocecal valve, percutaneous endoscopic approach, diagnostic
041C4J4	Bypass right common iliac artery to left renal artery with synthetic substitute, percutaneous endoscopic approach	0D9C4ZZ	Drainage of ileocecal valve, percutaneous endoscopic approach
041C4J5	Bypass right common iliac artery to bilateral renal artery with synthetic substitute, percutaneous endoscopic approach	0D9E40Z	Drainage of large intestine with drainage device, percutaneous endoscopic approach
041C4J6	Bypass right common iliac artery to right common iliac artery with synthetic substitute, percutaneous endoscopic approach	0D9E4ZX	Drainage of large intestine, percutaneous endoscopic approach, diagnostic
041C4J7	Bypass right common iliac artery to left common iliac artery with synthetic substitute, percutaneous endoscopic approach	0D9E4ZZ	Drainage of large intestine, percutaneous endoscopic approach
041C4J8	Bypass right common iliac artery to bilateral common iliac arteries with synthetic substitute, percutaneous endoscopic approach	0D9F40Z	Drainage of right large intestine with drainage device, percutaneous endoscopic approach
041C4J9	Bypass right common iliac artery to right internal iliac artery with synthetic substitute, percutaneous endoscopic approach	0D9F4ZX	Drainage of right large intestine, percutaneous endoscopic approach, diagnostic
041C4JB	Bypass right common iliac artery to left internal iliac artery with synthetic substitute, percutaneous endoscopic approach	0D9F4ZZ	Drainage of right large intestine, percutaneous endoscopic approach
041C4JC	Bypass right common iliac artery to bilateral internal iliac arteries with synthetic substitute, percutaneous endoscopic approach	0D9G40Z	Drainage of left large intestine with drainage device, percutaneous endoscopic approach
041C4JD	Bypass right common iliac artery to right external iliac artery with synthetic substitute, percutaneous endoscopic approach	0D9G4ZX	Drainage of left large intestine, percutaneous endoscopic approach, diagnostic
041C4JF	Bypass right common iliac artery to left external iliac artery with synthetic substitute, percutaneous endoscopic approach	0D9G4ZZ	Drainage of left large intestine, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041C4JG	Bypass right common iliac artery to bilateral external iliac arteries with synthetic substitute, percutaneous endoscopic approach	0D9H40Z	Drainage of cecum with drainage device, percutaneous endoscopic approach
041C4JH	Bypass right common iliac artery to right femoral artery with synthetic substitute, percutaneous endoscopic approach	0D9H4ZX	Drainage of cecum, percutaneous endoscopic approach, diagnostic
041C4JJ	Bypass right common iliac artery to left femoral artery with synthetic substitute, percutaneous endoscopic approach	0D9H4ZZ	Drainage of cecum, percutaneous endoscopic approach
041C4JK	Bypass right common iliac artery to bilateral femoral arteries with synthetic substitute, percutaneous endoscopic approach	0D9J40Z	Drainage of appendix with drainage device, percutaneous endoscopic approach
041C4JQ	Bypass right common iliac artery to lower extremity artery with synthetic substitute, percutaneous endoscopic approach	0D9J4ZX	Drainage of appendix, percutaneous endoscopic approach, diagnostic
041C4JR	Bypass right common iliac artery to lower artery with synthetic substitute, percutaneous endoscopic approach	0D9J4ZZ	Drainage of appendix, percutaneous endoscopic approach
041C4K0	Bypass right common iliac artery to abdominal aorta with nonautologous tissue substitute, percutaneous endoscopic approach	0D9K40Z	Drainage of ascending colon with drainage device, percutaneous endoscopic approach
041C4K1	Bypass right common iliac artery to celiac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D9K4ZX	Drainage of ascending colon, percutaneous endoscopic approach, diagnostic
041C4K2	Bypass right common iliac artery to mesenteric artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D9K4ZZ	Drainage of ascending colon, percutaneous endoscopic approach
041C4K3	Bypass right common iliac artery to right renal artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D9L40Z	Drainage of transverse colon with drainage device, percutaneous endoscopic approach
041C4K4	Bypass right common iliac artery to left renal artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D9L4ZX	Drainage of transverse colon, percutaneous endoscopic approach, diagnostic
041C4K5	Bypass right common iliac artery to bilateral renal artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D9L4ZZ	Drainage of transverse colon, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041C4K6	Bypass right common iliac artery to right common iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D9M40Z	Drainage of descending colon with drainage device, percutaneous endoscopic approach
041C4K7	Bypass right common iliac artery to left common iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D9M4ZX	Drainage of descending colon, percutaneous endoscopic approach, diagnostic
041C4K8	Bypass right common iliac artery to bilateral common iliac arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0D9M4ZZ	Drainage of descending colon, percutaneous endoscopic approach
041C4K9	Bypass right common iliac artery to right internal iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D9N40Z	Drainage of sigmoid colon with drainage device, percutaneous endoscopic approach
041C4KB	Bypass right common iliac artery to left internal iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D9N4ZX	Drainage of sigmoid colon, percutaneous endoscopic approach, diagnostic
041C4KC	Bypass right common iliac artery to bilateral internal iliac arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0D9N4ZZ	Drainage of sigmoid colon, percutaneous endoscopic approach
041C4KD	Bypass right common iliac artery to right external iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D9P40Z	Drainage of rectum with drainage device, percutaneous endoscopic approach
041C4KF	Bypass right common iliac artery to left external iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D9P4ZX	Drainage of rectum, percutaneous endoscopic approach, diagnostic
041C4KG	Bypass right common iliac artery to bilateral external iliac arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0D9P4ZZ	Drainage of rectum, percutaneous endoscopic approach
041C4KH	Bypass right common iliac artery to right femoral artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D9S40Z	Drainage of greater omentum with drainage device, percutaneous endoscopic approach
041C4KJ	Bypass right common iliac artery to left femoral artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D9S4ZX	Drainage of greater omentum, percutaneous endoscopic approach, diagnostic

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041C4KK	Bypass right common iliac artery to bilateral femoral arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0D9S4ZZ	Drainage of greater omentum, percutaneous endoscopic approach
041C4KQ	Bypass right common iliac artery to lower extremity artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D9T40Z	Drainage of lesser omentum with drainage device, percutaneous endoscopic approach
041C4KR	Bypass right common iliac artery to lower artery with nonautologous tissue substitute, percutaneous endoscopic approach	0D9T4ZX	Drainage of lesser omentum, percutaneous endoscopic approach, diagnostic
041C4Z0	Bypass right common iliac artery to abdominal aorta, percutaneous endoscopic approach	0D9T4ZZ	Drainage of lesser omentum, percutaneous endoscopic approach
041C4Z1	Bypass right common iliac artery to celiac artery, percutaneous endoscopic approach	0D9U40Z	Drainage of omentum with drainage device, percutaneous endoscopic approach
041C4Z2	Bypass right common iliac artery to mesenteric artery, percutaneous endoscopic approach	0D9U4ZX	Drainage of omentum, percutaneous endoscopic approach, diagnostic
041C4Z3	Bypass right common iliac artery to right renal artery, percutaneous endoscopic approach	0D9U4ZZ	Drainage of omentum, percutaneous endoscopic approach
041C4Z4	Bypass right common iliac artery to left renal artery, percutaneous endoscopic approach	0D9V40Z	Drainage of mesentery with drainage device, percutaneous endoscopic approach
041C4Z5	Bypass right common iliac artery to bilateral renal artery, percutaneous endoscopic approach	0D9V4ZX	Drainage of mesentery, percutaneous endoscopic approach, diagnostic
041C4Z6	Bypass right common iliac artery to right common iliac artery, percutaneous endoscopic approach	0D9V4ZZ	Drainage of mesentery, percutaneous endoscopic approach
041C4Z7	Bypass right common iliac artery to left common iliac artery, percutaneous endoscopic approach	0D9W40Z	Drainage of peritoneum with drainage device, percutaneous endoscopic approach
041C4Z8	Bypass right common iliac artery to bilateral common iliac arteries, percutaneous endoscopic approach	0D9W4ZX	Drainage of peritoneum, percutaneous endoscopic approach, diagnostic
041C4Z9	Bypass right common iliac artery to right internal iliac artery, percutaneous endoscopic approach	0D9W4ZZ	Drainage of peritoneum, percutaneous endoscopic approach
041C4ZB	Bypass right common iliac artery to left internal iliac artery, percutaneous endoscopic approach	0DB34ZX	Excision of lower esophagus, percutaneous endoscopic approach, diagnostic

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041C4ZC	Bypass right common iliac artery to bilateral internal iliac arteries, percutaneous endoscopic approach	0DB34ZZ	Excision of lower esophagus, percutaneous endoscopic approach
041C4ZD	Bypass right common iliac artery to right external iliac artery, percutaneous endoscopic approach	0DB44ZX	Excision of esophagogastric junction, percutaneous endoscopic approach, diagnostic
041C4ZF	Bypass right common iliac artery to left external iliac artery, percutaneous endoscopic approach	0DB44ZZ	Excision of esophagogastric junction, percutaneous endoscopic approach
041C4ZG	Bypass right common iliac artery to bilateral external iliac arteries, percutaneous endoscopic approach	0DB54ZX	Excision of esophagus, percutaneous endoscopic approach, diagnostic
041C4ZH	Bypass right common iliac artery to right femoral artery, percutaneous endoscopic approach	0DB54ZZ	Excision of esophagus, percutaneous endoscopic approach
041C4ZJ	Bypass right common iliac artery to left femoral artery, percutaneous endoscopic approach	0DB64Z3	Excision of stomach, percutaneous endoscopic approach, vertical
041C4ZK	Bypass right common iliac artery to bilateral femoral arteries, percutaneous endoscopic approach	0DB64ZX	Excision of stomach, percutaneous endoscopic approach, diagnostic
041C4ZQ	Bypass right common iliac artery to lower extremity artery, percutaneous endoscopic approach	0DB64ZZ	Excision of stomach, percutaneous endoscopic approach
041C4ZR	Bypass right common iliac artery to lower artery, percutaneous endoscopic approach	0DB74ZX	Excision of stomach, pylorus, percutaneous endoscopic approach, diagnostic
041D490	Bypass left common iliac artery to abdominal aorta with autologous venous tissue, percutaneous endoscopic approach	0DB74ZZ	Excision of stomach, pylorus, percutaneous endoscopic approach
041D491	Bypass left common iliac artery to celiac artery with autologous venous tissue, percutaneous endoscopic approach	0DB84ZX	Excision of small intestine, percutaneous endoscopic approach, diagnostic
041D492	Bypass left common iliac artery to mesenteric artery with autologous venous tissue, percutaneous endoscopic approach	0DB84ZZ	Excision of small intestine, percutaneous endoscopic approach
041D493	Bypass left common iliac artery to right renal artery with autologous venous tissue, percutaneous endoscopic approach	0DB94ZX	Excision of duodenum, percutaneous endoscopic approach, diagnostic

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041D494	Bypass left common iliac artery to left renal artery with autologous venous tissue, percutaneous endoscopic approach	0DB94ZZ	Excision of duodenum, percutaneous endoscopic approach
041D495	Bypass left common iliac artery to bilateral renal artery with autologous venous tissue, percutaneous endoscopic approach	0DBA4ZX	Excision of jejunum, percutaneous endoscopic approach, diagnostic
041D496	Bypass left common iliac artery to right common iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DBA4ZZ	Excision of jejunum, percutaneous endoscopic approach
041D497	Bypass left common iliac artery to left common iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DBB4ZX	Excision of ileum, percutaneous endoscopic approach, diagnostic
041D498	Bypass left common iliac artery to bilateral common iliac arteries with autologous venous tissue, percutaneous endoscopic approach	0DBB4ZZ	Excision of ileum, percutaneous endoscopic approach
041D499	Bypass left common iliac artery to right internal iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DBC4ZX	Excision of ileocecal valve, percutaneous endoscopic approach, diagnostic
041D49B	Bypass left common iliac artery to left internal iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DBC4ZZ	Excision of ileocecal valve, percutaneous endoscopic approach
041D49C	Bypass left common iliac artery to bilateral internal iliac arteries with autologous venous tissue, percutaneous endoscopic approach	0DBE4ZX	Excision of large intestine, percutaneous endoscopic approach, diagnostic
041D49D	Bypass left common iliac artery to right external iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DBE4ZZ	Excision of large intestine, percutaneous endoscopic approach
041D49F	Bypass left common iliac artery to left external iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DBF4ZX	Excision of right large intestine, percutaneous endoscopic approach, diagnostic
041D49G	Bypass left common iliac artery to bilateral external iliac arteries with autologous venous tissue, percutaneous endoscopic approach	0DBF4ZZ	Excision of right large intestine, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041D49H	Bypass left common iliac artery to right femoral artery with autologous venous tissue, percutaneous endoscopic approach	0DBG4ZX	Excision of left large intestine, percutaneous endoscopic approach, diagnostic
041D49J	Bypass left common iliac artery to left femoral artery with autologous venous tissue, percutaneous endoscopic approach	0DBG4ZZ	Excision of left large intestine, percutaneous endoscopic approach
041D49K	Bypass left common iliac artery to bilateral femoral arteries with autologous venous tissue, percutaneous endoscopic approach	0DBH4ZX	Excision of cecum, percutaneous endoscopic approach, diagnostic
041D49Q	Bypass left common iliac artery to lower extremity artery with autologous venous tissue, percutaneous endoscopic approach	0DBH4ZZ	Excision of cecum, percutaneous endoscopic approach
041D49R	Bypass left common iliac artery to lower artery with autologous venous tissue, percutaneous endoscopic approach	0DBJ4ZX	Excision of appendix, percutaneous endoscopic approach, diagnostic
041D4A0	Bypass left common iliac artery to abdominal aorta with autologous arterial tissue, percutaneous endoscopic approach	0DBJ4ZZ	Excision of appendix, percutaneous endoscopic approach
041D4A1	Bypass left common iliac artery to celiac artery with autologous arterial tissue, percutaneous endoscopic approach	0DBK4ZX	Excision of ascending colon, percutaneous endoscopic approach, diagnostic
041D4A2	Bypass left common iliac artery to mesenteric artery with autologous arterial tissue, percutaneous endoscopic approach	0DBK4ZZ	Excision of ascending colon, percutaneous endoscopic approach
041D4A3	Bypass left common iliac artery to right renal artery with autologous arterial tissue, percutaneous endoscopic approach	0DBL4ZX	Excision of transverse colon, percutaneous endoscopic approach, diagnostic
041D4A4	Bypass left common iliac artery to left renal artery with autologous arterial tissue, percutaneous endoscopic approach	0DBL4ZZ	Excision of transverse colon, percutaneous endoscopic approach
041D4A5	Bypass left common iliac artery to bilateral renal artery with autologous arterial tissue, percutaneous endoscopic approach	0DBM4ZX	Excision of descending colon, percutaneous endoscopic approach, diagnostic

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041D4A6	Bypass left common iliac artery to right common iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DBM4ZZ	Excision of descending colon, percutaneous endoscopic approach
041D4A7	Bypass left common iliac artery to left common iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DBN4ZX	Excision of sigmoid colon, percutaneous endoscopic approach, diagnostic
041D4A8	Bypass left common iliac artery to bilateral common iliac arteries with autologous arterial tissue, percutaneous endoscopic approach	0DBN4ZZ	Excision of sigmoid colon, percutaneous endoscopic approach
041D4A9	Bypass left common iliac artery to right internal iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DBP4ZX	Excision of rectum, percutaneous endoscopic approach, diagnostic
041D4AB	Bypass left common iliac artery to left internal iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DBP4ZZ	Excision of rectum, percutaneous endoscopic approach
041D4AC	Bypass left common iliac artery to bilateral internal iliac arteries with autologous arterial tissue, percutaneous endoscopic approach	0DBS4ZX	Excision of greater omentum, percutaneous endoscopic approach, diagnostic
041D4AD	Bypass left common iliac artery to right external iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DBS4ZZ	Excision of greater omentum, percutaneous endoscopic approach
041D4AF	Bypass left common iliac artery to left external iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DBT4ZX	Excision of lesser omentum, percutaneous endoscopic approach, diagnostic
041D4AG	Bypass left common iliac artery to bilateral external iliac arteries with autologous arterial tissue, percutaneous endoscopic approach	0DBT4ZZ	Excision of lesser omentum, percutaneous endoscopic approach
041D4AH	Bypass left common iliac artery to right femoral artery with autologous arterial tissue, percutaneous endoscopic approach	0DBU4ZX	Excision of omentum, percutaneous endoscopic approach, diagnostic
041D4AJ	Bypass left common iliac artery to left femoral artery with autologous arterial tissue, percutaneous endoscopic approach	0DBU4ZZ	Excision of omentum, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041D4AK	Bypass left common iliac artery to bilateral femoral arteries with autologous arterial tissue, percutaneous endoscopic approach	0DBV4ZX	Excision of mesentery, percutaneous endoscopic approach, diagnostic
041D4AQ	Bypass left common iliac artery to lower extremity artery with autologous arterial tissue, percutaneous endoscopic approach	0DBV4ZZ	Excision of mesentery, percutaneous endoscopic approach
041D4AR	Bypass left common iliac artery to lower artery with autologous arterial tissue, percutaneous endoscopic approach	0DBW4ZX	Excision of peritoneum, percutaneous endoscopic approach, diagnostic
041D4J0	Bypass left common iliac artery to abdominal aorta with synthetic substitute, percutaneous endoscopic approach	0DBW4ZZ	Excision of peritoneum, percutaneous endoscopic approach
041D4J1	Bypass left common iliac artery to celiac artery with synthetic substitute, percutaneous endoscopic approach	0DC44ZZ	Extirpation of matter from esophagogastric junction, percutaneous endoscopic approach
041D4J2	Bypass left common iliac artery to mesenteric artery with synthetic substitute, percutaneous endoscopic approach	0DC64ZZ	Extirpation of matter from stomach, percutaneous endoscopic approach
041D4J3	Bypass left common iliac artery to right renal artery with synthetic substitute, percutaneous endoscopic approach	0DC74ZZ	Extirpation of matter from stomach, pylorus, percutaneous endoscopic approach
041D4J4	Bypass left common iliac artery to left renal artery with synthetic substitute, percutaneous endoscopic approach	0DC84ZZ	Extirpation of matter from small intestine, percutaneous endoscopic approach
041D4J5	Bypass left common iliac artery to bilateral renal artery with synthetic substitute, percutaneous endoscopic approach	0DC94ZZ	Extirpation of matter from duodenum, percutaneous endoscopic approach
041D4J6	Bypass left common iliac artery to right common iliac artery with synthetic substitute, percutaneous endoscopic approach	0DCA4ZZ	Extirpation of matter from jejunum, percutaneous endoscopic approach
041D4J7	Bypass left common iliac artery to left common iliac artery with synthetic substitute, percutaneous endoscopic approach	0DCB4ZZ	Extirpation of matter from ileum, percutaneous endoscopic approach
041D4J8	Bypass left common iliac artery to bilateral common iliac arteries with synthetic substitute, percutaneous endoscopic approach	0DCC4ZZ	Extirpation of matter from ileocecal valve, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041D4J9	Bypass left common iliac artery to right internal iliac artery with synthetic substitute, percutaneous endoscopic approach	0DCE4ZZ	Extirpation of matter from large intestine, percutaneous endoscopic approach
041D4JB	Bypass left common iliac artery to left internal iliac artery with synthetic substitute, percutaneous endoscopic approach	0DCF4ZZ	Extirpation of matter from right large intestine, percutaneous endoscopic approach
041D4JC	Bypass left common iliac artery to bilateral internal iliac arteries with synthetic substitute, percutaneous endoscopic approach	0DCG4ZZ	Extirpation of matter from left large intestine, percutaneous endoscopic approach
041D4JD	Bypass left common iliac artery to right external iliac artery with synthetic substitute, percutaneous endoscopic approach	0DCH4ZZ	Extirpation of matter from cecum, percutaneous endoscopic approach
041D4JF	Bypass left common iliac artery to left external iliac artery with synthetic substitute, percutaneous endoscopic approach	0DCJ4ZZ	Extirpation of matter from appendix, percutaneous endoscopic approach
041D4JG	Bypass left common iliac artery to bilateral external iliac arteries with synthetic substitute, percutaneous endoscopic approach	0DCK4ZZ	Extirpation of matter from ascending colon, percutaneous endoscopic approach
041D4JH	Bypass left common iliac artery to right femoral artery with synthetic substitute, percutaneous endoscopic approach	0DCL4ZZ	Extirpation of matter from transverse colon, percutaneous endoscopic approach
041D4JJ	Bypass left common iliac artery to left femoral artery with synthetic substitute, percutaneous endoscopic approach	0DCM4ZZ	Extirpation of matter from descending colon, percutaneous endoscopic approach
041D4JK	Bypass left common iliac artery to bilateral femoral arteries with synthetic substitute, percutaneous endoscopic approach	0DCN4ZZ	Extirpation of matter from sigmoid colon, percutaneous endoscopic approach
041D4JQ	Bypass left common iliac artery to lower extremity artery with synthetic substitute, percutaneous endoscopic approach	0DCP4ZZ	Extirpation of matter from rectum, percutaneous endoscopic approach
041D4JR	Bypass left common iliac artery to lower artery with synthetic substitute, percutaneous endoscopic approach	0DCS4ZZ	Extirpation of matter from greater omentum, percutaneous endoscopic approach
041D4K0	Bypass left common iliac artery to abdominal aorta with nonautologous tissue substitute, percutaneous endoscopic approach	0DCT4ZZ	Extirpation of matter from lesser omentum, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041D4K1	Bypass left common iliac artery to celiac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DCU4ZZ	Extrirpation of matter from omentum, percutaneous endoscopic approach
041D4K2	Bypass left common iliac artery to mesenteric artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DCV4ZZ	Extrirpation of matter from mesentery, percutaneous endoscopic approach
041D4K3	Bypass left common iliac artery to right renal artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DCW4ZZ	Extrirpation of matter from peritoneum, percutaneous endoscopic approach
041D4K4	Bypass left common iliac artery to left renal artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DD34ZX	Extraction of lower esophagus, percutaneous endoscopic approach, diagnostic
041D4K5	Bypass left common iliac artery to bilateral renal artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DD44ZX	Extraction of esophagogastric junction, percutaneous endoscopic approach, diagnostic
041D4K6	Bypass left common iliac artery to right common iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DD54ZX	Extraction of esophagus, percutaneous endoscopic approach, diagnostic
041D4K7	Bypass left common iliac artery to left common iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DD64ZX	Extraction of stomach, percutaneous endoscopic approach, diagnostic
041D4K8	Bypass left common iliac artery to bilateral common iliac arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0DD74ZX	Extraction of stomach, pylorus, percutaneous endoscopic approach, diagnostic
041D4K9	Bypass left common iliac artery to right internal iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DD84ZX	Extraction of small intestine, percutaneous endoscopic approach, diagnostic
041D4KB	Bypass left common iliac artery to left internal iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DD94ZX	Extraction of duodenum, percutaneous endoscopic approach, diagnostic
041D4KC	Bypass left common iliac artery to bilateral internal iliac arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0DDA4ZX	Extraction of jejunum, percutaneous endoscopic approach, diagnostic

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041D4KD	Bypass left common iliac artery to right external iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DDB4ZX	Extraction of ileum, percutaneous endoscopic approach, diagnostic
041D4KF	Bypass left common iliac artery to left external iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DDC4ZX	Extraction of ileocecal valve, percutaneous endoscopic approach, diagnostic
041D4KG	Bypass left common iliac artery to bilateral external iliac arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0DDE4ZX	Extraction of large intestine, percutaneous endoscopic approach, diagnostic
041D4KH	Bypass left common iliac artery to right femoral artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DDF4ZX	Extraction of right large intestine, percutaneous endoscopic approach, diagnostic
041D4KJ	Bypass left common iliac artery to left femoral artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DDG4ZX	Extraction of left large intestine, percutaneous endoscopic approach, diagnostic
041D4KK	Bypass left common iliac artery to bilateral femoral arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0DDH4ZX	Extraction of cecum, percutaneous endoscopic approach, diagnostic
041D4KQ	Bypass left common iliac artery to lower extremity artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DDJ4ZX	Extraction of appendix, percutaneous endoscopic approach, diagnostic
041D4KR	Bypass left common iliac artery to lower artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DDK4ZX	Extraction of ascending colon, percutaneous endoscopic approach, diagnostic
041D4Z0	Bypass left common iliac artery to abdominal aorta, percutaneous endoscopic approach	0DDL4ZX	Extraction of transverse colon, percutaneous endoscopic approach, diagnostic
041D4Z1	Bypass left common iliac artery to celiac artery, percutaneous endoscopic approach	0DDM4ZX	Extraction of descending colon, percutaneous endoscopic approach, diagnostic
041D4Z2	Bypass left common iliac artery to mesenteric artery, percutaneous endoscopic approach	0DDN4ZX	Extraction of sigmoid colon, percutaneous endoscopic approach, diagnostic
041D4Z3	Bypass left common iliac artery to right renal artery, percutaneous endoscopic approach	0DDP4ZX	Extraction of rectum, percutaneous endoscopic approach, diagnostic

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041D4Z4	Bypass left common iliac artery to left renal artery, percutaneous endoscopic approach	0DF64ZZ	Fragmentation in stomach, percutaneous endoscopic approach
041D4Z5	Bypass left common iliac artery to bilateral renal artery, percutaneous endoscopic approach	0DF84ZZ	Fragmentation in small intestine, percutaneous endoscopic approach
041D4Z6	Bypass left common iliac artery to right common iliac artery, percutaneous endoscopic approach	0DF94ZZ	Fragmentation in duodenum, percutaneous endoscopic approach
041D4Z7	Bypass left common iliac artery to left common iliac artery, percutaneous endoscopic approach	0DFA4ZZ	Fragmentation in jejunum, percutaneous endoscopic approach
041D4Z8	Bypass left common iliac artery to bilateral common iliac arteries, percutaneous endoscopic approach	0DFB4ZZ	Fragmentation in ileum, percutaneous endoscopic approach
041D4Z9	Bypass left common iliac artery to right internal iliac artery, percutaneous endoscopic approach	0DFE4ZZ	Fragmentation in large intestine, percutaneous endoscopic approach
041D4ZB	Bypass left common iliac artery to left internal iliac artery, percutaneous endoscopic approach	0DFF4ZZ	Fragmentation in right large intestine, percutaneous endoscopic approach
041D4ZC	Bypass left common iliac artery to bilateral internal iliac arteries, percutaneous endoscopic approach	0DFG4ZZ	Fragmentation in left large intestine, percutaneous endoscopic approach
041D4ZD	Bypass left common iliac artery to right external iliac artery, percutaneous endoscopic approach	0DFH4ZZ	Fragmentation in cecum, percutaneous endoscopic approach
041D4ZF	Bypass left common iliac artery to left external iliac artery, percutaneous endoscopic approach	0DFJ4ZZ	Fragmentation in appendix, percutaneous endoscopic approach
041D4ZG	Bypass left common iliac artery to bilateral external iliac arteries, percutaneous endoscopic approach	0DFK4ZZ	Fragmentation in ascending colon, percutaneous endoscopic approach
041D4ZH	Bypass left common iliac artery to right femoral artery, percutaneous endoscopic approach	0DFL4ZZ	Fragmentation in transverse colon, percutaneous endoscopic approach
041D4ZJ	Bypass left common iliac artery to left femoral artery, percutaneous endoscopic approach	0DFM4ZZ	Fragmentation in descending colon, percutaneous endoscopic approach
041D4ZK	Bypass left common iliac artery to bilateral femoral arteries, percutaneous endoscopic approach	0DFN4ZZ	Fragmentation in sigmoid colon, percutaneous endoscopic approach
041D4ZQ	Bypass left common iliac artery to lower extremity artery, percutaneous endoscopic approach	0DFP4ZZ	Fragmentation in rectum, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041D4ZR	Bypass left common iliac artery to lower artery, percutaneous endoscopic approach	0DH04YZ	Insertion of other device into upper intestinal tract, percutaneous endoscopic approach
041E499	Bypass right internal iliac artery to right internal iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DH641Z	Insertion of radioactive element into stomach, percutaneous endoscopic approach
041E49B	Bypass right internal iliac artery to left internal iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DH642Z	Insertion of monitoring device into stomach, percutaneous endoscopic approach
041E49C	Bypass right internal iliac artery to bilateral internal iliac arteries with autologous venous tissue, percutaneous endoscopic approach	0DH643Z	Insertion of infusion device into stomach, percutaneous endoscopic approach
041E49D	Bypass right internal iliac artery to right external iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DH64DZ	Insertion of intraluminal device into stomach, percutaneous endoscopic approach
041E49F	Bypass right internal iliac artery to left external iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DH64MZ	Insertion of stimulator lead into stomach, percutaneous endoscopic approach
041E49G	Bypass right internal iliac artery to bilateral external iliac arteries with autologous venous tissue, percutaneous endoscopic approach	0DH64UZ	Insertion of feeding device into stomach, percutaneous endoscopic approach
041E49H	Bypass right internal iliac artery to right femoral artery with autologous venous tissue, percutaneous endoscopic approach	0DH64YZ	Insertion of other device into stomach, percutaneous endoscopic approach
041E49J	Bypass right internal iliac artery to left femoral artery with autologous venous tissue, percutaneous endoscopic approach	0DH841Z	Insertion of radioactive element into small intestine, percutaneous endoscopic approach
041E49K	Bypass right internal iliac artery to bilateral femoral arteries with autologous venous tissue, percutaneous endoscopic approach	0DH842Z	Insertion of monitoring device into small intestine, percutaneous endoscopic approach
041E49P	Bypass right internal iliac artery to foot artery with autologous venous tissue, percutaneous endoscopic approach	0DH843Z	Insertion of infusion device into small intestine, percutaneous endoscopic approach
041E49Q	Bypass right internal iliac artery to lower extremity artery with autologous venous tissue, percutaneous endoscopic approach	0DH84DZ	Insertion of intraluminal device into small intestine, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041E4A9	Bypass right internal iliac artery to right internal iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DH84UZ	Insertion of feeding device into small intestine, percutaneous endoscopic approach
041E4AB	Bypass right internal iliac artery to left internal iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DH941Z	Insertion of radioactive element into duodenum, percutaneous endoscopic approach
041E4AC	Bypass right internal iliac artery to bilateral internal iliac arteries with autologous arterial tissue, percutaneous endoscopic approach	0DH942Z	Insertion of monitoring device into duodenum, percutaneous endoscopic approach
041E4AD	Bypass right internal iliac artery to right external iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DH943Z	Insertion of infusion device into duodenum, percutaneous endoscopic approach
041E4AF	Bypass right internal iliac artery to left external iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DH94DZ	Insertion of intraluminal device into duodenum, percutaneous endoscopic approach
041E4AG	Bypass right internal iliac artery to bilateral external iliac arteries with autologous arterial tissue, percutaneous endoscopic approach	0DH94UZ	Insertion of feeding device into duodenum, percutaneous endoscopic approach
041E4AH	Bypass right internal iliac artery to right femoral artery with autologous arterial tissue, percutaneous endoscopic approach	0DHA41Z	Insertion of radioactive element into jejunum, percutaneous endoscopic approach
041E4AJ	Bypass right internal iliac artery to left femoral artery with autologous arterial tissue, percutaneous endoscopic approach	0DHA42Z	Insertion of monitoring device into jejunum, percutaneous endoscopic approach
041E4AK	Bypass right internal iliac artery to bilateral femoral arteries with autologous arterial tissue, percutaneous endoscopic approach	0DHA43Z	Insertion of infusion device into jejunum, percutaneous endoscopic approach
041E4AP	Bypass right internal iliac artery to foot artery with autologous arterial tissue, percutaneous endoscopic approach	0DHA4DZ	Insertion of intraluminal device into jejunum, percutaneous endoscopic approach
041E4AQ	Bypass right internal iliac artery to lower extremity artery with autologous arterial tissue, percutaneous endoscopic approach	0DHA4UZ	Insertion of feeding device into jejunum, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041E4J9	Bypass right internal iliac artery to right internal iliac artery with synthetic substitute, percutaneous endoscopic approach	0DHB41Z	Insertion of radioactive element into ileum, percutaneous endoscopic approach
041E4JB	Bypass right internal iliac artery to left internal iliac artery with synthetic substitute, percutaneous endoscopic approach	0DHB42Z	Insertion of monitoring device into ileum, percutaneous endoscopic approach
041E4JC	Bypass right internal iliac artery to bilateral internal iliac arteries with synthetic substitute, percutaneous endoscopic approach	0DHB43Z	Insertion of infusion device into ileum, percutaneous endoscopic approach
041E4JD	Bypass right internal iliac artery to right external iliac artery with synthetic substitute, percutaneous endoscopic approach	0DHB4DZ	Insertion of intraluminal device into ileum, percutaneous endoscopic approach
041E4JF	Bypass right internal iliac artery to left external iliac artery with synthetic substitute, percutaneous endoscopic approach	0DHB4UZ	Insertion of feeding device into ileum, percutaneous endoscopic approach
041E4JG	Bypass right internal iliac artery to bilateral external iliac arteries with synthetic substitute, percutaneous endoscopic approach	0DHD4YZ	Insertion of other device into lower intestinal tract, percutaneous endoscopic approach
041E4JH	Bypass right internal iliac artery to right femoral artery with synthetic substitute, percutaneous endoscopic approach	0DHE41Z	Insertion of radioactive element into large intestine, percutaneous endoscopic approach
041E4JJ	Bypass right internal iliac artery to left femoral artery with synthetic substitute, percutaneous endoscopic approach	0DHE4DZ	Insertion of intraluminal device into large intestine, percutaneous endoscopic approach
041E4JK	Bypass right internal iliac artery to bilateral femoral arteries with synthetic substitute, percutaneous endoscopic approach	0DHP41Z	Insertion of radioactive element into rectum, percutaneous endoscopic approach
041E4JP	Bypass right internal iliac artery to foot artery with synthetic substitute, percutaneous endoscopic approach	0DHP4DZ	Insertion of intraluminal device into rectum, percutaneous endoscopic approach
041E4JQ	Bypass right internal iliac artery to lower extremity artery with synthetic substitute, percutaneous endoscopic approach	0DJ04ZZ	Inspection of upper intestinal tract, percutaneous endoscopic approach
041E4K9	Bypass right internal iliac artery to right internal iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DJ64ZZ	Inspection of stomach, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041E4KB	Bypass right internal iliac artery to left internal iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DJD4ZZ	Inspection of lower intestinal tract, percutaneous endoscopic approach
041E4KC	Bypass right internal iliac artery to bilateral internal iliac arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0DJU4ZZ	Inspection of omentum, percutaneous endoscopic approach
041E4KD	Bypass right internal iliac artery to right external iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DJV4ZZ	Inspection of mesentery, percutaneous endoscopic approach
041E4KF	Bypass right internal iliac artery to left external iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DJW4ZZ	Inspection of peritoneum, percutaneous endoscopic approach
041E4KG	Bypass right internal iliac artery to bilateral external iliac arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0DL44CZ	Occlusion of esophagogastric junction with extraluminal device, percutaneous endoscopic approach
041E4KH	Bypass right internal iliac artery to right femoral artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DL44DZ	Occlusion of esophagogastric junction with intraluminal device, percutaneous endoscopic approach
041E4KJ	Bypass right internal iliac artery to left femoral artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DL44ZZ	Occlusion of esophagogastric junction, percutaneous endoscopic approach
041E4KK	Bypass right internal iliac artery to bilateral femoral arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0DL64CZ	Occlusion of stomach with extraluminal device, percutaneous endoscopic approach
041E4KP	Bypass right internal iliac artery to foot artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DL64DZ	Occlusion of stomach with intraluminal device, percutaneous endoscopic approach
041E4KQ	Bypass right internal iliac artery to lower extremity artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DL64ZZ	Occlusion of stomach, percutaneous endoscopic approach
041E4Z9	Bypass right internal iliac artery to right internal iliac artery, percutaneous endoscopic approach	0DL74CZ	Occlusion of stomach, pylorus with extraluminal device, percutaneous endoscopic approach
041E4ZB	Bypass right internal iliac artery to left internal iliac artery, percutaneous endoscopic approach	0DL74DZ	Occlusion of stomach, pylorus with intraluminal device, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041E4ZC	Bypass right internal iliac artery to bilateral internal iliac arteries, percutaneous endoscopic approach	0DL74ZZ	Occlusion of stomach, pylorus, percutaneous endoscopic approach
041E4ZD	Bypass right internal iliac artery to right external iliac artery, percutaneous endoscopic approach	0DL84CZ	Occlusion of small intestine with extraluminal device, percutaneous endoscopic approach
041E4ZF	Bypass right internal iliac artery to left external iliac artery, percutaneous endoscopic approach	0DL84DZ	Occlusion of small intestine with intraluminal device, percutaneous endoscopic approach
041E4ZG	Bypass right internal iliac artery to bilateral external iliac arteries, percutaneous endoscopic approach	0DL84ZZ	Occlusion of small intestine, percutaneous endoscopic approach
041E4ZH	Bypass right internal iliac artery to right femoral artery, percutaneous endoscopic approach	0DL94CZ	Occlusion of duodenum with extraluminal device, percutaneous endoscopic approach
041E4ZJ	Bypass right internal iliac artery to left femoral artery, percutaneous endoscopic approach	0DL94DZ	Occlusion of duodenum with intraluminal device, percutaneous endoscopic approach
041E4ZK	Bypass right internal iliac artery to bilateral femoral arteries, percutaneous endoscopic approach	0DL94ZZ	Occlusion of duodenum, percutaneous endoscopic approach
041E4ZP	Bypass right internal iliac artery to foot artery, percutaneous endoscopic approach	0DLA4CZ	Occlusion of jejunum with extraluminal device, percutaneous endoscopic approach
041E4ZQ	Bypass right internal iliac artery to lower extremity artery, percutaneous endoscopic approach	0DLA4DZ	Occlusion of jejunum with intraluminal device, percutaneous endoscopic approach
041F499	Bypass left internal iliac artery to right internal iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DLA4ZZ	Occlusion of jejunum, percutaneous endoscopic approach
041F49B	Bypass left internal iliac artery to left internal iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DLB4CZ	Occlusion of ileum with extraluminal device, percutaneous endoscopic approach
041F49C	Bypass left internal iliac artery to bilateral internal iliac arteries with autologous venous tissue, percutaneous endoscopic approach	0DLB4DZ	Occlusion of ileum with intraluminal device, percutaneous endoscopic approach
041F49D	Bypass left internal iliac artery to right external iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DLB4ZZ	Occlusion of ileum, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041F49F	Bypass left internal iliac artery to left external iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DLC4CZ	Occlusion of ileocecal valve with extraluminal device, percutaneous endoscopic approach
041F49G	Bypass left internal iliac artery to bilateral external iliac arteries with autologous venous tissue, percutaneous endoscopic approach	0DLC4DZ	Occlusion of ileocecal valve with intraluminal device, percutaneous endoscopic approach
041F49H	Bypass left internal iliac artery to right femoral artery with autologous venous tissue, percutaneous endoscopic approach	0DLC4ZZ	Occlusion of ileocecal valve, percutaneous endoscopic approach
041F49J	Bypass left internal iliac artery to left femoral artery with autologous venous tissue, percutaneous endoscopic approach	0DLE4CZ	Occlusion of large intestine with extraluminal device, percutaneous endoscopic approach
041F49K	Bypass left internal iliac artery to bilateral femoral arteries with autologous venous tissue, percutaneous endoscopic approach	0DLE4DZ	Occlusion of large intestine with intraluminal device, percutaneous endoscopic approach
041F49P	Bypass left internal iliac artery to foot artery with autologous venous tissue, percutaneous endoscopic approach	0DLE4ZZ	Occlusion of large intestine, percutaneous endoscopic approach
041F49Q	Bypass left internal iliac artery to lower extremity artery with autologous venous tissue, percutaneous endoscopic approach	0DLF4CZ	Occlusion of right large intestine with extraluminal device, percutaneous endoscopic approach
041F4A9	Bypass left internal iliac artery to right internal iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DLF4DZ	Occlusion of right large intestine with intraluminal device, percutaneous endoscopic approach
041F4AB	Bypass left internal iliac artery to left internal iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DLF4ZZ	Occlusion of right large intestine, percutaneous endoscopic approach
041F4AC	Bypass left internal iliac artery to bilateral internal iliac arteries with autologous arterial tissue, percutaneous endoscopic approach	0DLG4CZ	Occlusion of left large intestine with extraluminal device, percutaneous endoscopic approach
041F4AD	Bypass left internal iliac artery to right external iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DLG4DZ	Occlusion of left large intestine with intraluminal device, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041F4AF	Bypass left internal iliac artery to left external iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DLG4ZZ	Occlusion of left large intestine, percutaneous endoscopic approach
041F4AG	Bypass left internal iliac artery to bilateral external iliac arteries with autologous arterial tissue, percutaneous endoscopic approach	0DLH4CZ	Occlusion of cecum with extraluminal device, percutaneous endoscopic approach
041F4AH	Bypass left internal iliac artery to right femoral artery with autologous arterial tissue, percutaneous endoscopic approach	0DLH4DZ	Occlusion of cecum with intraluminal device, percutaneous endoscopic approach
041F4AJ	Bypass left internal iliac artery to left femoral artery with autologous arterial tissue, percutaneous endoscopic approach	0DLH4ZZ	Occlusion of cecum, percutaneous endoscopic approach
041F4AK	Bypass left internal iliac artery to bilateral femoral arteries with autologous arterial tissue, percutaneous endoscopic approach	0DLK4CZ	Occlusion of ascending colon with extraluminal device, percutaneous endoscopic approach
041F4AP	Bypass left internal iliac artery to foot artery with autologous arterial tissue, percutaneous endoscopic approach	0DLK4DZ	Occlusion of ascending colon with intraluminal device, percutaneous endoscopic approach
041F4AQ	Bypass left internal iliac artery to lower extremity artery with autologous arterial tissue, percutaneous endoscopic approach	0DLK4ZZ	Occlusion of ascending colon, percutaneous endoscopic approach
041F4J9	Bypass left internal iliac artery to right internal iliac artery with synthetic substitute, percutaneous endoscopic approach	0DLL4CZ	Occlusion of transverse colon with extraluminal device, percutaneous endoscopic approach
041F4JB	Bypass left internal iliac artery to left internal iliac artery with synthetic substitute, percutaneous endoscopic approach	0DLL4DZ	Occlusion of transverse colon with intraluminal device, percutaneous endoscopic approach
041F4JC	Bypass left internal iliac artery to bilateral internal iliac arteries with synthetic substitute, percutaneous endoscopic approach	0DLL4ZZ	Occlusion of transverse colon, percutaneous endoscopic approach
041F4JD	Bypass left internal iliac artery to right external iliac artery with synthetic substitute, percutaneous endoscopic approach	0DLM4CZ	Occlusion of descending colon with extraluminal device, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041F4JF	Bypass left internal iliac artery to left external iliac artery with synthetic substitute, percutaneous endoscopic approach	0DLM4DZ	Occlusion of descending colon with intraluminal device, percutaneous endoscopic approach
041F4JG	Bypass left internal iliac artery to bilateral external iliac arteries with synthetic substitute, percutaneous endoscopic approach	0DLM4ZZ	Occlusion of descending colon, percutaneous endoscopic approach
041F4JH	Bypass left internal iliac artery to right femoral artery with synthetic substitute, percutaneous endoscopic approach	0DLN4CZ	Occlusion of sigmoid colon with extraluminal device, percutaneous endoscopic approach
041F4JJ	Bypass left internal iliac artery to left femoral artery with synthetic substitute, percutaneous endoscopic approach	0DLN4DZ	Occlusion of sigmoid colon with intraluminal device, percutaneous endoscopic approach
041F4JK	Bypass left internal iliac artery to bilateral femoral arteries with synthetic substitute, percutaneous endoscopic approach	0DLN4ZZ	Occlusion of sigmoid colon, percutaneous endoscopic approach
041F4JP	Bypass left internal iliac artery to foot artery with synthetic substitute, percutaneous endoscopic approach	0DLP4CZ	Occlusion of rectum with extraluminal device, percutaneous endoscopic approach
041F4JQ	Bypass left internal iliac artery to lower extremity artery with synthetic substitute, percutaneous endoscopic approach	0DLP4DZ	Occlusion of rectum with intraluminal device, percutaneous endoscopic approach
041F4K9	Bypass left internal iliac artery to right internal iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DLP4ZZ	Occlusion of rectum, percutaneous endoscopic approach
041F4KB	Bypass left internal iliac artery to left internal iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DM64ZZ	Reattachment of stomach, percutaneous endoscopic approach
041F4KC	Bypass left internal iliac artery to bilateral internal iliac arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0DM84ZZ	Reattachment of small intestine, percutaneous endoscopic approach
041F4KD	Bypass left internal iliac artery to right external iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DM94ZZ	Reattachment of duodenum, percutaneous endoscopic approach
041F4KF	Bypass left internal iliac artery to left external iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DMA4ZZ	Reattachment of jejunum, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041F4KG	Bypass left internal iliac artery to bilateral external iliac arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0DMB4ZZ	Reattachment of ileum, percutaneous endoscopic approach
041F4KH	Bypass left internal iliac artery to right femoral artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DME4ZZ	Reattachment of large intestine, percutaneous endoscopic approach
041F4KJ	Bypass left internal iliac artery to left femoral artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DMF4ZZ	Reattachment of right large intestine, percutaneous endoscopic approach
041F4KK	Bypass left internal iliac artery to bilateral femoral arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0DMG4ZZ	Reattachment of left large intestine, percutaneous endoscopic approach
041F4KP	Bypass left internal iliac artery to foot artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DMH4ZZ	Reattachment of cecum, percutaneous endoscopic approach
041F4KQ	Bypass left internal iliac artery to lower extremity artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DMK4ZZ	Reattachment of ascending colon, percutaneous endoscopic approach
041F4Z9	Bypass left internal iliac artery to right internal iliac artery, percutaneous endoscopic approach	0DML4ZZ	Reattachment of transverse colon, percutaneous endoscopic approach
041F4ZB	Bypass left internal iliac artery to left internal iliac artery, percutaneous endoscopic approach	0DMM4ZZ	Reattachment of descending colon, percutaneous endoscopic approach
041F4ZC	Bypass left internal iliac artery to bilateral internal iliac arteries, percutaneous endoscopic approach	0DMN4ZZ	Reattachment of sigmoid colon, percutaneous endoscopic approach
041F4ZD	Bypass left internal iliac artery to right external iliac artery, percutaneous endoscopic approach	0DMP4ZZ	Reattachment of rectum, percutaneous endoscopic approach
041F4ZF	Bypass left internal iliac artery to left external iliac artery, percutaneous endoscopic approach	0DN44ZZ	Release esophagogastric junction, percutaneous endoscopic approach
041F4ZG	Bypass left internal iliac artery to bilateral external iliac arteries, percutaneous endoscopic approach	0DN64ZZ	Release stomach, percutaneous endoscopic approach
041F4ZH	Bypass left internal iliac artery to right femoral artery, percutaneous endoscopic approach	0DN74ZZ	Release stomach, pylorus, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041F4ZJ	Bypass left internal iliac artery to left femoral artery, percutaneous endoscopic approach	0DN84ZZ	Release small intestine, percutaneous endoscopic approach
041F4ZK	Bypass left internal iliac artery to bilateral femoral arteries, percutaneous endoscopic approach	0DN94ZZ	Release duodenum, percutaneous endoscopic approach
041F4ZP	Bypass left internal iliac artery to foot artery, percutaneous endoscopic approach	0DNA4ZZ	Release jejunum, percutaneous endoscopic approach
041F4ZQ	Bypass left internal iliac artery to lower extremity artery, percutaneous endoscopic approach	0DNB4ZZ	Release ileum, percutaneous endoscopic approach
041H499	Bypass right external iliac artery to right internal iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DNC4ZZ	Release ileocecal valve, percutaneous endoscopic approach
041H49B	Bypass right external iliac artery to left internal iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DNE4ZZ	Release large intestine, percutaneous endoscopic approach
041H49C	Bypass right external iliac artery to bilateral internal iliac arteries with autologous venous tissue, percutaneous endoscopic approach	0DNF4ZZ	Release right large intestine, percutaneous endoscopic approach
041H49D	Bypass right external iliac artery to right external iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DNG4ZZ	Release left large intestine, percutaneous endoscopic approach
041H49F	Bypass right external iliac artery to left external iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DNH4ZZ	Release cecum, percutaneous endoscopic approach
041H49G	Bypass right external iliac artery to bilateral external iliac arteries with autologous venous tissue, percutaneous endoscopic approach	0DNJ4ZZ	Release appendix, percutaneous endoscopic approach
041H49H	Bypass right external iliac artery to right femoral artery with autologous venous tissue, percutaneous endoscopic approach	0DNK4ZZ	Release ascending colon, percutaneous endoscopic approach
041H49J	Bypass right external iliac artery to left femoral artery with autologous venous tissue, percutaneous endoscopic approach	0DNL4ZZ	Release transverse colon, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041H49K	Bypass right external iliac artery to bilateral femoral arteries with autologous venous tissue, percutaneous endoscopic approach	0DNM4ZZ	Release descending colon, percutaneous endoscopic approach
041H49P	Bypass right external iliac artery to foot artery with autologous venous tissue, percutaneous endoscopic approach	0DNN4ZZ	Release sigmoid colon, percutaneous endoscopic approach
041H49Q	Bypass right external iliac artery to lower extremity artery with autologous venous tissue, percutaneous endoscopic approach	0DNP4ZZ	Release rectum, percutaneous endoscopic approach
041H4A9	Bypass right external iliac artery to right internal iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DNS4ZZ	Release greater omentum, percutaneous endoscopic approach
041H4AB	Bypass right external iliac artery to left internal iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DNT4ZZ	Release lesser omentum, percutaneous endoscopic approach
041H4AC	Bypass right external iliac artery to bilateral internal iliac arteries with autologous arterial tissue, percutaneous endoscopic approach	0DNU4ZZ	Release omentum, percutaneous endoscopic approach
041H4AD	Bypass right external iliac artery to right external iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DNV4ZZ	Release mesentery, percutaneous endoscopic approach
041H4AF	Bypass right external iliac artery to left external iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DNW4ZZ	Release peritoneum, percutaneous endoscopic approach
041H4AG	Bypass right external iliac artery to bilateral external iliac arteries with autologous arterial tissue, percutaneous endoscopic approach	0DP040Z	Removal of drainage device from upper intestinal tract, percutaneous endoscopic approach
041H4AH	Bypass right external iliac artery to right femoral artery with autologous arterial tissue, percutaneous endoscopic approach	0DP042Z	Removal of monitoring device from upper intestinal tract, percutaneous endoscopic approach
041H4AJ	Bypass right external iliac artery to left femoral artery with autologous arterial tissue, percutaneous endoscopic approach	0DP043Z	Removal of infusion device from upper intestinal tract, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041H4AK	Bypass right external iliac artery to bilateral femoral arteries with autologous arterial tissue, percutaneous endoscopic approach	0DP047Z	Removal of autologous tissue substitute from upper intestinal tract, percutaneous endoscopic approach
041H4AP	Bypass right external iliac artery to foot artery with autologous arterial tissue, percutaneous endoscopic approach	0DP04CZ	Removal of extraluminal device from upper intestinal tract, percutaneous endoscopic approach
041H4AQ	Bypass right external iliac artery to lower extremity artery with autologous arterial tissue, percutaneous endoscopic approach	0DP04DZ	Removal of intraluminal device from upper intestinal tract, percutaneous endoscopic approach
041H4J9	Bypass right external iliac artery to right internal iliac artery with synthetic substitute, percutaneous endoscopic approach	0DP04JZ	Removal of synthetic substitute from upper intestinal tract, percutaneous endoscopic approach
041H4JB	Bypass right external iliac artery to left internal iliac artery with synthetic substitute, percutaneous endoscopic approach	0DP04KZ	Removal of nonautologous tissue substitute from upper intestinal tract, percutaneous endoscopic approach
041H4JC	Bypass right external iliac artery to bilateral internal iliac arteries with synthetic substitute, percutaneous endoscopic approach	0DP04UZ	Removal of feeding device from upper intestinal tract, percutaneous endoscopic approach
041H4JD	Bypass right external iliac artery to right external iliac artery with synthetic substitute, percutaneous endoscopic approach	0DP04YZ	Removal of other device from upper intestinal tract, percutaneous endoscopic approach
041H4JF	Bypass right external iliac artery to left external iliac artery with synthetic substitute, percutaneous endoscopic approach	0DP640Z	Removal of drainage device from stomach, percutaneous endoscopic approach
041H4JG	Bypass right external iliac artery to bilateral external iliac arteries with synthetic substitute, percutaneous endoscopic approach	0DP642Z	Removal of monitoring device from stomach, percutaneous endoscopic approach
041H4JH	Bypass right external iliac artery to right femoral artery with synthetic substitute, percutaneous endoscopic approach	0DP643Z	Removal of infusion device from stomach, percutaneous endoscopic approach
041H4JJ	Bypass right external iliac artery to left femoral artery with synthetic substitute, percutaneous endoscopic approach	0DP647Z	Removal of autologous tissue substitute from stomach, percutaneous endoscopic approach
041H4JK	Bypass right external iliac artery to bilateral femoral arteries with synthetic substitute, percutaneous endoscopic approach	0DP64CZ	Removal of extraluminal device from stomach, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041H4JP	Bypass right external iliac artery to foot artery with synthetic substitute, percutaneous endoscopic approach	0DP64DZ	Removal of intraluminal device from stomach, percutaneous endoscopic approach
041H4JQ	Bypass right external iliac artery to lower extremity artery with synthetic substitute, percutaneous endoscopic approach	0DP64JZ	Removal of synthetic substitute from stomach, percutaneous endoscopic approach
041H4K9	Bypass right external iliac artery to right internal iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DP64KZ	Removal of nonautologous tissue substitute from stomach, percutaneous endoscopic approach
041H4KB	Bypass right external iliac artery to left internal iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DP64MZ	Removal of stimulator lead from stomach, percutaneous endoscopic approach
041H4KC	Bypass right external iliac artery to bilateral internal iliac arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0DP64UZ	Removal of feeding device from stomach, percutaneous endoscopic approach
041H4KD	Bypass right external iliac artery to right external iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DP64YZ	Removal of other device from stomach, percutaneous endoscopic approach
041H4KF	Bypass right external iliac artery to left external iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DPD40Z	Removal of drainage device from lower intestinal tract, percutaneous endoscopic approach
041H4KG	Bypass right external iliac artery to bilateral external iliac arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0DPD42Z	Removal of monitoring device from lower intestinal tract, percutaneous endoscopic approach
041H4KH	Bypass right external iliac artery to right femoral artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DPD43Z	Removal of infusion device from lower intestinal tract, percutaneous endoscopic approach
041H4KJ	Bypass right external iliac artery to left femoral artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DPD47Z	Removal of autologous tissue substitute from lower intestinal tract, percutaneous endoscopic approach
041H4KK	Bypass right external iliac artery to bilateral femoral arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0DPD4CZ	Removal of extraluminal device from lower intestinal tract, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041H4KP	Bypass right external iliac artery to foot artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DPD4DZ	Removal of intraluminal device from lower intestinal tract, percutaneous endoscopic approach
041H4KQ	Bypass right external iliac artery to lower extremity artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DPD4JZ	Removal of synthetic substitute from lower intestinal tract, percutaneous endoscopic approach
041H4Z9	Bypass right external iliac artery to right internal iliac artery, percutaneous endoscopic approach	0DPD4KZ	Removal of nonautologous tissue substitute from lower intestinal tract, percutaneous endoscopic approach
041H4ZB	Bypass right external iliac artery to left internal iliac artery, percutaneous endoscopic approach	0DPD4UZ	Removal of feeding device from lower intestinal tract, percutaneous endoscopic approach
041H4ZC	Bypass right external iliac artery to bilateral internal iliac arteries, percutaneous endoscopic approach	0DPD4YZ	Removal of other device from lower intestinal tract, percutaneous endoscopic approach
041H4ZD	Bypass right external iliac artery to right external iliac artery, percutaneous endoscopic approach	0DPP41Z	Removal of radioactive element from rectum, percutaneous endoscopic approach
041H4ZF	Bypass right external iliac artery to left external iliac artery, percutaneous endoscopic approach	0DPU40Z	Removal of drainage device from omentum, percutaneous endoscopic approach
041H4ZG	Bypass right external iliac artery to bilateral external iliac arteries, percutaneous endoscopic approach	0DPU41Z	Removal of radioactive element from omentum, percutaneous endoscopic approach
041H4ZH	Bypass right external iliac artery to right femoral artery, percutaneous endoscopic approach	0DPU47Z	Removal of autologous tissue substitute from omentum, percutaneous endoscopic approach
041H4ZJ	Bypass right external iliac artery to left femoral artery, percutaneous endoscopic approach	0DPU4JZ	Removal of synthetic substitute from omentum, percutaneous endoscopic approach
041H4ZK	Bypass right external iliac artery to bilateral femoral arteries, percutaneous endoscopic approach	0DPU4KZ	Removal of nonautologous tissue substitute from omentum, percutaneous endoscopic approach
041H4ZP	Bypass right external iliac artery to foot artery, percutaneous endoscopic approach	0DPV40Z	Removal of drainage device from mesentery, percutaneous endoscopic approach
041H4ZQ	Bypass right external iliac artery to lower extremity artery, percutaneous endoscopic approach	0DPV41Z	Removal of radioactive element from mesentery, percutaneous endoscopic approach
041J499	Bypass left external iliac artery to right internal iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DPV47Z	Removal of autologous tissue substitute from mesentery, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041J49B	Bypass left external iliac artery to left internal iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DPV4JZ	Removal of synthetic substitute from mesentery, percutaneous endoscopic approach
041J49C	Bypass left external iliac artery to bilateral internal iliac arteries with autologous venous tissue, percutaneous endoscopic approach	0DPV4KZ	Removal of nonautologous tissue substitute from mesentery, percutaneous endoscopic approach
041J49D	Bypass left external iliac artery to right external iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DPW40Z	Removal of drainage device from peritoneum, percutaneous endoscopic approach
041J49F	Bypass left external iliac artery to left external iliac artery with autologous venous tissue, percutaneous endoscopic approach	0DPW41Z	Removal of radioactive element from peritoneum, percutaneous endoscopic approach
041J49G	Bypass left external iliac artery to bilateral external iliac arteries with autologous venous tissue, percutaneous endoscopic approach	0DPW47Z	Removal of autologous tissue substitute from peritoneum, percutaneous endoscopic approach
041J49H	Bypass left external iliac artery to right femoral artery with autologous venous tissue, percutaneous endoscopic approach	0DPW4JZ	Removal of synthetic substitute from peritoneum, percutaneous endoscopic approach
041J49J	Bypass left external iliac artery to left femoral artery with autologous venous tissue, percutaneous endoscopic approach	0DPW4KZ	Removal of nonautologous tissue substitute from peritoneum, percutaneous endoscopic approach
041J49K	Bypass left external iliac artery to bilateral femoral arteries with autologous venous tissue, percutaneous endoscopic approach	0DQ44ZZ	Repair esophagogastric junction, percutaneous endoscopic approach
041J49P	Bypass left external iliac artery to foot artery with autologous venous tissue, percutaneous endoscopic approach	0DQ64ZZ	Repair stomach, percutaneous endoscopic approach
041J49Q	Bypass left external iliac artery to lower extremity artery with autologous venous tissue, percutaneous endoscopic approach	0DQ74ZZ	Repair stomach, pylorus, percutaneous endoscopic approach
041J4A9	Bypass left external iliac artery to right internal iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DQ84ZZ	Repair small intestine, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041J4AB	Bypass left external iliac artery to left internal iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DQ94ZZ	Repair duodenum, percutaneous endoscopic approach
041J4AC	Bypass left external iliac artery to bilateral internal iliac arteries with autologous arterial tissue, percutaneous endoscopic approach	0DQA4ZZ	Repair jejunum, percutaneous endoscopic approach
041J4AD	Bypass left external iliac artery to right external iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DQB4ZZ	Repair ileum, percutaneous endoscopic approach
041J4AF	Bypass left external iliac artery to left external iliac artery with autologous arterial tissue, percutaneous endoscopic approach	0DQC4ZZ	Repair ileocecal valve, percutaneous endoscopic approach
041J4AG	Bypass left external iliac artery to bilateral external iliac arteries with autologous arterial tissue, percutaneous endoscopic approach	0DQE4ZZ	Repair large intestine, percutaneous endoscopic approach
041J4AH	Bypass left external iliac artery to right femoral artery with autologous arterial tissue, percutaneous endoscopic approach	0DQF4ZZ	Repair right large intestine, percutaneous endoscopic approach
041J4AJ	Bypass left external iliac artery to left femoral artery with autologous arterial tissue, percutaneous endoscopic approach	0DQG4ZZ	Repair left large intestine, percutaneous endoscopic approach
041J4AK	Bypass left external iliac artery to bilateral femoral arteries with autologous arterial tissue, percutaneous endoscopic approach	0DQH4ZZ	Repair cecum, percutaneous endoscopic approach
041J4AP	Bypass left external iliac artery to foot artery with autologous arterial tissue, percutaneous endoscopic approach	0DQJ4ZZ	Repair appendix, percutaneous endoscopic approach
041J4AQ	Bypass left external iliac artery to lower extremity artery with autologous arterial tissue, percutaneous endoscopic approach	0DQK4ZZ	Repair ascending colon, percutaneous endoscopic approach
041J4J9	Bypass left external iliac artery to right internal iliac artery with synthetic substitute, percutaneous endoscopic approach	0DQL4ZZ	Repair transverse colon, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041J4JB	Bypass left external iliac artery to left internal iliac artery with synthetic substitute, percutaneous endoscopic approach	0DQM4ZZ	Repair descending colon, percutaneous endoscopic approach
041J4JC	Bypass left external iliac artery to bilateral internal iliac arteries with synthetic substitute, percutaneous endoscopic approach	0DQN4ZZ	Repair sigmoid colon, percutaneous endoscopic approach
041J4JD	Bypass left external iliac artery to right external iliac artery with synthetic substitute, percutaneous endoscopic approach	0DQP4ZZ	Repair rectum, percutaneous endoscopic approach
041J4JF	Bypass left external iliac artery to left external iliac artery with synthetic substitute, percutaneous endoscopic approach	0DQS4ZZ	Repair greater omentum, percutaneous endoscopic approach
041J4JG	Bypass left external iliac artery to bilateral external iliac arteries with synthetic substitute, percutaneous endoscopic approach	0DQT4ZZ	Repair lesser omentum, percutaneous endoscopic approach
041J4JH	Bypass left external iliac artery to right femoral artery with synthetic substitute, percutaneous endoscopic approach	0DQU4ZZ	Repair omentum, percutaneous endoscopic approach
041J4JJ	Bypass left external iliac artery to left femoral artery with synthetic substitute, percutaneous endoscopic approach	0DQV4ZZ	Repair mesentery, percutaneous endoscopic approach
041J4JK	Bypass left external iliac artery to bilateral femoral arteries with synthetic substitute, percutaneous endoscopic approach	0DQW4ZZ	Repair peritoneum, percutaneous endoscopic approach
041J4JP	Bypass left external iliac artery to foot artery with synthetic substitute, percutaneous endoscopic approach	0DRS47Z	Replacement of greater omentum with autologous tissue substitute, percutaneous endoscopic approach
041J4JQ	Bypass left external iliac artery to lower extremity artery with synthetic substitute, percutaneous endoscopic approach	0DRS4JZ	Replacement of greater omentum with synthetic substitute, percutaneous endoscopic approach
041J4K9	Bypass left external iliac artery to right internal iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DRS4KZ	Replacement of greater omentum with nonautologous tissue substitute, percutaneous endoscopic approach
041J4KB	Bypass left external iliac artery to left internal iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DRT47Z	Replacement of lesser omentum with autologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041J4KC	Bypass left external iliac artery to bilateral internal iliac arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0DRT4JZ	Replacement of lesser omentum with synthetic substitute, percutaneous endoscopic approach
041J4KD	Bypass left external iliac artery to right external iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DRT4KZ	Replacement of lesser omentum with nonautologous tissue substitute, percutaneous endoscopic approach
041J4KF	Bypass left external iliac artery to left external iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DRU47Z	Replacement of omentum with autologous tissue substitute, percutaneous endoscopic approach
041J4KG	Bypass left external iliac artery to bilateral external iliac arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0DRU4JZ	Replacement of omentum with synthetic substitute, percutaneous endoscopic approach
041J4KH	Bypass left external iliac artery to right femoral artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DRU4KZ	Replacement of omentum with nonautologous tissue substitute, percutaneous endoscopic approach
041J4KJ	Bypass left external iliac artery to left femoral artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DRV47Z	Replacement of mesentery with autologous tissue substitute, percutaneous endoscopic approach
041J4KK	Bypass left external iliac artery to bilateral femoral arteries with nonautologous tissue substitute, percutaneous endoscopic approach	0DRV4JZ	Replacement of mesentery with synthetic substitute, percutaneous endoscopic approach
041J4KP	Bypass left external iliac artery to foot artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DRV4KZ	Replacement of mesentery with nonautologous tissue substitute, percutaneous endoscopic approach
041J4KQ	Bypass left external iliac artery to lower extremity artery with nonautologous tissue substitute, percutaneous endoscopic approach	0DRW47Z	Replacement of peritoneum with autologous tissue substitute, percutaneous endoscopic approach
041J4Z9	Bypass left external iliac artery to right internal iliac artery, percutaneous endoscopic approach	0DRW4JZ	Replacement of peritoneum with synthetic substitute, percutaneous endoscopic approach
041J4ZB	Bypass left external iliac artery to left internal iliac artery, percutaneous endoscopic approach	0DRW4KZ	Replacement of peritoneum with nonautologous tissue substitute, percutaneous endoscopic approach
041J4ZC	Bypass left external iliac artery to bilateral internal iliac arteries, percutaneous endoscopic approach	0DS64ZZ	Reposition stomach, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

041J4ZD	Bypass left external iliac artery to right external iliac artery, percutaneous endoscopic approach	0DS84ZZ	Reposition small intestine, percutaneous endoscopic approach
041J4ZF	Bypass left external iliac artery to left external iliac artery, percutaneous endoscopic approach	0DS94ZZ	Reposition duodenum, percutaneous endoscopic approach
041J4ZG	Bypass left external iliac artery to bilateral external iliac arteries, percutaneous endoscopic approach	0DSA4ZZ	Reposition jejunum, percutaneous endoscopic approach
041J4ZH	Bypass left external iliac artery to right femoral artery, percutaneous endoscopic approach	0DSB4ZZ	Reposition ileum, percutaneous endoscopic approach
041J4ZJ	Bypass left external iliac artery to left femoral artery, percutaneous endoscopic approach	0DSE4ZZ	Reposition large intestine, percutaneous endoscopic approach
041J4ZK	Bypass left external iliac artery to bilateral femoral arteries, percutaneous endoscopic approach	0DSH4ZZ	Reposition cecum, percutaneous endoscopic approach
041J4ZP	Bypass left external iliac artery to foot artery, percutaneous endoscopic approach	0DSK4ZZ	Reposition ascending colon, percutaneous endoscopic approach
041J4ZQ	Bypass left external iliac artery to lower extremity artery, percutaneous endoscopic approach	0DSL4ZZ	Reposition transverse colon, percutaneous endoscopic approach
04504ZZ	Destruction of abdominal aorta, percutaneous endoscopic approach	0DSM4ZZ	Reposition descending colon, percutaneous endoscopic approach
04514ZZ	Destruction of celiac artery, percutaneous endoscopic approach	0DSN4ZZ	Reposition sigmoid colon, percutaneous endoscopic approach
04524ZZ	Destruction of gastric artery, percutaneous endoscopic approach	0DSP4ZZ	Reposition rectum, percutaneous endoscopic approach
04534ZZ	Destruction of hepatic artery, percutaneous endoscopic approach	0DT34ZZ	Resection of lower esophagus, percutaneous endoscopic approach
04544ZZ	Destruction of splenic artery, percutaneous endoscopic approach	0DT44ZZ	Resection of esophagogastric junction, percutaneous endoscopic approach
04554ZZ	Destruction of superior mesenteric artery, percutaneous endoscopic approach	0DT54ZZ	Resection of esophagus, percutaneous endoscopic approach
04564ZZ	Destruction of right colic artery, percutaneous endoscopic approach	0DT64ZZ	Resection of stomach, percutaneous endoscopic approach
04574ZZ	Destruction of left colic artery, percutaneous endoscopic approach	0DT74ZZ	Resection of stomach, pylorus, percutaneous endoscopic approach
04584ZZ	Destruction of middle colic artery, percutaneous endoscopic approach	0DT84ZZ	Resection of small intestine, percutaneous endoscopic approach
04594ZZ	Destruction of right renal artery, percutaneous endoscopic approach	0DT94ZZ	Resection of duodenum, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

045A4ZZ	Destruction of left renal artery, percutaneous endoscopic approach	0DTA4ZZ	Resection of jejunum, percutaneous endoscopic approach
045B4ZZ	Destruction of inferior mesenteric artery, percutaneous endoscopic approach	0DTB4ZZ	Resection of ileum, percutaneous endoscopic approach
045C4ZZ	Destruction of right common iliac artery, percutaneous endoscopic approach	0DTC4ZZ	Resection of ileocecal valve, percutaneous endoscopic approach
045D4ZZ	Destruction of left common iliac artery, percutaneous endoscopic approach	0DTE4ZZ	Resection of large intestine, percutaneous endoscopic approach
045E4ZZ	Destruction of right internal iliac artery, percutaneous endoscopic approach	0DTF4ZZ	Resection of right large intestine, percutaneous endoscopic approach
045F4ZZ	Destruction of left internal iliac artery, percutaneous endoscopic approach	0DTG4ZZ	Resection of left large intestine, percutaneous endoscopic approach
045H4ZZ	Destruction of right external iliac artery, percutaneous endoscopic approach	0DTH4ZZ	Resection of cecum, percutaneous endoscopic approach
045J4ZZ	Destruction of left external iliac artery, percutaneous endoscopic approach	0DTJ4ZZ	Resection of appendix, percutaneous endoscopic approach
0470441	Dilation of abdominal aorta with drug-eluting intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0DTK4ZZ	Resection of ascending colon, percutaneous endoscopic approach
0470446	Dilation of abdominal aorta, bifurcation, with drug-eluting intraluminal device, percutaneous endoscopic approach	0DTL4ZZ	Resection of transverse colon, percutaneous endoscopic approach
047044Z	Dilation of abdominal aorta with drug-eluting intraluminal device, percutaneous endoscopic approach	0DTM4ZZ	Resection of descending colon, percutaneous endoscopic approach
0470456	Dilation of abdominal aorta, bifurcation, with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0DTN4ZZ	Resection of sigmoid colon, percutaneous endoscopic approach
047045Z	Dilation of abdominal aorta with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0DTP4ZZ	Resection of rectum, percutaneous endoscopic approach
0470466	Dilation of abdominal aorta, bifurcation, with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0DTS4ZZ	Resection of greater omentum, percutaneous endoscopic approach
047046Z	Dilation of abdominal aorta with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0DTT4ZZ	Resection of lesser omentum, percutaneous endoscopic approach
0470476	Dilation of abdominal aorta, bifurcation, with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0DTU4ZZ	Resection of omentum, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

047047Z	Dilation of abdominal aorta with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0DU447Z	Supplement esophagogastric junction with autologous tissue substitute, percutaneous endoscopic approach
04704D1	Dilation of abdominal aorta with intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0DU44JZ	Supplement esophagogastric junction with synthetic substitute, percutaneous endoscopic approach
04704D6	Dilation of abdominal aorta, bifurcation, with intraluminal device, percutaneous endoscopic approach	0DU44KZ	Supplement esophagogastric junction with nonautologous tissue substitute, percutaneous endoscopic approach
04704DZ	Dilation of abdominal aorta with intraluminal device, percutaneous endoscopic approach	0DU647Z	Supplement stomach with autologous tissue substitute, percutaneous endoscopic approach
04704E6	Dilation of abdominal aorta, bifurcation, with two intraluminal devices, percutaneous endoscopic approach	0DU64JZ	Supplement stomach with synthetic substitute, percutaneous endoscopic approach
04704EZ	Dilation of abdominal aorta with two intraluminal devices, percutaneous endoscopic approach	0DU64KZ	Supplement stomach with nonautologous tissue substitute, percutaneous endoscopic approach
04704F6	Dilation of abdominal aorta, bifurcation, with three intraluminal devices, percutaneous endoscopic approach	0DU747Z	Supplement stomach, pylorus with autologous tissue substitute, percutaneous endoscopic approach
04704FZ	Dilation of abdominal aorta with three intraluminal devices, percutaneous endoscopic approach	0DU74JZ	Supplement stomach, pylorus with synthetic substitute, percutaneous endoscopic approach
04704G6	Dilation of abdominal aorta, bifurcation, with four or more intraluminal devices, percutaneous endoscopic approach	0DU74KZ	Supplement stomach, pylorus with nonautologous tissue substitute, percutaneous endoscopic approach
04704GZ	Dilation of abdominal aorta with four or more intraluminal devices, percutaneous endoscopic approach	0DU847Z	Supplement small intestine with autologous tissue substitute, percutaneous endoscopic approach
04704Z1	Dilation of abdominal aorta using drug-coated balloon, percutaneous endoscopic approach	0DU84JZ	Supplement small intestine with synthetic substitute, percutaneous endoscopic approach
04704Z6	Dilation of abdominal aorta, bifurcation, percutaneous endoscopic approach	0DU84KZ	Supplement small intestine with nonautologous tissue substitute, percutaneous endoscopic approach
04704ZZ	Dilation of abdominal aorta, percutaneous endoscopic approach	0DU947Z	Supplement duodenum with autologous tissue substitute, percutaneous endoscopic approach
0471441	Dilation of celiac artery with drug-eluting intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0DU94JZ	Supplement duodenum with synthetic substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0471446	Dilation of celiac artery, bifurcation, with drug-eluting intraluminal device, percutaneous endoscopic approach	0DU94KZ	Supplement duodenum with nonautologous tissue substitute, percutaneous endoscopic approach
047144Z	Dilation of celiac artery with drug-eluting intraluminal device, percutaneous endoscopic approach	0DUA47Z	Supplement jejunum with autologous tissue substitute, percutaneous endoscopic approach
0471456	Dilation of celiac artery, bifurcation, with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0DUA4JZ	Supplement jejunum with synthetic substitute, percutaneous endoscopic approach
047145Z	Dilation of celiac artery with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0DUA4KZ	Supplement jejunum with nonautologous tissue substitute, percutaneous endoscopic approach
0471466	Dilation of celiac artery, bifurcation, with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0DUB47Z	Supplement ileum with autologous tissue substitute, percutaneous endoscopic approach
047146Z	Dilation of celiac artery with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0DUB4JZ	Supplement ileum with synthetic substitute, percutaneous endoscopic approach
0471476	Dilation of celiac artery, bifurcation, with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0DUB4KZ	Supplement ileum with nonautologous tissue substitute, percutaneous endoscopic approach
047147Z	Dilation of celiac artery with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0DUC47Z	Supplement ileocecal valve with autologous tissue substitute, percutaneous endoscopic approach
04714D1	Dilation of celiac artery with intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0DUC4JZ	Supplement ileocecal valve with synthetic substitute, percutaneous endoscopic approach
04714D6	Dilation of celiac artery, bifurcation, with intraluminal device, percutaneous endoscopic approach	0DUC4KZ	Supplement ileocecal valve with nonautologous tissue substitute, percutaneous endoscopic approach
04714DZ	Dilation of celiac artery with intraluminal device, percutaneous endoscopic approach	0DUE47Z	Supplement large intestine with autologous tissue substitute, percutaneous endoscopic approach
04714E6	Dilation of celiac artery, bifurcation, with two intraluminal devices, percutaneous endoscopic approach	0DUE4JZ	Supplement large intestine with synthetic substitute, percutaneous endoscopic approach
04714EZ	Dilation of celiac artery with two intraluminal devices, percutaneous endoscopic approach	0DUE4KZ	Supplement large intestine with nonautologous tissue substitute, percutaneous endoscopic approach
04714F6	Dilation of celiac artery, bifurcation, with three intraluminal devices, percutaneous endoscopic approach	0DUF47Z	Supplement right large intestine with autologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04714FZ	Dilation of celiac artery with three intraluminal devices, percutaneous endoscopic approach	0DUF4JZ	Supplement right large intestine with synthetic substitute, percutaneous endoscopic approach
04714G6	Dilation of celiac artery, bifurcation, with four or more intraluminal devices, percutaneous endoscopic approach	0DUF4KZ	Supplement right large intestine with nonautologous tissue substitute, percutaneous endoscopic approach
04714GZ	Dilation of celiac artery with four or more intraluminal devices, percutaneous endoscopic approach	0DUG47Z	Supplement left large intestine with autologous tissue substitute, percutaneous endoscopic approach
04714Z1	Dilation of celiac artery using drug-coated balloon, percutaneous endoscopic approach	0DUG4JZ	Supplement left large intestine with synthetic substitute, percutaneous endoscopic approach
04714Z6	Dilation of celiac artery, bifurcation, percutaneous endoscopic approach	0DUG4KZ	Supplement left large intestine with nonautologous tissue substitute, percutaneous endoscopic approach
04714ZZ	Dilation of celiac artery, percutaneous endoscopic approach	0DUH47Z	Supplement cecum with autologous tissue substitute, percutaneous endoscopic approach
0472441	Dilation of gastric artery with drug-eluting intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0DUH4JZ	Supplement cecum with synthetic substitute, percutaneous endoscopic approach
0472446	Dilation of gastric artery, bifurcation, with drug-eluting intraluminal device, percutaneous endoscopic approach	0DUH4KZ	Supplement cecum with nonautologous tissue substitute, percutaneous endoscopic approach
047244Z	Dilation of gastric artery with drug-eluting intraluminal device, percutaneous endoscopic approach	0DUK47Z	Supplement ascending colon with autologous tissue substitute, percutaneous endoscopic approach
0472456	Dilation of gastric artery, bifurcation, with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0DUK4JZ	Supplement ascending colon with synthetic substitute, percutaneous endoscopic approach
047245Z	Dilation of gastric artery with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0DUK4KZ	Supplement ascending colon with nonautologous tissue substitute, percutaneous endoscopic approach
0472466	Dilation of gastric artery, bifurcation, with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0DUL47Z	Supplement transverse colon with autologous tissue substitute, percutaneous endoscopic approach
047246Z	Dilation of gastric artery with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0DUL4JZ	Supplement transverse colon with synthetic substitute, percutaneous endoscopic approach
0472476	Dilation of gastric artery, bifurcation, with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0DUL4KZ	Supplement transverse colon with nonautologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

047247Z	Dilation of gastric artery with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0DUM47Z	Supplement descending colon with autologous tissue substitute, percutaneous endoscopic approach
04724D1	Dilation of gastric artery with intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0DUM4JZ	Supplement descending colon with synthetic substitute, percutaneous endoscopic approach
04724D6	Dilation of gastric artery, bifurcation, with intraluminal device, percutaneous endoscopic approach	0DUM4KZ	Supplement descending colon with nonautologous tissue substitute, percutaneous endoscopic approach
04724DZ	Dilation of gastric artery with intraluminal device, percutaneous endoscopic approach	0DUN47Z	Supplement sigmoid colon with autologous tissue substitute, percutaneous endoscopic approach
04724E6	Dilation of gastric artery, bifurcation, with two intraluminal devices, percutaneous endoscopic approach	0DUN4JZ	Supplement sigmoid colon with synthetic substitute, percutaneous endoscopic approach
04724EZ	Dilation of gastric artery with two intraluminal devices, percutaneous endoscopic approach	0DUN4KZ	Supplement sigmoid colon with nonautologous tissue substitute, percutaneous endoscopic approach
04724F6	Dilation of gastric artery, bifurcation, with three intraluminal devices, percutaneous endoscopic approach	0DUP47Z	Supplement rectum with autologous tissue substitute, percutaneous endoscopic approach
04724FZ	Dilation of gastric artery with three intraluminal devices, percutaneous endoscopic approach	0DUP4JZ	Supplement rectum with synthetic substitute, percutaneous endoscopic approach
04724G6	Dilation of gastric artery, bifurcation, with four or more intraluminal devices, percutaneous endoscopic approach	0DUP4KZ	Supplement rectum with nonautologous tissue substitute, percutaneous endoscopic approach
04724GZ	Dilation of gastric artery with four or more intraluminal devices, percutaneous endoscopic approach	0DUS47Z	Supplement greater omentum with autologous tissue substitute, percutaneous endoscopic approach
04724Z1	Dilation of gastric artery using drug-coated balloon, percutaneous endoscopic approach	0DUS4JZ	Supplement greater omentum with synthetic substitute, percutaneous endoscopic approach
04724Z6	Dilation of gastric artery, bifurcation, percutaneous endoscopic approach	0DUS4KZ	Supplement greater omentum with nonautologous tissue substitute, percutaneous endoscopic approach
04724ZZ	Dilation of gastric artery, percutaneous endoscopic approach	0DUT47Z	Supplement lesser omentum with autologous tissue substitute, percutaneous endoscopic approach
0473441	Dilation of hepatic artery with drug-eluting intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0DUT4JZ	Supplement lesser omentum with synthetic substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0473446	Dilation of hepatic artery, bifurcation, with drug-eluting intraluminal device, percutaneous endoscopic approach	0DUT4KZ	Supplement lesser omentum with nonautologous tissue substitute, percutaneous endoscopic approach
047344Z	Dilation of hepatic artery with drug-eluting intraluminal device, percutaneous endoscopic approach	0DUU47Z	Supplement omentum with autologous tissue substitute, percutaneous endoscopic approach
0473456	Dilation of hepatic artery, bifurcation, with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0DUU4JZ	Supplement omentum with synthetic substitute, percutaneous endoscopic approach
047345Z	Dilation of hepatic artery with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0DUU4KZ	Supplement omentum with nonautologous tissue substitute, percutaneous endoscopic approach
0473466	Dilation of hepatic artery, bifurcation, with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0DUV47Z	Supplement mesentery with autologous tissue substitute, percutaneous endoscopic approach
047346Z	Dilation of hepatic artery with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0DUV4JZ	Supplement mesentery with synthetic substitute, percutaneous endoscopic approach
0473476	Dilation of hepatic artery, bifurcation, with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0DUV4KZ	Supplement mesentery with nonautologous tissue substitute, percutaneous endoscopic approach
047347Z	Dilation of hepatic artery with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0DUW47Z	Supplement peritoneum with autologous tissue substitute, percutaneous endoscopic approach
04734D1	Dilation of hepatic artery with intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0DUW4JZ	Supplement peritoneum with synthetic substitute, percutaneous endoscopic approach
04734D6	Dilation of hepatic artery, bifurcation, with intraluminal device, percutaneous endoscopic approach	0DUW4KZ	Supplement peritoneum with nonautologous tissue substitute, percutaneous endoscopic approach
04734DZ	Dilation of hepatic artery with intraluminal device, percutaneous endoscopic approach	0DV44CZ	Restriction of esophagogastric junction with extraluminal device, percutaneous endoscopic approach
04734E6	Dilation of hepatic artery, bifurcation, with two intraluminal devices, percutaneous endoscopic approach	0DV44DZ	Restriction of esophagogastric junction with intraluminal device, percutaneous endoscopic approach
04734EZ	Dilation of hepatic artery with two intraluminal devices, percutaneous endoscopic approach	0DV44ZZ	Restriction of esophagogastric junction, percutaneous endoscopic approach
04734F6	Dilation of hepatic artery, bifurcation, with three intraluminal devices, percutaneous endoscopic approach	0DV64CZ	Restriction of stomach with extraluminal device, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04734FZ	Dilation of hepatic artery with three intraluminal devices, percutaneous endoscopic approach	0DV64DZ	Restriction of stomach with intraluminal device, percutaneous endoscopic approach
04734G6	Dilation of hepatic artery, bifurcation, with four or more intraluminal devices, percutaneous endoscopic approach	0DV64ZZ	Restriction of stomach, percutaneous endoscopic approach
04734GZ	Dilation of hepatic artery with four or more intraluminal devices, percutaneous endoscopic approach	0DV74CZ	Restriction of stomach, pylorus with extraluminal device, percutaneous endoscopic approach
04734Z1	Dilation of hepatic artery using drug-coated balloon, percutaneous endoscopic approach	0DV74DZ	Restriction of stomach, pylorus with intraluminal device, percutaneous endoscopic approach
04734Z6	Dilation of hepatic artery, bifurcation, percutaneous endoscopic approach	0DV74ZZ	Restriction of stomach, pylorus, percutaneous endoscopic approach
04734ZZ	Dilation of hepatic artery, percutaneous endoscopic approach	0DV84CZ	Restriction of small intestine with extraluminal device, percutaneous endoscopic approach
0474441	Dilation of splenic artery with drug-eluting intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0DV84DZ	Restriction of small intestine with intraluminal device, percutaneous endoscopic approach
0474446	Dilation of splenic artery, bifurcation, with drug-eluting intraluminal device, percutaneous endoscopic approach	0DV84ZZ	Restriction of small intestine, percutaneous endoscopic approach
047444Z	Dilation of splenic artery with drug-eluting intraluminal device, percutaneous endoscopic approach	0DV94CZ	Restriction of duodenum with extraluminal device, percutaneous endoscopic approach
0474456	Dilation of splenic artery, bifurcation, with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0DV94DZ	Restriction of duodenum with intraluminal device, percutaneous endoscopic approach
047445Z	Dilation of splenic artery with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0DV94ZZ	Restriction of duodenum, percutaneous endoscopic approach
0474466	Dilation of splenic artery, bifurcation, with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0DVA4CZ	Restriction of jejunum with extraluminal device, percutaneous endoscopic approach
047446Z	Dilation of splenic artery with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0DVA4DZ	Restriction of jejunum with intraluminal device, percutaneous endoscopic approach
0474476	Dilation of splenic artery, bifurcation, with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0DVA4ZZ	Restriction of jejunum, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

047447Z	Dilation of splenic artery with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0DVB4CZ	Restriction of ileum with extraluminal device, percutaneous endoscopic approach
04744D1	Dilation of splenic artery with intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0DVB4DZ	Restriction of ileum with intraluminal device, percutaneous endoscopic approach
04744D6	Dilation of splenic artery, bifurcation, with intraluminal device, percutaneous endoscopic approach	0DVB4ZZ	Restriction of ileum, percutaneous endoscopic approach
04744DZ	Dilation of splenic artery with intraluminal device, percutaneous endoscopic approach	0DVC4CZ	Restriction of ileocecal valve with extraluminal device, percutaneous endoscopic approach
04744E6	Dilation of splenic artery, bifurcation, with two intraluminal devices, percutaneous endoscopic approach	0DVC4DZ	Restriction of ileocecal valve with intraluminal device, percutaneous endoscopic approach
04744EZ	Dilation of splenic artery with two intraluminal devices, percutaneous endoscopic approach	0DVC4ZZ	Restriction of ileocecal valve, percutaneous endoscopic approach
04744F6	Dilation of splenic artery, bifurcation, with three intraluminal devices, percutaneous endoscopic approach	0DVE4CZ	Restriction of large intestine with extraluminal device, percutaneous endoscopic approach
04744FZ	Dilation of splenic artery with three intraluminal devices, percutaneous endoscopic approach	0DVE4DZ	Restriction of large intestine with intraluminal device, percutaneous endoscopic approach
04744G6	Dilation of splenic artery, bifurcation, with four or more intraluminal devices, percutaneous endoscopic approach	0DVE4ZZ	Restriction of large intestine, percutaneous endoscopic approach
04744GZ	Dilation of splenic artery with four or more intraluminal devices, percutaneous endoscopic approach	0DVF4CZ	Restriction of right large intestine with extraluminal device, percutaneous endoscopic approach
04744Z1	Dilation of splenic artery using drug-coated balloon, percutaneous endoscopic approach	0DVF4DZ	Restriction of right large intestine with intraluminal device, percutaneous endoscopic approach
04744Z6	Dilation of splenic artery, bifurcation, percutaneous endoscopic approach	0DVF4ZZ	Restriction of right large intestine, percutaneous endoscopic approach
04744ZZ	Dilation of splenic artery, percutaneous endoscopic approach	0DVG4CZ	Restriction of left large intestine with extraluminal device, percutaneous endoscopic approach
0475441	Dilation of superior mesenteric artery with drug-eluting intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0DVG4DZ	Restriction of left large intestine with intraluminal device, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0475446	Dilation of superior mesenteric artery, bifurcation, with drug-eluting intraluminal device, percutaneous endoscopic approach	0DVG4ZZ	Restriction of left large intestine, percutaneous endoscopic approach
047544Z	Dilation of superior mesenteric artery with drug-eluting intraluminal device, percutaneous endoscopic approach	0DVH4CZ	Restriction of cecum with extraluminal device, percutaneous endoscopic approach
0475456	Dilation of superior mesenteric artery, bifurcation, with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0DVH4DZ	Restriction of cecum with intraluminal device, percutaneous endoscopic approach
047545Z	Dilation of superior mesenteric artery with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0DVH4ZZ	Restriction of cecum, percutaneous endoscopic approach
0475466	Dilation of superior mesenteric artery, bifurcation, with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0DVK4CZ	Restriction of ascending colon with extraluminal device, percutaneous endoscopic approach
047546Z	Dilation of superior mesenteric artery with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0DVK4DZ	Restriction of ascending colon with intraluminal device, percutaneous endoscopic approach
0475476	Dilation of superior mesenteric artery, bifurcation, with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0DVK4ZZ	Restriction of ascending colon, percutaneous endoscopic approach
047547Z	Dilation of superior mesenteric artery with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0DVL4CZ	Restriction of transverse colon with extraluminal device, percutaneous endoscopic approach
04754D1	Dilation of superior mesenteric artery with intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0DVL4DZ	Restriction of transverse colon with intraluminal device, percutaneous endoscopic approach
04754D6	Dilation of superior mesenteric artery, bifurcation, with intraluminal device, percutaneous endoscopic approach	0DVL4ZZ	Restriction of transverse colon, percutaneous endoscopic approach
04754DZ	Dilation of superior mesenteric artery with intraluminal device, percutaneous endoscopic approach	0DVM4CZ	Restriction of descending colon with extraluminal device, percutaneous endoscopic approach
04754E6	Dilation of superior mesenteric artery, bifurcation, with two intraluminal devices, percutaneous endoscopic approach	0DVM4DZ	Restriction of descending colon with intraluminal device, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04754EZ	Dilation of superior mesenteric artery with two intraluminal devices, percutaneous endoscopic approach	0DVM4ZZ	Restriction of descending colon, percutaneous endoscopic approach
04754F6	Dilation of superior mesenteric artery, bifurcation, with three intraluminal devices, percutaneous endoscopic approach	0DVN4CZ	Restriction of sigmoid colon with extraluminal device, percutaneous endoscopic approach
04754FZ	Dilation of superior mesenteric artery with three intraluminal devices, percutaneous endoscopic approach	0DVN4DZ	Restriction of sigmoid colon with intraluminal device, percutaneous endoscopic approach
04754G6	Dilation of superior mesenteric artery, bifurcation, with four or more intraluminal devices, percutaneous endoscopic approach	0DVN4ZZ	Restriction of sigmoid colon, percutaneous endoscopic approach
04754GZ	Dilation of superior mesenteric artery with four or more intraluminal devices, percutaneous endoscopic approach	0DVP4CZ	Restriction of rectum with extraluminal device, percutaneous endoscopic approach
04754Z1	Dilation of superior mesenteric artery using drug-coated balloon, percutaneous endoscopic approach	0DVP4DZ	Restriction of rectum with intraluminal device, percutaneous endoscopic approach
04754Z6	Dilation of superior mesenteric artery, bifurcation, percutaneous endoscopic approach	0DVP4ZZ	Restriction of rectum, percutaneous endoscopic approach
04754ZZ	Dilation of superior mesenteric artery, percutaneous endoscopic approach	0DW040Z	Revision of drainage device in upper intestinal tract, percutaneous endoscopic approach
0476441	Dilation of right colic artery with drug-eluting intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0DW042Z	Revision of monitoring device in upper intestinal tract, percutaneous endoscopic approach
0476446	Dilation of right colic artery, bifurcation, with drug-eluting intraluminal device, percutaneous endoscopic approach	0DW043Z	Revision of infusion device in upper intestinal tract, percutaneous endoscopic approach
047644Z	Dilation of right colic artery with drug-eluting intraluminal device, percutaneous endoscopic approach	0DW047Z	Revision of autologous tissue substitute in upper intestinal tract, percutaneous endoscopic approach
0476456	Dilation of right colic artery, bifurcation, with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0DW04CZ	Revision of extraluminal device in upper intestinal tract, percutaneous endoscopic approach
047645Z	Dilation of right colic artery with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0DW04DZ	Revision of intraluminal device in upper intestinal tract, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0476466	Dilation of right colic artery, bifurcation, with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0DW04JZ	Revision of synthetic substitute in upper intestinal tract, percutaneous endoscopic approach
047646Z	Dilation of right colic artery with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0DW04KZ	Revision of nonautologous tissue substitute in upper intestinal tract, percutaneous endoscopic approach
0476476	Dilation of right colic artery, bifurcation, with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0DW04UZ	Revision of feeding device in upper intestinal tract, percutaneous endoscopic approach
047647Z	Dilation of right colic artery with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0DW04YZ	Revision of other device in upper intestinal tract, percutaneous endoscopic approach
04764D1	Dilation of right colic artery with intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0DW640Z	Revision of drainage device in stomach, percutaneous endoscopic approach
04764D6	Dilation of right colic artery, bifurcation, with intraluminal device, percutaneous endoscopic approach	0DW642Z	Revision of monitoring device in stomach, percutaneous endoscopic approach
04764DZ	Dilation of right colic artery with intraluminal device, percutaneous endoscopic approach	0DW643Z	Revision of infusion device in stomach, percutaneous endoscopic approach
04764E6	Dilation of right colic artery, bifurcation, with two intraluminal devices, percutaneous endoscopic approach	0DW647Z	Revision of autologous tissue substitute in stomach, percutaneous endoscopic approach
04764EZ	Dilation of right colic artery with two intraluminal devices, percutaneous endoscopic approach	0DW64CZ	Revision of extraluminal device in stomach, percutaneous endoscopic approach
04764F6	Dilation of right colic artery, bifurcation, with three intraluminal devices, percutaneous endoscopic approach	0DW64DZ	Revision of intraluminal device in stomach, percutaneous endoscopic approach
04764FZ	Dilation of right colic artery with three intraluminal devices, percutaneous endoscopic approach	0DW64JZ	Revision of synthetic substitute in stomach, percutaneous endoscopic approach
04764G6	Dilation of right colic artery, bifurcation, with four or more intraluminal devices, percutaneous endoscopic approach	0DW64KZ	Revision of nonautologous tissue substitute in stomach, percutaneous endoscopic approach
04764GZ	Dilation of right colic artery with four or more intraluminal devices, percutaneous endoscopic approach	0DW64MZ	Revision of stimulator lead in stomach, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04764Z1	Dilation of right colic artery using drug-coated balloon, percutaneous endoscopic approach	0DW64UZ	Revision of feeding device in stomach, percutaneous endoscopic approach
04764Z6	Dilation of right colic artery, bifurcation, percutaneous endoscopic approach	0DW64YZ	Revision of other device in stomach, percutaneous endoscopic approach
04764ZZ	Dilation of right colic artery, percutaneous endoscopic approach	0DW847Z	Revision of autologous tissue substitute in small intestine, percutaneous endoscopic approach
0477441	Dilation of left colic artery with drug-eluting intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0DW84JZ	Revision of synthetic substitute in small intestine, percutaneous endoscopic approach
0477446	Dilation of left colic artery, bifurcation, with drug-eluting intraluminal device, percutaneous endoscopic approach	0DW84KZ	Revision of nonautologous tissue substitute in small intestine, percutaneous endoscopic approach
047744Z	Dilation of left colic artery with drug-eluting intraluminal device, percutaneous endoscopic approach	0DWD40Z	Revision of drainage device in lower intestinal tract, percutaneous endoscopic approach
0477456	Dilation of left colic artery, bifurcation, with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0DWD42Z	Revision of monitoring device in lower intestinal tract, percutaneous endoscopic approach
047745Z	Dilation of left colic artery with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0DWD43Z	Revision of infusion device in lower intestinal tract, percutaneous endoscopic approach
0477466	Dilation of left colic artery, bifurcation, with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0DWD47Z	Revision of autologous tissue substitute in lower intestinal tract, percutaneous endoscopic approach
047746Z	Dilation of left colic artery with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0DWD4CZ	Revision of extraluminal device in lower intestinal tract, percutaneous endoscopic approach
0477476	Dilation of left colic artery, bifurcation, with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0DWD4DZ	Revision of intraluminal device in lower intestinal tract, percutaneous endoscopic approach
047747Z	Dilation of left colic artery with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0DWD4JZ	Revision of synthetic substitute in lower intestinal tract, percutaneous endoscopic approach
04774D1	Dilation of left colic artery with intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0DWD4KZ	Revision of nonautologous tissue substitute in lower intestinal tract, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04774D6	Dilation of left colic artery, bifurcation, with intraluminal device, percutaneous endoscopic approach	0DWD4UZ	Revision of feeding device in lower intestinal tract, percutaneous endoscopic approach
04774DZ	Dilation of left colic artery with intraluminal device, percutaneous endoscopic approach	0DWD4YZ	Revision of other device in lower intestinal tract, percutaneous endoscopic approach
04774E6	Dilation of left colic artery, bifurcation, with two intraluminal devices, percutaneous endoscopic approach	0DWE47Z	Revision of autologous tissue substitute in large intestine, percutaneous endoscopic approach
04774EZ	Dilation of left colic artery with two intraluminal devices, percutaneous endoscopic approach	0DWE4JZ	Revision of synthetic substitute in large intestine, percutaneous endoscopic approach
04774F6	Dilation of left colic artery, bifurcation, with three intraluminal devices, percutaneous endoscopic approach	0DWE4KZ	Revision of nonautologous tissue substitute in large intestine, percutaneous endoscopic approach
04774FZ	Dilation of left colic artery with three intraluminal devices, percutaneous endoscopic approach	0DWU40Z	Revision of drainage device in omentum, percutaneous endoscopic approach
04774G6	Dilation of left colic artery, bifurcation, with four or more intraluminal devices, percutaneous endoscopic approach	0DWU47Z	Revision of autologous tissue substitute in omentum, percutaneous endoscopic approach
04774GZ	Dilation of left colic artery with four or more intraluminal devices, percutaneous endoscopic approach	0DWU4JZ	Revision of synthetic substitute in omentum, percutaneous endoscopic approach
04774Z1	Dilation of left colic artery using drug-coated balloon, percutaneous endoscopic approach	0DWU4KZ	Revision of nonautologous tissue substitute in omentum, percutaneous endoscopic approach
04774Z6	Dilation of left colic artery, bifurcation, percutaneous endoscopic approach	0DWV40Z	Revision of drainage device in mesentery, percutaneous endoscopic approach
04774ZZ	Dilation of left colic artery, percutaneous endoscopic approach	0DWV47Z	Revision of autologous tissue substitute in mesentery, percutaneous endoscopic approach
0478441	Dilation of middle colic artery with drug-eluting intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0DWV4JZ	Revision of synthetic substitute in mesentery, percutaneous endoscopic approach
0478446	Dilation of middle colic artery, bifurcation, with drug-eluting intraluminal device, percutaneous endoscopic approach	0DWV4KZ	Revision of nonautologous tissue substitute in mesentery, percutaneous endoscopic approach
047844Z	Dilation of middle colic artery with drug-eluting intraluminal device, percutaneous endoscopic approach	0DWW40Z	Revision of drainage device in peritoneum, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0478456	Dilation of middle colic artery, bifurcation, with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0DWW47Z	Revision of autologous tissue substitute in peritoneum, percutaneous endoscopic approach
047845Z	Dilation of middle colic artery with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0DWW4JZ	Revision of synthetic substitute in peritoneum, percutaneous endoscopic approach
0478466	Dilation of middle colic artery, bifurcation, with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0DWW4KZ	Revision of nonautologous tissue substitute in peritoneum, percutaneous endoscopic approach
047846Z	Dilation of middle colic artery with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0DX64Z5	Transfer stomach to esophagus, percutaneous endoscopic approach
0478476	Dilation of middle colic artery, bifurcation, with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0DX84Z5	Transfer small intestine to esophagus, percutaneous endoscopic approach
047847Z	Dilation of middle colic artery with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0DX84ZB	Transfer small intestine to bladder, percutaneous endoscopic approach
04784D1	Dilation of middle colic artery with intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0DX84ZC	Transfer small intestine to right ureter, percutaneous endoscopic approach
04784D6	Dilation of middle colic artery, bifurcation, with intraluminal device, percutaneous endoscopic approach	0DX84ZD	Transfer small intestine to left ureter, percutaneous endoscopic approach
04784DZ	Dilation of middle colic artery with intraluminal device, percutaneous endoscopic approach	0DX84ZF	Transfer small intestine to bilateral ureters, percutaneous endoscopic approach
04784E6	Dilation of middle colic artery, bifurcation, with two intraluminal devices, percutaneous endoscopic approach	0DXE4Z5	Transfer large intestine to esophagus, percutaneous endoscopic approach
04784EZ	Dilation of middle colic artery with two intraluminal devices, percutaneous endoscopic approach	0DXE4Z7	Transfer large intestine to vagina, percutaneous endoscopic approach
04784F6	Dilation of middle colic artery, bifurcation, with three intraluminal devices, percutaneous endoscopic approach	0DXE4ZB	Transfer large intestine to bladder, percutaneous endoscopic approach
04784FZ	Dilation of middle colic artery with three intraluminal devices, percutaneous endoscopic approach	0F144D3	Bypass gallbladder to duodenum with intraluminal device, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04784G6	Dilation of middle colic artery, bifurcation, with four or more intraluminal devices, percutaneous endoscopic approach	0F144D4	Bypass gallbladder to stomach with intraluminal device, percutaneous endoscopic approach
04784GZ	Dilation of middle colic artery with four or more intraluminal devices, percutaneous endoscopic approach	0F144D5	Bypass gallbladder to right hepatic duct with intraluminal device, percutaneous endoscopic approach
04784Z1	Dilation of middle colic artery using drug-coated balloon, percutaneous endoscopic approach	0F144D6	Bypass gallbladder to left hepatic duct with intraluminal device, percutaneous endoscopic approach
04784Z6	Dilation of middle colic artery, bifurcation, percutaneous endoscopic approach	0F144D7	Bypass gallbladder to caudate hepatic duct with intraluminal device, percutaneous endoscopic approach
04784ZZ	Dilation of middle colic artery, percutaneous endoscopic approach	0F144D8	Bypass gallbladder to cystic duct with intraluminal device, percutaneous endoscopic approach
0479441	Dilation of right renal artery with drug-eluting intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0F144D9	Bypass gallbladder to common bile duct with intraluminal device, percutaneous endoscopic approach
0479446	Dilation of right renal artery, bifurcation, with drug-eluting intraluminal device, percutaneous endoscopic approach	0F144DB	Bypass gallbladder to small intestine with intraluminal device, percutaneous endoscopic approach
047944Z	Dilation of right renal artery with drug-eluting intraluminal device, percutaneous endoscopic approach	0F144Z3	Bypass gallbladder to duodenum, percutaneous endoscopic approach
0479456	Dilation of right renal artery, bifurcation, with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0F144Z4	Bypass gallbladder to stomach, percutaneous endoscopic approach
047945Z	Dilation of right renal artery with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0F144Z5	Bypass gallbladder to right hepatic duct, percutaneous endoscopic approach
0479466	Dilation of right renal artery, bifurcation, with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0F144Z6	Bypass gallbladder to left hepatic duct, percutaneous endoscopic approach
047946Z	Dilation of right renal artery with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0F144Z7	Bypass gallbladder to caudate hepatic duct, percutaneous endoscopic approach
0479476	Dilation of right renal artery, bifurcation, with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0F144Z8	Bypass gallbladder to cystic duct, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

047947Z	Dilation of right renal artery with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0F144Z9	Bypass gallbladder to common bile duct, percutaneous endoscopic approach
04794D1	Dilation of right renal artery with intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0F144ZB	Bypass gallbladder to small intestine, percutaneous endoscopic approach
04794D6	Dilation of right renal artery, bifurcation, with intraluminal device, percutaneous endoscopic approach	0F154D3	Bypass right hepatic duct to duodenum with intraluminal device, percutaneous endoscopic approach
04794DZ	Dilation of right renal artery with intraluminal device, percutaneous endoscopic approach	0F154D4	Bypass right hepatic duct to stomach with intraluminal device, percutaneous endoscopic approach
04794E6	Dilation of right renal artery, bifurcation, with two intraluminal devices, percutaneous endoscopic approach	0F154D5	Bypass right hepatic duct to right hepatic duct with intraluminal device, percutaneous endoscopic approach
04794EZ	Dilation of right renal artery with two intraluminal devices, percutaneous endoscopic approach	0F154D6	Bypass right hepatic duct to left hepatic duct with intraluminal device, percutaneous endoscopic approach
04794F6	Dilation of right renal artery, bifurcation, with three intraluminal devices, percutaneous endoscopic approach	0F154D7	Bypass right hepatic duct to caudate hepatic duct with intraluminal device, percutaneous endoscopic approach
04794FZ	Dilation of right renal artery with three intraluminal devices, percutaneous endoscopic approach	0F154D8	Bypass right hepatic duct to cystic duct with intraluminal device, percutaneous endoscopic approach
04794G6	Dilation of right renal artery, bifurcation, with four or more intraluminal devices, percutaneous endoscopic approach	0F154D9	Bypass right hepatic duct to common bile duct with intraluminal device, percutaneous endoscopic approach
04794GZ	Dilation of right renal artery with four or more intraluminal devices, percutaneous endoscopic approach	0F154DB	Bypass right hepatic duct to small intestine with intraluminal device, percutaneous endoscopic approach
04794Z1	Dilation of right renal artery using drug-coated balloon, percutaneous endoscopic approach	0F154Z3	Bypass right hepatic duct to duodenum, percutaneous endoscopic approach
04794Z6	Dilation of right renal artery, bifurcation, percutaneous endoscopic approach	0F154Z4	Bypass right hepatic duct to stomach, percutaneous endoscopic approach
04794ZZ	Dilation of right renal artery, percutaneous endoscopic approach	0F154Z5	Bypass right hepatic duct to right hepatic duct, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

047A441	Dilation of left renal artery with drug-eluting intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0F154Z6	Bypass right hepatic duct to left hepatic duct, percutaneous endoscopic approach
047A446	Dilation of left renal artery, bifurcation, with drug-eluting intraluminal device, percutaneous endoscopic approach	0F154Z7	Bypass right hepatic duct to caudate hepatic duct, percutaneous endoscopic approach
047A44Z	Dilation of left renal artery with drug-eluting intraluminal device, percutaneous endoscopic approach	0F154Z8	Bypass right hepatic duct to cystic duct, percutaneous endoscopic approach
047A456	Dilation of left renal artery, bifurcation, with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0F154Z9	Bypass right hepatic duct to common bile duct, percutaneous endoscopic approach
047A45Z	Dilation of left renal artery with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0F154ZB	Bypass right hepatic duct to small intestine, percutaneous endoscopic approach
047A466	Dilation of left renal artery, bifurcation, with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0F164D3	Bypass left hepatic duct to duodenum with intraluminal device, percutaneous endoscopic approach
047A46Z	Dilation of left renal artery with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0F164D4	Bypass left hepatic duct to stomach with intraluminal device, percutaneous endoscopic approach
047A476	Dilation of left renal artery, bifurcation, with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0F164D5	Bypass left hepatic duct to right hepatic duct with intraluminal device, percutaneous endoscopic approach
047A47Z	Dilation of left renal artery with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0F164D6	Bypass left hepatic duct to left hepatic duct with intraluminal device, percutaneous endoscopic approach
047A4D1	Dilation of left renal artery with intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0F164D7	Bypass left hepatic duct to caudate hepatic duct with intraluminal device, percutaneous endoscopic approach
047A4D6	Dilation of left renal artery, bifurcation, with intraluminal device, percutaneous endoscopic approach	0F164D8	Bypass left hepatic duct to cystic duct with intraluminal device, percutaneous endoscopic approach
047A4DZ	Dilation of left renal artery with intraluminal device, percutaneous endoscopic approach	0F164D9	Bypass left hepatic duct to common bile duct with intraluminal device, percutaneous endoscopic approach
047A4E6	Dilation of left renal artery, bifurcation, with two intraluminal devices, percutaneous endoscopic approach	0F164DB	Bypass left hepatic duct to small intestine with intraluminal device, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

047A4EZ	Dilation of left renal artery with two intraluminal devices, percutaneous endoscopic approach	0F164Z3	Bypass left hepatic duct to duodenum, percutaneous endoscopic approach
047A4F6	Dilation of left renal artery, bifurcation, with three intraluminal devices, percutaneous endoscopic approach	0F164Z4	Bypass left hepatic duct to stomach, percutaneous endoscopic approach
047A4FZ	Dilation of left renal artery with three intraluminal devices, percutaneous endoscopic approach	0F164Z5	Bypass left hepatic duct to right hepatic duct, percutaneous endoscopic approach
047A4G6	Dilation of left renal artery, bifurcation, with four or more intraluminal devices, percutaneous endoscopic approach	0F164Z6	Bypass left hepatic duct to left hepatic duct, percutaneous endoscopic approach
047A4GZ	Dilation of left renal artery with four or more intraluminal devices, percutaneous endoscopic approach	0F164Z7	Bypass left hepatic duct to caudate hepatic duct, percutaneous endoscopic approach
047A4Z1	Dilation of left renal artery using drug-coated balloon, percutaneous endoscopic approach	0F164Z8	Bypass left hepatic duct to cystic duct, percutaneous endoscopic approach
047A4Z6	Dilation of left renal artery, bifurcation, percutaneous endoscopic approach	0F164Z9	Bypass left hepatic duct to common bile duct, percutaneous endoscopic approach
047A4ZZ	Dilation of left renal artery, percutaneous endoscopic approach	0F164ZB	Bypass left hepatic duct to small intestine, percutaneous endoscopic approach
047B441	Dilation of inferior mesenteric artery with drug-eluting intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0F174D3	Bypass common hepatic duct to duodenum with intraluminal device, percutaneous endoscopic approach
047B446	Dilation of inferior mesenteric artery, bifurcation, with drug-eluting intraluminal device, percutaneous endoscopic approach	0F174D4	Bypass common hepatic duct to stomach with intraluminal device, percutaneous endoscopic approach
047B44Z	Dilation of inferior mesenteric artery with drug-eluting intraluminal device, percutaneous endoscopic approach	0F174D5	Bypass common hepatic duct to right hepatic duct with intraluminal device, percutaneous endoscopic approach
047B456	Dilation of inferior mesenteric artery, bifurcation, with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0F174D6	Bypass common hepatic duct to left hepatic duct with intraluminal device, percutaneous endoscopic approach
047B45Z	Dilation of inferior mesenteric artery with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0F174D7	Bypass common hepatic duct to caudate hepatic duct with intraluminal device, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

047B466	Dilation of inferior mesenteric artery, bifurcation, with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0F174D8	Bypass common hepatic duct to cystic duct with intraluminal device, percutaneous endoscopic approach
047B46Z	Dilation of inferior mesenteric artery with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0F174D9	Bypass common hepatic duct to common bile duct with intraluminal device, percutaneous endoscopic approach
047B476	Dilation of inferior mesenteric artery, bifurcation, with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0F174DB	Bypass common hepatic duct to small intestine with intraluminal device, percutaneous endoscopic approach
047B47Z	Dilation of inferior mesenteric artery with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0F174Z3	Bypass common hepatic duct to duodenum, percutaneous endoscopic approach
047B4D1	Dilation of inferior mesenteric artery with intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0F174Z4	Bypass common hepatic duct to stomach, percutaneous endoscopic approach
047B4D6	Dilation of inferior mesenteric artery, bifurcation, with intraluminal device, percutaneous endoscopic approach	0F174Z5	Bypass common hepatic duct to right hepatic duct, percutaneous endoscopic approach
047B4DZ	Dilation of inferior mesenteric artery with intraluminal device, percutaneous endoscopic approach	0F174Z6	Bypass common hepatic duct to left hepatic duct, percutaneous endoscopic approach
047B4E6	Dilation of inferior mesenteric artery, bifurcation, with two intraluminal devices, percutaneous endoscopic approach	0F174Z7	Bypass common hepatic duct to caudate hepatic duct, percutaneous endoscopic approach
047B4EZ	Dilation of inferior mesenteric artery with two intraluminal devices, percutaneous endoscopic approach	0F174Z8	Bypass common hepatic duct to cystic duct, percutaneous endoscopic approach
047B4F6	Dilation of inferior mesenteric artery, bifurcation, with three intraluminal devices, percutaneous endoscopic approach	0F174Z9	Bypass common hepatic duct to common bile duct, percutaneous endoscopic approach
047B4FZ	Dilation of inferior mesenteric artery with three intraluminal devices, percutaneous endoscopic approach	0F174ZB	Bypass common hepatic duct to small intestine, percutaneous endoscopic approach
047B4G6	Dilation of inferior mesenteric artery, bifurcation, with four or more intraluminal devices, percutaneous endoscopic approach	0F184D3	Bypass cystic duct to duodenum with intraluminal device, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

047B4GZ	Dilation of inferior mesenteric artery with four or more intraluminal devices, percutaneous endoscopic approach	0F184D4	Bypass cystic duct to stomach with intraluminal device, percutaneous endoscopic approach
047B4Z1	Dilation of inferior mesenteric artery using drug-coated balloon, percutaneous endoscopic approach	0F184D5	Bypass cystic duct to right hepatic duct with intraluminal device, percutaneous endoscopic approach
047B4Z6	Dilation of inferior mesenteric artery, bifurcation, percutaneous endoscopic approach	0F184D6	Bypass cystic duct to left hepatic duct with intraluminal device, percutaneous endoscopic approach
047B4ZZ	Dilation of inferior mesenteric artery, percutaneous endoscopic approach	0F184D7	Bypass cystic duct to caudate hepatic duct with intraluminal device, percutaneous endoscopic approach
047C441	Dilation of right common iliac artery with drug-eluting intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0F184D8	Bypass cystic duct to cystic duct with intraluminal device, percutaneous endoscopic approach
047C446	Dilation of right common iliac artery, bifurcation, with drug-eluting intraluminal device, percutaneous endoscopic approach	0F184D9	Bypass cystic duct to common bile duct with intraluminal device, percutaneous endoscopic approach
047C44Z	Dilation of right common iliac artery with drug-eluting intraluminal device, percutaneous endoscopic approach	0F184DB	Bypass cystic duct to small intestine with intraluminal device, percutaneous endoscopic approach
047C456	Dilation of right common iliac artery, bifurcation, with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0F184Z3	Bypass cystic duct to duodenum, percutaneous endoscopic approach
047C45Z	Dilation of right common iliac artery with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0F184Z4	Bypass cystic duct to stomach, percutaneous endoscopic approach
047C466	Dilation of right common iliac artery, bifurcation, with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0F184Z5	Bypass cystic duct to right hepatic duct, percutaneous endoscopic approach
047C46Z	Dilation of right common iliac artery with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0F184Z6	Bypass cystic duct to left hepatic duct, percutaneous endoscopic approach
047C476	Dilation of right common iliac artery, bifurcation, with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0F184Z7	Bypass cystic duct to caudate hepatic duct, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

047C47Z	Dilation of right common iliac artery with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0F184Z8	Bypass cystic duct to cystic duct, percutaneous endoscopic approach
047C4D1	Dilation of right common iliac artery with intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0F184Z9	Bypass cystic duct to common bile duct, percutaneous endoscopic approach
047C4D6	Dilation of right common iliac artery, bifurcation, with intraluminal device, percutaneous endoscopic approach	0F184ZB	Bypass cystic duct to small intestine, percutaneous endoscopic approach
047C4DZ	Dilation of right common iliac artery with intraluminal device, percutaneous endoscopic approach	0F194D3	Bypass common bile duct to duodenum with intraluminal device, percutaneous endoscopic approach
047C4E6	Dilation of right common iliac artery, bifurcation, with two intraluminal devices, percutaneous endoscopic approach	0F194D4	Bypass common bile duct to stomach with intraluminal device, percutaneous endoscopic approach
047C4EZ	Dilation of right common iliac artery with two intraluminal devices, percutaneous endoscopic approach	0F194D5	Bypass common bile duct to right hepatic duct with intraluminal device, percutaneous endoscopic approach
047C4F6	Dilation of right common iliac artery, bifurcation, with three intraluminal devices, percutaneous endoscopic approach	0F194D6	Bypass common bile duct to left hepatic duct with intraluminal device, percutaneous endoscopic approach
047C4FZ	Dilation of right common iliac artery with three intraluminal devices, percutaneous endoscopic approach	0F194D7	Bypass common bile duct to caudate hepatic duct with intraluminal device, percutaneous endoscopic approach
047C4G6	Dilation of right common iliac artery, bifurcation, with four or more intraluminal devices, percutaneous endoscopic approach	0F194D8	Bypass common bile duct to cystic duct with intraluminal device, percutaneous endoscopic approach
047C4GZ	Dilation of right common iliac artery with four or more intraluminal devices, percutaneous endoscopic approach	0F194D9	Bypass common bile duct to common bile duct with intraluminal device, percutaneous endoscopic approach
047C4Z1	Dilation of right common iliac artery using drug-coated balloon, percutaneous endoscopic approach	0F194DB	Bypass common bile duct to small intestine with intraluminal device, percutaneous endoscopic approach
047C4Z6	Dilation of right common iliac artery, bifurcation, percutaneous endoscopic approach	0F194Z3	Bypass common bile duct to duodenum, percutaneous endoscopic approach
047C4ZZ	Dilation of right common iliac artery, percutaneous endoscopic approach	0F194Z4	Bypass common bile duct to stomach, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

047D441	Dilation of left common iliac artery with drug-eluting intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0F194Z5	Bypass common bile duct to right hepatic duct, percutaneous endoscopic approach
047D446	Dilation of left common iliac artery, bifurcation, with drug-eluting intraluminal device, percutaneous endoscopic approach	0F194Z6	Bypass common bile duct to left hepatic duct, percutaneous endoscopic approach
047D44Z	Dilation of left common iliac artery with drug-eluting intraluminal device, percutaneous endoscopic approach	0F194Z7	Bypass common bile duct to caudate hepatic duct, percutaneous endoscopic approach
047D456	Dilation of left common iliac artery, bifurcation, with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0F194Z8	Bypass common bile duct to cystic duct, percutaneous endoscopic approach
047D45Z	Dilation of left common iliac artery with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0F194Z9	Bypass common bile duct to common bile duct, percutaneous endoscopic approach
047D466	Dilation of left common iliac artery, bifurcation, with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0F194ZB	Bypass common bile duct to small intestine, percutaneous endoscopic approach
047D46Z	Dilation of left common iliac artery with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0F1D4D3	Bypass pancreatic duct to duodenum with intraluminal device, percutaneous endoscopic approach
047D476	Dilation of left common iliac artery, bifurcation, with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0F1D4D4	Bypass pancreatic duct to stomach with intraluminal device, percutaneous endoscopic approach
047D47Z	Dilation of left common iliac artery with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0F1D4DB	Bypass pancreatic duct to small intestine with intraluminal device, percutaneous endoscopic approach
047D4D1	Dilation of left common iliac artery with intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0F1D4DC	Bypass pancreatic duct to large intestine with intraluminal device, percutaneous endoscopic approach
047D4D6	Dilation of left common iliac artery, bifurcation, with intraluminal device, percutaneous endoscopic approach	0F1D4Z3	Bypass pancreatic duct to duodenum, percutaneous endoscopic approach
047D4DZ	Dilation of left common iliac artery with intraluminal device, percutaneous endoscopic approach	0F1D4Z4	Bypass pancreatic duct to stomach, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

047D4E6	Dilation of left common iliac artery, bifurcation, with two intraluminal devices, percutaneous endoscopic approach	0F1D4ZB	Bypass pancreatic duct to small intestine, percutaneous endoscopic approach
047D4EZ	Dilation of left common iliac artery with two intraluminal devices, percutaneous endoscopic approach	0F1D4ZC	Bypass pancreatic duct to large intestine, percutaneous endoscopic approach
047D4F6	Dilation of left common iliac artery, bifurcation, with three intraluminal devices, percutaneous endoscopic approach	0F1F4D3	Bypass accessory pancreatic duct to duodenum with intraluminal device, percutaneous endoscopic approach
047D4FZ	Dilation of left common iliac artery with three intraluminal devices, percutaneous endoscopic approach	0F1F4DB	Bypass accessory pancreatic duct to small intestine with intraluminal device, percutaneous endoscopic approach
047D4G6	Dilation of left common iliac artery, bifurcation, with four or more intraluminal devices, percutaneous endoscopic approach	0F1F4DC	Bypass accessory pancreatic duct to large intestine with intraluminal device, percutaneous endoscopic approach
047D4GZ	Dilation of left common iliac artery with four or more intraluminal devices, percutaneous endoscopic approach	0F1F4Z3	Bypass accessory pancreatic duct to duodenum, percutaneous endoscopic approach
047D4Z1	Dilation of left common iliac artery using drug-coated balloon, percutaneous endoscopic approach	0F1F4ZB	Bypass accessory pancreatic duct to small intestine, percutaneous endoscopic approach
047D4Z6	Dilation of left common iliac artery, bifurcation, percutaneous endoscopic approach	0F1F4ZC	Bypass accessory pancreatic duct to large intestine, percutaneous endoscopic approach
047D4ZZ	Dilation of left common iliac artery, percutaneous endoscopic approach	0F1G4D3	Bypass pancreas to duodenum with intraluminal device, percutaneous endoscopic approach
047E441	Dilation of right internal iliac artery with drug-eluting intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0F1G4DB	Bypass pancreas to small intestine with intraluminal device, percutaneous endoscopic approach
047E446	Dilation of right internal iliac artery, bifurcation, with drug-eluting intraluminal device, percutaneous endoscopic approach	0F1G4DC	Bypass pancreas to large intestine with intraluminal device, percutaneous endoscopic approach
047E44Z	Dilation of right internal iliac artery with drug-eluting intraluminal device, percutaneous endoscopic approach	0F1G4Z3	Bypass pancreas to duodenum, percutaneous endoscopic approach
047E456	Dilation of right internal iliac artery, bifurcation, with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0F1G4ZB	Bypass pancreas to small intestine, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

047E45Z	Dilation of right internal iliac artery with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0F1G4ZC	Bypass pancreas to large intestine, percutaneous endoscopic approach
047E466	Dilation of right internal iliac artery, bifurcation, with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0F504Z3	Destruction of liver using laser interstitial thermal therapy, percutaneous endoscopic approach
047E46Z	Dilation of right internal iliac artery with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0F504ZF	Destruction of liver using irreversible electroporation, percutaneous endoscopic approach
047E476	Dilation of right internal iliac artery, bifurcation, with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0F504ZZ	Destruction of liver, percutaneous endoscopic approach
047E47Z	Dilation of right internal iliac artery with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0F514Z3	Destruction of right lobe liver using laser interstitial thermal therapy, percutaneous endoscopic approach
047E4D1	Dilation of right internal iliac artery with intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0F514ZF	Destruction of right lobe liver using irreversible electroporation, percutaneous endoscopic approach
047E4D6	Dilation of right internal iliac artery, bifurcation, with intraluminal device, percutaneous endoscopic approach	0F514ZZ	Destruction of right lobe liver, percutaneous endoscopic approach
047E4DZ	Dilation of right internal iliac artery with intraluminal device, percutaneous endoscopic approach	0F524Z3	Destruction of left lobe liver using laser interstitial thermal therapy, percutaneous endoscopic approach
047E4E6	Dilation of right internal iliac artery, bifurcation, with two intraluminal devices, percutaneous endoscopic approach	0F524ZF	Destruction of left lobe liver using irreversible electroporation, percutaneous endoscopic approach
047E4EZ	Dilation of right internal iliac artery with two intraluminal devices, percutaneous endoscopic approach	0F524ZZ	Destruction of left lobe liver, percutaneous endoscopic approach
047E4F6	Dilation of right internal iliac artery, bifurcation, with three intraluminal devices, percutaneous endoscopic approach	0F544Z3	Destruction of gallbladder using laser interstitial thermal therapy, percutaneous endoscopic approach
047E4FZ	Dilation of right internal iliac artery with three intraluminal devices, percutaneous endoscopic approach	0F544ZZ	Destruction of gallbladder, percutaneous endoscopic approach
047E4G6	Dilation of right internal iliac artery, bifurcation, with four or more intraluminal devices, percutaneous endoscopic approach	0F554Z3	Destruction of right hepatic duct using laser interstitial thermal therapy, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

047E4GZ	Dilation of right internal iliac artery with four or more intraluminal devices, percutaneous endoscopic approach	0F554ZZ	Destruction of right hepatic duct, percutaneous endoscopic approach
047E4Z1	Dilation of right internal iliac artery using drug-coated balloon, percutaneous endoscopic approach	0F564Z3	Destruction of left hepatic duct using laser interstitial thermal therapy, percutaneous endoscopic approach
047E4Z6	Dilation of right internal iliac artery, bifurcation, percutaneous endoscopic approach	0F564ZZ	Destruction of left hepatic duct, percutaneous endoscopic approach
047E4ZZ	Dilation of right internal iliac artery, percutaneous endoscopic approach	0F574Z3	Destruction of common hepatic duct using laser interstitial thermal therapy, percutaneous endoscopic approach
047F441	Dilation of left internal iliac artery with drug-eluting intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0F574ZZ	Destruction of common hepatic duct, percutaneous endoscopic approach
047F446	Dilation of left internal iliac artery, bifurcation, with drug-eluting intraluminal device, percutaneous endoscopic approach	0F584Z3	Destruction of cystic duct using laser interstitial thermal therapy, percutaneous endoscopic approach
047F44Z	Dilation of left internal iliac artery with drug-eluting intraluminal device, percutaneous endoscopic approach	0F584ZZ	Destruction of cystic duct, percutaneous endoscopic approach
047F456	Dilation of left internal iliac artery, bifurcation, with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0F594Z3	Destruction of common bile duct using laser interstitial thermal therapy, percutaneous endoscopic approach
047F45Z	Dilation of left internal iliac artery with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0F594ZZ	Destruction of common bile duct, percutaneous endoscopic approach
047F466	Dilation of left internal iliac artery, bifurcation, with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0F5C4Z3	Destruction of ampulla of vater using laser interstitial thermal therapy, percutaneous endoscopic approach
047F46Z	Dilation of left internal iliac artery with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0F5C4ZZ	Destruction of ampulla of vater, percutaneous endoscopic approach
047F476	Dilation of left internal iliac artery, bifurcation, with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0F5D4Z3	Destruction of pancreatic duct using laser interstitial thermal therapy, percutaneous endoscopic approach
047F47Z	Dilation of left internal iliac artery with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0F5D4ZZ	Destruction of pancreatic duct, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

047F4D1	Dilation of left internal iliac artery with intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0F5F4Z3	Destruction of accessory pancreatic duct using laser interstitial thermal therapy, percutaneous endoscopic approach
047F4D6	Dilation of left internal iliac artery, bifurcation, with intraluminal device, percutaneous endoscopic approach	0F5F4ZZ	Destruction of accessory pancreatic duct, percutaneous endoscopic approach
047F4DZ	Dilation of left internal iliac artery with intraluminal device, percutaneous endoscopic approach	0F5G4Z3	Destruction of pancreas using laser interstitial thermal therapy, percutaneous endoscopic approach
047F4E6	Dilation of left internal iliac artery, bifurcation, with two intraluminal devices, percutaneous endoscopic approach	0F5G4ZF	Destruction of pancreas using irreversible electroporation, percutaneous endoscopic approach
047F4EZ	Dilation of left internal iliac artery with two intraluminal devices, percutaneous endoscopic approach	0F5G4ZZ	Destruction of pancreas, percutaneous endoscopic approach
047F4F6	Dilation of left internal iliac artery, bifurcation, with three intraluminal devices, percutaneous endoscopic approach	0F754DZ	Dilation of right hepatic duct with intraluminal device, percutaneous endoscopic approach
047F4FZ	Dilation of left internal iliac artery with three intraluminal devices, percutaneous endoscopic approach	0F754ZZ	Dilation of right hepatic duct, percutaneous endoscopic approach
047F4G6	Dilation of left internal iliac artery, bifurcation, with four or more intraluminal devices, percutaneous endoscopic approach	0F764DZ	Dilation of left hepatic duct with intraluminal device, percutaneous endoscopic approach
047F4GZ	Dilation of left internal iliac artery with four or more intraluminal devices, percutaneous endoscopic approach	0F764ZZ	Dilation of left hepatic duct, percutaneous endoscopic approach
047F4Z1	Dilation of left internal iliac artery using drug-coated balloon, percutaneous endoscopic approach	0F774DZ	Dilation of common hepatic duct with intraluminal device, percutaneous endoscopic approach
047F4Z6	Dilation of left internal iliac artery, bifurcation, percutaneous endoscopic approach	0F774ZZ	Dilation of common hepatic duct, percutaneous endoscopic approach
047F4ZZ	Dilation of left internal iliac artery, percutaneous endoscopic approach	0F784DZ	Dilation of cystic duct with intraluminal device, percutaneous endoscopic approach
047H441	Dilation of right external iliac artery with drug-eluting intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0F784ZZ	Dilation of cystic duct, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

047H446	Dilation of right external iliac artery, bifurcation, with drug-eluting intraluminal device, percutaneous endoscopic approach	0F794DZ	Dilation of common bile duct with intraluminal device, percutaneous endoscopic approach
047H44Z	Dilation of right external iliac artery with drug-eluting intraluminal device, percutaneous endoscopic approach	0F794ZZ	Dilation of common bile duct, percutaneous endoscopic approach
047H456	Dilation of right external iliac artery, bifurcation, with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0F7C4DZ	Dilation of ampulla of vater with intraluminal device, percutaneous endoscopic approach
047H45Z	Dilation of right external iliac artery with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0F7C4ZZ	Dilation of ampulla of vater, percutaneous endoscopic approach
047H466	Dilation of right external iliac artery, bifurcation, with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0F7D4DZ	Dilation of pancreatic duct with intraluminal device, percutaneous endoscopic approach
047H46Z	Dilation of right external iliac artery with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0F7D4ZZ	Dilation of pancreatic duct, percutaneous endoscopic approach
047H476	Dilation of right external iliac artery, bifurcation, with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0F7F4DZ	Dilation of accessory pancreatic duct with intraluminal device, percutaneous endoscopic approach
047H47Z	Dilation of right external iliac artery with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0F7F4ZZ	Dilation of accessory pancreatic duct, percutaneous endoscopic approach
047H4D1	Dilation of right external iliac artery with intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0F804ZZ	Division of liver, percutaneous endoscopic approach
047H4D6	Dilation of right external iliac artery, bifurcation, with intraluminal device, percutaneous endoscopic approach	0F814ZZ	Division of right lobe liver, percutaneous endoscopic approach
047H4DZ	Dilation of right external iliac artery with intraluminal device, percutaneous endoscopic approach	0F824ZZ	Division of left lobe liver, percutaneous endoscopic approach
047H4E6	Dilation of right external iliac artery, bifurcation, with two intraluminal devices, percutaneous endoscopic approach	0F8G4ZZ	Division of pancreas, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

047H4EZ	Dilation of right external iliac artery with two intraluminal devices, percutaneous endoscopic approach	0F9040Z	Drainage of liver with drainage device, percutaneous endoscopic approach
047H4F6	Dilation of right external iliac artery, bifurcation, with three intraluminal devices, percutaneous endoscopic approach	0F904ZX	Drainage of liver, percutaneous endoscopic approach, diagnostic
047H4FZ	Dilation of right external iliac artery with three intraluminal devices, percutaneous endoscopic approach	0F904ZZ	Drainage of liver, percutaneous endoscopic approach
047H4G6	Dilation of right external iliac artery, bifurcation, with four or more intraluminal devices, percutaneous endoscopic approach	0F9140Z	Drainage of right lobe liver with drainage device, percutaneous endoscopic approach
047H4GZ	Dilation of right external iliac artery with four or more intraluminal devices, percutaneous endoscopic approach	0F914ZX	Drainage of right lobe liver, percutaneous endoscopic approach, diagnostic
047H4Z1	Dilation of right external iliac artery using drug-coated balloon, percutaneous endoscopic approach	0F914ZZ	Drainage of right lobe liver, percutaneous endoscopic approach
047H4Z6	Dilation of right external iliac artery, bifurcation, percutaneous endoscopic approach	0F9240Z	Drainage of left lobe liver with drainage device, percutaneous endoscopic approach
047H4ZZ	Dilation of right external iliac artery, percutaneous endoscopic approach	0F924ZX	Drainage of left lobe liver, percutaneous endoscopic approach, diagnostic
047J441	Dilation of left external iliac artery with drug-eluting intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0F924ZZ	Drainage of left lobe liver, percutaneous endoscopic approach
047J446	Dilation of left external iliac artery, bifurcation, with drug-eluting intraluminal device, percutaneous endoscopic approach	0F9440Z	Drainage of gallbladder with drainage device, percutaneous endoscopic approach
047J44Z	Dilation of left external iliac artery with drug-eluting intraluminal device, percutaneous endoscopic approach	0F944ZX	Drainage of gallbladder, percutaneous endoscopic approach, diagnostic
047J456	Dilation of left external iliac artery, bifurcation, with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0F944ZZ	Drainage of gallbladder, percutaneous endoscopic approach
047J45Z	Dilation of left external iliac artery with two drug-eluting intraluminal devices, percutaneous endoscopic approach	0F9540Z	Drainage of right hepatic duct with drainage device, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

047J466	Dilation of left external iliac artery, bifurcation, with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0F954ZX	Drainage of right hepatic duct, percutaneous endoscopic approach, diagnostic
047J46Z	Dilation of left external iliac artery with three drug-eluting intraluminal devices, percutaneous endoscopic approach	0F954ZZ	Drainage of right hepatic duct, percutaneous endoscopic approach
047J476	Dilation of left external iliac artery, bifurcation, with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0F9640Z	Drainage of left hepatic duct with drainage device, percutaneous endoscopic approach
047J47Z	Dilation of left external iliac artery with four or more drug-eluting intraluminal devices, percutaneous endoscopic approach	0F964ZX	Drainage of left hepatic duct, percutaneous endoscopic approach, diagnostic
047J4D1	Dilation of left external iliac artery with intraluminal device, using drug-coated balloon, percutaneous endoscopic approach	0F964ZZ	Drainage of left hepatic duct, percutaneous endoscopic approach
047J4D6	Dilation of left external iliac artery, bifurcation, with intraluminal device, percutaneous endoscopic approach	0F9740Z	Drainage of common hepatic duct with drainage device, percutaneous endoscopic approach
047J4DZ	Dilation of left external iliac artery with intraluminal device, percutaneous endoscopic approach	0F974ZX	Drainage of common hepatic duct, percutaneous endoscopic approach, diagnostic
047J4E6	Dilation of left external iliac artery, bifurcation, with two intraluminal devices, percutaneous endoscopic approach	0F974ZZ	Drainage of common hepatic duct, percutaneous endoscopic approach
047J4EZ	Dilation of left external iliac artery with two intraluminal devices, percutaneous endoscopic approach	0F9840Z	Drainage of cystic duct with drainage device, percutaneous endoscopic approach
047J4F6	Dilation of left external iliac artery, bifurcation, with three intraluminal devices, percutaneous endoscopic approach	0F984ZX	Drainage of cystic duct, percutaneous endoscopic approach, diagnostic
047J4FZ	Dilation of left external iliac artery with three intraluminal devices, percutaneous endoscopic approach	0F984ZZ	Drainage of cystic duct, percutaneous endoscopic approach
047J4G6	Dilation of left external iliac artery, bifurcation, with four or more intraluminal devices, percutaneous endoscopic approach	0F9940Z	Drainage of common bile duct with drainage device, percutaneous endoscopic approach
047J4GZ	Dilation of left external iliac artery with four or more intraluminal devices, percutaneous endoscopic approach	0F994ZX	Drainage of common bile duct, percutaneous endoscopic approach, diagnostic

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

047J4Z1	Dilation of left external iliac artery using drug-coated balloon, percutaneous endoscopic approach	0F994ZZ	Drainage of common bile duct, percutaneous endoscopic approach
047J4Z6	Dilation of left external iliac artery, bifurcation, percutaneous endoscopic approach	0F9C40Z	Drainage of ampulla of vater with drainage device, percutaneous endoscopic approach
047J4ZZ	Dilation of left external iliac artery, percutaneous endoscopic approach	0F9C4ZX	Drainage of ampulla of vater, percutaneous endoscopic approach, diagnostic
049040Z	Drainage of abdominal aorta with drainage device, percutaneous endoscopic approach	0F9C4ZZ	Drainage of ampulla of vater, percutaneous endoscopic approach
04904ZX	Drainage of abdominal aorta, percutaneous endoscopic approach, diagnostic	0F9D40Z	Drainage of pancreatic duct with drainage device, percutaneous endoscopic approach
04904ZZ	Drainage of abdominal aorta, percutaneous endoscopic approach	0F9D4ZX	Drainage of pancreatic duct, percutaneous endoscopic approach, diagnostic
049140Z	Drainage of celiac artery with drainage device, percutaneous endoscopic approach	0F9D4ZZ	Drainage of pancreatic duct, percutaneous endoscopic approach
04914ZX	Drainage of celiac artery, percutaneous endoscopic approach, diagnostic	0F9F40Z	Drainage of accessory pancreatic duct with drainage device, percutaneous endoscopic approach
04914ZZ	Drainage of celiac artery, percutaneous endoscopic approach	0F9F4ZX	Drainage of accessory pancreatic duct, percutaneous endoscopic approach, diagnostic
049240Z	Drainage of gastric artery with drainage device, percutaneous endoscopic approach	0F9F4ZZ	Drainage of accessory pancreatic duct, percutaneous endoscopic approach
04924ZX	Drainage of gastric artery, percutaneous endoscopic approach, diagnostic	0F9G40Z	Drainage of pancreas with drainage device, percutaneous endoscopic approach
04924ZZ	Drainage of gastric artery, percutaneous endoscopic approach	0F9G4ZX	Drainage of pancreas, percutaneous endoscopic approach, diagnostic
049340Z	Drainage of hepatic artery with drainage device, percutaneous endoscopic approach	0F9G4ZZ	Drainage of pancreas, percutaneous endoscopic approach
04934ZX	Drainage of hepatic artery, percutaneous endoscopic approach, diagnostic	0FB04ZX	Excision of liver, percutaneous endoscopic approach, diagnostic
04934ZZ	Drainage of hepatic artery, percutaneous endoscopic approach	0FB04ZZ	Excision of liver, percutaneous endoscopic approach
049440Z	Drainage of splenic artery with drainage device, percutaneous endoscopic approach	0FB14ZX	Excision of right lobe liver, percutaneous endoscopic approach, diagnostic

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04944ZX	Drainage of splenic artery, percutaneous endoscopic approach, diagnostic	0FB14ZZ	Excision of right lobe liver, percutaneous endoscopic approach
04944ZZ	Drainage of splenic artery, percutaneous endoscopic approach	0FB24ZX	Excision of left lobe liver, percutaneous endoscopic approach, diagnostic
049540Z	Drainage of superior mesenteric artery with drainage device, percutaneous endoscopic approach	0FB24ZZ	Excision of left lobe liver, percutaneous endoscopic approach
04954ZX	Drainage of superior mesenteric artery, percutaneous endoscopic approach, diagnostic	0FB44ZX	Excision of gallbladder, percutaneous endoscopic approach, diagnostic
04954ZZ	Drainage of superior mesenteric artery, percutaneous endoscopic approach	0FB44ZZ	Excision of gallbladder, percutaneous endoscopic approach
049640Z	Drainage of right colic artery with drainage device, percutaneous endoscopic approach	0FB54ZX	Excision of right hepatic duct, percutaneous endoscopic approach, diagnostic
04964ZX	Drainage of right colic artery, percutaneous endoscopic approach, diagnostic	0FB54ZZ	Excision of right hepatic duct, percutaneous endoscopic approach
04964ZZ	Drainage of right colic artery, percutaneous endoscopic approach	0FB64ZX	Excision of left hepatic duct, percutaneous endoscopic approach, diagnostic
049740Z	Drainage of left colic artery with drainage device, percutaneous endoscopic approach	0FB64ZZ	Excision of left hepatic duct, percutaneous endoscopic approach
04974ZX	Drainage of left colic artery, percutaneous endoscopic approach, diagnostic	0FB74ZX	Excision of common hepatic duct, percutaneous endoscopic approach, diagnostic
04974ZZ	Drainage of left colic artery, percutaneous endoscopic approach	0FB74ZZ	Excision of common hepatic duct, percutaneous endoscopic approach
049840Z	Drainage of middle colic artery with drainage device, percutaneous endoscopic approach	0FB84ZX	Excision of cystic duct, percutaneous endoscopic approach, diagnostic
04984ZX	Drainage of middle colic artery, percutaneous endoscopic approach, diagnostic	0FB84ZZ	Excision of cystic duct, percutaneous endoscopic approach
04984ZZ	Drainage of middle colic artery, percutaneous endoscopic approach	0FB94ZX	Excision of common bile duct, percutaneous endoscopic approach, diagnostic
049940Z	Drainage of right renal artery with drainage device, percutaneous endoscopic approach	0FB94ZZ	Excision of common bile duct, percutaneous endoscopic approach
04994ZX	Drainage of right renal artery, percutaneous endoscopic approach, diagnostic	0FBC4ZX	Excision of ampulla of vater, percutaneous endoscopic approach, diagnostic

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04994ZZ	Drainage of right renal artery, percutaneous endoscopic approach	0FBC4ZZ	Excision of ampulla of vater, percutaneous endoscopic approach
049A40Z	Drainage of left renal artery with drainage device, percutaneous endoscopic approach	0FBD4ZX	Excision of pancreatic duct, percutaneous endoscopic approach, diagnostic
049A4ZX	Drainage of left renal artery, percutaneous endoscopic approach, diagnostic	0FBD4ZZ	Excision of pancreatic duct, percutaneous endoscopic approach
049A4ZZ	Drainage of left renal artery, percutaneous endoscopic approach	0FBF4ZX	Excision of accessory pancreatic duct, percutaneous endoscopic approach, diagnostic
049B40Z	Drainage of inferior mesenteric artery with drainage device, percutaneous endoscopic approach	0FBF4ZZ	Excision of accessory pancreatic duct, percutaneous endoscopic approach
049B4ZX	Drainage of inferior mesenteric artery, percutaneous endoscopic approach, diagnostic	0FBG4ZX	Excision of pancreas, percutaneous endoscopic approach, diagnostic
049B4ZZ	Drainage of inferior mesenteric artery, percutaneous endoscopic approach	0FBG4ZZ	Excision of pancreas, percutaneous endoscopic approach
049C40Z	Drainage of right common iliac artery with drainage device, percutaneous endoscopic approach	0FC04ZZ	Extripation of matter from liver, percutaneous endoscopic approach
049C4ZX	Drainage of right common iliac artery, percutaneous endoscopic approach, diagnostic	0FC14ZZ	Extripation of matter from right lobe liver, percutaneous endoscopic approach
049C4ZZ	Drainage of right common iliac artery, percutaneous endoscopic approach	0FC24ZZ	Extripation of matter from left lobe liver, percutaneous endoscopic approach
049D40Z	Drainage of left common iliac artery with drainage device, percutaneous endoscopic approach	0FC44ZZ	Extripation of matter from gallbladder, percutaneous endoscopic approach
049D4ZX	Drainage of left common iliac artery, percutaneous endoscopic approach, diagnostic	0FC54ZZ	Extripation of matter from right hepatic duct, percutaneous endoscopic approach
049D4ZZ	Drainage of left common iliac artery, percutaneous endoscopic approach	0FC64ZZ	Extripation of matter from left hepatic duct, percutaneous endoscopic approach
049E40Z	Drainage of right internal iliac artery with drainage device, percutaneous endoscopic approach	0FC74ZZ	Extripation of matter from common hepatic duct, percutaneous endoscopic approach
049E4ZX	Drainage of right internal iliac artery, percutaneous endoscopic approach, diagnostic	0FC84ZZ	Extripation of matter from cystic duct, percutaneous endoscopic approach
049E4ZZ	Drainage of right internal iliac artery, percutaneous endoscopic approach	0FC94ZZ	Extripation of matter from common bile duct, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

049F40Z	Drainage of left internal iliac artery with drainage device, percutaneous endoscopic approach	0FCC4ZZ	Extrirpation of matter from ampulla of vater, percutaneous endoscopic approach
049F4ZX	Drainage of left internal iliac artery, percutaneous endoscopic approach, diagnostic	0FCD4ZZ	Extrirpation of matter from pancreatic duct, percutaneous endoscopic approach
049F4ZZ	Drainage of left internal iliac artery, percutaneous endoscopic approach	0FCF4ZZ	Extrirpation of matter from accessory pancreatic duct, percutaneous endoscopic approach
049H40Z	Drainage of right external iliac artery with drainage device, percutaneous endoscopic approach	0FCG4ZZ	Extrirpation of matter from pancreas, percutaneous endoscopic approach
049H4ZX	Drainage of right external iliac artery, percutaneous endoscopic approach, diagnostic	0FD04ZX	Extraction of liver, percutaneous endoscopic approach, diagnostic
049H4ZZ	Drainage of right external iliac artery, percutaneous endoscopic approach	0FD14ZX	Extraction of right lobe liver, percutaneous endoscopic approach, diagnostic
049J40Z	Drainage of left external iliac artery with drainage device, percutaneous endoscopic approach	0FD24ZX	Extraction of left lobe liver, percutaneous endoscopic approach, diagnostic
049J4ZX	Drainage of left external iliac artery, percutaneous endoscopic approach, diagnostic	0FD44ZX	Extraction of gallbladder, percutaneous endoscopic approach, diagnostic
049J4ZZ	Drainage of left external iliac artery, percutaneous endoscopic approach	0FD54ZX	Extraction of right hepatic duct, percutaneous endoscopic approach, diagnostic
04B04ZX	Excision of abdominal aorta, percutaneous endoscopic approach, diagnostic	0FD64ZX	Extraction of left hepatic duct, percutaneous endoscopic approach, diagnostic
04B04ZZ	Excision of abdominal aorta, percutaneous endoscopic approach	0FD74ZX	Extraction of common hepatic duct, percutaneous endoscopic approach, diagnostic
04B14ZX	Excision of celiac artery, percutaneous endoscopic approach, diagnostic	0FD84ZX	Extraction of cystic duct, percutaneous endoscopic approach, diagnostic
04B14ZZ	Excision of celiac artery, percutaneous endoscopic approach	0FD94ZX	Extraction of common bile duct, percutaneous endoscopic approach, diagnostic
04B24ZX	Excision of gastric artery, percutaneous endoscopic approach, diagnostic	0FDC4ZX	Extraction of ampulla of vater, percutaneous endoscopic approach, diagnostic
04B24ZZ	Excision of gastric artery, percutaneous endoscopic approach	0FDD4ZX	Extraction of pancreatic duct, percutaneous endoscopic approach, diagnostic

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04B34ZX	Excision of hepatic artery, percutaneous endoscopic approach, diagnostic	0FDF4ZX	Extraction of accessory pancreatic duct, percutaneous endoscopic approach, diagnostic
04B34ZZ	Excision of hepatic artery, percutaneous endoscopic approach	0FDG4ZX	Extraction of pancreas, percutaneous endoscopic approach, diagnostic
04B44ZX	Excision of splenic artery, percutaneous endoscopic approach, diagnostic	0FF44ZZ	Fragmentation in gallbladder, percutaneous endoscopic approach
04B44ZZ	Excision of splenic artery, percutaneous endoscopic approach	0FF54ZZ	Fragmentation in right hepatic duct, percutaneous endoscopic approach
04B54ZX	Excision of superior mesenteric artery, percutaneous endoscopic approach, diagnostic	0FF64ZZ	Fragmentation in left hepatic duct, percutaneous endoscopic approach
04B54ZZ	Excision of superior mesenteric artery, percutaneous endoscopic approach	0FF74ZZ	Fragmentation in common hepatic duct, percutaneous endoscopic approach
04B64ZX	Excision of right colic artery, percutaneous endoscopic approach, diagnostic	0FF84ZZ	Fragmentation in cystic duct, percutaneous endoscopic approach
04B64ZZ	Excision of right colic artery, percutaneous endoscopic approach	0FF94ZZ	Fragmentation in common bile duct, percutaneous endoscopic approach
04B74ZX	Excision of left colic artery, percutaneous endoscopic approach, diagnostic	0FFC4ZZ	Fragmentation in ampulla of vater, percutaneous endoscopic approach
04B74ZZ	Excision of left colic artery, percutaneous endoscopic approach	0FFD4ZZ	Fragmentation in pancreatic duct, percutaneous endoscopic approach
04B84ZX	Excision of middle colic artery, percutaneous endoscopic approach, diagnostic	0FFF4ZZ	Fragmentation in accessory pancreatic duct, percutaneous endoscopic approach
04B84ZZ	Excision of middle colic artery, percutaneous endoscopic approach	0FH041Z	Insertion of radioactive element into liver, percutaneous endoscopic approach
04B94ZX	Excision of right renal artery, percutaneous endoscopic approach, diagnostic	0FH042Z	Insertion of monitoring device into liver, percutaneous endoscopic approach
04B94ZZ	Excision of right renal artery, percutaneous endoscopic approach	0FH043Z	Insertion of infusion device into liver, percutaneous endoscopic approach
04BA4ZX	Excision of left renal artery, percutaneous endoscopic approach, diagnostic	0FH04YZ	Insertion of other device into liver, percutaneous endoscopic approach
04BA4ZZ	Excision of left renal artery, percutaneous endoscopic approach	0FH142Z	Insertion of monitoring device into right lobe liver, percutaneous endoscopic approach
04BB4ZX	Excision of inferior mesenteric artery, percutaneous endoscopic approach, diagnostic	0FH143Z	Insertion of infusion device into right lobe liver, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04BB4ZZ	Excision of inferior mesenteric artery, percutaneous endoscopic approach	0FH242Z	Insertion of monitoring device into left lobe liver, percutaneous endoscopic approach
04BC4ZX	Excision of right common iliac artery, percutaneous endoscopic approach, diagnostic	0FH243Z	Insertion of infusion device into left lobe liver, percutaneous endoscopic approach
04BC4ZZ	Excision of right common iliac artery, percutaneous endoscopic approach	0FH441Z	Insertion of radioactive element into gallbladder, percutaneous endoscopic approach
04BD4ZX	Excision of left common iliac artery, percutaneous endoscopic approach, diagnostic	0FH442Z	Insertion of monitoring device into gallbladder, percutaneous endoscopic approach
04BD4ZZ	Excision of left common iliac artery, percutaneous endoscopic approach	0FH443Z	Insertion of infusion device into gallbladder, percutaneous endoscopic approach
04BE4ZX	Excision of right internal iliac artery, percutaneous endoscopic approach, diagnostic	0FH44YZ	Insertion of other device into gallbladder, percutaneous endoscopic approach
04BE4ZZ	Excision of right internal iliac artery, percutaneous endoscopic approach	0FHB41Z	Insertion of radioactive element into hepatobiliary duct, percutaneous endoscopic approach
04BF4ZX	Excision of left internal iliac artery, percutaneous endoscopic approach, diagnostic	0FHB42Z	Insertion of monitoring device into hepatobiliary duct, percutaneous endoscopic approach
04BF4ZZ	Excision of left internal iliac artery, percutaneous endoscopic approach	0FHB43Z	Insertion of infusion device into hepatobiliary duct, percutaneous endoscopic approach
04BH4ZX	Excision of right external iliac artery, percutaneous endoscopic approach, diagnostic	0FHB4DZ	Insertion of intraluminal device into hepatobiliary duct, percutaneous endoscopic approach
04BH4ZZ	Excision of right external iliac artery, percutaneous endoscopic approach	0FHB4YZ	Insertion of other device into hepatobiliary duct, percutaneous endoscopic approach
04BJ4ZX	Excision of left external iliac artery, percutaneous endoscopic approach, diagnostic	0FHD41Z	Insertion of radioactive element into pancreatic duct, percutaneous endoscopic approach
04BJ4ZZ	Excision of left external iliac artery, percutaneous endoscopic approach	0FHD42Z	Insertion of monitoring device into pancreatic duct, percutaneous endoscopic approach
04C04Z6	Extrication of matter from abdominal aorta, bifurcation, percutaneous endoscopic approach	0FHD43Z	Insertion of infusion device into pancreatic duct, percutaneous endoscopic approach
04C04ZZ	Extrication of matter from abdominal aorta, percutaneous endoscopic approach	0FHD4DZ	Insertion of intraluminal device into pancreatic duct, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04C14Z6	Extripation of matter from celiac artery, bifurcation, percutaneous endoscopic approach	0FHD4YZ	Insertion of other device into pancreatic duct, percutaneous endoscopic approach
04C14ZZ	Extripation of matter from celiac artery, percutaneous endoscopic approach	0FHG41Z	Insertion of radioactive element into pancreas, percutaneous endoscopic approach
04C24Z6	Extripation of matter from gastric artery, bifurcation, percutaneous endoscopic approach	0FHG42Z	Insertion of monitoring device into pancreas, percutaneous endoscopic approach
04C24ZZ	Extripation of matter from gastric artery, percutaneous endoscopic approach	0FHG43Z	Insertion of infusion device into pancreas, percutaneous endoscopic approach
04C34Z6	Extripation of matter from hepatic artery, bifurcation, percutaneous endoscopic approach	0FHG4YZ	Insertion of other device into pancreas, percutaneous endoscopic approach
04C34ZZ	Extripation of matter from hepatic artery, percutaneous endoscopic approach	0FJ04ZZ	Inspection of liver, percutaneous endoscopic approach
04C44Z6	Extripation of matter from splenic artery, bifurcation, percutaneous endoscopic approach	0FJ44ZZ	Inspection of gallbladder, percutaneous endoscopic approach
04C44ZZ	Extripation of matter from splenic artery, percutaneous endoscopic approach	0FJB4ZZ	Inspection of hepatobiliary duct, percutaneous endoscopic approach
04C54Z6	Extripation of matter from superior mesenteric artery, bifurcation, percutaneous endoscopic approach	0FJD4ZZ	Inspection of pancreatic duct, percutaneous endoscopic approach
04C54ZZ	Extripation of matter from superior mesenteric artery, percutaneous endoscopic approach	0FJG4ZZ	Inspection of pancreas, percutaneous endoscopic approach
04C64Z6	Extripation of matter from right colic artery, bifurcation, percutaneous endoscopic approach	0FL54CZ	Occlusion of right hepatic duct with extraluminal device, percutaneous endoscopic approach
04C64ZZ	Extripation of matter from right colic artery, percutaneous endoscopic approach	0FL54DZ	Occlusion of right hepatic duct with intraluminal device, percutaneous endoscopic approach
04C74Z6	Extripation of matter from left colic artery, bifurcation, percutaneous endoscopic approach	0FL54ZZ	Occlusion of right hepatic duct, percutaneous endoscopic approach
04C74ZZ	Extripation of matter from left colic artery, percutaneous endoscopic approach	0FL64CZ	Occlusion of left hepatic duct with extraluminal device, percutaneous endoscopic approach
04C84Z6	Extripation of matter from middle colic artery, bifurcation, percutaneous endoscopic approach	0FL64DZ	Occlusion of left hepatic duct with intraluminal device, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04C84ZZ	Extripation of matter from middle colic artery, percutaneous endoscopic approach	0FL64ZZ	Occlusion of left hepatic duct, percutaneous endoscopic approach
04C94Z6	Extripation of matter from right renal artery, bifurcation, percutaneous endoscopic approach	0FL74CZ	Occlusion of common hepatic duct with extraluminal device, percutaneous endoscopic approach
04C94ZZ	Extripation of matter from right renal artery, percutaneous endoscopic approach	0FL74DZ	Occlusion of common hepatic duct with intraluminal device, percutaneous endoscopic approach
04CA4Z6	Extripation of matter from left renal artery, bifurcation, percutaneous endoscopic approach	0FL74ZZ	Occlusion of common hepatic duct, percutaneous endoscopic approach
04CA4ZZ	Extripation of matter from left renal artery, percutaneous endoscopic approach	0FL84CZ	Occlusion of cystic duct with extraluminal device, percutaneous endoscopic approach
04CB4Z6	Extripation of matter from inferior mesenteric artery, bifurcation, percutaneous endoscopic approach	0FL84DZ	Occlusion of cystic duct with intraluminal device, percutaneous endoscopic approach
04CB4ZZ	Extripation of matter from inferior mesenteric artery, percutaneous endoscopic approach	0FL84ZZ	Occlusion of cystic duct, percutaneous endoscopic approach
04CC4Z6	Extripation of matter from right common iliac artery, bifurcation, percutaneous endoscopic approach	0FL94CZ	Occlusion of common bile duct with extraluminal device, percutaneous endoscopic approach
04CC4ZZ	Extripation of matter from right common iliac artery, percutaneous endoscopic approach	0FL94DZ	Occlusion of common bile duct with intraluminal device, percutaneous endoscopic approach
04CD4Z6	Extripation of matter from left common iliac artery, bifurcation, percutaneous endoscopic approach	0FL94ZZ	Occlusion of common bile duct, percutaneous endoscopic approach
04CD4ZZ	Extripation of matter from left common iliac artery, percutaneous endoscopic approach	0FLC4CZ	Occlusion of ampulla of vater with extraluminal device, percutaneous endoscopic approach
04CE4Z6	Extripation of matter from right internal iliac artery, bifurcation, percutaneous endoscopic approach	0FLC4DZ	Occlusion of ampulla of vater with intraluminal device, percutaneous endoscopic approach
04CE4ZZ	Extripation of matter from right internal iliac artery, percutaneous endoscopic approach	0FLC4ZZ	Occlusion of ampulla of vater, percutaneous endoscopic approach
04CF4Z6	Extripation of matter from left internal iliac artery, bifurcation, percutaneous endoscopic approach	0FLD4CZ	Occlusion of pancreatic duct with extraluminal device, percutaneous endoscopic approach
04CF4ZZ	Extripation of matter from left internal iliac artery, percutaneous endoscopic approach	0FLD4DZ	Occlusion of pancreatic duct with intraluminal device, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04CH4Z6	Extripation of matter from right external iliac artery, bifurcation, percutaneous endoscopic approach	0FLD4ZZ	Occlusion of pancreatic duct, percutaneous endoscopic approach
04CH4ZZ	Extripation of matter from right external iliac artery, percutaneous endoscopic approach	0FLF4CZ	Occlusion of accessory pancreatic duct with extraluminal device, percutaneous endoscopic approach
04CJ4Z6	Extripation of matter from left external iliac artery, bifurcation, percutaneous endoscopic approach	0FLF4DZ	Occlusion of accessory pancreatic duct with intraluminal device, percutaneous endoscopic approach
04CJ4ZZ	Extripation of matter from left external iliac artery, percutaneous endoscopic approach	0FLF4ZZ	Occlusion of accessory pancreatic duct, percutaneous endoscopic approach
04H042Z	Insertion of monitoring device into abdominal aorta, percutaneous endoscopic approach	0FM04ZZ	Reattachment of liver, percutaneous endoscopic approach
04H043Z	Insertion of infusion device into abdominal aorta, percutaneous endoscopic approach	0FM14ZZ	Reattachment of right lobe liver, percutaneous endoscopic approach
04H04DZ	Insertion of intraluminal device into abdominal aorta, percutaneous endoscopic approach	0FM24ZZ	Reattachment of left lobe liver, percutaneous endoscopic approach
04H143Z	Insertion of infusion device into celiac artery, percutaneous endoscopic approach	0FM44ZZ	Reattachment of gallbladder, percutaneous endoscopic approach
04H14DZ	Insertion of intraluminal device into celiac artery, percutaneous endoscopic approach	0FM54ZZ	Reattachment of right hepatic duct, percutaneous endoscopic approach
04H243Z	Insertion of infusion device into gastric artery, percutaneous endoscopic approach	0FM64ZZ	Reattachment of left hepatic duct, percutaneous endoscopic approach
04H24DZ	Insertion of intraluminal device into gastric artery, percutaneous endoscopic approach	0FM74ZZ	Reattachment of common hepatic duct, percutaneous endoscopic approach
04H343Z	Insertion of infusion device into hepatic artery, percutaneous endoscopic approach	0FM84ZZ	Reattachment of cystic duct, percutaneous endoscopic approach
04H34DZ	Insertion of intraluminal device into hepatic artery, percutaneous endoscopic approach	0FM94ZZ	Reattachment of common bile duct, percutaneous endoscopic approach
04H443Z	Insertion of infusion device into splenic artery, percutaneous endoscopic approach	0FMC4ZZ	Reattachment of ampulla of vater, percutaneous endoscopic approach
04H44DZ	Insertion of intraluminal device into splenic artery, percutaneous endoscopic approach	0FMD4ZZ	Reattachment of pancreatic duct, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04H543Z	Insertion of infusion device into superior mesenteric artery, percutaneous endoscopic approach	0FMF4ZZ	Reattachment of accessory pancreatic duct, percutaneous endoscopic approach
04H54DZ	Insertion of intraluminal device into superior mesenteric artery, percutaneous endoscopic approach	0FMG4ZZ	Reattachment of pancreas, percutaneous endoscopic approach
04H643Z	Insertion of infusion device into right colic artery, percutaneous endoscopic approach	0FN04ZZ	Release liver, percutaneous endoscopic approach
04H64DZ	Insertion of intraluminal device into right colic artery, percutaneous endoscopic approach	0FN14ZZ	Release right lobe liver, percutaneous endoscopic approach
04H743Z	Insertion of infusion device into left colic artery, percutaneous endoscopic approach	0FN24ZZ	Release left lobe liver, percutaneous endoscopic approach
04H74DZ	Insertion of intraluminal device into left colic artery, percutaneous endoscopic approach	0FN44ZZ	Release gallbladder, percutaneous endoscopic approach
04H843Z	Insertion of infusion device into middle colic artery, percutaneous endoscopic approach	0FN54ZZ	Release right hepatic duct, percutaneous endoscopic approach
04H84DZ	Insertion of intraluminal device into middle colic artery, percutaneous endoscopic approach	0FN64ZZ	Release left hepatic duct, percutaneous endoscopic approach
04H943Z	Insertion of infusion device into right renal artery, percutaneous endoscopic approach	0FN74ZZ	Release common hepatic duct, percutaneous endoscopic approach
04H94DZ	Insertion of intraluminal device into right renal artery, percutaneous endoscopic approach	0FN84ZZ	Release cystic duct, percutaneous endoscopic approach
04HA43Z	Insertion of infusion device into left renal artery, percutaneous endoscopic approach	0FN94ZZ	Release common bile duct, percutaneous endoscopic approach
04HA4DZ	Insertion of intraluminal device into left renal artery, percutaneous endoscopic approach	0FNC4ZZ	Release ampulla of vater, percutaneous endoscopic approach
04HB43Z	Insertion of infusion device into inferior mesenteric artery, percutaneous endoscopic approach	0FND4ZZ	Release pancreatic duct, percutaneous endoscopic approach
04HB4DZ	Insertion of intraluminal device into inferior mesenteric artery, percutaneous endoscopic approach	0FNF4ZZ	Release accessory pancreatic duct, percutaneous endoscopic approach
04HC43Z	Insertion of infusion device into right common iliac artery, percutaneous endoscopic approach	0FNG4ZZ	Release pancreas, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04HC4DZ	Insertion of intraluminal device into right common iliac artery, percutaneous endoscopic approach	0FP040Z	Removal of drainage device from liver, percutaneous endoscopic approach
04HD43Z	Insertion of infusion device into left common iliac artery, percutaneous endoscopic approach	0FP042Z	Removal of monitoring device from liver, percutaneous endoscopic approach
04HD4DZ	Insertion of intraluminal device into left common iliac artery, percutaneous endoscopic approach	0FP043Z	Removal of infusion device from liver, percutaneous endoscopic approach
04HE43Z	Insertion of infusion device into right internal iliac artery, percutaneous endoscopic approach	0FP04YZ	Removal of other device from liver, percutaneous endoscopic approach
04HE4DZ	Insertion of intraluminal device into right internal iliac artery, percutaneous endoscopic approach	0FP440Z	Removal of drainage device from gallbladder, percutaneous endoscopic approach
04HF43Z	Insertion of infusion device into left internal iliac artery, percutaneous endoscopic approach	0FP442Z	Removal of monitoring device from gallbladder, percutaneous endoscopic approach
04HF4DZ	Insertion of intraluminal device into left internal iliac artery, percutaneous endoscopic approach	0FP443Z	Removal of infusion device from gallbladder, percutaneous endoscopic approach
04HH43Z	Insertion of infusion device into right external iliac artery, percutaneous endoscopic approach	0FP44DZ	Removal of intraluminal device from gallbladder, percutaneous endoscopic approach
04HH4DZ	Insertion of intraluminal device into right external iliac artery, percutaneous endoscopic approach	0FP44YZ	Removal of other device from gallbladder, percutaneous endoscopic approach
04HJ43Z	Insertion of infusion device into left external iliac artery, percutaneous endoscopic approach	0FPB40Z	Removal of drainage device from hepatobiliary duct, percutaneous endoscopic approach
04HJ4DZ	Insertion of intraluminal device into left external iliac artery, percutaneous endoscopic approach	0FPB41Z	Removal of radioactive element from hepatobiliary duct, percutaneous endoscopic approach
04L04CZ	Occlusion of abdominal aorta with extraluminal device, percutaneous endoscopic approach	0FPB42Z	Removal of monitoring device from hepatobiliary duct, percutaneous endoscopic approach
04L04DZ	Occlusion of abdominal aorta with intraluminal device, percutaneous endoscopic approach	0FPB43Z	Removal of infusion device from hepatobiliary duct, percutaneous endoscopic approach
04L04ZZ	Occlusion of abdominal aorta, percutaneous endoscopic approach	0FPB47Z	Removal of autologous tissue substitute from hepatobiliary duct, percutaneous endoscopic approach
04L14CZ	Occlusion of celiac artery with extraluminal device, percutaneous endoscopic approach	0FPB4CZ	Removal of extraluminal device from hepatobiliary duct, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04L14DZ	Occlusion of celiac artery with intraluminal device, percutaneous endoscopic approach	0FPB4DZ	Removal of intraluminal device from hepatobiliary duct, percutaneous endoscopic approach
04L14ZZ	Occlusion of celiac artery, percutaneous endoscopic approach	0FPB4JZ	Removal of synthetic substitute from hepatobiliary duct, percutaneous endoscopic approach
04L24CZ	Occlusion of gastric artery with extraluminal device, percutaneous endoscopic approach	0FPB4KZ	Removal of nonautologous tissue substitute from hepatobiliary duct, percutaneous endoscopic approach
04L24DZ	Occlusion of gastric artery with intraluminal device, percutaneous endoscopic approach	0FPB4YZ	Removal of other device from hepatobiliary duct, percutaneous endoscopic approach
04L24ZZ	Occlusion of gastric artery, percutaneous endoscopic approach	0FPD40Z	Removal of drainage device from pancreatic duct, percutaneous endoscopic approach
04L34CZ	Occlusion of hepatic artery with extraluminal device, percutaneous endoscopic approach	0FPD41Z	Removal of radioactive element from pancreatic duct, percutaneous endoscopic approach
04L34DZ	Occlusion of hepatic artery with intraluminal device, percutaneous endoscopic approach	0FPD42Z	Removal of monitoring device from pancreatic duct, percutaneous endoscopic approach
04L34ZZ	Occlusion of hepatic artery, percutaneous endoscopic approach	0FPD43Z	Removal of infusion device from pancreatic duct, percutaneous endoscopic approach
04L44CZ	Occlusion of splenic artery with extraluminal device, percutaneous endoscopic approach	0FPD47Z	Removal of autologous tissue substitute from pancreatic duct, percutaneous endoscopic approach
04L44DZ	Occlusion of splenic artery with intraluminal device, percutaneous endoscopic approach	0FPD4CZ	Removal of extraluminal device from pancreatic duct, percutaneous endoscopic approach
04L44ZZ	Occlusion of splenic artery, percutaneous endoscopic approach	0FPD4DZ	Removal of intraluminal device from pancreatic duct, percutaneous endoscopic approach
04L54CZ	Occlusion of superior mesenteric artery with extraluminal device, percutaneous endoscopic approach	0FPD4JZ	Removal of synthetic substitute from pancreatic duct, percutaneous endoscopic approach
04L54DZ	Occlusion of superior mesenteric artery with intraluminal device, percutaneous endoscopic approach	0FPD4KZ	Removal of nonautologous tissue substitute from pancreatic duct, percutaneous endoscopic approach
04L54ZZ	Occlusion of superior mesenteric artery, percutaneous endoscopic approach	0FPD4YZ	Removal of other device from pancreatic duct, percutaneous endoscopic approach
04L64CZ	Occlusion of right colic artery with extraluminal device, percutaneous endoscopic approach	0FPG40Z	Removal of drainage device from pancreas, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04L64DZ	Occlusion of right colic artery with intraluminal device, percutaneous endoscopic approach	0FPG42Z	Removal of monitoring device from pancreas, percutaneous endoscopic approach
04L64ZZ	Occlusion of right colic artery, percutaneous endoscopic approach	0FPG43Z	Removal of infusion device from pancreas, percutaneous endoscopic approach
04L74CZ	Occlusion of left colic artery with extraluminal device, percutaneous endoscopic approach	0FPG4DZ	Removal of intraluminal device from pancreas, percutaneous endoscopic approach
04L74DZ	Occlusion of left colic artery with intraluminal device, percutaneous endoscopic approach	0FPG4YZ	Removal of other device from pancreas, percutaneous endoscopic approach
04L74ZZ	Occlusion of left colic artery, percutaneous endoscopic approach	0FQ04ZZ	Repair liver, percutaneous endoscopic approach
04L84CZ	Occlusion of middle colic artery with extraluminal device, percutaneous endoscopic approach	0FQ14ZZ	Repair right lobe liver, percutaneous endoscopic approach
04L84DZ	Occlusion of middle colic artery with intraluminal device, percutaneous endoscopic approach	0FQ24ZZ	Repair left lobe liver, percutaneous endoscopic approach
04L84ZZ	Occlusion of middle colic artery, percutaneous endoscopic approach	0FQ44ZZ	Repair gallbladder, percutaneous endoscopic approach
04L94CZ	Occlusion of right renal artery with extraluminal device, percutaneous endoscopic approach	0FQ54ZZ	Repair right hepatic duct, percutaneous endoscopic approach
04L94DZ	Occlusion of right renal artery with intraluminal device, percutaneous endoscopic approach	0FQ64ZZ	Repair left hepatic duct, percutaneous endoscopic approach
04L94ZZ	Occlusion of right renal artery, percutaneous endoscopic approach	0FQ74ZZ	Repair common hepatic duct, percutaneous endoscopic approach
04LA4CZ	Occlusion of left renal artery with extraluminal device, percutaneous endoscopic approach	0FQ84ZZ	Repair cystic duct, percutaneous endoscopic approach
04LA4DZ	Occlusion of left renal artery with intraluminal device, percutaneous endoscopic approach	0FQ94ZZ	Repair common bile duct, percutaneous endoscopic approach
04LA4ZZ	Occlusion of left renal artery, percutaneous endoscopic approach	0FQC4ZZ	Repair ampulla of vater, percutaneous endoscopic approach
04LB4CZ	Occlusion of inferior mesenteric artery with extraluminal device, percutaneous endoscopic approach	0FQD4ZZ	Repair pancreatic duct, percutaneous endoscopic approach
04LB4DZ	Occlusion of inferior mesenteric artery with intraluminal device, percutaneous endoscopic approach	0FQF4ZZ	Repair accessory pancreatic duct, percutaneous endoscopic approach
04LB4ZZ	Occlusion of inferior mesenteric artery, percutaneous endoscopic approach	0FQG4ZZ	Repair pancreas, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04LC4CZ	Occlusion of right common iliac artery with extraluminal device, percutaneous endoscopic approach	0FR547Z	Replacement of right hepatic duct with autologous tissue substitute, percutaneous endoscopic approach
04LC4DZ	Occlusion of right common iliac artery with intraluminal device, percutaneous endoscopic approach	0FR54JZ	Replacement of right hepatic duct with synthetic substitute, percutaneous endoscopic approach
04LC4ZZ	Occlusion of right common iliac artery, percutaneous endoscopic approach	0FR54KZ	Replacement of right hepatic duct with nonautologous tissue substitute, percutaneous endoscopic approach
04LD4CZ	Occlusion of left common iliac artery with extraluminal device, percutaneous endoscopic approach	0FR647Z	Replacement of left hepatic duct with autologous tissue substitute, percutaneous endoscopic approach
04LD4DZ	Occlusion of left common iliac artery with intraluminal device, percutaneous endoscopic approach	0FR64JZ	Replacement of left hepatic duct with synthetic substitute, percutaneous endoscopic approach
04LD4ZZ	Occlusion of left common iliac artery, percutaneous endoscopic approach	0FR64KZ	Replacement of left hepatic duct with nonautologous tissue substitute, percutaneous endoscopic approach
04LE4CT	Occlusion of right uterine artery with extraluminal device, percutaneous endoscopic approach	0FR747Z	Replacement of common hepatic duct with autologous tissue substitute, percutaneous endoscopic approach
04LE4CV	Occlusion of right prostatic artery with extraluminal device, percutaneous endoscopic approach	0FR74JZ	Replacement of common hepatic duct with synthetic substitute, percutaneous endoscopic approach
04LE4CZ	Occlusion of right internal iliac artery with extraluminal device, percutaneous endoscopic approach	0FR74KZ	Replacement of common hepatic duct with nonautologous tissue substitute, percutaneous endoscopic approach
04LE4DT	Occlusion of right uterine artery with intraluminal device, percutaneous endoscopic approach	0FR847Z	Replacement of cystic duct with autologous tissue substitute, percutaneous endoscopic approach
04LE4DV	Occlusion of right prostatic artery with intraluminal device, percutaneous endoscopic approach	0FR84JZ	Replacement of cystic duct with synthetic substitute, percutaneous endoscopic approach
04LE4DZ	Occlusion of right internal iliac artery with intraluminal device, percutaneous endoscopic approach	0FR84KZ	Replacement of cystic duct with nonautologous tissue substitute, percutaneous endoscopic approach
04LE4ZT	Occlusion of right uterine artery, percutaneous endoscopic approach	0FR947Z	Replacement of common bile duct with autologous tissue substitute, percutaneous endoscopic approach
04LE4ZV	Occlusion of right prostatic artery, percutaneous endoscopic approach	0FR94JZ	Replacement of common bile duct with synthetic substitute, percutaneous endoscopic approach
04LE4ZZ	Occlusion of right internal iliac artery, percutaneous endoscopic approach	0FR94KZ	Replacement of common bile duct with nonautologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04LF4CU	Occlusion of left uterine artery with extraluminal device, percutaneous endoscopic approach	0FRC47Z	Replacement of ampulla of vater with autologous tissue substitute, percutaneous endoscopic approach
04LF4CW	Occlusion of left prostatic artery with extraluminal device, percutaneous endoscopic approach	0FRC4JZ	Replacement of ampulla of vater with synthetic substitute, percutaneous endoscopic approach
04LF4CZ	Occlusion of left internal iliac artery with extraluminal device, percutaneous endoscopic approach	0FRC4KZ	Replacement of ampulla of vater with nonautologous tissue substitute, percutaneous endoscopic approach
04LF4DU	Occlusion of left uterine artery with intraluminal device, percutaneous endoscopic approach	0FRD47Z	Replacement of pancreatic duct with autologous tissue substitute, percutaneous endoscopic approach
04LF4DW	Occlusion of left prostatic artery with intraluminal device, percutaneous endoscopic approach	0FRD4JZ	Replacement of pancreatic duct with synthetic substitute, percutaneous endoscopic approach
04LF4DZ	Occlusion of left internal iliac artery with intraluminal device, percutaneous endoscopic approach	0FRD4KZ	Replacement of pancreatic duct with nonautologous tissue substitute, percutaneous endoscopic approach
04LF4ZU	Occlusion of left uterine artery, percutaneous endoscopic approach	0FRF47Z	Replacement of accessory pancreatic duct with autologous tissue substitute, percutaneous endoscopic approach
04LF4ZW	Occlusion of left prostatic artery, percutaneous endoscopic approach	0FRF4JZ	Replacement of accessory pancreatic duct with synthetic substitute, percutaneous endoscopic approach
04LF4ZZ	Occlusion of left internal iliac artery, percutaneous endoscopic approach	0FRF4KZ	Replacement of accessory pancreatic duct with nonautologous tissue substitute, percutaneous endoscopic approach
04LH4CZ	Occlusion of right external iliac artery with extraluminal device, percutaneous endoscopic approach	0FS04ZZ	Reposition liver, percutaneous endoscopic approach
04LH4DZ	Occlusion of right external iliac artery with intraluminal device, percutaneous endoscopic approach	0FS44ZZ	Reposition gallbladder, percutaneous endoscopic approach
04LH4ZZ	Occlusion of right external iliac artery, percutaneous endoscopic approach	0FS54ZZ	Reposition right hepatic duct, percutaneous endoscopic approach
04LJ4CZ	Occlusion of left external iliac artery with extraluminal device, percutaneous endoscopic approach	0FS64ZZ	Reposition left hepatic duct, percutaneous endoscopic approach
04LJ4DZ	Occlusion of left external iliac artery with intraluminal device, percutaneous endoscopic approach	0FS74ZZ	Reposition common hepatic duct, percutaneous endoscopic approach
04LJ4ZZ	Occlusion of left external iliac artery, percutaneous endoscopic approach	0FS84ZZ	Reposition cystic duct, percutaneous endoscopic approach
04N04ZZ	Release abdominal aorta, percutaneous endoscopic approach	0FS94ZZ	Reposition common bile duct, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04N14ZZ	Release celiac artery, percutaneous endoscopic approach	0FSC4ZZ	Reposition ampulla of vater, percutaneous endoscopic approach
04N24ZZ	Release gastric artery, percutaneous endoscopic approach	0FSD4ZZ	Reposition pancreatic duct, percutaneous endoscopic approach
04N34ZZ	Release hepatic artery, percutaneous endoscopic approach	0FSF4ZZ	Reposition accessory pancreatic duct, percutaneous endoscopic approach
04N44ZZ	Release splenic artery, percutaneous endoscopic approach	0FSG4ZZ	Reposition pancreas, percutaneous endoscopic approach
04N54ZZ	Release superior mesenteric artery, percutaneous endoscopic approach	0FT04ZZ	Resection of liver, percutaneous endoscopic approach
04N64ZZ	Release right colic artery, percutaneous endoscopic approach	0FT14ZZ	Resection of right lobe liver, percutaneous endoscopic approach
04N74ZZ	Release left colic artery, percutaneous endoscopic approach	0FT24ZZ	Resection of left lobe liver, percutaneous endoscopic approach
04N84ZZ	Release middle colic artery, percutaneous endoscopic approach	0FT44ZZ	Resection of gallbladder, percutaneous endoscopic approach
04N94ZZ	Release right renal artery, percutaneous endoscopic approach	0FT54ZZ	Resection of right hepatic duct, percutaneous endoscopic approach
04NA4ZZ	Release left renal artery, percutaneous endoscopic approach	0FT64ZZ	Resection of left hepatic duct, percutaneous endoscopic approach
04NB4ZZ	Release inferior mesenteric artery, percutaneous endoscopic approach	0FT74ZZ	Resection of common hepatic duct, percutaneous endoscopic approach
04NC4ZZ	Release right common iliac artery, percutaneous endoscopic approach	0FT84ZZ	Resection of cystic duct, percutaneous endoscopic approach
04ND4ZZ	Release left common iliac artery, percutaneous endoscopic approach	0FT94ZZ	Resection of common bile duct, percutaneous endoscopic approach
04NE4ZZ	Release right internal iliac artery, percutaneous endoscopic approach	0FTC4ZZ	Resection of ampulla of vater, percutaneous endoscopic approach
04NF4ZZ	Release left internal iliac artery, percutaneous endoscopic approach	0FTD4ZZ	Resection of pancreatic duct, percutaneous endoscopic approach
04NH4ZZ	Release right external iliac artery, percutaneous endoscopic approach	0FTF4ZZ	Resection of accessory pancreatic duct, percutaneous endoscopic approach
04NJ4ZZ	Release left external iliac artery, percutaneous endoscopic approach	0FTG4ZZ	Resection of pancreas, percutaneous endoscopic approach
04Q04ZZ	Repair abdominal aorta, percutaneous endoscopic approach	0FU547Z	Supplement right hepatic duct with autologous tissue substitute, percutaneous endoscopic approach
04Q14ZZ	Repair celiac artery, percutaneous endoscopic approach	0FU54JZ	Supplement right hepatic duct with synthetic substitute, percutaneous endoscopic approach
04Q24ZZ	Repair gastric artery, percutaneous endoscopic approach	0FU54KZ	Supplement right hepatic duct with nonautologous tissue substitute, percutaneous endoscopic approach
04Q34ZZ	Repair hepatic artery, percutaneous endoscopic approach	0FU647Z	Supplement left hepatic duct with autologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04Q44ZZ	Repair splenic artery, percutaneous endoscopic approach	0FU64JZ	Supplement left hepatic duct with synthetic substitute, percutaneous endoscopic approach
04Q54ZZ	Repair superior mesenteric artery, percutaneous endoscopic approach	0FU64KZ	Supplement left hepatic duct with nonautologous tissue substitute, percutaneous endoscopic approach
04Q64ZZ	Repair right colic artery, percutaneous endoscopic approach	0FU747Z	Supplement common hepatic duct with autologous tissue substitute, percutaneous endoscopic approach
04Q74ZZ	Repair left colic artery, percutaneous endoscopic approach	0FU74JZ	Supplement common hepatic duct with synthetic substitute, percutaneous endoscopic approach
04Q84ZZ	Repair middle colic artery, percutaneous endoscopic approach	0FU74KZ	Supplement common hepatic duct with nonautologous tissue substitute, percutaneous endoscopic approach
04Q94ZZ	Repair right renal artery, percutaneous endoscopic approach	0FU847Z	Supplement cystic duct with autologous tissue substitute, percutaneous endoscopic approach
04QA4ZZ	Repair left renal artery, percutaneous endoscopic approach	0FU84JZ	Supplement cystic duct with synthetic substitute, percutaneous endoscopic approach
04QB4ZZ	Repair inferior mesenteric artery, percutaneous endoscopic approach	0FU84KZ	Supplement cystic duct with nonautologous tissue substitute, percutaneous endoscopic approach
04QC4ZZ	Repair right common iliac artery, percutaneous endoscopic approach	0FU947Z	Supplement common bile duct with autologous tissue substitute, percutaneous endoscopic approach
04QD4ZZ	Repair left common iliac artery, percutaneous endoscopic approach	0FU94JZ	Supplement common bile duct with synthetic substitute, percutaneous endoscopic approach
04QE4ZZ	Repair right internal iliac artery, percutaneous endoscopic approach	0FU94KZ	Supplement common bile duct with nonautologous tissue substitute, percutaneous endoscopic approach
04QF4ZZ	Repair left internal iliac artery, percutaneous endoscopic approach	0FUC47Z	Supplement ampulla of vater with autologous tissue substitute, percutaneous endoscopic approach
04QH4ZZ	Repair right external iliac artery, percutaneous endoscopic approach	0FUC4JZ	Supplement ampulla of vater with synthetic substitute, percutaneous endoscopic approach
04QJ4ZZ	Repair left external iliac artery, percutaneous endoscopic approach	0FUC4KZ	Supplement ampulla of vater with nonautologous tissue substitute, percutaneous endoscopic approach
04R047Z	Replacement of abdominal aorta with autologous tissue substitute, percutaneous endoscopic approach	0FUD47Z	Supplement pancreatic duct with autologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04R04JZ	Replacement of abdominal aorta with synthetic substitute, percutaneous endoscopic approach	0FUD4JZ	Supplement pancreatic duct with synthetic substitute, percutaneous endoscopic approach
04R04KZ	Replacement of abdominal aorta with nonautologous tissue substitute, percutaneous endoscopic approach	0FUD4KZ	Supplement pancreatic duct with nonautologous tissue substitute, percutaneous endoscopic approach
04R147Z	Replacement of celiac artery with autologous tissue substitute, percutaneous endoscopic approach	0FUF47Z	Supplement accessory pancreatic duct with autologous tissue substitute, percutaneous endoscopic approach
04R14JZ	Replacement of celiac artery with synthetic substitute, percutaneous endoscopic approach	0FUF4JZ	Supplement accessory pancreatic duct with synthetic substitute, percutaneous endoscopic approach
04R14KZ	Replacement of celiac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0FUF4KZ	Supplement accessory pancreatic duct with nonautologous tissue substitute, percutaneous endoscopic approach
04R247Z	Replacement of gastric artery with autologous tissue substitute, percutaneous endoscopic approach	0FV54CZ	Restriction of right hepatic duct with extraluminal device, percutaneous endoscopic approach
04R24JZ	Replacement of gastric artery with synthetic substitute, percutaneous endoscopic approach	0FV54DZ	Restriction of right hepatic duct with intraluminal device, percutaneous endoscopic approach
04R24KZ	Replacement of gastric artery with nonautologous tissue substitute, percutaneous endoscopic approach	0FV54ZZ	Restriction of right hepatic duct, percutaneous endoscopic approach
04R347Z	Replacement of hepatic artery with autologous tissue substitute, percutaneous endoscopic approach	0FV64CZ	Restriction of left hepatic duct with extraluminal device, percutaneous endoscopic approach
04R34JZ	Replacement of hepatic artery with synthetic substitute, percutaneous endoscopic approach	0FV64DZ	Restriction of left hepatic duct with intraluminal device, percutaneous endoscopic approach
04R34KZ	Replacement of hepatic artery with nonautologous tissue substitute, percutaneous endoscopic approach	0FV64ZZ	Restriction of left hepatic duct, percutaneous endoscopic approach
04R447Z	Replacement of splenic artery with autologous tissue substitute, percutaneous endoscopic approach	0FV74CZ	Restriction of common hepatic duct with extraluminal device, percutaneous endoscopic approach
04R44JZ	Replacement of splenic artery with synthetic substitute, percutaneous endoscopic approach	0FV74DZ	Restriction of common hepatic duct with intraluminal device, percutaneous endoscopic approach
04R44KZ	Replacement of splenic artery with nonautologous tissue substitute, percutaneous endoscopic approach	0FV74ZZ	Restriction of common hepatic duct, percutaneous endoscopic approach
04R547Z	Replacement of superior mesenteric artery with autologous tissue substitute, percutaneous endoscopic approach	0FV84CZ	Restriction of cystic duct with extraluminal device, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04R54JZ	Replacement of superior mesenteric artery with synthetic substitute, percutaneous endoscopic approach	0FV84DZ	Restriction of cystic duct with intraluminal device, percutaneous endoscopic approach
04R54KZ	Replacement of superior mesenteric artery with nonautologous tissue substitute, percutaneous endoscopic approach	0FV84ZZ	Restriction of cystic duct, percutaneous endoscopic approach
04R647Z	Replacement of right colic artery with autologous tissue substitute, percutaneous endoscopic approach	0FV94CZ	Restriction of common bile duct with extraluminal device, percutaneous endoscopic approach
04R64JZ	Replacement of right colic artery with synthetic substitute, percutaneous endoscopic approach	0FV94DZ	Restriction of common bile duct with intraluminal device, percutaneous endoscopic approach
04R64KZ	Replacement of right colic artery with nonautologous tissue substitute, percutaneous endoscopic approach	0FV94ZZ	Restriction of common bile duct, percutaneous endoscopic approach
04R747Z	Replacement of left colic artery with autologous tissue substitute, percutaneous endoscopic approach	0FVC4CZ	Restriction of ampulla of vater with extraluminal device, percutaneous endoscopic approach
04R74JZ	Replacement of left colic artery with synthetic substitute, percutaneous endoscopic approach	0FVC4DZ	Restriction of ampulla of vater with intraluminal device, percutaneous endoscopic approach
04R74KZ	Replacement of left colic artery with nonautologous tissue substitute, percutaneous endoscopic approach	0FVC4ZZ	Restriction of ampulla of vater, percutaneous endoscopic approach
04R847Z	Replacement of middle colic artery with autologous tissue substitute, percutaneous endoscopic approach	0FVD4CZ	Restriction of pancreatic duct with extraluminal device, percutaneous endoscopic approach
04R84JZ	Replacement of middle colic artery with synthetic substitute, percutaneous endoscopic approach	0FVD4DZ	Restriction of pancreatic duct with intraluminal device, percutaneous endoscopic approach
04R84KZ	Replacement of middle colic artery with nonautologous tissue substitute, percutaneous endoscopic approach	0FVD4ZZ	Restriction of pancreatic duct, percutaneous endoscopic approach
04R947Z	Replacement of right renal artery with autologous tissue substitute, percutaneous endoscopic approach	0FVF4CZ	Restriction of accessory pancreatic duct with extraluminal device, percutaneous endoscopic approach
04R94JZ	Replacement of right renal artery with synthetic substitute, percutaneous endoscopic approach	0FVF4DZ	Restriction of accessory pancreatic duct with intraluminal device, percutaneous endoscopic approach
04R94KZ	Replacement of right renal artery with nonautologous tissue substitute, percutaneous endoscopic approach	0FVF4ZZ	Restriction of accessory pancreatic duct, percutaneous endoscopic approach
04RA47Z	Replacement of left renal artery with autologous tissue substitute, percutaneous endoscopic approach	0FW040Z	Revision of drainage device in liver, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04RA4JZ	Replacement of left renal artery with synthetic substitute, percutaneous endoscopic approach	0FW042Z	Revision of monitoring device in liver, percutaneous endoscopic approach
04RA4KZ	Replacement of left renal artery with nonautologous tissue substitute, percutaneous endoscopic approach	0FW043Z	Revision of infusion device in liver, percutaneous endoscopic approach
04RB47Z	Replacement of inferior mesenteric artery with autologous tissue substitute, percutaneous endoscopic approach	0FW04YZ	Revision of other device in liver, percutaneous endoscopic approach
04RB4JZ	Replacement of inferior mesenteric artery with synthetic substitute, percutaneous endoscopic approach	0FW440Z	Revision of drainage device in gallbladder, percutaneous endoscopic approach
04RB4KZ	Replacement of inferior mesenteric artery with nonautologous tissue substitute, percutaneous endoscopic approach	0FW442Z	Revision of monitoring device in gallbladder, percutaneous endoscopic approach
04RC47Z	Replacement of right common iliac artery with autologous tissue substitute, percutaneous endoscopic approach	0FW443Z	Revision of infusion device in gallbladder, percutaneous endoscopic approach
04RC4JZ	Replacement of right common iliac artery with synthetic substitute, percutaneous endoscopic approach	0FW44DZ	Revision of intraluminal device in gallbladder, percutaneous endoscopic approach
04RC4KZ	Replacement of right common iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0FW44YZ	Revision of other device in gallbladder, percutaneous endoscopic approach
04RD47Z	Replacement of left common iliac artery with autologous tissue substitute, percutaneous endoscopic approach	0FWB40Z	Revision of drainage device in hepatobiliary duct, percutaneous endoscopic approach
04RD4JZ	Replacement of left common iliac artery with synthetic substitute, percutaneous endoscopic approach	0FWB42Z	Revision of monitoring device in hepatobiliary duct, percutaneous endoscopic approach
04RD4KZ	Replacement of left common iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0FWB43Z	Revision of infusion device in hepatobiliary duct, percutaneous endoscopic approach
04RE47Z	Replacement of right internal iliac artery with autologous tissue substitute, percutaneous endoscopic approach	0FWB47Z	Revision of autologous tissue substitute in hepatobiliary duct, percutaneous endoscopic approach
04RE4JZ	Replacement of right internal iliac artery with synthetic substitute, percutaneous endoscopic approach	0FWB4CZ	Revision of extraluminal device in hepatobiliary duct, percutaneous endoscopic approach
04RE4KZ	Replacement of right internal iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0FWB4DZ	Revision of intraluminal device in hepatobiliary duct, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04RF47Z	Replacement of left internal iliac artery with autologous tissue substitute, percutaneous endoscopic approach	0FWB4JZ	Revision of synthetic substitute in hepatobiliary duct, percutaneous endoscopic approach
04RF4JZ	Replacement of left internal iliac artery with synthetic substitute, percutaneous endoscopic approach	0FWB4KZ	Revision of nonautologous tissue substitute in hepatobiliary duct, percutaneous endoscopic approach
04RF4KZ	Replacement of left internal iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0FWB4YZ	Revision of other device in hepatobiliary duct, percutaneous endoscopic approach
04RH47Z	Replacement of right external iliac artery with autologous tissue substitute, percutaneous endoscopic approach	0FWD40Z	Revision of drainage device in pancreatic duct, percutaneous endoscopic approach
04RH4JZ	Replacement of right external iliac artery with synthetic substitute, percutaneous endoscopic approach	0FWD42Z	Revision of monitoring device in pancreatic duct, percutaneous endoscopic approach
04RH4KZ	Replacement of right external iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0FWD43Z	Revision of infusion device in pancreatic duct, percutaneous endoscopic approach
04RJ47Z	Replacement of left external iliac artery with autologous tissue substitute, percutaneous endoscopic approach	0FWD47Z	Revision of autologous tissue substitute in pancreatic duct, percutaneous endoscopic approach
04RJ4JZ	Replacement of left external iliac artery with synthetic substitute, percutaneous endoscopic approach	0FWD4CZ	Revision of extraluminal device in pancreatic duct, percutaneous endoscopic approach
04RJ4KZ	Replacement of left external iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0FWD4DZ	Revision of intraluminal device in pancreatic duct, percutaneous endoscopic approach
04S04ZZ	Reposition abdominal aorta, percutaneous endoscopic approach	0FWD4JZ	Revision of synthetic substitute in pancreatic duct, percutaneous endoscopic approach
04S14ZZ	Reposition celiac artery, percutaneous endoscopic approach	0FWD4KZ	Revision of nonautologous tissue substitute in pancreatic duct, percutaneous endoscopic approach
04S24ZZ	Reposition gastric artery, percutaneous endoscopic approach	0FWD4YZ	Revision of other device in pancreatic duct, percutaneous endoscopic approach
04S34ZZ	Reposition hepatic artery, percutaneous endoscopic approach	0FWG40Z	Revision of drainage device in pancreas, percutaneous endoscopic approach
04S44ZZ	Reposition splenic artery, percutaneous endoscopic approach	0FWG42Z	Revision of monitoring device in pancreas, percutaneous endoscopic approach
04S54ZZ	Reposition superior mesenteric artery, percutaneous endoscopic approach	0FWG43Z	Revision of infusion device in pancreas, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04S64ZZ	Reposition right colic artery, percutaneous endoscopic approach	0FWG4DZ	Revision of intraluminal device in pancreas, percutaneous endoscopic approach
04S74ZZ	Reposition left colic artery, percutaneous endoscopic approach	0FWG4YZ	Revision of other device in pancreas, percutaneous endoscopic approach
04S84ZZ	Reposition middle colic artery, percutaneous endoscopic approach	0G524Z3	Destruction of left adrenal gland using laser interstitial thermal therapy, percutaneous endoscopic approach
04S94ZZ	Reposition right renal artery, percutaneous endoscopic approach	0G524ZZ	Destruction of left adrenal gland, percutaneous endoscopic approach
04SA4ZZ	Reposition left renal artery, percutaneous endoscopic approach	0G534Z3	Destruction of right adrenal gland using laser interstitial thermal therapy, percutaneous endoscopic approach
04SB4ZZ	Reposition inferior mesenteric artery, percutaneous endoscopic approach	0G534ZZ	Destruction of right adrenal gland, percutaneous endoscopic approach
04SC4ZZ	Reposition right common iliac artery, percutaneous endoscopic approach	0G544Z3	Destruction of bilateral adrenal glands using laser interstitial thermal therapy, percutaneous endoscopic approach
04SD4ZZ	Reposition left common iliac artery, percutaneous endoscopic approach	0G544ZZ	Destruction of bilateral adrenal glands, percutaneous endoscopic approach
04SE4ZZ	Reposition right internal iliac artery, percutaneous endoscopic approach	0G9240Z	Drainage of left adrenal gland with drainage device, percutaneous endoscopic approach
04SF4ZZ	Reposition left internal iliac artery, percutaneous endoscopic approach	0G924ZX	Drainage of left adrenal gland, percutaneous endoscopic approach, diagnostic
04SH4ZZ	Reposition right external iliac artery, percutaneous endoscopic approach	0G924ZZ	Drainage of left adrenal gland, percutaneous endoscopic approach
04SJ4ZZ	Reposition left external iliac artery, percutaneous endoscopic approach	0G9340Z	Drainage of right adrenal gland with drainage device, percutaneous endoscopic approach
04U047Z	Supplement abdominal aorta with autologous tissue substitute, percutaneous endoscopic approach	0G934ZX	Drainage of right adrenal gland, percutaneous endoscopic approach, diagnostic
04U04JZ	Supplement abdominal aorta with synthetic substitute, percutaneous endoscopic approach	0G934ZZ	Drainage of right adrenal gland, percutaneous endoscopic approach
04U04KZ	Supplement abdominal aorta with nonautologous tissue substitute, percutaneous endoscopic approach	0G9440Z	Drainage of bilateral adrenal glands with drainage device, percutaneous endoscopic approach
04U147Z	Supplement celiac artery with autologous tissue substitute, percutaneous endoscopic approach	0G944ZX	Drainage of bilateral adrenal glands, percutaneous endoscopic approach, diagnostic
04U14JZ	Supplement celiac artery with synthetic substitute, percutaneous endoscopic approach	0G944ZZ	Drainage of bilateral adrenal glands, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04U14KZ	Supplement celiac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0GB24ZX	Excision of left adrenal gland, percutaneous endoscopic approach, diagnostic
04U247Z	Supplement gastric artery with autologous tissue substitute, percutaneous endoscopic approach	0GB24ZZ	Excision of left adrenal gland, percutaneous endoscopic approach
04U24JZ	Supplement gastric artery with synthetic substitute, percutaneous endoscopic approach	0GB34ZX	Excision of right adrenal gland, percutaneous endoscopic approach, diagnostic
04U24KZ	Supplement gastric artery with nonautologous tissue substitute, percutaneous endoscopic approach	0GB34ZZ	Excision of right adrenal gland, percutaneous endoscopic approach
04U347Z	Supplement hepatic artery with autologous tissue substitute, percutaneous endoscopic approach	0GB44ZX	Excision of bilateral adrenal glands, percutaneous endoscopic approach, diagnostic
04U34JZ	Supplement hepatic artery with synthetic substitute, percutaneous endoscopic approach	0GB44ZZ	Excision of bilateral adrenal glands, percutaneous endoscopic approach
04U34KZ	Supplement hepatic artery with nonautologous tissue substitute, percutaneous endoscopic approach	0GC24ZZ	Extrirpation of matter from left adrenal gland, percutaneous endoscopic approach
04U447Z	Supplement splenic artery with autologous tissue substitute, percutaneous endoscopic approach	0GC34ZZ	Extrirpation of matter from right adrenal gland, percutaneous endoscopic approach
04U44JZ	Supplement splenic artery with synthetic substitute, percutaneous endoscopic approach	0GC44ZZ	Extrirpation of matter from bilateral adrenal glands, percutaneous endoscopic approach
04U44KZ	Supplement splenic artery with nonautologous tissue substitute, percutaneous endoscopic approach	0GM24ZZ	Reattachment of left adrenal gland, percutaneous endoscopic approach
04U547Z	Supplement superior mesenteric artery with autologous tissue substitute, percutaneous endoscopic approach	0GM34ZZ	Reattachment of right adrenal gland, percutaneous endoscopic approach
04U54JZ	Supplement superior mesenteric artery with synthetic substitute, percutaneous endoscopic approach	0GN24ZZ	Release left adrenal gland, percutaneous endoscopic approach
04U54KZ	Supplement superior mesenteric artery with nonautologous tissue substitute, percutaneous endoscopic approach	0GN34ZZ	Release right adrenal gland, percutaneous endoscopic approach
04U647Z	Supplement right colic artery with autologous tissue substitute, percutaneous endoscopic approach	0GN44ZZ	Release bilateral adrenal glands, percutaneous endoscopic approach
04U64JZ	Supplement right colic artery with synthetic substitute, percutaneous endoscopic approach	0GQ24ZZ	Repair left adrenal gland, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04U64KZ	Supplement right colic artery with nonautologous tissue substitute, percutaneous endoscopic approach	0GQ34ZZ	Repair right adrenal gland, percutaneous endoscopic approach
04U747Z	Supplement left colic artery with autologous tissue substitute, percutaneous endoscopic approach	0GQ44ZZ	Repair bilateral adrenal glands, percutaneous endoscopic approach
04U74JZ	Supplement left colic artery with synthetic substitute, percutaneous endoscopic approach	0GS24ZZ	Reposition left adrenal gland, percutaneous endoscopic approach
04U74KZ	Supplement left colic artery with nonautologous tissue substitute, percutaneous endoscopic approach	0GS34ZZ	Reposition right adrenal gland, percutaneous endoscopic approach
04U847Z	Supplement middle colic artery with autologous tissue substitute, percutaneous endoscopic approach	0GT24ZZ	Resection of left adrenal gland, percutaneous endoscopic approach
04U84JZ	Supplement middle colic artery with synthetic substitute, percutaneous endoscopic approach	0GT34ZZ	Resection of right adrenal gland, percutaneous endoscopic approach
04U84KZ	Supplement middle colic artery with nonautologous tissue substitute, percutaneous endoscopic approach	0GT44ZZ	Resection of bilateral adrenal glands, percutaneous endoscopic approach
04U947Z	Supplement right renal artery with autologous tissue substitute, percutaneous endoscopic approach	0SG0470	Fusion of lumbar vertebral joint with autologous tissue substitute, anterior approach, anterior column, percutaneous endoscopic approach
04U94JZ	Supplement right renal artery with synthetic substitute, percutaneous endoscopic approach	0SG04A0	Fusion of lumbar vertebral joint with interbody fusion device, anterior approach, anterior column, percutaneous endoscopic approach
04U94KZ	Supplement right renal artery with nonautologous tissue substitute, percutaneous endoscopic approach	0SG04J0	Fusion of lumbar vertebral joint with synthetic substitute, anterior approach, anterior column, percutaneous endoscopic approach
04UA47Z	Supplement left renal artery with autologous tissue substitute, percutaneous endoscopic approach	0SG04K0	Fusion of lumbar vertebral joint with nonautologous tissue substitute, anterior approach, anterior column, percutaneous endoscopic approach
04UA4JZ	Supplement left renal artery with synthetic substitute, percutaneous endoscopic approach	0SG04Z0	Fusion of lumbar vertebral joint, anterior approach, anterior column, percutaneous endoscopic approach
04UA4KZ	Supplement left renal artery with nonautologous tissue substitute, percutaneous endoscopic approach	0SG1470	Fusion of 2 or more lumbar vertebral joints with autologous tissue substitute, anterior approach, anterior column, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04UB47Z	Supplement inferior mesenteric artery with autologous tissue substitute, percutaneous endoscopic approach	0SG14A0	Fusion of 2 or more lumbar vertebral joints with interbody fusion device, anterior approach, anterior column, percutaneous endoscopic approach
04UB4JZ	Supplement inferior mesenteric artery with synthetic substitute, percutaneous endoscopic approach	0SG14J0	Fusion of 2 or more lumbar vertebral joints with synthetic substitute, anterior approach, anterior column, percutaneous endoscopic approach
04UB4KZ	Supplement inferior mesenteric artery with nonautologous tissue substitute, percutaneous endoscopic approach	0SG14K0	Fusion of 2 or more lumbar vertebral joints with nonautologous tissue substitute, anterior approach, anterior column, percutaneous endoscopic approach
04UC47Z	Supplement right common iliac artery with autologous tissue substitute, percutaneous endoscopic approach	0SG14Z0	Fusion of 2 or more lumbar vertebral joints, anterior approach, anterior column, percutaneous endoscopic approach
04UC4JZ	Supplement right common iliac artery with synthetic substitute, percutaneous endoscopic approach	0SG3470	Fusion of lumbosacral joint with autologous tissue substitute, anterior approach, anterior column, percutaneous endoscopic approach
04UC4KZ	Supplement right common iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0SG34A0	Fusion of lumbosacral joint with interbody fusion device, anterior approach, anterior column, percutaneous endoscopic approach
04UD47Z	Supplement left common iliac artery with autologous tissue substitute, percutaneous endoscopic approach	0SG34J0	Fusion of lumbosacral joint with synthetic substitute, anterior approach, anterior column, percutaneous endoscopic approach
04UD4JZ	Supplement left common iliac artery with synthetic substitute, percutaneous endoscopic approach	0SG34K0	Fusion of lumbosacral joint with nonautologous tissue substitute, anterior approach, anterior column, percutaneous endoscopic approach
04UD4KZ	Supplement left common iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0SG34Z0	Fusion of lumbosacral joint, anterior approach, anterior column, percutaneous endoscopic approach
04UE47Z	Supplement right internal iliac artery with autologous tissue substitute, percutaneous endoscopic approach	0T13473	Bypass right kidney pelvis to right kidney pelvis with autologous tissue substitute, percutaneous endoscopic approach
04UE4JZ	Supplement right internal iliac artery with synthetic substitute, percutaneous endoscopic approach	0T13474	Bypass right kidney pelvis to left kidney pelvis with autologous tissue substitute, percutaneous endoscopic approach
04UE4KZ	Supplement right internal iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0T13476	Bypass right kidney pelvis to right ureter with autologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04UF47Z	Supplement left internal iliac artery with autologous tissue substitute, percutaneous endoscopic approach	0T13477	Bypass right kidney pelvis to left ureter with autologous tissue substitute, percutaneous endoscopic approach
04UF4JZ	Supplement left internal iliac artery with synthetic substitute, percutaneous endoscopic approach	0T13478	Bypass right kidney pelvis to colon with autologous tissue substitute, percutaneous endoscopic approach
04UF4KZ	Supplement left internal iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0T13479	Bypass right kidney pelvis to colocolic with autologous tissue substitute, percutaneous endoscopic approach
04UH47Z	Supplement right external iliac artery with autologous tissue substitute, percutaneous endoscopic approach	0T1347A	Bypass right kidney pelvis to ileum with autologous tissue substitute, percutaneous endoscopic approach
04UH4JZ	Supplement right external iliac artery with synthetic substitute, percutaneous endoscopic approach	0T1347B	Bypass right kidney pelvis to bladder with autologous tissue substitute, percutaneous endoscopic approach
04UH4KZ	Supplement right external iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0T1347C	Bypass right kidney pelvis to ileocecal with autologous tissue substitute, percutaneous endoscopic approach
04UJ47Z	Supplement left external iliac artery with autologous tissue substitute, percutaneous endoscopic approach	0T1347D	Bypass right kidney pelvis to cutaneous with autologous tissue substitute, percutaneous endoscopic approach
04UJ4JZ	Supplement left external iliac artery with synthetic substitute, percutaneous endoscopic approach	0T134J3	Bypass right kidney pelvis to right kidney pelvis with synthetic substitute, percutaneous endoscopic approach
04UJ4KZ	Supplement left external iliac artery with nonautologous tissue substitute, percutaneous endoscopic approach	0T134J4	Bypass right kidney pelvis to left kidney pelvis with synthetic substitute, percutaneous endoscopic approach
04V04C6	Restriction of abdominal aorta, bifurcation, with extraluminal device, percutaneous endoscopic approach	0T134J6	Bypass right kidney pelvis to right ureter with synthetic substitute, percutaneous endoscopic approach
04V04CZ	Restriction of abdominal aorta with extraluminal device, percutaneous endoscopic approach	0T134J7	Bypass right kidney pelvis to left ureter with synthetic substitute, percutaneous endoscopic approach
04V04D6	Restriction of abdominal aorta, bifurcation, with intraluminal device, percutaneous endoscopic approach	0T134J8	Bypass right kidney pelvis to colon with synthetic substitute, percutaneous endoscopic approach
04V04DJ	Restriction of abdominal aorta with intraluminal device, temporary, percutaneous endoscopic approach	0T134J9	Bypass right kidney pelvis to colocolic with synthetic substitute, percutaneous endoscopic approach
04V04DZ	Restriction of abdominal aorta with intraluminal device, percutaneous endoscopic approach	0T134JA	Bypass right kidney pelvis to ileum with synthetic substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04V04E6	Restriction of abdominal aorta, bifurcation, with branched or fenestrated intraluminal device, one or two arteries, percutaneous endoscopic approach	0T134JB	Bypass right kidney pelvis to bladder with synthetic substitute, percutaneous endoscopic approach
04V04EZ	Restriction of abdominal aorta with branched or fenestrated intraluminal device, one or two arteries, percutaneous endoscopic approach	0T134JC	Bypass right kidney pelvis to ileocutaneous with synthetic substitute, percutaneous endoscopic approach
04V04F6	Restriction of abdominal aorta, bifurcation, with branched or fenestrated intraluminal device, three or more arteries, percutaneous endoscopic approach	0T134JD	Bypass right kidney pelvis to cutaneous with synthetic substitute, percutaneous endoscopic approach
04V04FZ	Restriction of abdominal aorta with branched or fenestrated intraluminal device, three or more arteries, percutaneous endoscopic approach	0T134K3	Bypass right kidney pelvis to right kidney pelvis with nonautologous tissue substitute, percutaneous endoscopic approach
04V04Z6	Restriction of abdominal aorta, bifurcation, percutaneous endoscopic approach	0T134K4	Bypass right kidney pelvis to left kidney pelvis with nonautologous tissue substitute, percutaneous endoscopic approach
04V04ZZ	Restriction of abdominal aorta, percutaneous endoscopic approach	0T134K6	Bypass right kidney pelvis to right ureter with nonautologous tissue substitute, percutaneous endoscopic approach
04V14CZ	Restriction of celiac artery with extraluminal device, percutaneous endoscopic approach	0T134K7	Bypass right kidney pelvis to left ureter with nonautologous tissue substitute, percutaneous endoscopic approach
04V14DZ	Restriction of celiac artery with intraluminal device, percutaneous endoscopic approach	0T134K8	Bypass right kidney pelvis to colon with nonautologous tissue substitute, percutaneous endoscopic approach
04V14ZZ	Restriction of celiac artery, percutaneous endoscopic approach	0T134K9	Bypass right kidney pelvis to colocutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
04V24CZ	Restriction of gastric artery with extraluminal device, percutaneous endoscopic approach	0T134KA	Bypass right kidney pelvis to ileum with nonautologous tissue substitute, percutaneous endoscopic approach
04V24DZ	Restriction of gastric artery with intraluminal device, percutaneous endoscopic approach	0T134KB	Bypass right kidney pelvis to bladder with nonautologous tissue substitute, percutaneous endoscopic approach
04V24ZZ	Restriction of gastric artery, percutaneous endoscopic approach	0T134KC	Bypass right kidney pelvis to ileocutaneous with nonautologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04V34CZ	Restriction of hepatic artery with extraluminal device, percutaneous endoscopic approach	0T134KD	Bypass right kidney pelvis to cutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
04V34DZ	Restriction of hepatic artery with intraluminal device, percutaneous endoscopic approach	0T134Z3	Bypass right kidney pelvis to right kidney pelvis, percutaneous endoscopic approach
04V34ZZ	Restriction of hepatic artery, percutaneous endoscopic approach	0T134Z4	Bypass right kidney pelvis to left kidney pelvis, percutaneous endoscopic approach
04V44CZ	Restriction of splenic artery with extraluminal device, percutaneous endoscopic approach	0T134Z6	Bypass right kidney pelvis to right ureter, percutaneous endoscopic approach
04V44DZ	Restriction of splenic artery with intraluminal device, percutaneous endoscopic approach	0T134Z7	Bypass right kidney pelvis to left ureter, percutaneous endoscopic approach
04V44ZZ	Restriction of splenic artery, percutaneous endoscopic approach	0T134Z8	Bypass right kidney pelvis to colon, percutaneous endoscopic approach
04V54CZ	Restriction of superior mesenteric artery with extraluminal device, percutaneous endoscopic approach	0T134Z9	Bypass right kidney pelvis to colocolutaneous, percutaneous endoscopic approach
04V54DZ	Restriction of superior mesenteric artery with intraluminal device, percutaneous endoscopic approach	0T134ZA	Bypass right kidney pelvis to ileum, percutaneous endoscopic approach
04V54ZZ	Restriction of superior mesenteric artery, percutaneous endoscopic approach	0T134ZB	Bypass right kidney pelvis to bladder, percutaneous endoscopic approach
04V64CZ	Restriction of right colic artery with extraluminal device, percutaneous endoscopic approach	0T134ZC	Bypass right kidney pelvis to ileocolutaneous, percutaneous endoscopic approach
04V64DZ	Restriction of right colic artery with intraluminal device, percutaneous endoscopic approach	0T134ZD	Bypass right kidney pelvis to cutaneous, percutaneous endoscopic approach
04V64ZZ	Restriction of right colic artery, percutaneous endoscopic approach	0T14473	Bypass left kidney pelvis to right kidney pelvis with autologous tissue substitute, percutaneous endoscopic approach
04V74CZ	Restriction of left colic artery with extraluminal device, percutaneous endoscopic approach	0T14474	Bypass left kidney pelvis to left kidney pelvis with autologous tissue substitute, percutaneous endoscopic approach
04V74DZ	Restriction of left colic artery with intraluminal device, percutaneous endoscopic approach	0T14476	Bypass left kidney pelvis to right ureter with autologous tissue substitute, percutaneous endoscopic approach
04V74ZZ	Restriction of left colic artery, percutaneous endoscopic approach	0T14477	Bypass left kidney pelvis to left ureter with autologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04V84CZ	Restriction of middle colic artery with extraluminal device, percutaneous endoscopic approach	0T14478	Bypass left kidney pelvis to colon with autologous tissue substitute, percutaneous endoscopic approach
04V84DZ	Restriction of middle colic artery with intraluminal device, percutaneous endoscopic approach	0T14479	Bypass left kidney pelvis to colocolic with autologous tissue substitute, percutaneous endoscopic approach
04V84ZZ	Restriction of middle colic artery, percutaneous endoscopic approach	0T1447A	Bypass left kidney pelvis to ileum with autologous tissue substitute, percutaneous endoscopic approach
04V94CZ	Restriction of right renal artery with extraluminal device, percutaneous endoscopic approach	0T1447B	Bypass left kidney pelvis to bladder with autologous tissue substitute, percutaneous endoscopic approach
04V94DZ	Restriction of right renal artery with intraluminal device, percutaneous endoscopic approach	0T1447C	Bypass left kidney pelvis to ileocecal with autologous tissue substitute, percutaneous endoscopic approach
04V94ZZ	Restriction of right renal artery, percutaneous endoscopic approach	0T1447D	Bypass left kidney pelvis to cutaneous with autologous tissue substitute, percutaneous endoscopic approach
04VA4CZ	Restriction of left renal artery with extraluminal device, percutaneous endoscopic approach	0T144J3	Bypass left kidney pelvis to right kidney pelvis with synthetic substitute, percutaneous endoscopic approach
04VA4DZ	Restriction of left renal artery with intraluminal device, percutaneous endoscopic approach	0T144J4	Bypass left kidney pelvis to left kidney pelvis with synthetic substitute, percutaneous endoscopic approach
04VA4ZZ	Restriction of left renal artery, percutaneous endoscopic approach	0T144J6	Bypass left kidney pelvis to right ureter with synthetic substitute, percutaneous endoscopic approach
04VB4CZ	Restriction of inferior mesenteric artery with extraluminal device, percutaneous endoscopic approach	0T144J7	Bypass left kidney pelvis to left ureter with synthetic substitute, percutaneous endoscopic approach
04VB4DZ	Restriction of inferior mesenteric artery with intraluminal device, percutaneous endoscopic approach	0T144J8	Bypass left kidney pelvis to colon with synthetic substitute, percutaneous endoscopic approach
04VB4ZZ	Restriction of inferior mesenteric artery, percutaneous endoscopic approach	0T144J9	Bypass left kidney pelvis to colocolic with synthetic substitute, percutaneous endoscopic approach
04VC4CZ	Restriction of right common iliac artery with extraluminal device, percutaneous endoscopic approach	0T144JA	Bypass left kidney pelvis to ileum with synthetic substitute, percutaneous endoscopic approach
04VC4DZ	Restriction of right common iliac artery with intraluminal device, percutaneous endoscopic approach	0T144JB	Bypass left kidney pelvis to bladder with synthetic substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04VC4EZ	Restriction of right common iliac artery with branched or fenestrated intraluminal device, one or two arteries, percutaneous endoscopic approach	0T144JC	Bypass left kidney pelvis to ileocutaneous with synthetic substitute, percutaneous endoscopic approach
04VC4FZ	Restriction of right common iliac artery with branched or fenestrated intraluminal device, three or more arteries, percutaneous endoscopic approach	0T144JD	Bypass left kidney pelvis to cutaneous with synthetic substitute, percutaneous endoscopic approach
04VC4ZZ	Restriction of right common iliac artery, percutaneous endoscopic approach	0T144K3	Bypass left kidney pelvis to right kidney pelvis with nonautologous tissue substitute, percutaneous endoscopic approach
04VD4CZ	Restriction of left common iliac artery with extraluminal device, percutaneous endoscopic approach	0T144K4	Bypass left kidney pelvis to left kidney pelvis with nonautologous tissue substitute, percutaneous endoscopic approach
04VD4DZ	Restriction of left common iliac artery with intraluminal device, percutaneous endoscopic approach	0T144K6	Bypass left kidney pelvis to right ureter with nonautologous tissue substitute, percutaneous endoscopic approach
04VD4EZ	Restriction of left common iliac artery with branched or fenestrated intraluminal device, one or two arteries, percutaneous endoscopic approach	0T144K7	Bypass left kidney pelvis to left ureter with nonautologous tissue substitute, percutaneous endoscopic approach
04VD4FZ	Restriction of left common iliac artery with branched or fenestrated intraluminal device, three or more arteries, percutaneous endoscopic approach	0T144K8	Bypass left kidney pelvis to colon with nonautologous tissue substitute, percutaneous endoscopic approach
04VD4ZZ	Restriction of left common iliac artery, percutaneous endoscopic approach	0T144K9	Bypass left kidney pelvis to colocutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
04VE4CZ	Restriction of right internal iliac artery with extraluminal device, percutaneous endoscopic approach	0T144KA	Bypass left kidney pelvis to ileum with nonautologous tissue substitute, percutaneous endoscopic approach
04VE4DZ	Restriction of right internal iliac artery with intraluminal device, percutaneous endoscopic approach	0T144KB	Bypass left kidney pelvis to bladder with nonautologous tissue substitute, percutaneous endoscopic approach
04VE4ZZ	Restriction of right internal iliac artery, percutaneous endoscopic approach	0T144KC	Bypass left kidney pelvis to ileocutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
04VF4CZ	Restriction of left internal iliac artery with extraluminal device, percutaneous endoscopic approach	0T144KD	Bypass left kidney pelvis to cutaneous with nonautologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

04VF4DZ	Restriction of left internal iliac artery with intraluminal device, percutaneous endoscopic approach	0T144Z3	Bypass left kidney pelvis to right kidney pelvis, percutaneous endoscopic approach
04VF4ZZ	Restriction of left internal iliac artery, percutaneous endoscopic approach	0T144Z4	Bypass left kidney pelvis to left kidney pelvis, percutaneous endoscopic approach
04VH4CZ	Restriction of right external iliac artery with extraluminal device, percutaneous endoscopic approach	0T144Z6	Bypass left kidney pelvis to right ureter, percutaneous endoscopic approach
04VH4DZ	Restriction of right external iliac artery with intraluminal device, percutaneous endoscopic approach	0T144Z7	Bypass left kidney pelvis to left ureter, percutaneous endoscopic approach
04VH4ZZ	Restriction of right external iliac artery, percutaneous endoscopic approach	0T144Z8	Bypass left kidney pelvis to colon, percutaneous endoscopic approach
04VJ4CZ	Restriction of left external iliac artery with extraluminal device, percutaneous endoscopic approach	0T144Z9	Bypass left kidney pelvis to colocolic, percutaneous endoscopic approach
04VJ4DZ	Restriction of left external iliac artery with intraluminal device, percutaneous endoscopic approach	0T144ZA	Bypass left kidney pelvis to ileum, percutaneous endoscopic approach
04VJ4ZZ	Restriction of left external iliac artery, percutaneous endoscopic approach	0T144ZB	Bypass left kidney pelvis to bladder, percutaneous endoscopic approach
0610475	Bypass inferior vena cava to superior mesenteric vein with autologous tissue substitute, percutaneous endoscopic approach	0T144ZC	Bypass left kidney pelvis to ileocecal, percutaneous endoscopic approach
0610476	Bypass inferior vena cava to inferior mesenteric vein with autologous tissue substitute, percutaneous endoscopic approach	0T144ZD	Bypass left kidney pelvis to cutaneous, percutaneous endoscopic approach
061047P	Bypass inferior vena cava to pulmonary trunk with autologous tissue substitute, percutaneous endoscopic approach	0T16476	Bypass right ureter to right ureter with autologous tissue substitute, percutaneous endoscopic approach
061047Q	Bypass inferior vena cava to right pulmonary artery with autologous tissue substitute, percutaneous endoscopic approach	0T16477	Bypass right ureter to left ureter with autologous tissue substitute, percutaneous endoscopic approach
061047R	Bypass inferior vena cava to left pulmonary artery with autologous tissue substitute, percutaneous endoscopic approach	0T16478	Bypass right ureter to colon with autologous tissue substitute, percutaneous endoscopic approach
061047Y	Bypass inferior vena cava to lower vein with autologous tissue substitute, percutaneous endoscopic approach	0T16479	Bypass right ureter to colocolic with autologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0610495	Bypass inferior vena cava to superior mesenteric vein with autologous venous tissue, percutaneous endoscopic approach	0T1647A	Bypass right ureter to ileum with autologous tissue substitute, percutaneous endoscopic approach
0610496	Bypass inferior vena cava to inferior mesenteric vein with autologous venous tissue, percutaneous endoscopic approach	0T1647B	Bypass right ureter to bladder with autologous tissue substitute, percutaneous endoscopic approach
061049P	Bypass inferior vena cava to pulmonary trunk with autologous venous tissue, percutaneous endoscopic approach	0T1647C	Bypass right ureter to ileocutaneous with autologous tissue substitute, percutaneous endoscopic approach
061049Q	Bypass inferior vena cava to right pulmonary artery with autologous venous tissue, percutaneous endoscopic approach	0T1647D	Bypass right ureter to cutaneous with autologous tissue substitute, percutaneous endoscopic approach
061049R	Bypass inferior vena cava to left pulmonary artery with autologous venous tissue, percutaneous endoscopic approach	0T164J6	Bypass right ureter to right ureter with synthetic substitute, percutaneous endoscopic approach
061049Y	Bypass inferior vena cava to lower vein with autologous venous tissue, percutaneous endoscopic approach	0T164J7	Bypass right ureter to left ureter with synthetic substitute, percutaneous endoscopic approach
06104A5	Bypass inferior vena cava to superior mesenteric vein with autologous arterial tissue, percutaneous endoscopic approach	0T164J8	Bypass right ureter to colon with synthetic substitute, percutaneous endoscopic approach
06104A6	Bypass inferior vena cava to inferior mesenteric vein with autologous arterial tissue, percutaneous endoscopic approach	0T164J9	Bypass right ureter to colocutaneous with synthetic substitute, percutaneous endoscopic approach
06104AP	Bypass inferior vena cava to pulmonary trunk with autologous arterial tissue, percutaneous endoscopic approach	0T164JA	Bypass right ureter to ileum with synthetic substitute, percutaneous endoscopic approach
06104AQ	Bypass inferior vena cava to right pulmonary artery with autologous arterial tissue, percutaneous endoscopic approach	0T164JB	Bypass right ureter to bladder with synthetic substitute, percutaneous endoscopic approach
06104AR	Bypass inferior vena cava to left pulmonary artery with autologous arterial tissue, percutaneous endoscopic approach	0T164JC	Bypass right ureter to ileocutaneous with synthetic substitute, percutaneous endoscopic approach
06104AY	Bypass inferior vena cava to lower vein with autologous arterial tissue, percutaneous endoscopic approach	0T164JD	Bypass right ureter to cutaneous with synthetic substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06104J5	Bypass inferior vena cava to superior mesenteric vein with synthetic substitute, percutaneous endoscopic approach	0T164K6	Bypass right ureter to right ureter with nonautologous tissue substitute, percutaneous endoscopic approach
06104J6	Bypass inferior vena cava to inferior mesenteric vein with synthetic substitute, percutaneous endoscopic approach	0T164K7	Bypass right ureter to left ureter with nonautologous tissue substitute, percutaneous endoscopic approach
06104JP	Bypass inferior vena cava to pulmonary trunk with synthetic substitute, percutaneous endoscopic approach	0T164K8	Bypass right ureter to colon with nonautologous tissue substitute, percutaneous endoscopic approach
06104JQ	Bypass inferior vena cava to right pulmonary artery with synthetic substitute, percutaneous endoscopic approach	0T164K9	Bypass right ureter to colocutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
06104JR	Bypass inferior vena cava to left pulmonary artery with synthetic substitute, percutaneous endoscopic approach	0T164KA	Bypass right ureter to ileum with nonautologous tissue substitute, percutaneous endoscopic approach
06104JY	Bypass inferior vena cava to lower vein with synthetic substitute, percutaneous endoscopic approach	0T164KB	Bypass right ureter to bladder with nonautologous tissue substitute, percutaneous endoscopic approach
06104K5	Bypass inferior vena cava to superior mesenteric vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T164KC	Bypass right ureter to ileocutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
06104K6	Bypass inferior vena cava to inferior mesenteric vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T164KD	Bypass right ureter to cutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
06104KP	Bypass inferior vena cava to pulmonary trunk with nonautologous tissue substitute, percutaneous endoscopic approach	0T164Z6	Bypass right ureter to right ureter, percutaneous endoscopic approach
06104KQ	Bypass inferior vena cava to right pulmonary artery with nonautologous tissue substitute, percutaneous endoscopic approach	0T164Z7	Bypass right ureter to left ureter, percutaneous endoscopic approach
06104KR	Bypass inferior vena cava to left pulmonary artery with nonautologous tissue substitute, percutaneous endoscopic approach	0T164Z8	Bypass right ureter to colon, percutaneous endoscopic approach
06104KY	Bypass inferior vena cava to lower vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T164Z9	Bypass right ureter to colocutaneous, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06104Z5	Bypass inferior vena cava to superior mesenteric vein, percutaneous endoscopic approach	0T164ZA	Bypass right ureter to ileum, percutaneous endoscopic approach
06104Z6	Bypass inferior vena cava to inferior mesenteric vein, percutaneous endoscopic approach	0T164ZB	Bypass right ureter to bladder, percutaneous endoscopic approach
06104ZP	Bypass inferior vena cava to pulmonary trunk, percutaneous endoscopic approach	0T164ZC	Bypass right ureter to ileocutaneous, percutaneous endoscopic approach
06104ZQ	Bypass inferior vena cava to right pulmonary artery, percutaneous endoscopic approach	0T164ZD	Bypass right ureter to cutaneous, percutaneous endoscopic approach
06104ZR	Bypass inferior vena cava to left pulmonary artery, percutaneous endoscopic approach	0T17476	Bypass left ureter to right ureter with autologous tissue substitute, percutaneous endoscopic approach
06104ZY	Bypass inferior vena cava to lower vein, percutaneous endoscopic approach	0T17477	Bypass left ureter to left ureter with autologous tissue substitute, percutaneous endoscopic approach
0611479	Bypass splenic vein to right renal vein with autologous tissue substitute, percutaneous endoscopic approach	0T17478	Bypass left ureter to colon with autologous tissue substitute, percutaneous endoscopic approach
061147B	Bypass splenic vein to left renal vein with autologous tissue substitute, percutaneous endoscopic approach	0T17479	Bypass left ureter to colocutaneous with autologous tissue substitute, percutaneous endoscopic approach
061147Y	Bypass splenic vein to lower vein with autologous tissue substitute, percutaneous endoscopic approach	0T1747A	Bypass left ureter to ileum with autologous tissue substitute, percutaneous endoscopic approach
0611499	Bypass splenic vein to right renal vein with autologous venous tissue, percutaneous endoscopic approach	0T1747B	Bypass left ureter to bladder with autologous tissue substitute, percutaneous endoscopic approach
061149B	Bypass splenic vein to left renal vein with autologous venous tissue, percutaneous endoscopic approach	0T1747C	Bypass left ureter to ileocutaneous with autologous tissue substitute, percutaneous endoscopic approach
061149Y	Bypass splenic vein to lower vein with autologous venous tissue, percutaneous endoscopic approach	0T1747D	Bypass left ureter to cutaneous with autologous tissue substitute, percutaneous endoscopic approach
06114A9	Bypass splenic vein to right renal vein with autologous arterial tissue, percutaneous endoscopic approach	0T174J6	Bypass left ureter to right ureter with synthetic substitute, percutaneous endoscopic approach
06114AB	Bypass splenic vein to left renal vein with autologous arterial tissue, percutaneous endoscopic approach	0T174J7	Bypass left ureter to left ureter with synthetic substitute, percutaneous endoscopic approach
06114AY	Bypass splenic vein to lower vein with autologous arterial tissue, percutaneous endoscopic approach	0T174J8	Bypass left ureter to colon with synthetic substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06114J9	Bypass splenic vein to right renal vein with synthetic substitute, percutaneous endoscopic approach	0T174J9	Bypass left ureter to colocutaneous with synthetic substitute, percutaneous endoscopic approach
06114JB	Bypass splenic vein to left renal vein with synthetic substitute, percutaneous endoscopic approach	0T174JA	Bypass left ureter to ileum with synthetic substitute, percutaneous endoscopic approach
06114JY	Bypass splenic vein to lower vein with synthetic substitute, percutaneous endoscopic approach	0T174JB	Bypass left ureter to bladder with synthetic substitute, percutaneous endoscopic approach
06114K9	Bypass splenic vein to right renal vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T174JC	Bypass left ureter to ileocutaneous with synthetic substitute, percutaneous endoscopic approach
06114KB	Bypass splenic vein to left renal vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T174JD	Bypass left ureter to cutaneous with synthetic substitute, percutaneous endoscopic approach
06114KY	Bypass splenic vein to lower vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T174K6	Bypass left ureter to right ureter with nonautologous tissue substitute, percutaneous endoscopic approach
06114Z9	Bypass splenic vein to right renal vein, percutaneous endoscopic approach	0T174K7	Bypass left ureter to left ureter with nonautologous tissue substitute, percutaneous endoscopic approach
06114ZB	Bypass splenic vein to left renal vein, percutaneous endoscopic approach	0T174K8	Bypass left ureter to colon with nonautologous tissue substitute, percutaneous endoscopic approach
06114ZY	Bypass splenic vein to lower vein, percutaneous endoscopic approach	0T174K9	Bypass left ureter to colocutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
061247Y	Bypass gastric vein to lower vein with autologous tissue substitute, percutaneous endoscopic approach	0T174KA	Bypass left ureter to ileum with nonautologous tissue substitute, percutaneous endoscopic approach
061249Y	Bypass gastric vein to lower vein with autologous venous tissue, percutaneous endoscopic approach	0T174KB	Bypass left ureter to bladder with nonautologous tissue substitute, percutaneous endoscopic approach
06124AY	Bypass gastric vein to lower vein with autologous arterial tissue, percutaneous endoscopic approach	0T174KC	Bypass left ureter to ileocutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
06124JY	Bypass gastric vein to lower vein with synthetic substitute, percutaneous endoscopic approach	0T174KD	Bypass left ureter to cutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
06124KY	Bypass gastric vein to lower vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T174Z6	Bypass left ureter to right ureter, percutaneous endoscopic approach
06124ZY	Bypass gastric vein to lower vein, percutaneous endoscopic approach	0T174Z7	Bypass left ureter to left ureter, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

061347Y	Bypass esophageal vein to lower vein with autologous tissue substitute, percutaneous endoscopic approach	0T174Z8	Bypass left ureter to colon, percutaneous endoscopic approach
061349Y	Bypass esophageal vein to lower vein with autologous venous tissue, percutaneous endoscopic approach	0T174Z9	Bypass left ureter to colocutaneous, percutaneous endoscopic approach
06134AY	Bypass esophageal vein to lower vein with autologous arterial tissue, percutaneous endoscopic approach	0T174ZA	Bypass left ureter to ileum, percutaneous endoscopic approach
06134JY	Bypass esophageal vein to lower vein with synthetic substitute, percutaneous endoscopic approach	0T174ZB	Bypass left ureter to bladder, percutaneous endoscopic approach
06134KY	Bypass esophageal vein to lower vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T174ZC	Bypass left ureter to ileocutaneous, percutaneous endoscopic approach
06134ZY	Bypass esophageal vein to lower vein, percutaneous endoscopic approach	0T174ZD	Bypass left ureter to cutaneous, percutaneous endoscopic approach
061447Y	Bypass hepatic vein to lower vein with autologous tissue substitute, percutaneous endoscopic approach	0T18476	Bypass bilateral ureters to right ureter with autologous tissue substitute, percutaneous endoscopic approach
061449Y	Bypass hepatic vein to lower vein with autologous venous tissue, percutaneous endoscopic approach	0T18477	Bypass bilateral ureters to left ureter with autologous tissue substitute, percutaneous endoscopic approach
06144AY	Bypass hepatic vein to lower vein with autologous arterial tissue, percutaneous endoscopic approach	0T18478	Bypass bilateral ureters to colon with autologous tissue substitute, percutaneous endoscopic approach
06144JY	Bypass hepatic vein to lower vein with synthetic substitute, percutaneous endoscopic approach	0T18479	Bypass bilateral ureters to colocutaneous with autologous tissue substitute, percutaneous endoscopic approach
06144KY	Bypass hepatic vein to lower vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T1847A	Bypass bilateral ureters to ileum with autologous tissue substitute, percutaneous endoscopic approach
06144ZY	Bypass hepatic vein to lower vein, percutaneous endoscopic approach	0T1847B	Bypass bilateral ureters to bladder with autologous tissue substitute, percutaneous endoscopic approach
061547Y	Bypass superior mesenteric vein to lower vein with autologous tissue substitute, percutaneous endoscopic approach	0T1847C	Bypass bilateral ureters to ileocutaneous with autologous tissue substitute, percutaneous endoscopic approach
061549Y	Bypass superior mesenteric vein to lower vein with autologous venous tissue, percutaneous endoscopic approach	0T1847D	Bypass bilateral ureters to cutaneous with autologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06154AY	Bypass superior mesenteric vein to lower vein with autologous arterial tissue, percutaneous endoscopic approach	0T184J6	Bypass bilateral ureters to right ureter with synthetic substitute, percutaneous endoscopic approach
06154JY	Bypass superior mesenteric vein to lower vein with synthetic substitute, percutaneous endoscopic approach	0T184J7	Bypass bilateral ureters to left ureter with synthetic substitute, percutaneous endoscopic approach
06154KY	Bypass superior mesenteric vein to lower vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T184J8	Bypass bilateral ureters to colon with synthetic substitute, percutaneous endoscopic approach
06154ZY	Bypass superior mesenteric vein to lower vein, percutaneous endoscopic approach	0T184J9	Bypass bilateral ureters to colocolicostomy with synthetic substitute, percutaneous endoscopic approach
061647Y	Bypass inferior mesenteric vein to lower vein with autologous tissue substitute, percutaneous endoscopic approach	0T184JA	Bypass bilateral ureters to ileum with synthetic substitute, percutaneous endoscopic approach
061649Y	Bypass inferior mesenteric vein to lower vein with autologous venous tissue, percutaneous endoscopic approach	0T184JB	Bypass bilateral ureters to bladder with synthetic substitute, percutaneous endoscopic approach
06164AY	Bypass inferior mesenteric vein to lower vein with autologous arterial tissue, percutaneous endoscopic approach	0T184JC	Bypass bilateral ureters to ileostomy with synthetic substitute, percutaneous endoscopic approach
06164JY	Bypass inferior mesenteric vein to lower vein with synthetic substitute, percutaneous endoscopic approach	0T184JD	Bypass bilateral ureters to cutaneous with synthetic substitute, percutaneous endoscopic approach
06164KY	Bypass inferior mesenteric vein to lower vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T184K6	Bypass bilateral ureters to right ureter with nonautologous tissue substitute, percutaneous endoscopic approach
06164ZY	Bypass inferior mesenteric vein to lower vein, percutaneous endoscopic approach	0T184K7	Bypass bilateral ureters to left ureter with nonautologous tissue substitute, percutaneous endoscopic approach
061747Y	Bypass colic vein to lower vein with autologous tissue substitute, percutaneous endoscopic approach	0T184K8	Bypass bilateral ureters to colon with nonautologous tissue substitute, percutaneous endoscopic approach
061749Y	Bypass colic vein to lower vein with autologous venous tissue, percutaneous endoscopic approach	0T184K9	Bypass bilateral ureters to colocolicostomy with nonautologous tissue substitute, percutaneous endoscopic approach
06174AY	Bypass colic vein to lower vein with autologous arterial tissue, percutaneous endoscopic approach	0T184KA	Bypass bilateral ureters to ileum with nonautologous tissue substitute, percutaneous endoscopic approach
06174JY	Bypass colic vein to lower vein with synthetic substitute, percutaneous endoscopic approach	0T184KB	Bypass bilateral ureters to bladder with nonautologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06174KY	Bypass colic vein to lower vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T184KC	Bypass bilateral ureters to ileocutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
06174ZY	Bypass colic vein to lower vein, percutaneous endoscopic approach	0T184KD	Bypass bilateral ureters to cutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
0618479	Bypass portal vein to right renal vein with autologous tissue substitute, percutaneous endoscopic approach	0T184Z6	Bypass bilateral ureters to right ureter, percutaneous endoscopic approach
061847B	Bypass portal vein to left renal vein with autologous tissue substitute, percutaneous endoscopic approach	0T184Z7	Bypass bilateral ureters to left ureter, percutaneous endoscopic approach
061847Y	Bypass portal vein to lower vein with autologous tissue substitute, percutaneous endoscopic approach	0T184Z8	Bypass bilateral ureters to colon, percutaneous endoscopic approach
0618499	Bypass portal vein to right renal vein with autologous venous tissue, percutaneous endoscopic approach	0T184Z9	Bypass bilateral ureters to colocutaneous, percutaneous endoscopic approach
061849B	Bypass portal vein to left renal vein with autologous venous tissue, percutaneous endoscopic approach	0T184ZA	Bypass bilateral ureters to ileum, percutaneous endoscopic approach
061849Y	Bypass portal vein to lower vein with autologous venous tissue, percutaneous endoscopic approach	0T184ZB	Bypass bilateral ureters to bladder, percutaneous endoscopic approach
06184A9	Bypass portal vein to right renal vein with autologous arterial tissue, percutaneous endoscopic approach	0T184ZC	Bypass bilateral ureters to ileocutaneous, percutaneous endoscopic approach
06184AB	Bypass portal vein to left renal vein with autologous arterial tissue, percutaneous endoscopic approach	0T184ZD	Bypass bilateral ureters to cutaneous, percutaneous endoscopic approach
06184AY	Bypass portal vein to lower vein with autologous arterial tissue, percutaneous endoscopic approach	0T1B479	Bypass bladder to colocutaneous with autologous tissue substitute, percutaneous endoscopic approach
06184DY	Bypass portal vein to lower vein with intraluminal device, percutaneous endoscopic approach	0T1B47C	Bypass bladder to ileocutaneous with autologous tissue substitute, percutaneous endoscopic approach
06184J4	Bypass portal vein to hepatic vein with synthetic substitute, percutaneous endoscopic approach	0T1B47D	Bypass bladder to cutaneous with autologous tissue substitute, percutaneous endoscopic approach
06184J9	Bypass portal vein to right renal vein with synthetic substitute, percutaneous endoscopic approach	0T1B4J9	Bypass bladder to colocutaneous with synthetic substitute, percutaneous endoscopic approach
06184JB	Bypass portal vein to left renal vein with synthetic substitute, percutaneous endoscopic approach	0T1B4JC	Bypass bladder to ileocutaneous with synthetic substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06184JY	Bypass portal vein to lower vein with synthetic substitute, percutaneous endoscopic approach	0T1B4JD	Bypass bladder to cutaneous with synthetic substitute, percutaneous endoscopic approach
06184K9	Bypass portal vein to right renal vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T1B4K9	Bypass bladder to colocutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
06184KB	Bypass portal vein to left renal vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T1B4KC	Bypass bladder to ileocutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
06184KY	Bypass portal vein to lower vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T1B4KD	Bypass bladder to cutaneous with nonautologous tissue substitute, percutaneous endoscopic approach
06184Z9	Bypass portal vein to right renal vein, percutaneous endoscopic approach	0T1B4Z9	Bypass bladder to colocutaneous, percutaneous endoscopic approach
06184ZB	Bypass portal vein to left renal vein, percutaneous endoscopic approach	0T1B4ZC	Bypass bladder to ileocutaneous, percutaneous endoscopic approach
06184ZY	Bypass portal vein to lower vein, percutaneous endoscopic approach	0T1B4ZD	Bypass bladder to cutaneous, percutaneous endoscopic approach
061947Y	Bypass right renal vein to lower vein with autologous tissue substitute, percutaneous endoscopic approach	0T504ZZ	Destruction of right kidney, percutaneous endoscopic approach
061949Y	Bypass right renal vein to lower vein with autologous venous tissue, percutaneous endoscopic approach	0T514ZZ	Destruction of left kidney, percutaneous endoscopic approach
06194AY	Bypass right renal vein to lower vein with autologous arterial tissue, percutaneous endoscopic approach	0T534ZZ	Destruction of right kidney pelvis, percutaneous endoscopic approach
06194JY	Bypass right renal vein to lower vein with synthetic substitute, percutaneous endoscopic approach	0T544ZZ	Destruction of left kidney pelvis, percutaneous endoscopic approach
06194KY	Bypass right renal vein to lower vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T564ZZ	Destruction of right ureter, percutaneous endoscopic approach
06194ZY	Bypass right renal vein to lower vein, percutaneous endoscopic approach	0T574ZZ	Destruction of left ureter, percutaneous endoscopic approach
061B47Y	Bypass left renal vein to lower vein with autologous tissue substitute, percutaneous endoscopic approach	0T5B4ZZ	Destruction of bladder, percutaneous endoscopic approach
061B49Y	Bypass left renal vein to lower vein with autologous venous tissue, percutaneous endoscopic approach	0T734DZ	Dilation of right kidney pelvis with intraluminal device, percutaneous endoscopic approach
061B4AY	Bypass left renal vein to lower vein with autologous arterial tissue, percutaneous endoscopic approach	0T734ZZ	Dilation of right kidney pelvis, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

061B4JY	Bypass left renal vein to lower vein with synthetic substitute, percutaneous endoscopic approach	0T744DZ	Dilation of left kidney pelvis with intraluminal device, percutaneous endoscopic approach
061B4KY	Bypass left renal vein to lower vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T744ZZ	Dilation of left kidney pelvis, percutaneous endoscopic approach
061B4ZY	Bypass left renal vein to lower vein, percutaneous endoscopic approach	0T764DZ	Dilation of right ureter with intraluminal device, percutaneous endoscopic approach
061C47Y	Bypass right common iliac vein to lower vein with autologous tissue substitute, percutaneous endoscopic approach	0T764ZZ	Dilation of right ureter, percutaneous endoscopic approach
061C49Y	Bypass right common iliac vein to lower vein with autologous venous tissue, percutaneous endoscopic approach	0T774DZ	Dilation of left ureter with intraluminal device, percutaneous endoscopic approach
061C4AY	Bypass right common iliac vein to lower vein with autologous arterial tissue, percutaneous endoscopic approach	0T774ZZ	Dilation of left ureter, percutaneous endoscopic approach
061C4JY	Bypass right common iliac vein to lower vein with synthetic substitute, percutaneous endoscopic approach	0T784DZ	Dilation of bilateral ureters with intraluminal device, percutaneous endoscopic approach
061C4KY	Bypass right common iliac vein to lower vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T784ZZ	Dilation of bilateral ureters, percutaneous endoscopic approach
061C4ZY	Bypass right common iliac vein to lower vein, percutaneous endoscopic approach	0T7B4DZ	Dilation of bladder with intraluminal device, percutaneous endoscopic approach
061D47Y	Bypass left common iliac vein to lower vein with autologous tissue substitute, percutaneous endoscopic approach	0T7B4ZZ	Dilation of bladder, percutaneous endoscopic approach
061D49Y	Bypass left common iliac vein to lower vein with autologous venous tissue, percutaneous endoscopic approach	0T824ZZ	Division of bilateral kidneys, percutaneous endoscopic approach
061D4AY	Bypass left common iliac vein to lower vein with autologous arterial tissue, percutaneous endoscopic approach	0T9040Z	Drainage of right kidney with drainage device, percutaneous endoscopic approach
061D4JY	Bypass left common iliac vein to lower vein with synthetic substitute, percutaneous endoscopic approach	0T904ZX	Drainage of right kidney, percutaneous endoscopic approach, diagnostic
061D4KY	Bypass left common iliac vein to lower vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T904ZZ	Drainage of right kidney, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

061D4ZY	Bypass left common iliac vein to lower vein, percutaneous endoscopic approach	0T9140Z	Drainage of left kidney with drainage device, percutaneous endoscopic approach
061F47Y	Bypass right external iliac vein to lower vein with autologous tissue substitute, percutaneous endoscopic approach	0T914ZX	Drainage of left kidney, percutaneous endoscopic approach, diagnostic
061F49Y	Bypass right external iliac vein to lower vein with autologous venous tissue, percutaneous endoscopic approach	0T914ZZ	Drainage of left kidney, percutaneous endoscopic approach
061F4AY	Bypass right external iliac vein to lower vein with autologous arterial tissue, percutaneous endoscopic approach	0T9340Z	Drainage of right kidney pelvis with drainage device, percutaneous endoscopic approach
061F4JY	Bypass right external iliac vein to lower vein with synthetic substitute, percutaneous endoscopic approach	0T934ZX	Drainage of right kidney pelvis, percutaneous endoscopic approach, diagnostic
061F4KY	Bypass right external iliac vein to lower vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T934ZZ	Drainage of right kidney pelvis, percutaneous endoscopic approach
061F4ZY	Bypass right external iliac vein to lower vein, percutaneous endoscopic approach	0T9440Z	Drainage of left kidney pelvis with drainage device, percutaneous endoscopic approach
061G47Y	Bypass left external iliac vein to lower vein with autologous tissue substitute, percutaneous endoscopic approach	0T944ZX	Drainage of left kidney pelvis, percutaneous endoscopic approach, diagnostic
061G49Y	Bypass left external iliac vein to lower vein with autologous venous tissue, percutaneous endoscopic approach	0T944ZZ	Drainage of left kidney pelvis, percutaneous endoscopic approach
061G4AY	Bypass left external iliac vein to lower vein with autologous arterial tissue, percutaneous endoscopic approach	0T9640Z	Drainage of right ureter with drainage device, percutaneous endoscopic approach
061G4JY	Bypass left external iliac vein to lower vein with synthetic substitute, percutaneous endoscopic approach	0T964ZX	Drainage of right ureter, percutaneous endoscopic approach, diagnostic
061G4KY	Bypass left external iliac vein to lower vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T964ZZ	Drainage of right ureter, percutaneous endoscopic approach
061G4ZY	Bypass left external iliac vein to lower vein, percutaneous endoscopic approach	0T9740Z	Drainage of left ureter with drainage device, percutaneous endoscopic approach
061H47Y	Bypass right hypogastric vein to lower vein with autologous tissue substitute, percutaneous endoscopic approach	0T974ZX	Drainage of left ureter, percutaneous endoscopic approach, diagnostic

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

061H49Y	Bypass right hypogastric vein to lower vein with autologous venous tissue, percutaneous endoscopic approach	0T974ZZ	Drainage of left ureter, percutaneous endoscopic approach
061H4AY	Bypass right hypogastric vein to lower vein with autologous arterial tissue, percutaneous endoscopic approach	0T9840Z	Drainage of bilateral ureters with drainage device, percutaneous endoscopic approach
061H4JY	Bypass right hypogastric vein to lower vein with synthetic substitute, percutaneous endoscopic approach	0T984ZX	Drainage of bilateral ureters, percutaneous endoscopic approach, diagnostic
061H4KY	Bypass right hypogastric vein to lower vein with nonautologous tissue substitute, percutaneous endoscopic approach	0T984ZZ	Drainage of bilateral ureters, percutaneous endoscopic approach
061H4ZY	Bypass right hypogastric vein to lower vein, percutaneous endoscopic approach	0T9B40Z	Drainage of bladder with drainage device, percutaneous endoscopic approach
061J47Y	Bypass left hypogastric vein to lower vein with autologous tissue substitute, percutaneous endoscopic approach	0T9B4ZX	Drainage of bladder, percutaneous endoscopic approach, diagnostic
061J49Y	Bypass left hypogastric vein to lower vein with autologous venous tissue, percutaneous endoscopic approach	0T9B4ZZ	Drainage of bladder, percutaneous endoscopic approach
061J4AY	Bypass left hypogastric vein to lower vein with autologous arterial tissue, percutaneous endoscopic approach	0TB04ZX	Excision of right kidney, percutaneous endoscopic approach, diagnostic
061J4JY	Bypass left hypogastric vein to lower vein with synthetic substitute, percutaneous endoscopic approach	0TB04ZZ	Excision of right kidney, percutaneous endoscopic approach
061J4KY	Bypass left hypogastric vein to lower vein with nonautologous tissue substitute, percutaneous endoscopic approach	0TB14ZX	Excision of left kidney, percutaneous endoscopic approach, diagnostic
061J4ZY	Bypass left hypogastric vein to lower vein, percutaneous endoscopic approach	0TB14ZZ	Excision of left kidney, percutaneous endoscopic approach
06504ZZ	Destruction of inferior vena cava, percutaneous endoscopic approach	0TB34ZX	Excision of right kidney pelvis, percutaneous endoscopic approach, diagnostic
06514ZZ	Destruction of splenic vein, percutaneous endoscopic approach	0TB34ZZ	Excision of right kidney pelvis, percutaneous endoscopic approach
06524ZZ	Destruction of gastric vein, percutaneous endoscopic approach	0TB44ZX	Excision of left kidney pelvis, percutaneous endoscopic approach, diagnostic
06534ZZ	Destruction of esophageal vein, percutaneous endoscopic approach	0TB44ZZ	Excision of left kidney pelvis, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06544ZZ	Destruction of hepatic vein, percutaneous endoscopic approach	0TB64ZX	Excision of right ureter, percutaneous endoscopic approach, diagnostic
06554ZZ	Destruction of superior mesenteric vein, percutaneous endoscopic approach	0TB64ZZ	Excision of right ureter, percutaneous endoscopic approach
06564ZZ	Destruction of inferior mesenteric vein, percutaneous endoscopic approach	0TB74ZX	Excision of left ureter, percutaneous endoscopic approach, diagnostic
06574ZZ	Destruction of colic vein, percutaneous endoscopic approach	0TB74ZZ	Excision of left ureter, percutaneous endoscopic approach
06584ZZ	Destruction of portal vein, percutaneous endoscopic approach	0TBB4ZX	Excision of bladder, percutaneous endoscopic approach, diagnostic
06594ZZ	Destruction of right renal vein, percutaneous endoscopic approach	0TBB4ZZ	Excision of bladder, percutaneous endoscopic approach
065B4ZZ	Destruction of left renal vein, percutaneous endoscopic approach	0TC04ZZ	Extirpation of matter from right kidney, percutaneous endoscopic approach
065C4ZZ	Destruction of right common iliac vein, percutaneous endoscopic approach	0TC14ZZ	Extirpation of matter from left kidney, percutaneous endoscopic approach
065D4ZZ	Destruction of left common iliac vein, percutaneous endoscopic approach	0TC34ZZ	Extirpation of matter from right kidney pelvis, percutaneous endoscopic approach
065F4ZZ	Destruction of right external iliac vein, percutaneous endoscopic approach	0TC44ZZ	Extirpation of matter from left kidney pelvis, percutaneous endoscopic approach
065G4ZZ	Destruction of left external iliac vein, percutaneous endoscopic approach	0TC64ZZ	Extirpation of matter from right ureter, percutaneous endoscopic approach
065H4ZZ	Destruction of right hypogastric vein, percutaneous endoscopic approach	0TC74ZZ	Extirpation of matter from left ureter, percutaneous endoscopic approach
065J4ZZ	Destruction of left hypogastric vein, percutaneous endoscopic approach	0TCB4ZZ	Extirpation of matter from bladder, percutaneous endoscopic approach
06704DZ	Dilation of inferior vena cava with intraluminal device, percutaneous endoscopic approach	0TD04ZZ	Extraction of right kidney, percutaneous endoscopic approach
06704ZZ	Dilation of inferior vena cava, percutaneous endoscopic approach	0TD14ZZ	Extraction of left kidney, percutaneous endoscopic approach
06714DZ	Dilation of splenic vein with intraluminal device, percutaneous endoscopic approach	0TF34ZZ	Fragmentation in right kidney pelvis, percutaneous endoscopic approach
06714ZZ	Dilation of splenic vein, percutaneous endoscopic approach	0TF44ZZ	Fragmentation in left kidney pelvis, percutaneous endoscopic approach
06724DZ	Dilation of gastric vein with intraluminal device, percutaneous endoscopic approach	0TF64ZZ	Fragmentation in right ureter, percutaneous endoscopic approach
06724ZZ	Dilation of gastric vein, percutaneous endoscopic approach	0TF74ZZ	Fragmentation in left ureter, percutaneous endoscopic approach
06734DZ	Dilation of esophageal vein with intraluminal device, percutaneous endoscopic approach	0TFB4ZZ	Fragmentation in bladder, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06734ZZ	Dilation of esophageal vein, percutaneous endoscopic approach	0TH541Z	Insertion of radioactive element into kidney, percutaneous endoscopic approach
06744DZ	Dilation of hepatic vein with intraluminal device, percutaneous endoscopic approach	0TH542Z	Insertion of monitoring device into kidney, percutaneous endoscopic approach
06744ZZ	Dilation of hepatic vein, percutaneous endoscopic approach	0TH543Z	Insertion of infusion device into kidney, percutaneous endoscopic approach
06754DZ	Dilation of superior mesenteric vein with intraluminal device, percutaneous endoscopic approach	0TH54YZ	Insertion of other device into kidney, percutaneous endoscopic approach
06754ZZ	Dilation of superior mesenteric vein, percutaneous endoscopic approach	0TH941Z	Insertion of radioactive element into ureter, percutaneous endoscopic approach
06764DZ	Dilation of inferior mesenteric vein with intraluminal device, percutaneous endoscopic approach	0TH942Z	Insertion of monitoring device into ureter, percutaneous endoscopic approach
06764ZZ	Dilation of inferior mesenteric vein, percutaneous endoscopic approach	0TH943Z	Insertion of infusion device into ureter, percutaneous endoscopic approach
06774DZ	Dilation of colic vein with intraluminal device, percutaneous endoscopic approach	0TH94MZ	Insertion of stimulator lead into ureter, percutaneous endoscopic approach
06774ZZ	Dilation of colic vein, percutaneous endoscopic approach	0TH94YZ	Insertion of other device into ureter, percutaneous endoscopic approach
06784DZ	Dilation of portal vein with intraluminal device, percutaneous endoscopic approach	0THB41Z	Insertion of radioactive element into bladder, percutaneous endoscopic approach
06784ZZ	Dilation of portal vein, percutaneous endoscopic approach	0THB42Z	Insertion of monitoring device into bladder, percutaneous endoscopic approach
06794DZ	Dilation of right renal vein with intraluminal device, percutaneous endoscopic approach	0THB43Z	Insertion of infusion device into bladder, percutaneous endoscopic approach
06794ZZ	Dilation of right renal vein, percutaneous endoscopic approach	0THB4LZ	Insertion of artificial sphincter into bladder, percutaneous endoscopic approach
067B4DZ	Dilation of left renal vein with intraluminal device, percutaneous endoscopic approach	0THB4MZ	Insertion of stimulator lead into bladder, percutaneous endoscopic approach
067B4ZZ	Dilation of left renal vein, percutaneous endoscopic approach	0THB4YZ	Insertion of other device into bladder, percutaneous endoscopic approach
067C4DZ	Dilation of right common iliac vein with intraluminal device, percutaneous endoscopic approach	0TJ54ZZ	Inspection of kidney, percutaneous endoscopic approach
067C4ZZ	Dilation of right common iliac vein, percutaneous endoscopic approach	0TJ94ZZ	Inspection of ureter, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

067D4DZ	Dilation of left common iliac vein with intraluminal device, percutaneous endoscopic approach	0TJB4ZZ	Inspection of bladder, percutaneous endoscopic approach
067D4ZZ	Dilation of left common iliac vein, percutaneous endoscopic approach	0TL34CZ	Occlusion of right kidney pelvis with extraluminal device, percutaneous endoscopic approach
067F4DZ	Dilation of right external iliac vein with intraluminal device, percutaneous endoscopic approach	0TL34DZ	Occlusion of right kidney pelvis with intraluminal device, percutaneous endoscopic approach
067F4ZZ	Dilation of right external iliac vein, percutaneous endoscopic approach	0TL34ZZ	Occlusion of right kidney pelvis, percutaneous endoscopic approach
067G4DZ	Dilation of left external iliac vein with intraluminal device, percutaneous endoscopic approach	0TL44CZ	Occlusion of left kidney pelvis with extraluminal device, percutaneous endoscopic approach
067G4ZZ	Dilation of left external iliac vein, percutaneous endoscopic approach	0TL44DZ	Occlusion of left kidney pelvis with intraluminal device, percutaneous endoscopic approach
067H4DZ	Dilation of right hypogastric vein with intraluminal device, percutaneous endoscopic approach	0TL44ZZ	Occlusion of left kidney pelvis, percutaneous endoscopic approach
067H4ZZ	Dilation of right hypogastric vein, percutaneous endoscopic approach	0TL64CZ	Occlusion of right ureter with extraluminal device, percutaneous endoscopic approach
067J4DZ	Dilation of left hypogastric vein with intraluminal device, percutaneous endoscopic approach	0TL64DZ	Occlusion of right ureter with intraluminal device, percutaneous endoscopic approach
067J4ZZ	Dilation of left hypogastric vein, percutaneous endoscopic approach	0TL64ZZ	Occlusion of right ureter, percutaneous endoscopic approach
069040Z	Drainage of inferior vena cava with drainage device, percutaneous endoscopic approach	0TL74CZ	Occlusion of left ureter with extraluminal device, percutaneous endoscopic approach
06904ZX	Drainage of inferior vena cava, percutaneous endoscopic approach, diagnostic	0TL74DZ	Occlusion of left ureter with intraluminal device, percutaneous endoscopic approach
06904ZZ	Drainage of inferior vena cava, percutaneous endoscopic approach	0TL74ZZ	Occlusion of left ureter, percutaneous endoscopic approach
069140Z	Drainage of splenic vein with drainage device, percutaneous endoscopic approach	0TLB4CZ	Occlusion of bladder with extraluminal device, percutaneous endoscopic approach
06914ZX	Drainage of splenic vein, percutaneous endoscopic approach, diagnostic	0TLB4DZ	Occlusion of bladder with intraluminal device, percutaneous endoscopic approach
06914ZZ	Drainage of splenic vein, percutaneous endoscopic approach	0TLB4ZZ	Occlusion of bladder, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

069240Z	Drainage of gastric vein with drainage device, percutaneous endoscopic approach	0TM04ZZ	Reattachment of right kidney, percutaneous endoscopic approach
06924ZX	Drainage of gastric vein, percutaneous endoscopic approach, diagnostic	0TM14ZZ	Reattachment of left kidney, percutaneous endoscopic approach
06924ZZ	Drainage of gastric vein, percutaneous endoscopic approach	0TM24ZZ	Reattachment of bilateral kidneys, percutaneous endoscopic approach
069340Z	Drainage of esophageal vein with drainage device, percutaneous endoscopic approach	0TM34ZZ	Reattachment of right kidney pelvis, percutaneous endoscopic approach
06934ZX	Drainage of esophageal vein, percutaneous endoscopic approach, diagnostic	0TM44ZZ	Reattachment of left kidney pelvis, percutaneous endoscopic approach
06934ZZ	Drainage of esophageal vein, percutaneous endoscopic approach	0TM64ZZ	Reattachment of right ureter, percutaneous endoscopic approach
069440Z	Drainage of hepatic vein with drainage device, percutaneous endoscopic approach	0TM74ZZ	Reattachment of left ureter, percutaneous endoscopic approach
06944ZX	Drainage of hepatic vein, percutaneous endoscopic approach, diagnostic	0TM84ZZ	Reattachment of bilateral ureters, percutaneous endoscopic approach
06944ZZ	Drainage of hepatic vein, percutaneous endoscopic approach	0TMB4ZZ	Reattachment of bladder, percutaneous endoscopic approach
069540Z	Drainage of superior mesenteric vein with drainage device, percutaneous endoscopic approach	0TN04ZZ	Release right kidney, percutaneous endoscopic approach
06954ZX	Drainage of superior mesenteric vein, percutaneous endoscopic approach, diagnostic	0TN14ZZ	Release left kidney, percutaneous endoscopic approach
06954ZZ	Drainage of superior mesenteric vein, percutaneous endoscopic approach	0TN34ZZ	Release right kidney pelvis, percutaneous endoscopic approach
069640Z	Drainage of inferior mesenteric vein with drainage device, percutaneous endoscopic approach	0TN44ZZ	Release left kidney pelvis, percutaneous endoscopic approach
06964ZX	Drainage of inferior mesenteric vein, percutaneous endoscopic approach, diagnostic	0TN64ZZ	Release right ureter, percutaneous endoscopic approach
06964ZZ	Drainage of inferior mesenteric vein, percutaneous endoscopic approach	0TN74ZZ	Release left ureter, percutaneous endoscopic approach
069740Z	Drainage of colic vein with drainage device, percutaneous endoscopic approach	0TNB4ZZ	Release bladder, percutaneous endoscopic approach
06974ZX	Drainage of colic vein, percutaneous endoscopic approach, diagnostic	0TP540Z	Removal of drainage device from kidney, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06974ZZ	Drainage of colic vein, percutaneous endoscopic approach	0TP542Z	Removal of monitoring device from kidney, percutaneous endoscopic approach
069840Z	Drainage of portal vein with drainage device, percutaneous endoscopic approach	0TP543Z	Removal of infusion device from kidney, percutaneous endoscopic approach
06984ZX	Drainage of portal vein, percutaneous endoscopic approach, diagnostic	0TP547Z	Removal of autologous tissue substitute from kidney, percutaneous endoscopic approach
06984ZZ	Drainage of portal vein, percutaneous endoscopic approach	0TP54CZ	Removal of extraluminal device from kidney, percutaneous endoscopic approach
069940Z	Drainage of right renal vein with drainage device, percutaneous endoscopic approach	0TP54DZ	Removal of intraluminal device from kidney, percutaneous endoscopic approach
06994ZX	Drainage of right renal vein, percutaneous endoscopic approach, diagnostic	0TP54JZ	Removal of synthetic substitute from kidney, percutaneous endoscopic approach
06994ZZ	Drainage of right renal vein, percutaneous endoscopic approach	0TP54KZ	Removal of nonautologous tissue substitute from kidney, percutaneous endoscopic approach
069B40Z	Drainage of left renal vein with drainage device, percutaneous endoscopic approach	0TP54YZ	Removal of other device from kidney, percutaneous endoscopic approach
069B4ZX	Drainage of left renal vein, percutaneous endoscopic approach, diagnostic	0TP940Z	Removal of drainage device from ureter, percutaneous endoscopic approach
069B4ZZ	Drainage of left renal vein, percutaneous endoscopic approach	0TP942Z	Removal of monitoring device from ureter, percutaneous endoscopic approach
069C40Z	Drainage of right common iliac vein with drainage device, percutaneous endoscopic approach	0TP943Z	Removal of infusion device from ureter, percutaneous endoscopic approach
069C4ZX	Drainage of right common iliac vein, percutaneous endoscopic approach, diagnostic	0TP947Z	Removal of autologous tissue substitute from ureter, percutaneous endoscopic approach
069C4ZZ	Drainage of right common iliac vein, percutaneous endoscopic approach	0TP94CZ	Removal of extraluminal device from ureter, percutaneous endoscopic approach
069D40Z	Drainage of left common iliac vein with drainage device, percutaneous endoscopic approach	0TP94DZ	Removal of intraluminal device from ureter, percutaneous endoscopic approach
069D4ZX	Drainage of left common iliac vein, percutaneous endoscopic approach, diagnostic	0TP94JZ	Removal of synthetic substitute from ureter, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

069D4ZZ	Drainage of left common iliac vein, percutaneous endoscopic approach	0TP94KZ	Removal of nonautologous tissue substitute from ureter, percutaneous endoscopic approach
069F40Z	Drainage of right external iliac vein with drainage device, percutaneous endoscopic approach	0TP94MZ	Removal of stimulator lead from ureter, percutaneous endoscopic approach
069F4ZX	Drainage of right external iliac vein, percutaneous endoscopic approach, diagnostic	0TP94YZ	Removal of other device from ureter, percutaneous endoscopic approach
069F4ZZ	Drainage of right external iliac vein, percutaneous endoscopic approach	0TPB40Z	Removal of drainage device from bladder, percutaneous endoscopic approach
069G40Z	Drainage of left external iliac vein with drainage device, percutaneous endoscopic approach	0TPB42Z	Removal of monitoring device from bladder, percutaneous endoscopic approach
069G4ZX	Drainage of left external iliac vein, percutaneous endoscopic approach, diagnostic	0TPB43Z	Removal of infusion device from bladder, percutaneous endoscopic approach
069G4ZZ	Drainage of left external iliac vein, percutaneous endoscopic approach	0TPB47Z	Removal of autologous tissue substitute from bladder, percutaneous endoscopic approach
069H40Z	Drainage of right hypogastric vein with drainage device, percutaneous endoscopic approach	0TPB4CZ	Removal of extraluminal device from bladder, percutaneous endoscopic approach
069H4ZX	Drainage of right hypogastric vein, percutaneous endoscopic approach, diagnostic	0TPB4DZ	Removal of intraluminal device from bladder, percutaneous endoscopic approach
069H4ZZ	Drainage of right hypogastric vein, percutaneous endoscopic approach	0TPB4JZ	Removal of synthetic substitute from bladder, percutaneous endoscopic approach
069J40Z	Drainage of left hypogastric vein with drainage device, percutaneous endoscopic approach	0TPB4KZ	Removal of nonautologous tissue substitute from bladder, percutaneous endoscopic approach
069J4ZX	Drainage of left hypogastric vein, percutaneous endoscopic approach, diagnostic	0TPB4LZ	Removal of artificial sphincter from bladder, percutaneous endoscopic approach
069J4ZZ	Drainage of left hypogastric vein, percutaneous endoscopic approach	0TPB4MZ	Removal of stimulator lead from bladder, percutaneous endoscopic approach
06B04ZX	Excision of inferior vena cava, percutaneous endoscopic approach, diagnostic	0TPB4YZ	Removal of other device from bladder, percutaneous endoscopic approach
06B04ZZ	Excision of inferior vena cava, percutaneous endoscopic approach	0TQ04ZZ	Repair right kidney, percutaneous endoscopic approach
06B14ZX	Excision of splenic vein, percutaneous endoscopic approach, diagnostic	0TQ14ZZ	Repair left kidney, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06B14ZZ	Excision of splenic vein, percutaneous endoscopic approach	0TQ34ZZ	Repair right kidney pelvis, percutaneous endoscopic approach
06B24ZX	Excision of gastric vein, percutaneous endoscopic approach, diagnostic	0TQ44ZZ	Repair left kidney pelvis, percutaneous endoscopic approach
06B24ZZ	Excision of gastric vein, percutaneous endoscopic approach	0TQ64ZZ	Repair right ureter, percutaneous endoscopic approach
06B34ZX	Excision of esophageal vein, percutaneous endoscopic approach, diagnostic	0TQ74ZZ	Repair left ureter, percutaneous endoscopic approach
06B34ZZ	Excision of esophageal vein, percutaneous endoscopic approach	0TQB4ZZ	Repair bladder, percutaneous endoscopic approach
06B44ZX	Excision of hepatic vein, percutaneous endoscopic approach, diagnostic	0TR347Z	Replacement of right kidney pelvis with autologous tissue substitute, percutaneous endoscopic approach
06B44ZZ	Excision of hepatic vein, percutaneous endoscopic approach	0TR34JZ	Replacement of right kidney pelvis with synthetic substitute, percutaneous endoscopic approach
06B54ZX	Excision of superior mesenteric vein, percutaneous endoscopic approach, diagnostic	0TR34KZ	Replacement of right kidney pelvis with nonautologous tissue substitute, percutaneous endoscopic approach
06B54ZZ	Excision of superior mesenteric vein, percutaneous endoscopic approach	0TR447Z	Replacement of left kidney pelvis with autologous tissue substitute, percutaneous endoscopic approach
06B64ZX	Excision of inferior mesenteric vein, percutaneous endoscopic approach, diagnostic	0TR44JZ	Replacement of left kidney pelvis with synthetic substitute, percutaneous endoscopic approach
06B64ZZ	Excision of inferior mesenteric vein, percutaneous endoscopic approach	0TR44KZ	Replacement of left kidney pelvis with nonautologous tissue substitute, percutaneous endoscopic approach
06B74ZX	Excision of colic vein, percutaneous endoscopic approach, diagnostic	0TR647Z	Replacement of right ureter with autologous tissue substitute, percutaneous endoscopic approach
06B74ZZ	Excision of colic vein, percutaneous endoscopic approach	0TR64JZ	Replacement of right ureter with synthetic substitute, percutaneous endoscopic approach
06B84ZX	Excision of portal vein, percutaneous endoscopic approach, diagnostic	0TR64KZ	Replacement of right ureter with nonautologous tissue substitute, percutaneous endoscopic approach
06B84ZZ	Excision of portal vein, percutaneous endoscopic approach	0TR747Z	Replacement of left ureter with autologous tissue substitute, percutaneous endoscopic approach
06B94ZX	Excision of right renal vein, percutaneous endoscopic approach, diagnostic	0TR74JZ	Replacement of left ureter with synthetic substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06B94ZZ	Excision of right renal vein, percutaneous endoscopic approach	0TR74KZ	Replacement of left ureter with nonautologous tissue substitute, percutaneous endoscopic approach
06BB4ZX	Excision of left renal vein, percutaneous endoscopic approach, diagnostic	0TRB47Z	Replacement of bladder with autologous tissue substitute, percutaneous endoscopic approach
06BB4ZZ	Excision of left renal vein, percutaneous endoscopic approach	0TRB4JZ	Replacement of bladder with synthetic substitute, percutaneous endoscopic approach
06BC4ZX	Excision of right common iliac vein, percutaneous endoscopic approach, diagnostic	0TRB4KZ	Replacement of bladder with nonautologous tissue substitute, percutaneous endoscopic approach
06BC4ZZ	Excision of right common iliac vein, percutaneous endoscopic approach	0TRC47Z	Replacement of bladder neck with autologous tissue substitute, percutaneous endoscopic approach
06BD4ZX	Excision of left common iliac vein, percutaneous endoscopic approach, diagnostic	0TRC4JZ	Replacement of bladder neck with synthetic substitute, percutaneous endoscopic approach
06BD4ZZ	Excision of left common iliac vein, percutaneous endoscopic approach	0TRC4KZ	Replacement of bladder neck with nonautologous tissue substitute, percutaneous endoscopic approach
06BF4ZX	Excision of right external iliac vein, percutaneous endoscopic approach, diagnostic	0TS04ZZ	Reposition right kidney, percutaneous endoscopic approach
06BF4ZZ	Excision of right external iliac vein, percutaneous endoscopic approach	0TS14ZZ	Reposition left kidney, percutaneous endoscopic approach
06BG4ZX	Excision of left external iliac vein, percutaneous endoscopic approach, diagnostic	0TS24ZZ	Reposition bilateral kidneys, percutaneous endoscopic approach
06BG4ZZ	Excision of left external iliac vein, percutaneous endoscopic approach	0TS34ZZ	Reposition right kidney pelvis, percutaneous endoscopic approach
06BH4ZX	Excision of right hypogastric vein, percutaneous endoscopic approach, diagnostic	0TS44ZZ	Reposition left kidney pelvis, percutaneous endoscopic approach
06BH4ZZ	Excision of right hypogastric vein, percutaneous endoscopic approach	0TS64ZZ	Reposition right ureter, percutaneous endoscopic approach
06BJ4ZX	Excision of left hypogastric vein, percutaneous endoscopic approach, diagnostic	0TS74ZZ	Reposition left ureter, percutaneous endoscopic approach
06BJ4ZZ	Excision of left hypogastric vein, percutaneous endoscopic approach	0TS84ZZ	Reposition bilateral ureters, percutaneous endoscopic approach
06C04ZZ	Extrication of matter from inferior vena cava, percutaneous endoscopic approach	0TSB4ZZ	Reposition bladder, percutaneous endoscopic approach
06C14ZZ	Extrication of matter from splenic vein, percutaneous endoscopic approach	0TT04ZZ	Resection of right kidney, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06C24ZZ	Extripation of matter from gastric vein, percutaneous endoscopic approach	0TT14ZZ	Resection of left kidney, percutaneous endoscopic approach
06C34ZZ	Extripation of matter from esophageal vein, percutaneous endoscopic approach	0TT24ZZ	Resection of bilateral kidneys, percutaneous endoscopic approach
06C44ZZ	Extripation of matter from hepatic vein, percutaneous endoscopic approach	0TT34ZZ	Resection of right kidney pelvis, percutaneous endoscopic approach
06C54ZZ	Extripation of matter from superior mesenteric vein, percutaneous endoscopic approach	0TT44ZZ	Resection of left kidney pelvis, percutaneous endoscopic approach
06C64ZZ	Extripation of matter from inferior mesenteric vein, percutaneous endoscopic approach	0TT64ZZ	Resection of right ureter, percutaneous endoscopic approach
06C74ZZ	Extripation of matter from colic vein, percutaneous endoscopic approach	0TT74ZZ	Resection of left ureter, percutaneous endoscopic approach
06C84ZZ	Extripation of matter from portal vein, percutaneous endoscopic approach	0TTB4ZZ	Resection of bladder, percutaneous endoscopic approach
06C94ZZ	Extripation of matter from right renal vein, percutaneous endoscopic approach	0TTD4ZZ	Resection of urethra, percutaneous endoscopic approach
06CB4ZZ	Extripation of matter from left renal vein, percutaneous endoscopic approach	0TU347Z	Supplement right kidney pelvis with autologous tissue substitute, percutaneous endoscopic approach
06CC4ZZ	Extripation of matter from right common iliac vein, percutaneous endoscopic approach	0TU34JZ	Supplement right kidney pelvis with synthetic substitute, percutaneous endoscopic approach
06CD4ZZ	Extripation of matter from left common iliac vein, percutaneous endoscopic approach	0TU34KZ	Supplement right kidney pelvis with nonautologous tissue substitute, percutaneous endoscopic approach
06CF4ZZ	Extripation of matter from right external iliac vein, percutaneous endoscopic approach	0TU447Z	Supplement left kidney pelvis with autologous tissue substitute, percutaneous endoscopic approach
06CG4ZZ	Extripation of matter from left external iliac vein, percutaneous endoscopic approach	0TU44JZ	Supplement left kidney pelvis with synthetic substitute, percutaneous endoscopic approach
06CH4ZZ	Extripation of matter from right hypogastric vein, percutaneous endoscopic approach	0TU44KZ	Supplement left kidney pelvis with nonautologous tissue substitute, percutaneous endoscopic approach
06CJ4ZZ	Extripation of matter from left hypogastric vein, percutaneous endoscopic approach	0TU647Z	Supplement right ureter with autologous tissue substitute, percutaneous endoscopic approach
06H043Z	Insertion of infusion device into inferior vena cava, percutaneous endoscopic approach	0TU64JZ	Supplement right ureter with synthetic substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06H04DZ	Insertion of intraluminal device into inferior vena cava, percutaneous endoscopic approach	0TU64KZ	Supplement right ureter with nonautologous tissue substitute, percutaneous endoscopic approach
06H143Z	Insertion of infusion device into splenic vein, percutaneous endoscopic approach	0TU747Z	Supplement left ureter with autologous tissue substitute, percutaneous endoscopic approach
06H14DZ	Insertion of intraluminal device into splenic vein, percutaneous endoscopic approach	0TU74JZ	Supplement left ureter with synthetic substitute, percutaneous endoscopic approach
06H243Z	Insertion of infusion device into gastric vein, percutaneous endoscopic approach	0TU74KZ	Supplement left ureter with nonautologous tissue substitute, percutaneous endoscopic approach
06H24DZ	Insertion of intraluminal device into gastric vein, percutaneous endoscopic approach	0TUB47Z	Supplement bladder with autologous tissue substitute, percutaneous endoscopic approach
06H343Z	Insertion of infusion device into esophageal vein, percutaneous endoscopic approach	0TUB4JZ	Supplement bladder with synthetic substitute, percutaneous endoscopic approach
06H34DZ	Insertion of intraluminal device into esophageal vein, percutaneous endoscopic approach	0TUB4KZ	Supplement bladder with nonautologous tissue substitute, percutaneous endoscopic approach
06H443Z	Insertion of infusion device into hepatic vein, percutaneous endoscopic approach	0TV34CZ	Restriction of right kidney pelvis with extraluminal device, percutaneous endoscopic approach
06H44DZ	Insertion of intraluminal device into hepatic vein, percutaneous endoscopic approach	0TV34DZ	Restriction of right kidney pelvis with intraluminal device, percutaneous endoscopic approach
06H543Z	Insertion of infusion device into superior mesenteric vein, percutaneous endoscopic approach	0TV34ZZ	Restriction of right kidney pelvis, percutaneous endoscopic approach
06H54DZ	Insertion of intraluminal device into superior mesenteric vein, percutaneous endoscopic approach	0TV44CZ	Restriction of left kidney pelvis with extraluminal device, percutaneous endoscopic approach
06H643Z	Insertion of infusion device into inferior mesenteric vein, percutaneous endoscopic approach	0TV44DZ	Restriction of left kidney pelvis with intraluminal device, percutaneous endoscopic approach
06H64DZ	Insertion of intraluminal device into inferior mesenteric vein, percutaneous endoscopic approach	0TV44ZZ	Restriction of left kidney pelvis, percutaneous endoscopic approach
06H743Z	Insertion of infusion device into colic vein, percutaneous endoscopic approach	0TV64CZ	Restriction of right ureter with extraluminal device, percutaneous endoscopic approach
06H74DZ	Insertion of intraluminal device into colic vein, percutaneous endoscopic approach	0TV64DZ	Restriction of right ureter with intraluminal device, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06H843Z	Insertion of infusion device into portal vein, percutaneous endoscopic approach	0TV64ZZ	Restriction of right ureter, percutaneous endoscopic approach
06H84DZ	Insertion of intraluminal device into portal vein, percutaneous endoscopic approach	0TV74CZ	Restriction of left ureter with extraluminal device, percutaneous endoscopic approach
06H943Z	Insertion of infusion device into right renal vein, percutaneous endoscopic approach	0TV74DZ	Restriction of left ureter with intraluminal device, percutaneous endoscopic approach
06H94DZ	Insertion of intraluminal device into right renal vein, percutaneous endoscopic approach	0TV74ZZ	Restriction of left ureter, percutaneous endoscopic approach
06HB43Z	Insertion of infusion device into left renal vein, percutaneous endoscopic approach	0TVB4CZ	Restriction of bladder with extraluminal device, percutaneous endoscopic approach
06HB4DZ	Insertion of intraluminal device into left renal vein, percutaneous endoscopic approach	0TVB4DZ	Restriction of bladder with intraluminal device, percutaneous endoscopic approach
06HC43Z	Insertion of infusion device into right common iliac vein, percutaneous endoscopic approach	0TVB4ZZ	Restriction of bladder, percutaneous endoscopic approach
06HC4DZ	Insertion of intraluminal device into right common iliac vein, percutaneous endoscopic approach	0TW540Z	Revision of drainage device in kidney, percutaneous endoscopic approach
06HD43Z	Insertion of infusion device into left common iliac vein, percutaneous endoscopic approach	0TW542Z	Revision of monitoring device in kidney, percutaneous endoscopic approach
06HD4DZ	Insertion of intraluminal device into left common iliac vein, percutaneous endoscopic approach	0TW543Z	Revision of infusion device in kidney, percutaneous endoscopic approach
06HF43Z	Insertion of infusion device into right external iliac vein, percutaneous endoscopic approach	0TW547Z	Revision of autologous tissue substitute in kidney, percutaneous endoscopic approach
06HF4DZ	Insertion of intraluminal device into right external iliac vein, percutaneous endoscopic approach	0TW54CZ	Revision of extraluminal device in kidney, percutaneous endoscopic approach
06HG43Z	Insertion of infusion device into left external iliac vein, percutaneous endoscopic approach	0TW54DZ	Revision of intraluminal device in kidney, percutaneous endoscopic approach
06HG4DZ	Insertion of intraluminal device into left external iliac vein, percutaneous endoscopic approach	0TW54JZ	Revision of synthetic substitute in kidney, percutaneous endoscopic approach
06HH43Z	Insertion of infusion device into right hypogastric vein, percutaneous endoscopic approach	0TW54KZ	Revision of nonautologous tissue substitute in kidney, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06HH4DZ	Insertion of intraluminal device into right hypogastric vein, percutaneous endoscopic approach	0TW54YZ	Revision of other device in kidney, percutaneous endoscopic approach
06HJ43Z	Insertion of infusion device into left hypogastric vein, percutaneous endoscopic approach	0TW940Z	Revision of drainage device in ureter, percutaneous endoscopic approach
06HJ4DZ	Insertion of intraluminal device into left hypogastric vein, percutaneous endoscopic approach	0TW942Z	Revision of monitoring device in ureter, percutaneous endoscopic approach
06L04CZ	Occlusion of inferior vena cava with extraluminal device, percutaneous endoscopic approach	0TW943Z	Revision of infusion device in ureter, percutaneous endoscopic approach
06L04DZ	Occlusion of inferior vena cava with intraluminal device, percutaneous endoscopic approach	0TW947Z	Revision of autologous tissue substitute in ureter, percutaneous endoscopic approach
06L04ZZ	Occlusion of inferior vena cava, percutaneous endoscopic approach	0TW94CZ	Revision of extraluminal device in ureter, percutaneous endoscopic approach
06L14CZ	Occlusion of splenic vein with extraluminal device, percutaneous endoscopic approach	0TW94DZ	Revision of intraluminal device in ureter, percutaneous endoscopic approach
06L14DZ	Occlusion of splenic vein with intraluminal device, percutaneous endoscopic approach	0TW94JZ	Revision of synthetic substitute in ureter, percutaneous endoscopic approach
06L14ZZ	Occlusion of splenic vein, percutaneous endoscopic approach	0TW94KZ	Revision of nonautologous tissue substitute in ureter, percutaneous endoscopic approach
06L24CZ	Occlusion of gastric vein with extraluminal device, percutaneous endoscopic approach	0TW94MZ	Revision of stimulator lead in ureter, percutaneous endoscopic approach
06L24DZ	Occlusion of gastric vein with intraluminal device, percutaneous endoscopic approach	0TW94YZ	Revision of other device in ureter, percutaneous endoscopic approach
06L24ZZ	Occlusion of gastric vein, percutaneous endoscopic approach	0TWB40Z	Revision of drainage device in bladder, percutaneous endoscopic approach
06L34CZ	Occlusion of esophageal vein with extraluminal device, percutaneous endoscopic approach	0TWB42Z	Revision of monitoring device in bladder, percutaneous endoscopic approach
06L34DZ	Occlusion of esophageal vein with intraluminal device, percutaneous endoscopic approach	0TWB43Z	Revision of infusion device in bladder, percutaneous endoscopic approach
06L34ZZ	Occlusion of esophageal vein, percutaneous endoscopic approach	0TWB47Z	Revision of autologous tissue substitute in bladder, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06L44CZ	Occlusion of hepatic vein with extraluminal device, percutaneous endoscopic approach	0TWB4CZ	Revision of extraluminal device in bladder, percutaneous endoscopic approach
06L44DZ	Occlusion of hepatic vein with intraluminal device, percutaneous endoscopic approach	0TWB4DZ	Revision of intraluminal device in bladder, percutaneous endoscopic approach
06L44ZZ	Occlusion of hepatic vein, percutaneous endoscopic approach	0TWB4JZ	Revision of synthetic substitute in bladder, percutaneous endoscopic approach
06L54CZ	Occlusion of superior mesenteric vein with extraluminal device, percutaneous endoscopic approach	0TWB4KZ	Revision of nonautologous tissue substitute in bladder, percutaneous endoscopic approach
06L54DZ	Occlusion of superior mesenteric vein with intraluminal device, percutaneous endoscopic approach	0TWB4LZ	Revision of artificial sphincter in bladder, percutaneous endoscopic approach
06L54ZZ	Occlusion of superior mesenteric vein, percutaneous endoscopic approach	0TWB4MZ	Revision of stimulator lead in bladder, percutaneous endoscopic approach
06L64CZ	Occlusion of inferior mesenteric vein with extraluminal device, percutaneous endoscopic approach	0TWB4YZ	Revision of other device in bladder, percutaneous endoscopic approach
06L64DZ	Occlusion of inferior mesenteric vein with intraluminal device, percutaneous endoscopic approach	0U15475	Bypass right fallopian tube to right fallopian tube with autologous tissue substitute, percutaneous endoscopic approach
06L64ZZ	Occlusion of inferior mesenteric vein, percutaneous endoscopic approach	0U15476	Bypass right fallopian tube to left fallopian tube with autologous tissue substitute, percutaneous endoscopic approach
06L74CZ	Occlusion of colic vein with extraluminal device, percutaneous endoscopic approach	0U15479	Bypass right fallopian tube to uterus with autologous tissue substitute, percutaneous endoscopic approach
06L74DZ	Occlusion of colic vein with intraluminal device, percutaneous endoscopic approach	0U154J5	Bypass right fallopian tube to right fallopian tube with synthetic substitute, percutaneous endoscopic approach
06L74ZZ	Occlusion of colic vein, percutaneous endoscopic approach	0U154J6	Bypass right fallopian tube to left fallopian tube with synthetic substitute, percutaneous endoscopic approach
06L84CZ	Occlusion of portal vein with extraluminal device, percutaneous endoscopic approach	0U154J9	Bypass right fallopian tube to uterus with synthetic substitute, percutaneous endoscopic approach
06L84DZ	Occlusion of portal vein with intraluminal device, percutaneous endoscopic approach	0U154K5	Bypass right fallopian tube to right fallopian tube with nonautologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06L84ZZ	Occlusion of portal vein, percutaneous endoscopic approach	0U154K6	Bypass right fallopian tube to left fallopian tube with nonautologous tissue substitute, percutaneous endoscopic approach
06L94CZ	Occlusion of right renal vein with extraluminal device, percutaneous endoscopic approach	0U154K9	Bypass right fallopian tube to uterus with nonautologous tissue substitute, percutaneous endoscopic approach
06L94DZ	Occlusion of right renal vein with intraluminal device, percutaneous endoscopic approach	0U154Z5	Bypass right fallopian tube to right fallopian tube, percutaneous endoscopic approach
06L94ZZ	Occlusion of right renal vein, percutaneous endoscopic approach	0U154Z6	Bypass right fallopian tube to left fallopian tube, percutaneous endoscopic approach
06LB4CZ	Occlusion of left renal vein with extraluminal device, percutaneous endoscopic approach	0U154Z9	Bypass right fallopian tube to uterus, percutaneous endoscopic approach
06LB4DZ	Occlusion of left renal vein with intraluminal device, percutaneous endoscopic approach	0U16475	Bypass left fallopian tube to right fallopian tube with autologous tissue substitute, percutaneous endoscopic approach
06LB4ZZ	Occlusion of left renal vein, percutaneous endoscopic approach	0U16476	Bypass left fallopian tube to left fallopian tube with autologous tissue substitute, percutaneous endoscopic approach
06LC4CZ	Occlusion of right common iliac vein with extraluminal device, percutaneous endoscopic approach	0U16479	Bypass left fallopian tube to uterus with autologous tissue substitute, percutaneous endoscopic approach
06LC4DZ	Occlusion of right common iliac vein with intraluminal device, percutaneous endoscopic approach	0U164J5	Bypass left fallopian tube to right fallopian tube with synthetic substitute, percutaneous endoscopic approach
06LC4ZZ	Occlusion of right common iliac vein, percutaneous endoscopic approach	0U164J6	Bypass left fallopian tube to left fallopian tube with synthetic substitute, percutaneous endoscopic approach
06LD4CZ	Occlusion of left common iliac vein with extraluminal device, percutaneous endoscopic approach	0U164J9	Bypass left fallopian tube to uterus with synthetic substitute, percutaneous endoscopic approach
06LD4DZ	Occlusion of left common iliac vein with intraluminal device, percutaneous endoscopic approach	0U164K5	Bypass left fallopian tube to right fallopian tube with nonautologous tissue substitute, percutaneous endoscopic approach
06LD4ZZ	Occlusion of left common iliac vein, percutaneous endoscopic approach	0U164K6	Bypass left fallopian tube to left fallopian tube with nonautologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06LF4CZ	Occlusion of right external iliac vein with extraluminal device, percutaneous endoscopic approach	0U164K9	Bypass left fallopian tube to uterus with nonautologous tissue substitute, percutaneous endoscopic approach
06LF4DZ	Occlusion of right external iliac vein with intraluminal device, percutaneous endoscopic approach	0U164Z5	Bypass left fallopian tube to right fallopian tube, percutaneous endoscopic approach
06LF4ZZ	Occlusion of right external iliac vein, percutaneous endoscopic approach	0U164Z6	Bypass left fallopian tube to left fallopian tube, percutaneous endoscopic approach
06LG4CZ	Occlusion of left external iliac vein with extraluminal device, percutaneous endoscopic approach	0U164Z9	Bypass left fallopian tube to uterus, percutaneous endoscopic approach
06LG4DZ	Occlusion of left external iliac vein with intraluminal device, percutaneous endoscopic approach	0U504ZZ	Destruction of right ovary, percutaneous endoscopic approach
06LG4ZZ	Occlusion of left external iliac vein, percutaneous endoscopic approach	0U514ZZ	Destruction of left ovary, percutaneous endoscopic approach
06LH4CZ	Occlusion of right hypogastric vein with extraluminal device, percutaneous endoscopic approach	0U524ZZ	Destruction of bilateral ovaries, percutaneous endoscopic approach
06LH4DZ	Occlusion of right hypogastric vein with intraluminal device, percutaneous endoscopic approach	0U544ZZ	Destruction of uterine supporting structure, percutaneous endoscopic approach
06LH4ZZ	Occlusion of right hypogastric vein, percutaneous endoscopic approach	0U554ZZ	Destruction of right fallopian tube, percutaneous endoscopic approach
06LJ4CZ	Occlusion of left hypogastric vein with extraluminal device, percutaneous endoscopic approach	0U564ZZ	Destruction of left fallopian tube, percutaneous endoscopic approach
06LJ4DZ	Occlusion of left hypogastric vein with intraluminal device, percutaneous endoscopic approach	0U574ZZ	Destruction of bilateral fallopian tubes, percutaneous endoscopic approach
06LJ4ZZ	Occlusion of left hypogastric vein, percutaneous endoscopic approach	0U594ZZ	Destruction of uterus, percutaneous endoscopic approach
06N04ZZ	Release inferior vena cava, percutaneous endoscopic approach	0U5B4ZZ	Destruction of endometrium, percutaneous endoscopic approach
06N14ZZ	Release splenic vein, percutaneous endoscopic approach	0U5C4ZZ	Destruction of cervix, percutaneous endoscopic approach
06N24ZZ	Release gastric vein, percutaneous endoscopic approach	0U5G4ZZ	Destruction of vagina, percutaneous endoscopic approach
06N34ZZ	Release esophageal vein, percutaneous endoscopic approach	0U754DZ	Dilation of right fallopian tube with intraluminal device, percutaneous endoscopic approach
06N44ZZ	Release hepatic vein, percutaneous endoscopic approach	0U754ZZ	Dilation of right fallopian tube, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06N54ZZ	Release superior mesenteric vein, percutaneous endoscopic approach	0U764DZ	Dilation of left fallopian tube with intraluminal device, percutaneous endoscopic approach
06N64ZZ	Release inferior mesenteric vein, percutaneous endoscopic approach	0U764ZZ	Dilation of left fallopian tube, percutaneous endoscopic approach
06N74ZZ	Release colic vein, percutaneous endoscopic approach	0U774DZ	Dilation of bilateral fallopian tubes with intraluminal device, percutaneous endoscopic approach
06N84ZZ	Release portal vein, percutaneous endoscopic approach	0U774ZZ	Dilation of bilateral fallopian tubes, percutaneous endoscopic approach
06N94ZZ	Release right renal vein, percutaneous endoscopic approach	0U794DZ	Dilation of uterus with intraluminal device, percutaneous endoscopic approach
06NB4ZZ	Release left renal vein, percutaneous endoscopic approach	0U794ZZ	Dilation of uterus, percutaneous endoscopic approach
06NC4ZZ	Release right common iliac vein, percutaneous endoscopic approach	0U7C4DZ	Dilation of cervix with intraluminal device, percutaneous endoscopic approach
06ND4ZZ	Release left common iliac vein, percutaneous endoscopic approach	0U7C4ZZ	Dilation of cervix, percutaneous endoscopic approach
06NF4ZZ	Release right external iliac vein, percutaneous endoscopic approach	0U7G4DZ	Dilation of vagina with intraluminal device, percutaneous endoscopic approach
06NG4ZZ	Release left external iliac vein, percutaneous endoscopic approach	0U7G4ZZ	Dilation of vagina, percutaneous endoscopic approach
06NH4ZZ	Release right hypogastric vein, percutaneous endoscopic approach	0U804ZZ	Division of right ovary, percutaneous endoscopic approach
06NJ4ZZ	Release left hypogastric vein, percutaneous endoscopic approach	0U814ZZ	Division of left ovary, percutaneous endoscopic approach
06Q04ZZ	Repair inferior vena cava, percutaneous endoscopic approach	0U824ZZ	Division of bilateral ovaries, percutaneous endoscopic approach
06Q14ZZ	Repair splenic vein, percutaneous endoscopic approach	0U844ZZ	Division of uterine supporting structure, percutaneous endoscopic approach
06Q24ZZ	Repair gastric vein, percutaneous endoscopic approach	0U9040Z	Drainage of right ovary with drainage device, percutaneous endoscopic approach
06Q34ZZ	Repair esophageal vein, percutaneous endoscopic approach	0U904ZX	Drainage of right ovary, percutaneous endoscopic approach, diagnostic
06Q44ZZ	Repair hepatic vein, percutaneous endoscopic approach	0U904ZZ	Drainage of right ovary, percutaneous endoscopic approach
06Q54ZZ	Repair superior mesenteric vein, percutaneous endoscopic approach	0U9140Z	Drainage of left ovary with drainage device, percutaneous endoscopic approach
06Q64ZZ	Repair inferior mesenteric vein, percutaneous endoscopic approach	0U914ZX	Drainage of left ovary, percutaneous endoscopic approach, diagnostic

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06Q74ZZ	Repair colic vein, percutaneous endoscopic approach	0U914ZZ	Drainage of left ovary, percutaneous endoscopic approach
06Q84ZZ	Repair portal vein, percutaneous endoscopic approach	0U9240Z	Drainage of bilateral ovaries with drainage device, percutaneous endoscopic approach
06Q94ZZ	Repair right renal vein, percutaneous endoscopic approach	0U924ZX	Drainage of bilateral ovaries, percutaneous endoscopic approach, diagnostic
06QB4ZZ	Repair left renal vein, percutaneous endoscopic approach	0U924ZZ	Drainage of bilateral ovaries, percutaneous endoscopic approach
06QC4ZZ	Repair right common iliac vein, percutaneous endoscopic approach	0U9440Z	Drainage of uterine supporting structure with drainage device, percutaneous endoscopic approach
06QD4ZZ	Repair left common iliac vein, percutaneous endoscopic approach	0U944ZX	Drainage of uterine supporting structure, percutaneous endoscopic approach, diagnostic
06QF4ZZ	Repair right external iliac vein, percutaneous endoscopic approach	0U944ZZ	Drainage of uterine supporting structure, percutaneous endoscopic approach
06QG4ZZ	Repair left external iliac vein, percutaneous endoscopic approach	0U9540Z	Drainage of right fallopian tube with drainage device, percutaneous endoscopic approach
06QH4ZZ	Repair right hypogastric vein, percutaneous endoscopic approach	0U954ZX	Drainage of right fallopian tube, percutaneous endoscopic approach, diagnostic
06QJ4ZZ	Repair left hypogastric vein, percutaneous endoscopic approach	0U954ZZ	Drainage of right fallopian tube, percutaneous endoscopic approach
06R047Z	Replacement of inferior vena cava with autologous tissue substitute, percutaneous endoscopic approach	0U9640Z	Drainage of left fallopian tube with drainage device, percutaneous endoscopic approach
06R04JZ	Replacement of inferior vena cava with synthetic substitute, percutaneous endoscopic approach	0U964ZX	Drainage of left fallopian tube, percutaneous endoscopic approach, diagnostic
06R04KZ	Replacement of inferior vena cava with nonautologous tissue substitute, percutaneous endoscopic approach	0U964ZZ	Drainage of left fallopian tube, percutaneous endoscopic approach
06R147Z	Replacement of splenic vein with autologous tissue substitute, percutaneous endoscopic approach	0U9740Z	Drainage of bilateral fallopian tubes with drainage device, percutaneous endoscopic approach
06R14JZ	Replacement of splenic vein with synthetic substitute, percutaneous endoscopic approach	0U974ZX	Drainage of bilateral fallopian tubes, percutaneous endoscopic approach, diagnostic
06R14KZ	Replacement of splenic vein with nonautologous tissue substitute, percutaneous endoscopic approach	0U974ZZ	Drainage of bilateral fallopian tubes, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06R247Z	Replacement of gastric vein with autologous tissue substitute, percutaneous endoscopic approach	0U9940Z	Drainage of uterus with drainage device, percutaneous endoscopic approach
06R24JZ	Replacement of gastric vein with synthetic substitute, percutaneous endoscopic approach	0U994ZX	Drainage of uterus, percutaneous endoscopic approach, diagnostic
06R24KZ	Replacement of gastric vein with nonautologous tissue substitute, percutaneous endoscopic approach	0U994ZZ	Drainage of uterus, percutaneous endoscopic approach
06R347Z	Replacement of esophageal vein with autologous tissue substitute, percutaneous endoscopic approach	0U9C40Z	Drainage of cervix with drainage device, percutaneous endoscopic approach
06R34JZ	Replacement of esophageal vein with synthetic substitute, percutaneous endoscopic approach	0U9C4ZX	Drainage of cervix, percutaneous endoscopic approach, diagnostic
06R34KZ	Replacement of esophageal vein with nonautologous tissue substitute, percutaneous endoscopic approach	0U9C4ZZ	Drainage of cervix, percutaneous endoscopic approach
06R447Z	Replacement of hepatic vein with autologous tissue substitute, percutaneous endoscopic approach	0U9G40Z	Drainage of vagina with drainage device, percutaneous endoscopic approach
06R44JZ	Replacement of hepatic vein with synthetic substitute, percutaneous endoscopic approach	0U9G4ZX	Drainage of vagina, percutaneous endoscopic approach, diagnostic
06R44KZ	Replacement of hepatic vein with nonautologous tissue substitute, percutaneous endoscopic approach	0U9G4ZZ	Drainage of vagina, percutaneous endoscopic approach
06R547Z	Replacement of superior mesenteric vein with autologous tissue substitute, percutaneous endoscopic approach	0UB04ZX	Excision of right ovary, percutaneous endoscopic approach, diagnostic
06R54JZ	Replacement of superior mesenteric vein with synthetic substitute, percutaneous endoscopic approach	0UB04ZZ	Excision of right ovary, percutaneous endoscopic approach
06R54KZ	Replacement of superior mesenteric vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UB14ZX	Excision of left ovary, percutaneous endoscopic approach, diagnostic
06R647Z	Replacement of inferior mesenteric vein with autologous tissue substitute, percutaneous endoscopic approach	0UB14ZZ	Excision of left ovary, percutaneous endoscopic approach
06R64JZ	Replacement of inferior mesenteric vein with synthetic substitute, percutaneous endoscopic approach	0UB24ZX	Excision of bilateral ovaries, percutaneous endoscopic approach, diagnostic
06R64KZ	Replacement of inferior mesenteric vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UB24ZZ	Excision of bilateral ovaries, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06R747Z	Replacement of colic vein with autologous tissue substitute, percutaneous endoscopic approach	0UB44ZX	Excision of uterine supporting structure, percutaneous endoscopic approach, diagnostic
06R74JZ	Replacement of colic vein with synthetic substitute, percutaneous endoscopic approach	0UB44ZZ	Excision of uterine supporting structure, percutaneous endoscopic approach
06R74KZ	Replacement of colic vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UB54ZX	Excision of right fallopian tube, percutaneous endoscopic approach, diagnostic
06R847Z	Replacement of portal vein with autologous tissue substitute, percutaneous endoscopic approach	0UB54ZZ	Excision of right fallopian tube, percutaneous endoscopic approach
06R84JZ	Replacement of portal vein with synthetic substitute, percutaneous endoscopic approach	0UB64ZX	Excision of left fallopian tube, percutaneous endoscopic approach, diagnostic
06R84KZ	Replacement of portal vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UB64ZZ	Excision of left fallopian tube, percutaneous endoscopic approach
06R947Z	Replacement of right renal vein with autologous tissue substitute, percutaneous endoscopic approach	0UB74ZX	Excision of bilateral fallopian tubes, percutaneous endoscopic approach, diagnostic
06R94JZ	Replacement of right renal vein with synthetic substitute, percutaneous endoscopic approach	0UB74ZZ	Excision of bilateral fallopian tubes, percutaneous endoscopic approach
06R94KZ	Replacement of right renal vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UB94ZX	Excision of uterus, percutaneous endoscopic approach, diagnostic
06RB47Z	Replacement of left renal vein with autologous tissue substitute, percutaneous endoscopic approach	0UB94ZZ	Excision of uterus, percutaneous endoscopic approach
06RB4JZ	Replacement of left renal vein with synthetic substitute, percutaneous endoscopic approach	0UBC4ZX	Excision of cervix, percutaneous endoscopic approach, diagnostic
06RB4KZ	Replacement of left renal vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UBC4ZZ	Excision of cervix, percutaneous endoscopic approach
06RC47Z	Replacement of right common iliac vein with autologous tissue substitute, percutaneous endoscopic approach	0UBG4ZX	Excision of vagina, percutaneous endoscopic approach, diagnostic
06RC4JZ	Replacement of right common iliac vein with synthetic substitute, percutaneous endoscopic approach	0UBG4ZZ	Excision of vagina, percutaneous endoscopic approach
06RC4KZ	Replacement of right common iliac vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UC04ZZ	Extrication of matter from right ovary, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06RD47Z	Replacement of left common iliac vein with autologous tissue substitute, percutaneous endoscopic approach	0UC14ZZ	Extrirpation of matter from left ovary, percutaneous endoscopic approach
06RD4JZ	Replacement of left common iliac vein with synthetic substitute, percutaneous endoscopic approach	0UC24ZZ	Extrirpation of matter from bilateral ovaries, percutaneous endoscopic approach
06RD4KZ	Replacement of left common iliac vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UC44ZZ	Extrirpation of matter from uterine supporting structure, percutaneous endoscopic approach
06RF47Z	Replacement of right external iliac vein with autologous tissue substitute, percutaneous endoscopic approach	0UC54ZZ	Extrirpation of matter from right fallopian tube, percutaneous endoscopic approach
06RF4JZ	Replacement of right external iliac vein with synthetic substitute, percutaneous endoscopic approach	0UC64ZZ	Extrirpation of matter from left fallopian tube, percutaneous endoscopic approach
06RF4KZ	Replacement of right external iliac vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UC74ZZ	Extrirpation of matter from bilateral fallopian tubes, percutaneous endoscopic approach
06RG47Z	Replacement of left external iliac vein with autologous tissue substitute, percutaneous endoscopic approach	0UC94ZZ	Extrirpation of matter from uterus, percutaneous endoscopic approach
06RG4JZ	Replacement of left external iliac vein with synthetic substitute, percutaneous endoscopic approach	0UCB4ZZ	Extrirpation of matter from endometrium, percutaneous endoscopic approach
06RG4KZ	Replacement of left external iliac vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UCC4ZZ	Extrirpation of matter from cervix, percutaneous endoscopic approach
06RH47Z	Replacement of right hypogastric vein with autologous tissue substitute, percutaneous endoscopic approach	0UCG4ZZ	Extrirpation of matter from vagina, percutaneous endoscopic approach
06RH4JZ	Replacement of right hypogastric vein with synthetic substitute, percutaneous endoscopic approach	0UF54ZZ	Fragmentation in right fallopian tube, percutaneous endoscopic approach
06RH4KZ	Replacement of right hypogastric vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UF64ZZ	Fragmentation in left fallopian tube, percutaneous endoscopic approach
06RJ47Z	Replacement of left hypogastric vein with autologous tissue substitute, percutaneous endoscopic approach	0UF74ZZ	Fragmentation in bilateral fallopian tubes, percutaneous endoscopic approach
06RJ4JZ	Replacement of left hypogastric vein with synthetic substitute, percutaneous endoscopic approach	0UF94ZZ	Fragmentation in uterus, percutaneous endoscopic approach
06RJ4KZ	Replacement of left hypogastric vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UH341Z	Insertion of radioactive element into ovary, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06S04ZZ	Reposition inferior vena cava, percutaneous endoscopic approach	0UH343Z	Insertion of infusion device into ovary, percutaneous endoscopic approach
06S14ZZ	Reposition splenic vein, percutaneous endoscopic approach	0UH34YZ	Insertion of other device into ovary, percutaneous endoscopic approach
06S24ZZ	Reposition gastric vein, percutaneous endoscopic approach	0UH843Z	Insertion of infusion device into fallopian tube, percutaneous endoscopic approach
06S34ZZ	Reposition esophageal vein, percutaneous endoscopic approach	0UH84YZ	Insertion of other device into fallopian tube, percutaneous endoscopic approach
06S44ZZ	Reposition hepatic vein, percutaneous endoscopic approach	0UHC41Z	Insertion of radioactive element into cervix, percutaneous endoscopic approach
06S54ZZ	Reposition superior mesenteric vein, percutaneous endoscopic approach	0UHD43Z	Insertion of infusion device into uterus and cervix, percutaneous endoscopic approach
06S64ZZ	Reposition inferior mesenteric vein, percutaneous endoscopic approach	0UHD4YZ	Insertion of other device into uterus and cervix, percutaneous endoscopic approach
06S74ZZ	Reposition colic vein, percutaneous endoscopic approach	0UHG41Z	Insertion of radioactive element into vagina, percutaneous endoscopic approach
06S84ZZ	Reposition portal vein, percutaneous endoscopic approach	0UHH43Z	Insertion of infusion device into vagina and cul-de-sac, percutaneous endoscopic approach
06S94ZZ	Reposition right renal vein, percutaneous endoscopic approach	0UHH4YZ	Insertion of other device into vagina and cul-de-sac, percutaneous endoscopic approach
06SB4ZZ	Reposition left renal vein, percutaneous endoscopic approach	0UJ34ZZ	Inspection of ovary, percutaneous endoscopic approach
06SC4ZZ	Reposition right common iliac vein, percutaneous endoscopic approach	0UJ84ZZ	Inspection of fallopian tube, percutaneous endoscopic approach
06SD4ZZ	Reposition left common iliac vein, percutaneous endoscopic approach	0UJD4ZZ	Inspection of uterus and cervix, percutaneous endoscopic approach
06SF4ZZ	Reposition right external iliac vein, percutaneous endoscopic approach	0UJH4ZZ	Inspection of vagina and cul-de-sac, percutaneous endoscopic approach
06SG4ZZ	Reposition left external iliac vein, percutaneous endoscopic approach	0UL54CZ	Occlusion of right fallopian tube with extraluminal device, percutaneous endoscopic approach
06SH4ZZ	Reposition right hypogastric vein, percutaneous endoscopic approach	0UL54DZ	Occlusion of right fallopian tube with intraluminal device, percutaneous endoscopic approach
06SJ4ZZ	Reposition left hypogastric vein, percutaneous endoscopic approach	0UL54ZZ	Occlusion of right fallopian tube, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06U047Z	Supplement inferior vena cava with autologous tissue substitute, percutaneous endoscopic approach	0UL64CZ	Occlusion of left fallopian tube with extraluminal device, percutaneous endoscopic approach
06U04JZ	Supplement inferior vena cava with synthetic substitute, percutaneous endoscopic approach	0UL64DZ	Occlusion of left fallopian tube with intraluminal device, percutaneous endoscopic approach
06U04KZ	Supplement inferior vena cava with nonautologous tissue substitute, percutaneous endoscopic approach	0UL64ZZ	Occlusion of left fallopian tube, percutaneous endoscopic approach
06U147Z	Supplement splenic vein with autologous tissue substitute, percutaneous endoscopic approach	0UL74CZ	Occlusion of bilateral fallopian tubes with extraluminal device, percutaneous endoscopic approach
06U14JZ	Supplement splenic vein with synthetic substitute, percutaneous endoscopic approach	0UL74DZ	Occlusion of bilateral fallopian tubes with intraluminal device, percutaneous endoscopic approach
06U14KZ	Supplement splenic vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UL74ZZ	Occlusion of bilateral fallopian tubes, percutaneous endoscopic approach
06U247Z	Supplement gastric vein with autologous tissue substitute, percutaneous endoscopic approach	0UM04ZZ	Reattachment of right ovary, percutaneous endoscopic approach
06U24JZ	Supplement gastric vein with synthetic substitute, percutaneous endoscopic approach	0UM14ZZ	Reattachment of left ovary, percutaneous endoscopic approach
06U24KZ	Supplement gastric vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UM24ZZ	Reattachment of bilateral ovaries, percutaneous endoscopic approach
06U347Z	Supplement esophageal vein with autologous tissue substitute, percutaneous endoscopic approach	0UM44ZZ	Reattachment of uterine supporting structure, percutaneous endoscopic approach
06U34JZ	Supplement esophageal vein with synthetic substitute, percutaneous endoscopic approach	0UM54ZZ	Reattachment of right fallopian tube, percutaneous endoscopic approach
06U34KZ	Supplement esophageal vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UM64ZZ	Reattachment of left fallopian tube, percutaneous endoscopic approach
06U447Z	Supplement hepatic vein with autologous tissue substitute, percutaneous endoscopic approach	0UM74ZZ	Reattachment of bilateral fallopian tubes, percutaneous endoscopic approach
06U44JZ	Supplement hepatic vein with synthetic substitute, percutaneous endoscopic approach	0UM94ZZ	Reattachment of uterus, percutaneous endoscopic approach
06U44KZ	Supplement hepatic vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UMC4ZZ	Reattachment of cervix, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06U547Z	Supplement superior mesenteric vein with autologous tissue substitute, percutaneous endoscopic approach	0UMG4ZZ	Reattachment of vagina, percutaneous endoscopic approach
06U54JZ	Supplement superior mesenteric vein with synthetic substitute, percutaneous endoscopic approach	0UN04ZZ	Release right ovary, percutaneous endoscopic approach
06U54KZ	Supplement superior mesenteric vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UN14ZZ	Release left ovary, percutaneous endoscopic approach
06U647Z	Supplement inferior mesenteric vein with autologous tissue substitute, percutaneous endoscopic approach	0UN24ZZ	Release bilateral ovaries, percutaneous endoscopic approach
06U64JZ	Supplement inferior mesenteric vein with synthetic substitute, percutaneous endoscopic approach	0UN44ZZ	Release uterine supporting structure, percutaneous endoscopic approach
06U64KZ	Supplement inferior mesenteric vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UN54ZZ	Release right fallopian tube, percutaneous endoscopic approach
06U747Z	Supplement colic vein with autologous tissue substitute, percutaneous endoscopic approach	0UN64ZZ	Release left fallopian tube, percutaneous endoscopic approach
06U74JZ	Supplement colic vein with synthetic substitute, percutaneous endoscopic approach	0UN74ZZ	Release bilateral fallopian tubes, percutaneous endoscopic approach
06U74KZ	Supplement colic vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UN94ZZ	Release uterus, percutaneous endoscopic approach
06U847Z	Supplement portal vein with autologous tissue substitute, percutaneous endoscopic approach	0UNC4ZZ	Release cervix, percutaneous endoscopic approach
06U84JZ	Supplement portal vein with synthetic substitute, percutaneous endoscopic approach	0UNG4ZZ	Release vagina, percutaneous endoscopic approach
06U84KZ	Supplement portal vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UP340Z	Removal of drainage device from ovary, percutaneous endoscopic approach
06U947Z	Supplement right renal vein with autologous tissue substitute, percutaneous endoscopic approach	0UP343Z	Removal of infusion device from ovary, percutaneous endoscopic approach
06U94JZ	Supplement right renal vein with synthetic substitute, percutaneous endoscopic approach	0UP34YZ	Removal of other device from ovary, percutaneous endoscopic approach
06U94KZ	Supplement right renal vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UP840Z	Removal of drainage device from fallopian tube, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06UB47Z	Supplement left renal vein with autologous tissue substitute, percutaneous endoscopic approach	0UP843Z	Removal of infusion device from fallopian tube, percutaneous endoscopic approach
06UB4JZ	Supplement left renal vein with synthetic substitute, percutaneous endoscopic approach	0UP847Z	Removal of autologous tissue substitute from fallopian tube, percutaneous endoscopic approach
06UB4KZ	Supplement left renal vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UP84CZ	Removal of extraluminal device from fallopian tube, percutaneous endoscopic approach
06UC47Z	Supplement right common iliac vein with autologous tissue substitute, percutaneous endoscopic approach	0UP84DZ	Removal of intraluminal device from fallopian tube, percutaneous endoscopic approach
06UC4JZ	Supplement right common iliac vein with synthetic substitute, percutaneous endoscopic approach	0UP84JZ	Removal of synthetic substitute from fallopian tube, percutaneous endoscopic approach
06UC4KZ	Supplement right common iliac vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UP84KZ	Removal of nonautologous tissue substitute from fallopian tube, percutaneous endoscopic approach
06UD47Z	Supplement left common iliac vein with autologous tissue substitute, percutaneous endoscopic approach	0UP84YZ	Removal of other device from fallopian tube, percutaneous endoscopic approach
06UD4JZ	Supplement left common iliac vein with synthetic substitute, percutaneous endoscopic approach	0UPD40Z	Removal of drainage device from uterus and cervix, percutaneous endoscopic approach
06UD4KZ	Supplement left common iliac vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UPD41Z	Removal of radioactive element from uterus and cervix, percutaneous endoscopic approach
06UF47Z	Supplement right external iliac vein with autologous tissue substitute, percutaneous endoscopic approach	0UPD43Z	Removal of infusion device from uterus and cervix, percutaneous endoscopic approach
06UF4JZ	Supplement right external iliac vein with synthetic substitute, percutaneous endoscopic approach	0UPD47Z	Removal of autologous tissue substitute from uterus and cervix, percutaneous endoscopic approach
06UF4KZ	Supplement right external iliac vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UPD4CZ	Removal of extraluminal device from uterus and cervix, percutaneous endoscopic approach
06UG47Z	Supplement left external iliac vein with autologous tissue substitute, percutaneous endoscopic approach	0UPD4DZ	Removal of intraluminal device from uterus and cervix, percutaneous endoscopic approach
06UG4JZ	Supplement left external iliac vein with synthetic substitute, percutaneous endoscopic approach	0UPD4HZ	Removal of contraceptive device from uterus and cervix, percutaneous endoscopic approach
06UG4KZ	Supplement left external iliac vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UPD4JZ	Removal of synthetic substitute from uterus and cervix, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06UH47Z	Supplement right hypogastric vein with autologous tissue substitute, percutaneous endoscopic approach	0UPD4KZ	Removal of nonautologous tissue substitute from uterus and cervix, percutaneous endoscopic approach
06UH4JZ	Supplement right hypogastric vein with synthetic substitute, percutaneous endoscopic approach	0UPD4YZ	Removal of other device from uterus and cervix, percutaneous endoscopic approach
06UH4KZ	Supplement right hypogastric vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UPH40Z	Removal of drainage device from vagina and cul-de-sac, percutaneous endoscopic approach
06UJ47Z	Supplement left hypogastric vein with autologous tissue substitute, percutaneous endoscopic approach	0UPH41Z	Removal of radioactive element from vagina and cul-de-sac, percutaneous endoscopic approach
06UJ4JZ	Supplement left hypogastric vein with synthetic substitute, percutaneous endoscopic approach	0UPH43Z	Removal of infusion device from vagina and cul-de-sac, percutaneous endoscopic approach
06UJ4KZ	Supplement left hypogastric vein with nonautologous tissue substitute, percutaneous endoscopic approach	0UPH47Z	Removal of autologous tissue substitute from vagina and cul-de-sac, percutaneous endoscopic approach
06V04CZ	Restriction of inferior vena cava with extraluminal device, percutaneous endoscopic approach	0UPH4DZ	Removal of intraluminal device from vagina and cul-de-sac, percutaneous endoscopic approach
06V04DZ	Restriction of inferior vena cava with intraluminal device, percutaneous endoscopic approach	0UPH4JZ	Removal of synthetic substitute from vagina and cul-de-sac, percutaneous endoscopic approach
06V04ZZ	Restriction of inferior vena cava, percutaneous endoscopic approach	0UPH4KZ	Removal of nonautologous tissue substitute from vagina and cul-de-sac, percutaneous endoscopic approach
06V14CZ	Restriction of splenic vein with extraluminal device, percutaneous endoscopic approach	0UPH4YZ	Removal of other device from vagina and cul-de-sac, percutaneous endoscopic approach
06V14DZ	Restriction of splenic vein with intraluminal device, percutaneous endoscopic approach	0UQ04ZZ	Repair right ovary, percutaneous endoscopic approach
06V14ZZ	Restriction of splenic vein, percutaneous endoscopic approach	0UQ14ZZ	Repair left ovary, percutaneous endoscopic approach
06V24CZ	Restriction of gastric vein with extraluminal device, percutaneous endoscopic approach	0UQ24ZZ	Repair bilateral ovaries, percutaneous endoscopic approach
06V24DZ	Restriction of gastric vein with intraluminal device, percutaneous endoscopic approach	0UQ44ZZ	Repair uterine supporting structure, percutaneous endoscopic approach
06V24ZZ	Restriction of gastric vein, percutaneous endoscopic approach	0UQ54ZZ	Repair right fallopian tube, percutaneous endoscopic approach
06V34CZ	Restriction of esophageal vein with extraluminal device, percutaneous endoscopic approach	0UQ64ZZ	Repair left fallopian tube, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06V34DZ	Restriction of esophageal vein with intraluminal device, percutaneous endoscopic approach	0UQ74ZZ	Repair bilateral fallopian tubes, percutaneous endoscopic approach
06V34ZZ	Restriction of esophageal vein, percutaneous endoscopic approach	0UQ94ZZ	Repair uterus, percutaneous endoscopic approach
06V44CZ	Restriction of hepatic vein with extraluminal device, percutaneous endoscopic approach	0UQC4ZZ	Repair cervix, percutaneous endoscopic approach
06V44DZ	Restriction of hepatic vein with intraluminal device, percutaneous endoscopic approach	0UQG4ZZ	Repair vagina, percutaneous endoscopic approach
06V44ZZ	Restriction of hepatic vein, percutaneous endoscopic approach	0US04ZZ	Reposition right ovary, percutaneous endoscopic approach
06V54CZ	Restriction of superior mesenteric vein with extraluminal device, percutaneous endoscopic approach	0US14ZZ	Reposition left ovary, percutaneous endoscopic approach
06V54DZ	Restriction of superior mesenteric vein with intraluminal device, percutaneous endoscopic approach	0US24ZZ	Reposition bilateral ovaries, percutaneous endoscopic approach
06V54ZZ	Restriction of superior mesenteric vein, percutaneous endoscopic approach	0US44ZZ	Reposition uterine supporting structure, percutaneous endoscopic approach
06V64CZ	Restriction of inferior mesenteric vein with extraluminal device, percutaneous endoscopic approach	0US54ZZ	Reposition right fallopian tube, percutaneous endoscopic approach
06V64DZ	Restriction of inferior mesenteric vein with intraluminal device, percutaneous endoscopic approach	0US64ZZ	Reposition left fallopian tube, percutaneous endoscopic approach
06V64ZZ	Restriction of inferior mesenteric vein, percutaneous endoscopic approach	0US74ZZ	Reposition bilateral fallopian tubes, percutaneous endoscopic approach
06V74CZ	Restriction of colic vein with extraluminal device, percutaneous endoscopic approach	0US94ZZ	Reposition uterus, percutaneous endoscopic approach
06V74DZ	Restriction of colic vein with intraluminal device, percutaneous endoscopic approach	0USC4ZZ	Reposition cervix, percutaneous endoscopic approach
06V74ZZ	Restriction of colic vein, percutaneous endoscopic approach	0USG4ZZ	Reposition vagina, percutaneous endoscopic approach
06V84CZ	Restriction of portal vein with extraluminal device, percutaneous endoscopic approach	0UT04ZZ	Resection of right ovary, percutaneous endoscopic approach
06V84DZ	Restriction of portal vein with intraluminal device, percutaneous endoscopic approach	0UT14ZZ	Resection of left ovary, percutaneous endoscopic approach
06V84ZZ	Restriction of portal vein, percutaneous endoscopic approach	0UT24ZZ	Resection of bilateral ovaries, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06V94CZ	Restriction of right renal vein with extraluminal device, percutaneous endoscopic approach	0UT44ZZ	Resection of uterine supporting structure, percutaneous endoscopic approach
06V94DZ	Restriction of right renal vein with intraluminal device, percutaneous endoscopic approach	0UT54ZZ	Resection of right fallopian tube, percutaneous endoscopic approach
06V94ZZ	Restriction of right renal vein, percutaneous endoscopic approach	0UT64ZZ	Resection of left fallopian tube, percutaneous endoscopic approach
06VB4CZ	Restriction of left renal vein with extraluminal device, percutaneous endoscopic approach	0UT74ZZ	Resection of bilateral fallopian tubes, percutaneous endoscopic approach
06VB4DZ	Restriction of left renal vein with intraluminal device, percutaneous endoscopic approach	0UT94ZL	Resection of uterus, supracervical, percutaneous endoscopic approach
06VB4ZZ	Restriction of left renal vein, percutaneous endoscopic approach	0UT94ZZ	Resection of uterus, percutaneous endoscopic approach
06VC4CZ	Restriction of right common iliac vein with extraluminal device, percutaneous endoscopic approach	0UTC4ZZ	Resection of cervix, percutaneous endoscopic approach
06VC4DZ	Restriction of right common iliac vein with intraluminal device, percutaneous endoscopic approach	0UTG4ZZ	Resection of vagina, percutaneous endoscopic approach
06VC4ZZ	Restriction of right common iliac vein, percutaneous endoscopic approach	0UU447Z	Supplement uterine supporting structure with autologous tissue substitute, percutaneous endoscopic approach
06VD4CZ	Restriction of left common iliac vein with extraluminal device, percutaneous endoscopic approach	0UU44JZ	Supplement uterine supporting structure with synthetic substitute, percutaneous endoscopic approach
06VD4DZ	Restriction of left common iliac vein with intraluminal device, percutaneous endoscopic approach	0UU44KZ	Supplement uterine supporting structure with nonautologous tissue substitute, percutaneous endoscopic approach
06VD4ZZ	Restriction of left common iliac vein, percutaneous endoscopic approach	0UU547Z	Supplement right fallopian tube with autologous tissue substitute, percutaneous endoscopic approach
06VF4CZ	Restriction of right external iliac vein with extraluminal device, percutaneous endoscopic approach	0UU54JZ	Supplement right fallopian tube with synthetic substitute, percutaneous endoscopic approach
06VF4DZ	Restriction of right external iliac vein with intraluminal device, percutaneous endoscopic approach	0UU54KZ	Supplement right fallopian tube with nonautologous tissue substitute, percutaneous endoscopic approach
06VF4ZZ	Restriction of right external iliac vein, percutaneous endoscopic approach	0UU647Z	Supplement left fallopian tube with autologous tissue substitute, percutaneous endoscopic approach
06VG4CZ	Restriction of left external iliac vein with extraluminal device, percutaneous endoscopic approach	0UU64JZ	Supplement left fallopian tube with synthetic substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

06VG4DZ	Restriction of left external iliac vein with intraluminal device, percutaneous endoscopic approach	0UU64KZ	Supplement left fallopian tube with nonautologous tissue substitute, percutaneous endoscopic approach
06VG4ZZ	Restriction of left external iliac vein, percutaneous endoscopic approach	0UU747Z	Supplement bilateral fallopian tubes with autologous tissue substitute, percutaneous endoscopic approach
06VH4CZ	Restriction of right hypogastric vein with extraluminal device, percutaneous endoscopic approach	0UU74JZ	Supplement bilateral fallopian tubes with synthetic substitute, percutaneous endoscopic approach
06VH4DZ	Restriction of right hypogastric vein with intraluminal device, percutaneous endoscopic approach	0UU74KZ	Supplement bilateral fallopian tubes with nonautologous tissue substitute, percutaneous endoscopic approach
06VH4ZZ	Restriction of right hypogastric vein, percutaneous endoscopic approach	0UUG47Z	Supplement vagina with autologous tissue substitute, percutaneous endoscopic approach
06VJ4CZ	Restriction of left hypogastric vein with extraluminal device, percutaneous endoscopic approach	0UUG4JZ	Supplement vagina with synthetic substitute, percutaneous endoscopic approach
06VJ4DZ	Restriction of left hypogastric vein with intraluminal device, percutaneous endoscopic approach	0UUG4KZ	Supplement vagina with nonautologous tissue substitute, percutaneous endoscopic approach
06VJ4ZZ	Restriction of left hypogastric vein, percutaneous endoscopic approach	0UVC4CZ	Restriction of cervix with extraluminal device, percutaneous endoscopic approach
075B4ZZ	Destruction of mesenteric lymphatic, percutaneous endoscopic approach	0UVC4DZ	Restriction of cervix with intraluminal device, percutaneous endoscopic approach
075C4ZZ	Destruction of pelvis lymphatic, percutaneous endoscopic approach	0UVC4ZZ	Restriction of cervix, percutaneous endoscopic approach
075D4ZZ	Destruction of aortic lymphatic, percutaneous endoscopic approach	0UW340Z	Revision of drainage device in ovary, percutaneous endoscopic approach
075P4ZZ	Destruction of spleen, percutaneous endoscopic approach	0UW343Z	Revision of infusion device in ovary, percutaneous endoscopic approach
079B40Z	Drainage of mesenteric lymphatic with drainage device, percutaneous endoscopic approach	0UW34YZ	Revision of other device in ovary, percutaneous endoscopic approach
079B4ZX	Drainage of mesenteric lymphatic, percutaneous endoscopic approach, diagnostic	0UW840Z	Revision of drainage device in fallopian tube, percutaneous endoscopic approach
079B4ZZ	Drainage of mesenteric lymphatic, percutaneous endoscopic approach	0UW843Z	Revision of infusion device in fallopian tube, percutaneous endoscopic approach
079C40Z	Drainage of pelvis lymphatic with drainage device, percutaneous endoscopic approach	0UW847Z	Revision of autologous tissue substitute in fallopian tube, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

079C4ZX	Drainage of pelvis lymphatic, percutaneous endoscopic approach, diagnostic	0UW84CZ	Revision of extraluminal device in fallopian tube, percutaneous endoscopic approach
079C4ZZ	Drainage of pelvis lymphatic, percutaneous endoscopic approach	0UW84DZ	Revision of intraluminal device in fallopian tube, percutaneous endoscopic approach
079D40Z	Drainage of aortic lymphatic with drainage device, percutaneous endoscopic approach	0UW84JZ	Revision of synthetic substitute in fallopian tube, percutaneous endoscopic approach
079D4ZX	Drainage of aortic lymphatic, percutaneous endoscopic approach, diagnostic	0UW84KZ	Revision of nonautologous tissue substitute in fallopian tube, percutaneous endoscopic approach
079D4ZZ	Drainage of aortic lymphatic, percutaneous endoscopic approach	0UW84YZ	Revision of other device in fallopian tube, percutaneous endoscopic approach
079P40Z	Drainage of spleen with drainage device, percutaneous endoscopic approach	0UWD40Z	Revision of drainage device in uterus and cervix, percutaneous endoscopic approach
079P4ZX	Drainage of spleen, percutaneous endoscopic approach, diagnostic	0UWD41Z	Revision of radioactive element in uterus and cervix, percutaneous endoscopic approach
079P4ZZ	Drainage of spleen, percutaneous endoscopic approach	0UWD43Z	Revision of infusion device in uterus and cervix, percutaneous endoscopic approach
07BB4ZX	Excision of mesenteric lymphatic, percutaneous endoscopic approach, diagnostic	0UWD47Z	Revision of autologous tissue substitute in uterus and cervix, percutaneous endoscopic approach
07BB4ZZ	Excision of mesenteric lymphatic, percutaneous endoscopic approach	0UWD4CZ	Revision of extraluminal device in uterus and cervix, percutaneous endoscopic approach
07BC4ZX	Excision of pelvis lymphatic, percutaneous endoscopic approach, diagnostic	0UWD4DZ	Revision of intraluminal device in uterus and cervix, percutaneous endoscopic approach
07BC4ZZ	Excision of pelvis lymphatic, percutaneous endoscopic approach	0UWD4HZ	Revision of contraceptive device in uterus and cervix, percutaneous endoscopic approach
07BD4ZX	Excision of aortic lymphatic, percutaneous endoscopic approach, diagnostic	0UWD4JZ	Revision of synthetic substitute in uterus and cervix, percutaneous endoscopic approach
07BD4ZZ	Excision of aortic lymphatic, percutaneous endoscopic approach	0UWD4KZ	Revision of nonautologous tissue substitute in uterus and cervix, percutaneous endoscopic approach
07BP4ZX	Excision of spleen, percutaneous endoscopic approach, diagnostic	0UWD4YZ	Revision of other device in uterus and cervix, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

07BP4ZZ	Excision of spleen, percutaneous endoscopic approach	0UWH40Z	Revision of drainage device in vagina and cul-de-sac, percutaneous endoscopic approach
07CB4ZZ	Extrirpation of matter from mesenteric lymphatic, percutaneous endoscopic approach	0UWH41Z	Revision of radioactive element in vagina and cul-de-sac, percutaneous endoscopic approach
07CC4ZZ	Extrirpation of matter from pelvis lymphatic, percutaneous endoscopic approach	0UWH43Z	Revision of infusion device in vagina and cul-de-sac, percutaneous endoscopic approach
07CD4ZZ	Extrirpation of matter from aortic lymphatic, percutaneous endoscopic approach	0UWH47Z	Revision of autologous tissue substitute in vagina and cul-de-sac, percutaneous endoscopic approach
07CP4ZZ	Extrirpation of matter from spleen, percutaneous endoscopic approach	0UWH4DZ	Revision of intraluminal device in vagina and cul-de-sac, percutaneous endoscopic approach
07DB4ZX	Extraction of mesenteric lymphatic, percutaneous endoscopic approach, diagnostic	0UWH4JZ	Revision of synthetic substitute in vagina and cul-de-sac, percutaneous endoscopic approach
07DC4ZX	Extraction of pelvis lymphatic, percutaneous endoscopic approach, diagnostic	0UWH4KZ	Revision of nonautologous tissue substitute in vagina and cul-de-sac, percutaneous endoscopic approach
07DD4ZX	Extraction of aortic lymphatic, percutaneous endoscopic approach, diagnostic	0UWH4YZ	Revision of other device in vagina and cul-de-sac, percutaneous endoscopic approach
07DP4ZX	Extraction of spleen, percutaneous endoscopic approach, diagnostic	0V504Z3	Destruction of prostate using laser interstitial thermal therapy, percutaneous endoscopic approach
07HP41Z	Insertion of radioactive element into spleen, percutaneous endoscopic approach	0V504ZZ	Destruction of prostate, percutaneous endoscopic approach
07HP43Z	Insertion of infusion device into spleen, percutaneous endoscopic approach	0V514ZZ	Destruction of right seminal vesicle, percutaneous endoscopic approach
07HP4YZ	Insertion of other device into spleen, percutaneous endoscopic approach	0V524ZZ	Destruction of left seminal vesicle, percutaneous endoscopic approach
07JP4ZZ	Inspection of spleen, percutaneous endoscopic approach	0V534ZZ	Destruction of bilateral seminal vesicles, percutaneous endoscopic approach
07LB4CZ	Occlusion of mesenteric lymphatic with extraluminal device, percutaneous endoscopic approach	0V9040Z	Drainage of prostate with drainage device, percutaneous endoscopic approach
07LB4DZ	Occlusion of mesenteric lymphatic with intraluminal device, percutaneous endoscopic approach	0V904ZX	Drainage of prostate, percutaneous endoscopic approach, diagnostic
07LB4ZZ	Occlusion of mesenteric lymphatic, percutaneous endoscopic approach	0V904ZZ	Drainage of prostate, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIPOOTHER)

07LC4CZ	Occlusion of pelvis lymphatic with extraluminal device, percutaneous endoscopic approach	0V9140Z	Drainage of right seminal vesicle with drainage device, percutaneous endoscopic approach
07LC4DZ	Occlusion of pelvis lymphatic with intraluminal device, percutaneous endoscopic approach	0V914ZX	Drainage of right seminal vesicle, percutaneous endoscopic approach, diagnostic
07LC4ZZ	Occlusion of pelvis lymphatic, percutaneous endoscopic approach	0V914ZZ	Drainage of right seminal vesicle, percutaneous endoscopic approach
07LD4CZ	Occlusion of aortic lymphatic with extraluminal device, percutaneous endoscopic approach	0V9240Z	Drainage of left seminal vesicle with drainage device, percutaneous endoscopic approach
07LD4DZ	Occlusion of aortic lymphatic with intraluminal device, percutaneous endoscopic approach	0V924ZX	Drainage of left seminal vesicle, percutaneous endoscopic approach, diagnostic
07LD4ZZ	Occlusion of aortic lymphatic, percutaneous endoscopic approach	0V924ZZ	Drainage of left seminal vesicle, percutaneous endoscopic approach
07NB4ZZ	Release mesenteric lymphatic, percutaneous endoscopic approach	0V9340Z	Drainage of bilateral seminal vesicles with drainage device, percutaneous endoscopic approach
07NC4ZZ	Release pelvis lymphatic, percutaneous endoscopic approach	0V934ZX	Drainage of bilateral seminal vesicles, percutaneous endoscopic approach, diagnostic
07ND4ZZ	Release aortic lymphatic, percutaneous endoscopic approach	0V934ZZ	Drainage of bilateral seminal vesicles, percutaneous endoscopic approach
07NP4ZZ	Release spleen, percutaneous endoscopic approach	0VB04ZX	Excision of prostate, percutaneous endoscopic approach, diagnostic
07PP40Z	Removal of drainage device from spleen, percutaneous endoscopic approach	0VB04ZZ	Excision of prostate, percutaneous endoscopic approach
07PP43Z	Removal of infusion device from spleen, percutaneous endoscopic approach	0VB14ZX	Excision of right seminal vesicle, percutaneous endoscopic approach, diagnostic
07PP4YZ	Removal of other device from spleen, percutaneous endoscopic approach	0VB14ZZ	Excision of right seminal vesicle, percutaneous endoscopic approach
07QB4ZZ	Repair mesenteric lymphatic, percutaneous endoscopic approach	0VB24ZX	Excision of left seminal vesicle, percutaneous endoscopic approach, diagnostic
07QC4ZZ	Repair pelvis lymphatic, percutaneous endoscopic approach	0VB24ZZ	Excision of left seminal vesicle, percutaneous endoscopic approach
07QD4ZZ	Repair aortic lymphatic, percutaneous endoscopic approach	0VB34ZX	Excision of bilateral seminal vesicles, percutaneous endoscopic approach, diagnostic
07QP4ZZ	Repair spleen, percutaneous endoscopic approach	0VB34ZZ	Excision of bilateral seminal vesicles, percutaneous endoscopic approach
07TB4ZZ	Resection of mesenteric lymphatic, percutaneous endoscopic approach	0VC04ZZ	Extrirpation of matter from prostate, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

07TC4ZZ	Resection of pelvis lymphatic, percutaneous endoscopic approach	0VC14ZZ	Extrirpation of matter from right seminal vesicle, percutaneous endoscopic approach
07TD4ZZ	Resection of aortic lymphatic, percutaneous endoscopic approach	0VC24ZZ	Extrirpation of matter from left seminal vesicle, percutaneous endoscopic approach
07TP4ZZ	Resection of spleen, percutaneous endoscopic approach	0VC34ZZ	Extrirpation of matter from bilateral seminal vesicles, percutaneous endoscopic approach
07UB47Z	Supplement mesenteric lymphatic with autologous tissue substitute, percutaneous endoscopic approach	0VH041Z	Insertion of radioactive element into prostate, percutaneous endoscopic approach
07UB4JZ	Supplement mesenteric lymphatic with synthetic substitute, percutaneous endoscopic approach	0VH443Z	Insertion of infusion device into prostate and seminal vesicles, percutaneous endoscopic approach
07UB4KZ	Supplement mesenteric lymphatic with nonautologous tissue substitute, percutaneous endoscopic approach	0VH44YZ	Insertion of other device into prostate and seminal vesicles, percutaneous endoscopic approach
07UC47Z	Supplement pelvis lymphatic with autologous tissue substitute, percutaneous endoscopic approach	0VJ44ZZ	Inspection of prostate and seminal vesicles, percutaneous endoscopic approach
07UC4JZ	Supplement pelvis lymphatic with synthetic substitute, percutaneous endoscopic approach	0VN04ZZ	Release prostate, percutaneous endoscopic approach
07UC4KZ	Supplement pelvis lymphatic with nonautologous tissue substitute, percutaneous endoscopic approach	0VN14ZZ	Release right seminal vesicle, percutaneous endoscopic approach
07UD47Z	Supplement aortic lymphatic with autologous tissue substitute, percutaneous endoscopic approach	0VN24ZZ	Release left seminal vesicle, percutaneous endoscopic approach
07UD4JZ	Supplement aortic lymphatic with synthetic substitute, percutaneous endoscopic approach	0VN34ZZ	Release bilateral seminal vesicles, percutaneous endoscopic approach
07UD4KZ	Supplement aortic lymphatic with nonautologous tissue substitute, percutaneous endoscopic approach	0VP440Z	Removal of drainage device from prostate and seminal vesicles, percutaneous endoscopic approach
07VB4CZ	Restriction of mesenteric lymphatic with extraluminal device, percutaneous endoscopic approach	0VP441Z	Removal of radioactive element from prostate and seminal vesicles, percutaneous endoscopic approach
07VB4DZ	Restriction of mesenteric lymphatic with intraluminal device, percutaneous endoscopic approach	0VP443Z	Removal of infusion device from prostate and seminal vesicles, percutaneous endoscopic approach
07VB4ZZ	Restriction of mesenteric lymphatic, percutaneous endoscopic approach	0VP447Z	Removal of autologous tissue substitute from prostate and seminal vesicles, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

07VC4CZ	Restriction of pelvis lymphatic with extraluminal device, percutaneous endoscopic approach	0VP44JZ	Removal of synthetic substitute from prostate and seminal vesicles, percutaneous endoscopic approach
07VC4DZ	Restriction of pelvis lymphatic with intraluminal device, percutaneous endoscopic approach	0VP44KZ	Removal of nonautologous tissue substitute from prostate and seminal vesicles, percutaneous endoscopic approach
07VC4ZZ	Restriction of pelvis lymphatic, percutaneous endoscopic approach	0VP44YZ	Removal of other device from prostate and seminal vesicles, percutaneous endoscopic approach
07VD4CZ	Restriction of aortic lymphatic with extraluminal device, percutaneous endoscopic approach	0VQ04ZZ	Repair prostate, percutaneous endoscopic approach
07VD4DZ	Restriction of aortic lymphatic with intraluminal device, percutaneous endoscopic approach	0VQ14ZZ	Repair right seminal vesicle, percutaneous endoscopic approach
07VD4ZZ	Restriction of aortic lymphatic, percutaneous endoscopic approach	0VQ24ZZ	Repair left seminal vesicle, percutaneous endoscopic approach
07WP40Z	Revision of drainage device in spleen, percutaneous endoscopic approach	0VQ34ZZ	Repair bilateral seminal vesicles, percutaneous endoscopic approach
07WP43Z	Revision of infusion device in spleen, percutaneous endoscopic approach	0VT04ZZ	Resection of prostate, percutaneous endoscopic approach
07WP4YZ	Revision of other device in spleen, percutaneous endoscopic approach	0VT14ZZ	Resection of right seminal vesicle, percutaneous endoscopic approach
0B5R4ZZ	Destruction of right diaphragm, percutaneous endoscopic approach	0VT24ZZ	Resection of left seminal vesicle, percutaneous endoscopic approach
0B5S4ZZ	Destruction of left diaphragm, percutaneous endoscopic approach	0VT34ZZ	Resection of bilateral seminal vesicles, percutaneous endoscopic approach
0B5T4ZZ	Destruction of diaphragm, percutaneous endoscopic approach	0VU147Z	Supplement right seminal vesicle with autologous tissue substitute, percutaneous endoscopic approach
0B9R40Z	Drainage of right diaphragm with drainage device, percutaneous endoscopic approach	0VU14JZ	Supplement right seminal vesicle with synthetic substitute, percutaneous endoscopic approach
0B9R4ZX	Drainage of right diaphragm, percutaneous endoscopic approach, diagnostic	0VU14KZ	Supplement right seminal vesicle with nonautologous tissue substitute, percutaneous endoscopic approach
0B9R4ZZ	Drainage of right diaphragm, percutaneous endoscopic approach	0VU247Z	Supplement left seminal vesicle with autologous tissue substitute, percutaneous endoscopic approach
0B9S40Z	Drainage of left diaphragm with drainage device, percutaneous endoscopic approach	0VU24JZ	Supplement left seminal vesicle with synthetic substitute, percutaneous endoscopic approach
0B9S4ZX	Drainage of left diaphragm, percutaneous endoscopic approach, diagnostic	0VU24KZ	Supplement left seminal vesicle with nonautologous tissue substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0B9S4ZZ	Drainage of left diaphragm, percutaneous endoscopic approach	0VU347Z	Supplement bilateral seminal vesicles with autologous tissue substitute, percutaneous endoscopic approach
0B9T40Z	Drainage of diaphragm with drainage device, percutaneous endoscopic approach	0VU34JZ	Supplement bilateral seminal vesicles with synthetic substitute, percutaneous endoscopic approach
0B9T4ZX	Drainage of diaphragm, percutaneous endoscopic approach, diagnostic	0VU34KZ	Supplement bilateral seminal vesicles with nonautologous tissue substitute, percutaneous endoscopic approach
0B9T4ZZ	Drainage of diaphragm, percutaneous endoscopic approach	0VW440Z	Revision of drainage device in prostate and seminal vesicles, percutaneous endoscopic approach
0BBR4ZX	Excision of right diaphragm, percutaneous endoscopic approach, diagnostic	0VW443Z	Revision of infusion device in prostate and seminal vesicles, percutaneous endoscopic approach
0BBR4ZZ	Excision of right diaphragm, percutaneous endoscopic approach	0VW447Z	Revision of autologous tissue substitute in prostate and seminal vesicles, percutaneous endoscopic approach
0BBS4ZX	Excision of left diaphragm, percutaneous endoscopic approach, diagnostic	0VW44JZ	Revision of synthetic substitute in prostate and seminal vesicles, percutaneous endoscopic approach
0BBS4ZZ	Excision of left diaphragm, percutaneous endoscopic approach	0VW44KZ	Revision of nonautologous tissue substitute in prostate and seminal vesicles, percutaneous endoscopic approach
0BBT4ZX	Excision of diaphragm, percutaneous endoscopic approach, diagnostic	0VW44YZ	Revision of other device in prostate and seminal vesicles, percutaneous endoscopic approach
0BBT4ZZ	Excision of diaphragm, percutaneous endoscopic approach	0W0F47Z	Alteration of abdominal wall with autologous tissue substitute, percutaneous endoscopic approach
0BCR4ZZ	Extrication of matter from right diaphragm, percutaneous endoscopic approach	0W0F4JZ	Alteration of abdominal wall with synthetic substitute, percutaneous endoscopic approach
0BCS4ZZ	Extrication of matter from left diaphragm, percutaneous endoscopic approach	0W0F4KZ	Alteration of abdominal wall with nonautologous tissue substitute, percutaneous endoscopic approach
0BCT4ZZ	Extrication of matter from diaphragm, percutaneous endoscopic approach	0W0F4ZZ	Alteration of abdominal wall, percutaneous endoscopic approach
0BHR42Z	Insertion of monitoring device into right diaphragm, percutaneous endoscopic approach	0W1G4J4	Bypass peritoneal cavity to cutaneous with synthetic substitute, percutaneous endoscopic approach
0BHR4MZ	Insertion of diaphragmatic pacemaker lead into right diaphragm, percutaneous endoscopic approach	0W1G4J6	Bypass peritoneal cavity to bladder with synthetic substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0BHS42Z	Insertion of monitoring device into left diaphragm, percutaneous endoscopic approach	0W1G4J9	Bypass peritoneal cavity to right pleural cavity with synthetic substitute, percutaneous endoscopic approach
0BHS4MZ	Insertion of diaphragmatic pacemaker lead into left diaphragm, percutaneous endoscopic approach	0W1G4JB	Bypass peritoneal cavity to left pleural cavity with synthetic substitute, percutaneous endoscopic approach
0BHT42Z	Insertion of monitoring device into diaphragm, percutaneous endoscopic approach	0W1G4JG	Bypass peritoneal cavity to peritoneal cavity with synthetic substitute, percutaneous endoscopic approach
0BHT4MZ	Insertion of diaphragmatic pacemaker lead into diaphragm, percutaneous endoscopic approach	0W1G4JJ	Bypass peritoneal cavity to pelvic cavity with synthetic substitute, percutaneous endoscopic approach
0BHT4YZ	Insertion of other device into diaphragm, percutaneous endoscopic approach	0W1G4JW	Bypass peritoneal cavity to upper vein with synthetic substitute, percutaneous endoscopic approach
0BJT4ZZ	Inspection of diaphragm, percutaneous endoscopic approach	0W1G4JY	Bypass peritoneal cavity to lower vein with synthetic substitute, percutaneous endoscopic approach
0BNR4ZZ	Release right diaphragm, percutaneous endoscopic approach	0W1J4J4	Bypass pelvic cavity to cutaneous with synthetic substitute, percutaneous endoscopic approach
0BNS4ZZ	Release left diaphragm, percutaneous endoscopic approach	0W1J4J9	Bypass pelvic cavity to right pleural cavity with synthetic substitute, percutaneous endoscopic approach
0BNT4ZZ	Release diaphragm, percutaneous endoscopic approach	0W1J4JB	Bypass pelvic cavity to left pleural cavity with synthetic substitute, percutaneous endoscopic approach
0BPT40Z	Removal of drainage device from diaphragm, percutaneous endoscopic approach	0W1J4JG	Bypass pelvic cavity to peritoneal cavity with synthetic substitute, percutaneous endoscopic approach
0BPT42Z	Removal of monitoring device from diaphragm, percutaneous endoscopic approach	0W1J4JJ	Bypass pelvic cavity to pelvic cavity with synthetic substitute, percutaneous endoscopic approach
0BPT47Z	Removal of autologous tissue substitute from diaphragm, percutaneous endoscopic approach	0W1J4JW	Bypass pelvic cavity to upper vein with synthetic substitute, percutaneous endoscopic approach
0BPT4JZ	Removal of synthetic substitute from diaphragm, percutaneous endoscopic approach	0W1J4JY	Bypass pelvic cavity to lower vein with synthetic substitute, percutaneous endoscopic approach
0BPT4KZ	Removal of nonautologous tissue substitute from diaphragm, percutaneous endoscopic approach	0W3F4ZZ	Control bleeding in abdominal wall, percutaneous endoscopic approach
0BPT4MZ	Removal of diaphragmatic pacemaker lead from diaphragm, percutaneous endoscopic approach	0W3G4ZZ	Control bleeding in peritoneal cavity, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0BPT4YZ	Removal of other device from diaphragm, percutaneous endoscopic approach	0W3H4ZZ	Control bleeding in retroperitoneum, percutaneous endoscopic approach
0BQR4ZZ	Repair right diaphragm, percutaneous endoscopic approach	0W3J4ZZ	Control bleeding in pelvic cavity, percutaneous endoscopic approach
0BQS4ZZ	Repair left diaphragm, percutaneous endoscopic approach	0W3P4ZZ	Control bleeding in gastrointestinal tract, percutaneous endoscopic approach
0BQT4ZZ	Repair diaphragm, percutaneous endoscopic approach	0W3R4ZZ	Control bleeding in genitourinary tract, percutaneous endoscopic approach
0BRT47Z	Replacement of diaphragm with autologous tissue substitute, percutaneous endoscopic approach	0W9F40Z	Drainage of abdominal wall with drainage device, percutaneous endoscopic approach
0BRT4JZ	Replacement of diaphragm with synthetic substitute, percutaneous endoscopic approach	0W9F4ZX	Drainage of abdominal wall, percutaneous endoscopic approach, diagnostic
0BRT4KZ	Replacement of diaphragm with nonautologous tissue substitute, percutaneous endoscopic approach	0W9F4ZZ	Drainage of abdominal wall, percutaneous endoscopic approach
0BTR4ZZ	Resection of right diaphragm, percutaneous endoscopic approach	0W9G40Z	Drainage of peritoneal cavity with drainage device, percutaneous endoscopic approach
0BTS4ZZ	Resection of left diaphragm, percutaneous endoscopic approach	0W9G4ZX	Drainage of peritoneal cavity, percutaneous endoscopic approach, diagnostic
0BTT4ZZ	Resection of diaphragm, percutaneous endoscopic approach	0W9G4ZZ	Drainage of peritoneal cavity, percutaneous endoscopic approach
0BUR47Z	Supplement right diaphragm with autologous tissue substitute, percutaneous endoscopic approach	0W9H40Z	Drainage of retroperitoneum with drainage device, percutaneous endoscopic approach
0BUR4JZ	Supplement right diaphragm with synthetic substitute, percutaneous endoscopic approach	0W9H4ZX	Drainage of retroperitoneum, percutaneous endoscopic approach, diagnostic
0BUR4KZ	Supplement right diaphragm with nonautologous tissue substitute, percutaneous endoscopic approach	0W9H4ZZ	Drainage of retroperitoneum, percutaneous endoscopic approach
0BUS47Z	Supplement left diaphragm with autologous tissue substitute, percutaneous endoscopic approach	0W9J40Z	Drainage of pelvic cavity with drainage device, percutaneous endoscopic approach
0BUS4JZ	Supplement left diaphragm with synthetic substitute, percutaneous endoscopic approach	0W9J4ZX	Drainage of pelvic cavity, percutaneous endoscopic approach, diagnostic
0BUS4KZ	Supplement left diaphragm with nonautologous tissue substitute, percutaneous endoscopic approach	0W9J4ZZ	Drainage of pelvic cavity, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0BUT47Z	Supplement diaphragm with autologous tissue substitute, percutaneous endoscopic approach	0WBF4ZX	Excision of abdominal wall, percutaneous endoscopic approach, diagnostic
0BUT4JZ	Supplement diaphragm with synthetic substitute, percutaneous endoscopic approach	0WBF4ZZ	Excision of abdominal wall, percutaneous endoscopic approach
0BUT4KZ	Supplement diaphragm with nonautologous tissue substitute, percutaneous endoscopic approach	0WBH4ZX	Excision of retroperitoneum, percutaneous endoscopic approach, diagnostic
0BWT40Z	Revision of drainage device in diaphragm, percutaneous endoscopic approach	0WBH4ZZ	Excision of retroperitoneum, percutaneous endoscopic approach
0BWT42Z	Revision of monitoring device in diaphragm, percutaneous endoscopic approach	0WCG4ZZ	Extirpation of matter from peritoneal cavity, percutaneous endoscopic approach
0BWT47Z	Revision of autologous tissue substitute in diaphragm, percutaneous endoscopic approach	0WCJ4ZZ	Extirpation of matter from pelvic cavity, percutaneous endoscopic approach
0BWT4JZ	Revision of synthetic substitute in diaphragm, percutaneous endoscopic approach	0WCP4ZZ	Extirpation of matter from gastrointestinal tract, percutaneous endoscopic approach
0BWT4KZ	Revision of nonautologous tissue substitute in diaphragm, percutaneous endoscopic approach	0WCR4ZZ	Extirpation of matter from genitourinary tract, percutaneous endoscopic approach
0BWT4MZ	Revision of diaphragmatic pacemaker lead in diaphragm, percutaneous endoscopic approach	0WFG4ZZ	Fragmentation in peritoneal cavity, percutaneous endoscopic approach
0BWT4YZ	Revision of other device in diaphragm, percutaneous endoscopic approach	0WFJ4ZZ	Fragmentation in pelvic cavity, percutaneous endoscopic approach
0D11476	Bypass upper esophagus to stomach with autologous tissue substitute, percutaneous endoscopic approach	0WFPP4ZZ	Fragmentation in gastrointestinal tract, percutaneous endoscopic approach
0D11479	Bypass upper esophagus to duodenum with autologous tissue substitute, percutaneous endoscopic approach	0WFR4ZZ	Fragmentation in genitourinary tract, percutaneous endoscopic approach
0D1147A	Bypass upper esophagus to jejunum with autologous tissue substitute, percutaneous endoscopic approach	0WHF41Z	Insertion of radioactive element into abdominal wall, percutaneous endoscopic approach
0D1147B	Bypass upper esophagus to ileum with autologous tissue substitute, percutaneous endoscopic approach	0WHF43Z	Insertion of infusion device into abdominal wall, percutaneous endoscopic approach
0D114J6	Bypass upper esophagus to stomach with synthetic substitute, percutaneous endoscopic approach	0WHF4YZ	Insertion of other device into abdominal wall, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0D114J9	Bypass upper esophagus to duodenum with synthetic substitute, percutaneous endoscopic approach	0WHG41Z	Insertion of radioactive element into peritoneal cavity, percutaneous endoscopic approach
0D114JA	Bypass upper esophagus to jejunum with synthetic substitute, percutaneous endoscopic approach	0WHG43Z	Insertion of infusion device into peritoneal cavity, percutaneous endoscopic approach
0D114JB	Bypass upper esophagus to ileum with synthetic substitute, percutaneous endoscopic approach	0WHG4YZ	Insertion of other device into peritoneal cavity, percutaneous endoscopic approach
0D114K6	Bypass upper esophagus to stomach with nonautologous tissue substitute, percutaneous endoscopic approach	0WHH41Z	Insertion of radioactive element into retroperitoneum, percutaneous endoscopic approach
0D114K9	Bypass upper esophagus to duodenum with nonautologous tissue substitute, percutaneous endoscopic approach	0WHH43Z	Insertion of infusion device into retroperitoneum, percutaneous endoscopic approach
0D114KA	Bypass upper esophagus to jejunum with nonautologous tissue substitute, percutaneous endoscopic approach	0WHH4YZ	Insertion of other device into retroperitoneum, percutaneous endoscopic approach
0D114KB	Bypass upper esophagus to ileum with nonautologous tissue substitute, percutaneous endoscopic approach	0WHJ41Z	Insertion of radioactive element into pelvic cavity, percutaneous endoscopic approach
0D114Z6	Bypass upper esophagus to stomach, percutaneous endoscopic approach	0WHJ43Z	Insertion of infusion device into pelvic cavity, percutaneous endoscopic approach
0D114Z9	Bypass upper esophagus to duodenum, percutaneous endoscopic approach	0WHJ4YZ	Insertion of other device into pelvic cavity, percutaneous endoscopic approach
0D114ZA	Bypass upper esophagus to jejunum, percutaneous endoscopic approach	0WHP41Z	Insertion of radioactive element into gastrointestinal tract, percutaneous endoscopic approach
0D114ZB	Bypass upper esophagus to ileum, percutaneous endoscopic approach	0WHP43Z	Insertion of infusion device into gastrointestinal tract, percutaneous endoscopic approach
0D12476	Bypass middle esophagus to stomach with autologous tissue substitute, percutaneous endoscopic approach	0WHP4YZ	Insertion of other device into gastrointestinal tract, percutaneous endoscopic approach
0D12479	Bypass middle esophagus to duodenum with autologous tissue substitute, percutaneous endoscopic approach	0WHR41Z	Insertion of radioactive element into genitourinary tract, percutaneous endoscopic approach
0D1247A	Bypass middle esophagus to jejunum with autologous tissue substitute, percutaneous endoscopic approach	0WHR43Z	Insertion of infusion device into genitourinary tract, percutaneous endoscopic approach
0D1247B	Bypass middle esophagus to ileum with autologous tissue substitute, percutaneous endoscopic approach	0WHR4YZ	Insertion of other device into genitourinary tract, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0D124J6	Bypass middle esophagus to stomach with synthetic substitute, percutaneous endoscopic approach	0WJF4ZZ	Inspection of abdominal wall, percutaneous endoscopic approach
0D124J9	Bypass middle esophagus to duodenum with synthetic substitute, percutaneous endoscopic approach	0WJG4ZZ	Inspection of peritoneal cavity, percutaneous endoscopic approach
0D124JA	Bypass middle esophagus to jejunum with synthetic substitute, percutaneous endoscopic approach	0WJH4ZZ	Inspection of retroperitoneum, percutaneous endoscopic approach
0D124JB	Bypass middle esophagus to ileum with synthetic substitute, percutaneous endoscopic approach	0WJJ4ZZ	Inspection of pelvic cavity, percutaneous endoscopic approach
0D124K6	Bypass middle esophagus to stomach with nonautologous tissue substitute, percutaneous endoscopic approach	0WJP4ZZ	Inspection of gastrointestinal tract, percutaneous endoscopic approach
0D124K9	Bypass middle esophagus to duodenum with nonautologous tissue substitute, percutaneous endoscopic approach	0WJR4ZZ	Inspection of genitourinary tract, percutaneous endoscopic approach
0D124KA	Bypass middle esophagus to jejunum with nonautologous tissue substitute, percutaneous endoscopic approach	0WPF40Z	Removal of drainage device from abdominal wall, percutaneous endoscopic approach
0D124KB	Bypass middle esophagus to ileum with nonautologous tissue substitute, percutaneous endoscopic approach	0WPF41Z	Removal of radioactive element from abdominal wall, percutaneous endoscopic approach
0D124Z6	Bypass middle esophagus to stomach, percutaneous endoscopic approach	0WPF43Z	Removal of infusion device from abdominal wall, percutaneous endoscopic approach
0D124Z9	Bypass middle esophagus to duodenum, percutaneous endoscopic approach	0WPF47Z	Removal of autologous tissue substitute from abdominal wall, percutaneous endoscopic approach
0D124ZA	Bypass middle esophagus to jejunum, percutaneous endoscopic approach	0WPF4JZ	Removal of synthetic substitute from abdominal wall, percutaneous endoscopic approach
0D124ZB	Bypass middle esophagus to ileum, percutaneous endoscopic approach	0WPF4KZ	Removal of nonautologous tissue substitute from abdominal wall, percutaneous endoscopic approach
0D13474	Bypass lower esophagus to cutaneous with autologous tissue substitute, percutaneous endoscopic approach	0WPF4YZ	Removal of other device from abdominal wall, percutaneous endoscopic approach
0D13476	Bypass lower esophagus to stomach with autologous tissue substitute, percutaneous endoscopic approach	0WPG40Z	Removal of drainage device from peritoneal cavity, percutaneous endoscopic approach
0D13479	Bypass lower esophagus to duodenum with autologous tissue substitute, percutaneous endoscopic approach	0WPG41Z	Removal of radioactive element from peritoneal cavity, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0D1347A	Bypass lower esophagus to jejunum with autologous tissue substitute, percutaneous endoscopic approach	0WPG43Z	Removal of infusion device from peritoneal cavity, percutaneous endoscopic approach
0D1347B	Bypass lower esophagus to ileum with autologous tissue substitute, percutaneous endoscopic approach	0WPG4JZ	Removal of synthetic substitute from peritoneal cavity, percutaneous endoscopic approach
0D134J4	Bypass lower esophagus to cutaneous with synthetic substitute, percutaneous endoscopic approach	0WPG4YZ	Removal of other device from peritoneal cavity, percutaneous endoscopic approach
0D134J6	Bypass lower esophagus to stomach with synthetic substitute, percutaneous endoscopic approach	0WPH40Z	Removal of drainage device from retroperitoneum, percutaneous endoscopic approach
0D134J9	Bypass lower esophagus to duodenum with synthetic substitute, percutaneous endoscopic approach	0WPH41Z	Removal of radioactive element from retroperitoneum, percutaneous endoscopic approach
0D134JA	Bypass lower esophagus to jejunum with synthetic substitute, percutaneous endoscopic approach	0WPH43Z	Removal of infusion device from retroperitoneum, percutaneous endoscopic approach
0D134JB	Bypass lower esophagus to ileum with synthetic substitute, percutaneous endoscopic approach	0WPH4YZ	Removal of other device from retroperitoneum, percutaneous endoscopic approach
0D134K4	Bypass lower esophagus to cutaneous with nonautologous tissue substitute, percutaneous endoscopic approach	0WPJ40Z	Removal of drainage device from pelvic cavity, percutaneous endoscopic approach
0D134K6	Bypass lower esophagus to stomach with nonautologous tissue substitute, percutaneous endoscopic approach	0WPJ41Z	Removal of radioactive element from pelvic cavity, percutaneous endoscopic approach
0D134K9	Bypass lower esophagus to duodenum with nonautologous tissue substitute, percutaneous endoscopic approach	0WPJ43Z	Removal of infusion device from pelvic cavity, percutaneous endoscopic approach
0D134KA	Bypass lower esophagus to jejunum with nonautologous tissue substitute, percutaneous endoscopic approach	0WPJ4JZ	Removal of synthetic substitute from pelvic cavity, percutaneous endoscopic approach
0D134KB	Bypass lower esophagus to ileum with nonautologous tissue substitute, percutaneous endoscopic approach	0WPJ4YZ	Removal of other device from pelvic cavity, percutaneous endoscopic approach
0D134Z4	Bypass lower esophagus to cutaneous, percutaneous endoscopic approach	0WPP41Z	Removal of radioactive element from gastrointestinal tract, percutaneous endoscopic approach
0D134Z6	Bypass lower esophagus to stomach, percutaneous endoscopic approach	0WPP43Z	Removal of infusion device from gastrointestinal tract, percutaneous endoscopic approach
0D134Z9	Bypass lower esophagus to duodenum, percutaneous endoscopic approach	0WPP4YZ	Removal of other device from gastrointestinal tract, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0D134ZA	Bypass lower esophagus to jejunum, percutaneous endoscopic approach	0WPR41Z	Removal of radioactive element from genitourinary tract, percutaneous endoscopic approach
0D134ZB	Bypass lower esophagus to ileum, percutaneous endoscopic approach	0WPR43Z	Removal of infusion device from genitourinary tract, percutaneous endoscopic approach
0D15476	Bypass esophagus to stomach with autologous tissue substitute, percutaneous endoscopic approach	0WPR4YZ	Removal of other device from genitourinary tract, percutaneous endoscopic approach
0D15479	Bypass esophagus to duodenum with autologous tissue substitute, percutaneous endoscopic approach	0WQF4ZZ	Repair abdominal wall, percutaneous endoscopic approach
0D1547A	Bypass esophagus to jejunum with autologous tissue substitute, percutaneous endoscopic approach	0WUF47Z	Supplement abdominal wall with autologous tissue substitute, percutaneous endoscopic approach
0D1547B	Bypass esophagus to ileum with autologous tissue substitute, percutaneous endoscopic approach	0WUF4JZ	Supplement abdominal wall with synthetic substitute, percutaneous endoscopic approach
0D154J6	Bypass esophagus to stomach with synthetic substitute, percutaneous endoscopic approach	0WUF4KZ	Supplement abdominal wall with nonautologous tissue substitute, percutaneous endoscopic approach
0D154J9	Bypass esophagus to duodenum with synthetic substitute, percutaneous endoscopic approach	0WWF40Z	Revision of drainage device in abdominal wall, percutaneous endoscopic approach
0D154JA	Bypass esophagus to jejunum with synthetic substitute, percutaneous endoscopic approach	0WWF41Z	Revision of radioactive element in abdominal wall, percutaneous endoscopic approach
0D154JB	Bypass esophagus to ileum with synthetic substitute, percutaneous endoscopic approach	0WWF43Z	Revision of infusion device in abdominal wall, percutaneous endoscopic approach
0D154K6	Bypass esophagus to stomach with nonautologous tissue substitute, percutaneous endoscopic approach	0WWF47Z	Revision of autologous tissue substitute in abdominal wall, percutaneous endoscopic approach
0D154K9	Bypass esophagus to duodenum with nonautologous tissue substitute, percutaneous endoscopic approach	0WWF4JZ	Revision of synthetic substitute in abdominal wall, percutaneous endoscopic approach
0D154KA	Bypass esophagus to jejunum with nonautologous tissue substitute, percutaneous endoscopic approach	0WWF4KZ	Revision of nonautologous tissue substitute in abdominal wall, percutaneous endoscopic approach
0D154KB	Bypass esophagus to ileum with nonautologous tissue substitute, percutaneous endoscopic approach	0WWF4YZ	Revision of other device in abdominal wall, percutaneous endoscopic approach
0D154Z6	Bypass esophagus to stomach, percutaneous endoscopic approach	0WWG40Z	Revision of drainage device in peritoneal cavity, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIPOOTHER)

0D154Z9	Bypass esophagus to duodenum, percutaneous endoscopic approach	0WWG41Z	Revision of radioactive element in peritoneal cavity, percutaneous endoscopic approach
0D154ZA	Bypass esophagus to jejunum, percutaneous endoscopic approach	0WWG43Z	Revision of infusion device in peritoneal cavity, percutaneous endoscopic approach
0D154ZB	Bypass esophagus to ileum, percutaneous endoscopic approach	0WWG4JZ	Revision of synthetic substitute in peritoneal cavity, percutaneous endoscopic approach
0D16474	Bypass stomach to cutaneous with autologous tissue substitute, percutaneous endoscopic approach	0WWG4YZ	Revision of other device in peritoneal cavity, percutaneous endoscopic approach
0D16479	Bypass stomach to duodenum with autologous tissue substitute, percutaneous endoscopic approach	0WWH40Z	Revision of drainage device in retroperitoneum, percutaneous endoscopic approach
0D1647A	Bypass stomach to jejunum with autologous tissue substitute, percutaneous endoscopic approach	0WWH41Z	Revision of radioactive element in retroperitoneum, percutaneous endoscopic approach
0D1647B	Bypass stomach to ileum with autologous tissue substitute, percutaneous endoscopic approach	0WWH43Z	Revision of infusion device in retroperitoneum, percutaneous endoscopic approach
0D1647L	Bypass stomach to transverse colon with autologous tissue substitute, percutaneous endoscopic approach	0WWH4YZ	Revision of other device in retroperitoneum, percutaneous endoscopic approach
0D164J4	Bypass stomach to cutaneous with synthetic substitute, percutaneous endoscopic approach	0WWJ40Z	Revision of drainage device in pelvic cavity, percutaneous endoscopic approach
0D164J9	Bypass stomach to duodenum with synthetic substitute, percutaneous endoscopic approach	0WWJ41Z	Revision of radioactive element in pelvic cavity, percutaneous endoscopic approach
0D164JA	Bypass stomach to jejunum with synthetic substitute, percutaneous endoscopic approach	0WWJ43Z	Revision of infusion device in pelvic cavity, percutaneous endoscopic approach
0D164JB	Bypass stomach to ileum with synthetic substitute, percutaneous endoscopic approach	0WWJ4JZ	Revision of synthetic substitute in pelvic cavity, percutaneous endoscopic approach
0D164JL	Bypass stomach to transverse colon with synthetic substitute, percutaneous endoscopic approach	0WWJ4YZ	Revision of other device in pelvic cavity, percutaneous endoscopic approach
0D164K4	Bypass stomach to cutaneous with nonautologous tissue substitute, percutaneous endoscopic approach	0WWP41Z	Revision of radioactive element in gastrointestinal tract, percutaneous endoscopic approach
0D164K9	Bypass stomach to duodenum with nonautologous tissue substitute, percutaneous endoscopic approach	0WWP43Z	Revision of infusion device in gastrointestinal tract, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0D164KA	Bypass stomach to jejunum with nonautologous tissue substitute, percutaneous endoscopic approach	0WWP4YZ	Revision of other device in gastrointestinal tract, percutaneous endoscopic approach
0D164KB	Bypass stomach to ileum with nonautologous tissue substitute, percutaneous endoscopic approach	0WWR41Z	Revision of radioactive element in genitourinary tract, percutaneous endoscopic approach
0D164KL	Bypass stomach to transverse colon with nonautologous tissue substitute, percutaneous endoscopic approach	0WWR43Z	Revision of infusion device in genitourinary tract, percutaneous endoscopic approach
0D164Z4	Bypass stomach to cutaneous, percutaneous endoscopic approach	0WWR4YZ	Revision of other device in genitourinary tract, percutaneous endoscopic approach
0D164Z9	Bypass stomach to duodenum, percutaneous endoscopic approach	0Y354ZZ	Control bleeding in right inguinal region, percutaneous endoscopic approach
0D164ZA	Bypass stomach to jejunum, percutaneous endoscopic approach	0Y364ZZ	Control bleeding in left inguinal region, percutaneous endoscopic approach
0D164ZB	Bypass stomach to ileum, percutaneous endoscopic approach	0Y9540Z	Drainage of right inguinal region with drainage device, percutaneous endoscopic approach
0D164ZL	Bypass stomach to transverse colon, percutaneous endoscopic approach	0Y954ZX	Drainage of right inguinal region, percutaneous endoscopic approach, diagnostic
0D18474	Bypass small intestine to cutaneous with autologous tissue substitute, percutaneous endoscopic approach	0Y954ZZ	Drainage of right inguinal region, percutaneous endoscopic approach
0D18478	Bypass small intestine to small intestine with autologous tissue substitute, percutaneous endoscopic approach	0Y9640Z	Drainage of left inguinal region with drainage device, percutaneous endoscopic approach
0D1847H	Bypass small intestine to cecum with autologous tissue substitute, percutaneous endoscopic approach	0Y964ZX	Drainage of left inguinal region, percutaneous endoscopic approach, diagnostic
0D1847K	Bypass small intestine to ascending colon with autologous tissue substitute, percutaneous endoscopic approach	0Y964ZZ	Drainage of left inguinal region, percutaneous endoscopic approach
0D1847L	Bypass small intestine to transverse colon with autologous tissue substitute, percutaneous endoscopic approach	0YB54ZX	Excision of right inguinal region, percutaneous endoscopic approach, diagnostic
0D1847M	Bypass small intestine to descending colon with autologous tissue substitute, percutaneous endoscopic approach	0YB54ZZ	Excision of right inguinal region, percutaneous endoscopic approach
0D1847N	Bypass small intestine to sigmoid colon with autologous tissue substitute, percutaneous endoscopic approach	0YB64ZX	Excision of left inguinal region, percutaneous endoscopic approach, diagnostic
0D1847P	Bypass small intestine to rectum with autologous tissue substitute, percutaneous endoscopic approach	0YB64ZZ	Excision of left inguinal region, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0D1847Q	Bypass small intestine to anus with autologous tissue substitute, percutaneous endoscopic approach	0YB74ZZ	Excision of right femoral region, percutaneous endoscopic approach
0D184J4	Bypass small intestine to cutaneous with synthetic substitute, percutaneous endoscopic approach	0YB84ZZ	Excision of left femoral region, percutaneous endoscopic approach
0D184J8	Bypass small intestine to small intestine with synthetic substitute, percutaneous endoscopic approach	0YH541Z	Insertion of radioactive element into right inguinal region, percutaneous endoscopic approach
0D184JH	Bypass small intestine to cecum with synthetic substitute, percutaneous endoscopic approach	0YH543Z	Insertion of infusion device into right inguinal region, percutaneous endoscopic approach
0D184JK	Bypass small intestine to ascending colon with synthetic substitute, percutaneous endoscopic approach	0YH54YZ	Insertion of other device into right inguinal region, percutaneous endoscopic approach
0D184JL	Bypass small intestine to transverse colon with synthetic substitute, percutaneous endoscopic approach	0YH641Z	Insertion of radioactive element into left inguinal region, percutaneous endoscopic approach
0D184JM	Bypass small intestine to descending colon with synthetic substitute, percutaneous endoscopic approach	0YH643Z	Insertion of infusion device into left inguinal region, percutaneous endoscopic approach
0D184JN	Bypass small intestine to sigmoid colon with synthetic substitute, percutaneous endoscopic approach	0YH64YZ	Insertion of other device into left inguinal region, percutaneous endoscopic approach
0D184JP	Bypass small intestine to rectum with synthetic substitute, percutaneous endoscopic approach	0YJ54ZZ	Inspection of right inguinal region, percutaneous endoscopic approach
0D184JQ	Bypass small intestine to anus with synthetic substitute, percutaneous endoscopic approach	0YJ64ZZ	Inspection of left inguinal region, percutaneous endoscopic approach
0D184K4	Bypass small intestine to cutaneous with nonautologous tissue substitute, percutaneous endoscopic approach	0YJA4ZZ	Inspection of bilateral inguinal region, percutaneous endoscopic approach
0D184K8	Bypass small intestine to small intestine with nonautologous tissue substitute, percutaneous endoscopic approach	0YQ54ZZ	Repair right inguinal region, percutaneous endoscopic approach
0D184KH	Bypass small intestine to cecum with nonautologous tissue substitute, percutaneous endoscopic approach	0YQ64ZZ	Repair left inguinal region, percutaneous endoscopic approach
0D184KK	Bypass small intestine to ascending colon with nonautologous tissue substitute, percutaneous endoscopic approach	0YQ74ZZ	Repair right femoral region, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0D184KL	Bypass small intestine to transverse colon with nonautologous tissue substitute, percutaneous endoscopic approach	0YQ84ZZ	Repair left femoral region, percutaneous endoscopic approach
0D184KM	Bypass small intestine to descending colon with nonautologous tissue substitute, percutaneous endoscopic approach	0YQA4ZZ	Repair bilateral inguinal region, percutaneous endoscopic approach
0D184KN	Bypass small intestine to sigmoid colon with nonautologous tissue substitute, percutaneous endoscopic approach	0YQE4ZZ	Repair bilateral femoral region, percutaneous endoscopic approach
0D184KP	Bypass small intestine to rectum with nonautologous tissue substitute, percutaneous endoscopic approach	0YU547Z	Supplement right inguinal region with autologous tissue substitute, percutaneous endoscopic approach
0D184KQ	Bypass small intestine to anus with nonautologous tissue substitute, percutaneous endoscopic approach	0YU54JZ	Supplement right inguinal region with synthetic substitute, percutaneous endoscopic approach
0D184Z4	Bypass small intestine to cutaneous, percutaneous endoscopic approach	0YU54KZ	Supplement right inguinal region with nonautologous tissue substitute, percutaneous endoscopic approach
0D184Z8	Bypass small intestine to small intestine, percutaneous endoscopic approach	0YU647Z	Supplement left inguinal region with autologous tissue substitute, percutaneous endoscopic approach
0D184ZH	Bypass small intestine to cecum, percutaneous endoscopic approach	0YU64JZ	Supplement left inguinal region with synthetic substitute, percutaneous endoscopic approach
0D184ZK	Bypass small intestine to ascending colon, percutaneous endoscopic approach	0YU64KZ	Supplement left inguinal region with nonautologous tissue substitute, percutaneous endoscopic approach
0D184ZL	Bypass small intestine to transverse colon, percutaneous endoscopic approach	0YU747Z	Supplement right femoral region with autologous tissue substitute, percutaneous endoscopic approach
0D184ZM	Bypass small intestine to descending colon, percutaneous endoscopic approach	0YU74JZ	Supplement right femoral region with synthetic substitute, percutaneous endoscopic approach
0D184ZN	Bypass small intestine to sigmoid colon, percutaneous endoscopic approach	0YU74KZ	Supplement right femoral region with nonautologous tissue substitute, percutaneous endoscopic approach
0D184ZP	Bypass small intestine to rectum, percutaneous endoscopic approach	0YU847Z	Supplement left femoral region with autologous tissue substitute, percutaneous endoscopic approach
0D184ZQ	Bypass small intestine to anus, percutaneous endoscopic approach	0YU84JZ	Supplement left femoral region with synthetic substitute, percutaneous endoscopic approach

Abdominopelvic surgery, other than open approach, procedure codes: (ABDOMIOTHER)

0D19474	Bypass duodenum to cutaneous with autologous tissue substitute, percutaneous endoscopic approach	0YU84KZ	Supplement left femoral region with nonautologous tissue substitute, percutaneous endoscopic approach
0D19479	Bypass duodenum to duodenum with autologous tissue substitute, percutaneous endoscopic approach	0YUA47Z	Supplement bilateral inguinal region with autologous tissue substitute, percutaneous endoscopic approach
0D1947A	Bypass duodenum to jejunum with autologous tissue substitute, percutaneous endoscopic approach	0YUA4JZ	Supplement bilateral inguinal region with synthetic substitute, percutaneous endoscopic approach
0D1947B	Bypass duodenum to ileum with autologous tissue substitute, percutaneous endoscopic approach	0YUA4KZ	Supplement bilateral inguinal region with nonautologous tissue substitute, percutaneous endoscopic approach
0D1947L	Bypass duodenum to transverse colon with autologous tissue substitute, percutaneous endoscopic approach	0YUE47Z	Supplement bilateral femoral region with autologous tissue substitute, percutaneous endoscopic approach
0D194J4	Bypass duodenum to cutaneous with synthetic substitute, percutaneous endoscopic approach	0YUE4JZ	Supplement bilateral femoral region with synthetic substitute, percutaneous endoscopic approach
0D194J9	Bypass duodenum to duodenum with synthetic substitute, percutaneous endoscopic approach	0YUE4KZ	Supplement bilateral femoral region with nonautologous tissue substitute, percutaneous endoscopic approach
0D194JA	Bypass duodenum to jejunum with synthetic substitute, percutaneous endoscopic approach		