



Quality Indicators Software Instructions and Data Dictionary, SAS[®] QI v2024

Prepared for:

Agency for Healthcare Research and Quality
U.S. Department of Health and Human Services
5600 Fishers Lane
Rockville, MD 20857
<https://qualityindicators.ahrq.gov/>

Contract No. 47QRAA18D00BQ

July 2024

Executive Summary

Background

The Agency for Healthcare Research and Quality (AHRQ) Quality Indicators (QIs) were developed specifically to meet short-term needs for information on healthcare quality using standardized, user-friendly methods and existing sources of administrative data. AHRQ QI measures have been developed over time by AHRQ with input from numerous teams of clinical and technical experts. The AHRQ QIs are updated on a regular basis, incorporating new research evidence, empirical analyses, user feedback, and general advances in the science of quality measurement. The AHRQ QI program is unique in that it provides free, publicly available software tools that allow users to calculate QI rates based on their own administrative data using a standard desktop computer.

The AHRQ QIs are organized around five collections (modules) of indicators: Prevention Quality Indicators (PQIs), Inpatient Quality Indicators (IQIs), Patient Safety Indicators (PSIs), Pediatric Quality Indicators (PDIs), and Prevention Quality Indicators in Emergency Department Settings (PQEs). Data captured by and characteristics of each of the modules are shown in [Figure 1](#).

Detailed specifications for each indicator, with complete listings of diagnosis and procedure code definitions, are contained in the AHRQ QI Technical Specifications, available at <https://qualityindicators.ahrq.gov/>. Each module also includes additional documentation on the risk adjustment models and benchmark national estimates of numerators, denominators, and observed rates for each indicator. Additional documentation on the empirical methods used to create and calculate each indicator is also available. [Appendix A](#) contains links to these documents and additional documentation on the AHRQ QIs.

Figure 1. Characteristics of AHRQ QI Modules

PQIs	IQIs	PSIs	PDIs	PQEs
The PQIs are area-level indicators that calculate admissions that might have been avoided through access to high-quality outpatient care. They are a key tool for community health needs assessments.	The IQIs reflect quality of care inside hospitals, including inpatient mortality for medical conditions and surgical procedures.	The PSIs reflect potentially avoidable safety events that represent opportunities for improvement in the delivery of care.	The PDIs are specifically tailored to reflect the special characteristics of the pediatric population, including neonates, and can be used to identify potential quality and patient safety issues specific to the pediatric inpatient population.	The PQEs are prevention quality indicators that reflect emergency department visits that could be reduced through access to high quality ambulatory care.

In addition to documentation, the AHRQ QI program annually creates software tools that can be used with the *International Classification of Diseases, 10th Revision, Clinical Modification/ Procedure Coding*

System (ICD-10-CM/PCS). Each version¹ of the AHRQ QI software generates numerators and denominators, as well as observed, expected, risk-adjusted, and smoothed rates across the modules for most indicators. Observed rates are the raw rates that are the count of discharge records with the health outcome of interest divided by the count of discharge records in the patient population at risk. Expected and risk-adjusted rates both acknowledge that areas of the country or individual hospitals are unique and may differ in important ways from the representative profile observed in the reference (general or standard) population. Smoothed or reliability-adjusted rates account for unreliable estimates based on small sample size. More information on the methodology for the calculation of these rates can be found in the *AHRQ Quality Indicators Empirical Methods* document posted on the AHRQ QIs website (<https://qualityindicators.ahrq.gov/Modules/Default.aspx>).

AHRQ QI software is available in two different platforms: a SAS^{®2} application and a Microsoft Windows[®] application. The SAS software was first released in the late 1990s. It consists of several modules of SAS code and requires a SAS license to run. The Windows[®]-based QI software, known as WinQI, was first released in 2005. It was created to provide an easy-to-use, low-cost option for calculating the QIs that was not dependent on licensed software. Developed on Microsoft Visual Studio using C# and .NET, AHRQ WinQI runs on Windows operating systems and only requires freely available software components: AHRQ-produced software, Microsoft .NET (for runtime environment and core software libraries), and Microsoft SQL Server Express (for data storage and manipulation).

Differences between SAS QI version v2024 and WinQI version v2024 are shown in [Table 1](#). The WinQI software is available as a 64-bit application and runs on Windows 8, or 10 operating systems.

Table 1. Differences Between SAS QI v2024 and WinQI v2024

SAS QI V2024	WINQI V2024
Requires licensed SAS software.	Requires free downloadable software.
User can modify the software.	User is unable to modify the software.
Data load and error checking are at the discretion of the user.	Includes data load and error-checking functions.
User must execute all programs from the control file for each module and all indicators in a module are displayed in output.	All QIs are calculated in a single program, and the user can select which indicators to output.
Area-level indicator denominators are adjusted on the basis of the combination of county, age, and sex in the numerator. Adjustments are generally small (<0.01%) in absolute terms.	Area-level indicator denominators are not adjusted.

SAS QI and WinQI software are updated annually to reflect changes in the AHRQ QI technical specifications. New software versions and updated technical specifications are released simultaneously. Routine annual updates include ICD-10-CM/PCS codes, Medicare Severity Diagnosis-Related Groups

¹ Previously released versions of the ICD-10-CM/PCS AHRQ QI software generated only numerators, denominators, and observed rates. Version 2020 and later also generate expected, risk-adjusted, and smoothed rates for the IQIs, PSIs, PQIs, PDIs, and PQEs.

² SAS is a statistical software package distributed by SAS Institute Inc. SAS and all other SAS Institute Inc. product or service names are registered trademarks or trademarks of SAS Institute Inc., Cary, NC, USA. The company may be contacted directly regarding licensing of their products. SAS Institute Inc. has no affiliation with AHRQ or involvement in the development of the AHRQ QIs. For more information, visit the SAS Institute website at <http://www.sas.com>.

(MS-DRGs), Clinical Classifications Software Refined (CCSR) for Conditions and Procedures, Major Diagnostic Category (MDC) definitions, Elixhauser Comorbidity Software Refined, new Census population files, and newly derived risk adjustment parameters.

Purpose

This document contains the instructions for the SAS QI v2024 software, which is provided for download on the AHRQ QI website (<https://qualityindicators.ahrq.gov/>). The SAS programs are organized by module, and the user must execute the SAS programs within the control file by setting the appropriate flag for each program. This document will discuss the SAS program's software packages for all five modules of indicators, including one standalone software package that can be used to calculate a single indicator. Throughout the document, any differences in the module-specific software packages are highlighted and discussed.

Computer Software Requirements

SAS QI v2024 is designed as a personal computer-based, single-user application. It has been tested with SAS Version 9.4 (installed in 64-bit native mode) on 64-bit machines running Microsoft® Windows Server 2019. To use SAS QI, users must have access to a commercially available SAS statistical software package, including Base SAS, SAS/STAT, and SAS/ACCESS.

Data Requirements

The AHRQ QI software is intended to be used with administrative billing and/or claims ICD-10-CM/PCS coded data that cover an entire patient population (e.g., all discharges from a hospital in a year) or that were sampled from a patient population using simple random sampling.

The data must be in a SAS-formatted dataset. Depending on the software module and the purpose of calculating the estimates of the indicator, the dataset should include some or all of the following information:

- Patient characteristics (age, sex, race, county of residence)
- ICD-10-CM coded principal and secondary diagnoses
- An indicator of whether the diagnoses were present on admission
- ICD-10-PCS principal and secondary procedures
- Procedure day for each procedure
- Associated classifications of diagnoses and procedures (MS-DRGs and MDCs)³
- Admission source/point of origin
- Admission type
- Length of stay
- Primary and secondary payers

³ MDCs are derived from the CMS MS-DRG grouper algorithm, which assigns the MDC based on the principal diagnosis. For more on MDC creation, see [Section 3.3](#).

- Discharge disposition
- Discharge quarter and year
- Unique identifiers for the record and the hospital

[Chapter 3](#) provides a description of the selected data elements and coding conventions. [Appendix F](#) provides a full list of required data fields and formats for input data files, as well as a description of how the software handles missing data.

Acknowledgments

The AHRQ QI v2024 software program uses the Healthcare Cost and Utilization Project (HCUP) State Inpatient Databases (SID) for 2019 – 2021 and State Emergency Department Databases (SEDD) for 2021 to compile reference (general or standard) population data,⁴ develop the AHRQ QIs, and create risk adjustment models with parameter estimates based on national estimates that can be used at the local level and to establish national benchmarks. HCUP is a family of healthcare databases and related software tools and products developed through a Federal-state-industry partnership and sponsored by AHRQ. HCUP databases bring together the data collection efforts of state data organizations, hospital associations, private data organizations, and the Federal government to create a national information resource of encounter-level healthcare data. HCUP includes the largest collection of longitudinal hospital care data in the United States, with all-payer, encounter-level information beginning in 1988. These databases enable research on a broad range of health policy issues, including cost and quality of health services; medical practice patterns; access to healthcare programs; and outcomes of treatments at the national, state, and local market levels. In total, the HCUP SID encompasses about 97 percent of all annual inpatient discharges in the United States.

The AHRQ QI program would like to acknowledge the HCUP partner organizations that participated in the HCUP SID and SEDD:

Alaska Department of Health
Arizona Department of Health Services
Arkansas Department of Health
California Department of Health Care Access and Information
Colorado Hospital Association
Connecticut Hospital Association
Delaware Division of Public Health
District of Columbia Hospital Association
Florida Agency for Health Care Administration
Georgia Hospital Association
Hawaii Laulima Data Alliance
Hawaii University of Hawaii at Hilo
Illinois Department of Public Health
Indiana Hospital Association
Iowa Hospital Association
Kansas Hospital Association
Kentucky Cabinet for Health and Family Services
Louisiana Department of Health

⁴ For further details on the reference population, please see the Empirical Methods document: https://qualityindicators.ahrq.gov/measures/qi_resources

Maine Health Data Organization
Maryland Health Services Cost Review Commission
Massachusetts Center for Health Information and Analysis
Michigan Health & Hospital Association
Minnesota Hospital Association
Mississippi State Department of Health
Missouri Hospital Industry Data Institute
Montana Hospital Association
Nebraska Hospital Association
Nevada Center for Health Information Analysis
New Hampshire Department of Health & Human Services
New Jersey Department of Health
New Mexico Department of Health
New York State Department of Health
North Carolina Department of Health and Human Services
North Dakota (data provided by the Minnesota Hospital Association)
Ohio Hospital Association
Oklahoma State Department of Health
Oregon Apprise Health Insights
Pennsylvania Health Care Cost Containment Council
Rhode Island Department of Health
South Carolina Revenue and Fiscal Affairs Office
South Dakota Association of Healthcare Organizations
Tennessee Hospital Association
Texas Department of State Health Services
Utah Department of Health
Vermont Association of Hospitals and Health Systems
Virginia Health Information
Washington State Department of Health
West Virginia Department of Health and Human Resources
Wisconsin Department of Health Services
Wyoming Hospital Association

For more information on HCUP, visit <http://www.hcup-us.ahrq.gov>.

Table of Contents

Executive Summary	ii
Background.....	ii
Purpose	iv
Computer Software Requirements.....	iv
Data Requirements.....	iv
Acknowledgments	v
Chapter 1. Software Overview.....	1
1.1 AHRQ QI SAS Software.....	1
1.2 Components of the Software Packages	2
1.3 Naming Conventions of SAS Programs	2
1.4 Saving the Required Files to Run the SAS QI v2024 Software	3
1.5 Computer Requirements.....	3
1.6 Data Requirements	3
1.6.1 User-Supplied Data	4
1.6.2 Software-Supplied Data.....	5
1.7 Software Output	5
1.7.1 Supporting Documentation.....	5
Chapter 2. Quick Reference Guide	7
2.1 Prevention Quality Indicators (PQIs) Quick Reference	7
2.1.1 Processing Steps	7
2.1.2 Variable Naming	9
2.1.3 Files in Software Package.....	10
2.2 Inpatient Quality Indicators (IQIs) Quick Reference	10
2.2.1 Processing Steps	10

2.2.2	Variable Naming	13
2.2.3	Files in Software Package.....	14
2.3	Patient Safety Indicators (PSIs) Quick Reference	15
2.3.1	Processing Steps	15
2.3.2.	Variable Naming.....	18
2.3.3	Files in Software Package.....	20
2.4	Pediatric Quality Indicators (PDIs) Quick Reference	20
2.4.1	Processing Steps	20
2.4.2	Variable Naming	23
2.4.3	Files in Software Package.....	24
2.5	Prevention Quality Indicators in Emergency Department Settings (PQEs) Quick Reference.....	25
2.5.1	Processing Steps	25
2.5.2	Variable Naming	27
2.5.3	Files in Software Package.....	27
Chapter 3. Data Elements and Coding Conventions		29
3.1	Software Input Data.....	29
3.2	Coding of Diagnoses, Procedures, Present on Admission, and External Cause of Injury.....	30
3.2.1	Diagnoses and Procedures	30
3.2.2	Diagnoses Present on Admission.....	31
3.3	Coding of MS-DRG and MDC.....	32
3.4	Coding of Other Specific Data Elements	33
3.4.1	ATYPE—Admission Type.....	33
3.4.2	PSTCO—Patient State/County Code	33
3.5	Treatment of Missing Data.....	35
3.6	Use of Weights from Complex Surveys.....	35

Chapter 4. Producing Quality Indicator Rates: Processing Steps.....	36
4.1 Step 1. Identify Outcomes in Hospital Records	36
4.2 Step 2. Identify Populations at Risk	37
4.3 Step 3. Calculating Quality Indicator Observed Rates	37
4.3.1 Calculate Quality Indicator Observed Rates (All Software Packages).....	37
4.3.2 Calculate Stratified Observed Rates (PDI Software Package Only).....	37
4.4 Step 4. Calculate Quality Indicator Risk-Adjusted Rates.....	37
4.5 Step 5. Calculate Smoothed Rates.....	38
4.6 Step 6. Calculate Hospital-Level Composite Scores	38
Chapter 5. SAS Program Descriptions	40
5.1 Modify and Save Command Statements in SAS programs	42
5.1.1 XXI_TYPE_CONTROL.sas Program.....	42
5.2 XXI_TYPE_FORMATS.sas.....	47
5.3 XXI_TYPE_MEASURES.sas	47
5.4 XXI_AREA_OBSERVED.sas.....	49
5.5 XXI_AREA_RISKADJ.sas.....	51
5.6 XXI_HOSP_OBSERVED.sas.....	53
5.7 PDI_HOSP_STRATIFIED.sas.....	56
5.8 XXI_HOSP_RISKADJ.sas	57
5.9 XXI_HOSP_COMPOSITE.sas Program.....	60
Chapter 6. Reviewing the Printed Output.....	62
6.1 XXI_TYPE_MEASURES.sas Program.....	62
6.2 XXI_AREA_OBSERVED.sas Program	63
6.3 XXI_AREA_RISKADJ.sas Program.....	64
6.4 XXI_HOSP_OBSERVED.sas Program.....	65

6.5	<i>XXI_HOSP_RISKADJ</i> .sas Program.....	66
6.6	<i>XXI_HOSP_COMPOSITE</i> .sas Program	67
6.7	Comparisons to Benchmark Tables.....	68
Chapter 7. User Support		69
Chapter 8. User Feedback for Future Updates		70
Appendix A: Additional Resources.....		71
Appendix B: Lists of Area-Level and Hospital-Level Indicators		73
Appendix C: AHRQ SAS QI Software Packages.....		76
Appendix D: Complete List of Key Variables Created in the AHRQ SAS® QI Software.....		95
Appendix E: SAS Input Data and Output Analytic Files		103
Appendix F: Input Variables.....		115
Appendix G: List of Risk Factors		121
Appendix H: Output Variables		123
Appendix I: Setnames		133
Appendix J: Output and TYPELVLx Values: Levels of Summarization.....		154
Appendix K: Creating an Input File for the PQE Software		160
	Creating an ED Input File for the PQE Software.....	160
	Selecting ED Admissions from a Broader Inpatient Data File	160
	Selecting ED Outpatient Visits from a Broader Outpatient Data File	160
	Creating an ED Input File from Extracted Records for ED Admissions and ED Outpatient Visits	161
Appendix L: Variables Needed to Track Multiple ED Visits for a Patient		162

Index of Tables

Table 1. Differences Between SAS QI v2023 and WinQI v2023.....	iii
Table 2. SAS Programs and ASCII Text Files for SAS QI v2023 Software Components	2
Table 3. PQIs and Variable Abbreviations Used in Software.....	9
Table 4. Prefixes for the Variables Used to Store PQI Results.....	9
Table 5. Files Included in the PQI Software Package.....	10
Table 6. IQIs and Variable Abbreviations Used in the IQI Software Package.....	12
Table 7. Prefixes for the Variables Used to Store IQI Results (Except Composites).....	13
Table 8. Variables Used for Hospital-Level IQI Composites.....	14
Table 9. Programs Included in the IQI Software Package.....	15
Table 10. PSIs and Variable Abbreviations Used in Software	17
Table 11. Prefixes for the Variables Used to Store PSI Results (except Composite).....	19
Table 12. Variables Used for Hospital-Level PSI Composite	20
Table 13. Programs Included in the PSI Software Package.....	20
Table 14. PDIs and Variable Abbreviations Used in PDI Software	22
Table 15. Prefixes for the Variables Used to Store PDI Results.....	23
Table 16. Programs Included in the PDI Software Package	25
Table 17. PQEs and Variable Abbreviations Used in PQE Software.....	27
Table 18. Prefixes for the Variables Used to Store PQE Results.....	27
Table 19. Files Included in the PQE Software Package.....	28
Table 20. Examples of ICD-10-CM Diagnosis Codes.....	30
Table 21. Examples of ICD-10-PCS Procedure Codes.....	31
Table 22. Summary of SAS Programs	41
Table 23. User Must or User May Modify Statements in the XXI_TYPE_CONTROL.sas Program ¹	43
Table 24. Area-Level Print Output	63
Table 25. Final Area-Level Print Output	64
Table 26. Final Hospital-Level Print Output	66
Table 27. Final Hospital-Level Composite Printed Output	68
Table 28. AHRQ Quality Indicators Version 2023 Documentation and Software.....	71
Table 29. List of Area-Level Indicators.....	73
Table 30. List of Hospital-Level Indicators.....	74
Table 31. List of SAS Programs and Auxiliary Files in Prevention Quality Indicator (PQI) Software Package, v2023	76
Table 32. List of SAS Programs and Auxiliary Files in Emergency Department Prevention Quality Indicator (referred to as PQE) Software Package, v2023	79
Table 33. List of SAS Programs and Auxiliary Files in Inpatient Quality Indicators (IQIs) Software Package, v2023	82
Table 34. List of SAS Programs and Auxiliary Files in Patient Safety Indicator (PSI) Software Package, v2023 ¹	85
Table 35. List of SAS Programs and Auxiliary Files in PSI 17 Birth Trauma – Injury to Neonate Rate Software Package, v2023.....	89

Table 36. List of SAS Programs and Auxiliary Files in Pediatric Quality Indicator (PDI) Software Package,1 v2023	90
Table 37. List of Prevention Quality Indicator (PQI) Variables	95
Table 38. List of Prevention Quality Emergency Department Indicator (PQE) Variables	96
Table 39. List of Inpatient Quality Indicator (IQI) Variables	96
Table 40. List of Patient Safety Indicator (PSI) Variables ¹	99
Table 41. Complete List of Pediatric Quality Indicator (PDI) Variables ¹	102
Table 42. SAS Input and Output Files for the Prevention Quality Indicators (PQI) Software Package...	103
Table 43. SAS Input and Output Files for the Prevention Quality Emergency Department Indicators (PQE) Software Package.....	105
Table 44. SAS Input and Output Files for the IQI Software Package	106
Table 45. SAS Input and Output Files for the PSI Software Package	109
Table 46. SAS Input and Output Files for the PSI 17 Software Package	112
Table 47. SAS Input and Output Files for the PDI Software Package.....	112
Table 48. Input Variables.....	115
Table 49. Risk Factors for Area-Level Modules.....	121
Table 50. Risk Factors for Hospital-Level Modules.....	121
Table 51. IQI Module Output Variables	123
Table 52. PSI Module Output	125
Table 53. Hospital-Level PDI Module Output Variables	128
Table 54. Area-Level PDI Module Output	130
Table 55. PQI Module Output Variables	131
Table 56. PQE Module Output Variables	132
Table 57. List of Setnames.....	133
Table 58. Levels of Summarization for PQI_AREA_OBSERVED.sas and PDI_AREA_OBSERVED.sas	154
Table 59. Levels of Summarization for IQI_HOSP_OBSERVED.sas and PSI_HOSP_OBSERVED.sas	154
Table 60. Levels of Summarization for PDI_HOSP_OBSERVED.sas	155
Table 61. Levels of Summarization for PQE_AREA_OBSERVED.sas	159

List of Figures

Figure 1. Characteristics of AHRQ QI Modules.....	ii
Figure 2. Naming Convention of the QI SAS Programs.....	3
Figure 3. Processing Steps for the Area-level Indicators in the PQI Software Package*	8
Figure 4. Processing Steps for the Hospital-Level Indicators in the IQI Software Package.....	11
Figure 5. Processing Steps for the Hospital-Level Indicators in the PSI Software Package (except PSI 17)	16
Figure 6. Processing Steps for the Area-Level Indicators in the PDI Software Package.....	21
Figure 7. Processing Steps for the Hospital-Level Indicators in the PDI Software Package.....	22
Figure 8. Processing Steps for the Area-level Indicators in the PQE Software Package*	26

Chapter 1. Software Overview

This document describes the Agency for Healthcare Research and Quality (AHRQ) Quality Indicators (QIs) SAS® QI Version 2024 (v2024) software and is intended to be a complement to the *AHRQ Quality Indicators Empirical Methods* document (<https://qualityindicators.ahrq.gov/Modules/Default.aspx>) that describes the analytic approach to the development and calculation of the AHRQ QIs.

This document provides an overview of the software ([Chapter 1](#)) and a quick reference guide ([Chapter 2](#)). The main body of the document includes detailed discussion of the data elements necessary to calculate the AHRQ QIs ([Chapter 3](#)), descriptions (in nontechnical language) of the processing steps to produce quality indicator rates ([Chapter 4](#)), detailed descriptions of the SAS programs in each software package ([Chapter 5](#)), a discussion of the output expected from each of the programs ([Chapter 6](#)), information on user support ([Chapter 7](#)), and information on how to provide feedback ([Chapter 8](#)). The appendices include additional public resources available for AHRQ QI users ([Appendix A](#)), lists of area-level and hospital-level QIs ([Appendix B](#)), lists of components of SAS software packages ([Appendix C](#)), key variables created in the software ([Appendix D](#)), SAS input data and output analytic files ([Appendix E](#)), data dictionaries of required data elements for the input data files ([Appendix F](#)), data dictionaries of risk factors ([Appendix G](#)), data dictionaries of variables created in output files ([Appendix H](#)), the setnames for diagnoses and procedures used to flag outcomes and populations at risk ([Appendix I](#)), lists of ways to print results in aggregation ([Appendix J](#)) and guidance for creating emergency department input data ([Appendix K](#) and [Appendix L](#)).

1.1 AHRQ QI SAS Software

The SAS programs are organized by module, and the user must execute the SAS programs within the control file by setting the appropriate flag for each program. This document will discuss the SAS program's software packages for all five modules of indicators, including a standalone software package that can be used to calculate a single indicator. Throughout the document, any differences in the module software packages are highlighted and discussed.

The SAS QI v2024 software consists of the following software packages, by module:

- Prevention Quality Indicators (PQI) Module
 - PQI SAS software package calculates all PQIs.
- Patient Safety Indicators (PSI) Module
 - PSI SAS software package calculates all PSIs except PSI 17–Birth Trauma Rate.
 - PSI 17 SAS software package calculates PSI 17.
- Inpatient Quality Indicators (IQI) Module
 - IQI SAS QI software package calculates all IQIs.
- Pediatric Quality Indicators (PDI) Module
 - PDI SAS software package calculates all PDIs and PSI 17.
- Prevention Quality Indicators in Emergency Department Settings (PQE) Module

- PQE SAS software package calculates all Prevention Quality Indicator in ED (PQEs).

A population text file is also available as a supplement to the AHRQ QI software. Users can use it with the aforementioned PQI, PQE, and PDI software packages to calculate all area-level rates ([Appendix B](#)).

1.2 Components of the Software Packages

As shown in [Table 2](#), the SAS QI v2024 software packages consist of various SAS programs and auxiliary data in ASCII text files (.txt) and a comma-separated values (.csv) file. These programs and text files are described in the subsequent sections of this document. Refer to [Appendix C](#) for a detailed list of all SAS programs and auxiliary files in each software package.

Table 2. SAS Programs and ASCII Text Files for SAS QI v2024 Software Components

	PQIs	IQIs	PSIs ⁵	PDI ⁶	PQEs
SAS Programs	10	16	17	20	10
ASCII Text files	1			1	1
CSV Files	28	12	17	21	10


1.3 Naming Conventions of SAS Programs

The AHRQ QI v2024 SAS program file names contain three descriptive components separated by underscores in the format *XXI_TYPE_PURPOSE*.sas. The first component, denoted as *XXI*, indicates the module for the program. That is, *PQI* indicates a Prevention Quality Indicator, *IQI* indicates an Inpatient Quality Indicator, *PSI* indicates a Patient Safety Indicator, *PDI* indicates a Pediatric Quality Indicator, and *PQE* indicates a Prevention Quality Indicator in an Emergency Department Setting. The next component, denoted by *TYPE*, describes the type of indicators the program produces. One of three types will be designated: *AREA* indicates that area-level indicators are produced, *HOSP* indicates that hospital-level indicators are produced, and *ALL* indicates that the program is used for both area-level and hospital-level indicators. The final component of the name, denoted by *PURPOSE*, indicates the purpose of the program. Examples of the final component of the name include *FORMATS*, which creates a format library; *MEASURES*, which creates the numerator and denominator of the measures; *OBSERVED*, which creates observed rates; and *RISKADJ*, which creates risk-adjusted and sometimes smoothed rates. [Figure 2](#) illustrates the program naming convention in the QI modules.

⁵ Does not include PSI 17

⁶ Includes PSI 17

Figure 2. Naming Convention of the QI SAS Programs



The PQI and PQE modules contain only area-level indicators, and the IQI and PSI modules contain only hospital-level indicators. The PDI module has both hospital-level and area-level indicators. See [Appendix B](#) for a list of area-level and hospital-level indicators.

Refer to [Appendix C](#) for a complete list of files in each of the module software packages.

1.4 Saving the Required Files to Run the SAS QI v2024 Software

Users can download the SAS QI v2024 software from the AHRQ QIs website into a directory on the user’s computer (e.g., “C:\AHRQQI”). Users can also create subfolders named for each of the modules (i.e., PQE, IQI, PDI, PQI, and PSI). The *XXI_TYPE_CONTROL.sas* program included with each module will need to be modified with the directory names used. Editing of the CONTROL files is described in [Chapter 5](#) of this document.

1.5 Computer Requirements

SAS QI v2024 is designed as a personal computer-based, single-user application. It has been tested with SAS Version 9.4 (installed in 64-bit native mode) on 64-bit machines running Microsoft® Windows server 2019. SAS installations on z/OS and Unix HP or AIX systems will be able to run the program. To use SAS QI v2024, users must have access to a commercially available SAS statistical software package, including Base SAS, SAS/STAT, and SAS/ACCESS.

1.6 Data Requirements

1.6.1 User-Supplied Data

The data required for measuring these Quality Indicators come from hospital discharge abstracts or billing or claims data (administrative data), which are readily available within hospitals or from many state data organizations (although restrictions on use of the data may apply).

The AHRQ QI software is intended to be used with the *International Classification of Diseases, 10th Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS)* coded administrative billing and/or claims data that cover an entire patient population (e.g., all discharges from a hospital in a year) or discharges that are sampled from a patient population using simple random sampling.

The data must be in a SAS-formatted dataset. Depending on the software module and the purpose of calculating the estimates of the indicator, the dataset should include some or all of the following information:

- Patient characteristics (age, sex, race, county of residence)
- ICD-10-CM coded principal and secondary diagnoses
- An indicator of whether the diagnoses were present on admission (POA)
- ICD-10-PCS principal and secondary procedures
- Associated classifications of diagnoses and procedures MS-DRGs and MDC
- Admission source/point of origin
- Admission type
- Procedure day
- Length of stay
- Primary and secondary payers
- Discharge disposition
- Discharge quarter and year
- Unique identifiers for the record and the hospital

Some of the data elements are required. For example, if age, sex, discharge quarter and year, or principal diagnosis are missing, the QI software will delete the record. The treatment of missing data elements and values varies across the software packages. If POA data are missing, the PSI or PDI measures that use POA for observed rate calculation will assume that all diagnoses are for conditions that occurred while in the hospital except where exempt from POA reporting. POA data are not necessary for the calculation of observed rates for PQIs, PQEs or IQIs.

[Chapter 3](#) provides a description of the selected data elements and coding conventions. [Appendix F](#) provides a detailed list of required data fields and formats for input data files, as well as a description of how the software handles missing data for each of the data elements.

1.6.2 Software-Supplied Data

The AHRQ QI software provides an additional data file to calculate area-level indicators. The 2000–2023 Population File (2000-2023_Population_Files_v2024.txt), is available on the AHRQ QI website as a separate download. The 2000–2023 Population File is an ASCII-based text file that contains 679,320 records with a fixed logical record length of 173 bytes, with population estimates for 3,154 counties or equivalent areas (identified by Federal Information Processing Standards [FIPS] codes) in the U.S. These estimates are derived from the U.S. Census Bureau. Each record includes county-specific yearly estimates of the number of people in a specific sex, single age, and race category. These estimates are used as the denominator for area-level indicators. See the 2000–2023 Population File documentation for additional information:

http://qualityindicators.ahrq.gov/Downloads/Software/SAS/V2024/2000-2023_Population_Files_V2024.zip.

1.7 **Software Output**

Each version⁷ of the AHRQ QI software generates numerators and denominators and observed, expected, risk-adjusted, and smoothed rates across the modules for most indicators. Observed rates are the raw rates, which are the count of discharge records with the health outcome of interest divided by the count of discharge records in the patient population at risk. Expected and risk-adjusted rates both acknowledge that individual hospitals (or areas of the country) are unique and may differ in important ways from the representative profile observed in the reference (general or standard) population.⁸ Smoothed or reliability-adjusted rates account for unreliable estimates based on small sample size. More information on the methodology for calculating these rates can be found in the *AHRQ Quality Indicator Empirical Methods* document posted on the AHRQ QI website (<https://qualityindicators.ahrq.gov/Modules/Default.aspx>).

1.7.1 Supporting Documentation

The AHRQ QI SAS software is supported by detailed documentation about the software as well as the development of the AHRQ QIs, as shown in [Appendix A](#). In addition to the software instructions, each software package is supported by the documents below. They are available for download on the AHRQ QI website (<http://qualityindicators.ahrq.gov>).

- Technical specifications for each indicator
- Parameter estimates for all risk models
- National benchmark data
- Logs of all specification and software updates

The technical specifications provide a brief description of the measure, the numerator inclusion and exclusion criteria, and denominator inclusion and exclusion criteria, including a list of all ICD-10-

⁷ Early versions of the *International Classification of Diseases, 10th Revision, Clinical Modification/Procedure Coding System* (ICD-10-CM/PCS) AHRQ QI software generated only numerators, denominators, and observed rates. Software version v2024 can generate expected, risk-adjusted, and smoothed rates for IQIs, PSIs, PQIs, PDIs, and PQEs.

⁸ The reference population consists of all relevant hospital discharges from HCUP SID for the year most recently released by AHRQ at the time of the QI software update. For further details on the reference population, please see the Empirical Methods document (https://qualityindicators.ahrq.gov/measures/qi_resources). For the PQEs currently provided it contains the HCUP SID and SEDD for 2021. In the future, it will contain the most recently released HCUP SID and SEDD.

CM/PCS coded diagnoses and procedures used in the technical specification. Each software package includes parameter estimates documents that provide the covariates and coefficients for risk adjustment models and the weights used in the hospital-level composites. The regression coefficients are used to calculate risk-adjusted rates that account for differences in the patient populations across areas or hospitals. Benchmark tables are also available. These tables provide nationwide comparative estimates for each of the indicators, including counts and numerator, denominator, and observed rates stratified by sex, age group, and expected payer. These documents are available only for ICD-10-CM/PCS coded data in v2024. In addition, each software package includes a log of coding updates and revisions. The logs provide a cumulative summary of all changes to the software, software documentation, and other documents made since the release of version 2.1 of the software in March 2003.

Chapter 2. Quick Reference Guide


This chapter is intended to serve as a quick reference guide for each software package to assist in reading this documentation and in reviewing the SAS® QI software v2024 outputs. Processing steps are shown first, followed by tables explaining the variable naming convention and the files used in each software package.

2.1 Prevention Quality Indicators (PQIs) Quick Reference

2.1.1 Processing Steps

[Figure 3](#) shows the processing steps for the PQI software package. [Table 3](#) lists all PQIs, all of which are area-level indicators. All PQIs are calculated using the PQI software package.

Figure 3. Processing Steps for the Area-level Indicators in the PQI Software Package*



NOTE: Each of the SAS programs in this figure is executed in the PQI_AREA_CONTROL.sas program, which contains code the user must modify in order to run the PQI software. The modifications include such items as specifying the name and location of the input dataset, the population dataset, the format library, the macro programs, and the output datasets; setting print options; setting default values; and setting individual flag variables to run each of the main SAS programs. See [Appendix C](#) for a complete list of programs in the software package.

* All indicators in the PQI module are at the area level.

Table 3. PQIs and Variable Abbreviations Used in Software

INDICATOR ABBREV	PREVENTION QUALITY INDICATOR	SAS VARIABLE ABBREV
AREA-LEVEL INDICATORS		
PQI 01	Diabetes Short-Term Complications Admission Rate	PQ01
PQI 03	Diabetes Long-Term Complications Admission Rate	PQ03
PQI 05	Chronic Obstructive Pulmonary Disease (COPD) or Asthma in Older Adults Admission Rate	PQ05
PQI 07	Hypertension Admission Rate	PQ07
PQI 08	Heart Failure Admission Rate	PQ08
PQI 11	Community-Acquired Pneumonia Admission Rate	PQ11
PQI 12	Urinary Tract Infection Admission Rate	PQ12
PQI 14	Uncontrolled Diabetes Admission Rate	PQ14
PQI 15	Asthma in Younger Adults Admission Rate	PQ15
PQI 16	Lower-Extremity Amputation Among Patients with Diabetes Rate	PQ16
PQI 90	Prevention Quality Overall Composite	PQ90
PQI 91	Prevention Quality Acute Composite	PQ91
PQI 92	Prevention Quality Chronic Composite	PQ92
PQI 93	Prevention Quality Diabetes Composite	PQ93

2.1.2 Variable Naming

The SAS programs in the PQI software package use a consistent naming convention for the variables used to store the different indicator results. The first character of the variable name (the prefix) indicates what type of result the variable stores (see [Table 4](#)). The second character is “A” to note that the indicator is calculated at the area level (all PQIs are area-level indicators). The remaining characters are an abbreviation that identifies the indicator by module (e.g., “PQ”) and indicator number (e.g., “01”).

[Table 4](#) lists the prefixes used to name the PQI SAS variables; examples of this naming convention applied to PQI 01 are provided in the table. [Appendix D](#) provides a complete list of key variables calculated for each indicator.

Table 4. Prefixes for the Variables Used to Store PQI Results

PREFIX	TYPE OF RESULT	EXAMPLE AREA-LEVEL INDICATORS (PQI 01)
T	Numerator (top)	TAPQ01
P	Population denominator (pop)	PAPQ01
O	Observed rate	OAPQ01
E	Expected rate ¹	EAPQ01
R	Risk-adjusted rate ¹	RAPQ01
V	Variance of the risk adjusted rate ¹	VAPQ01

PREFIX	TYPE OF RESULT	EXAMPLE AREA-LEVEL INDICATORS (PQI 01)
L	Lower limit of confidence interval of risk-adjusted rate ¹	LAPQ01
U	Upper limit of confidence interval of risk-adjusted rate ¹	UAPQ01
SN	Reliability of the risk-adjusted rate ¹	SNAPQ01
S	Smoothed rate ¹	SAPQ01
X	Standard error of the smoothed rate ¹	XAPQ01

¹ Some types of results will not be applicable to certain indicators. See [Appendix D](#) for a complete list of variables by indicator.

2.1.3 Files in Software Package

[Table 5](#) lists the SAS programs that are included in the PQI software package and indicates which auxiliary files (if any) are required by those program files. The PQI SAS programs load information from auxiliary files. These auxiliary files are in ASCII text (.txt) format. These files do not need to be converted to SAS format in order to use them with the software. The 2000–2023 Population File, 2000-2023_Population_Files_v2024.txt, is available on the AHRQ QIs website as a separate download. All of the other auxiliary files are included in the downloadable PQI software package. [Appendix C](#) provides a complete list of PQI SAS programs and auxiliary files in the PQI software package, including whether the programs are available for use with ICD-10-CM/PCS coded data.

Table 5. Files Included in the PQI Software Package


SAS PROGRAM FILE NAME	REQUIRED AUXILIARY MACRO AND ASCII FILES
PQI_AREA_CONTROL.sas	PQI_Dx_Pr_Macros_v2024.sas
PQI_AREA_FORMATS.sas	N/A
PQI_AREA_MEASURES.sas	N/A
PQI_AREA_OBSERVED.sas	2000-2023_Population_Files_v2024.txt
PQI_AREA_RISKADJ.sas	2000-2023_Population_Files_v2024.txt, either PQI_Area_Sigvar_Array_v2024.sas or PQI_Area_Sigvar_Array_SES_v2024.sas, either PQI_Area_OE_Array_v2024.sas or PQI_Area_OE_Array_SES_v2024.sas, and auxiliary covariate CSV files

2.2 Inpatient Quality Indicators (IQIs) Quick Reference

2.2.1 Processing Steps

Figure 4 shows the processing steps for the hospital-level indicators in the IQI software package. [Table 6](#) lists all IQIs. All IQIs are calculated using the IQI software package.

Figure 4. Processing Steps for the Hospital-Level Indicators in the IQI Software Package



NOTE: Each of the SAS programs in this figure is executed in the IQI_HOSP_CONTROL.sas program, which contains code the user must modify in order to run the IQI software. The modifications include such items as specifying the name and location of the input dataset, the population dataset, the format library, the macro programs,

and the output datasets; setting print options; setting default values; and setting individual flag variables to run each of the main SAS programs See [Appendix C](#) for a complete list of programs in the software package.

Table 6. IQIs and Variable Abbreviations Used in the IQI Software Package

INDICATOR ABBREV	INPATIENT QUALITY INDICATOR	SAS VARIABLE ABBREV
HOSPITAL-LEVEL INDICATORS		
IQI 08	Esophageal Resection Mortality Rate	IQ08
IQI 09	Pancreatic Resection Mortality Rate	IQ09
IQI 09_WITH_CANCER	Pancreatic Resection Mortality Rate Stratum A: Presence of Pancreatic Cancer	IQ09_WITH_CANCER
IQI 09_WITHOUT_CANCER	Pancreatic Resection Mortality Rate Stratum B: Absence of Pancreatic Cancer	IQ09_WITHOUT_CANCER
IQI 11	Abdominal Aortic Aneurysm (AAA) Repair Mortality Rate	IQ11
IQI 11_OPEN_RUPTURED	Abdominal Aortic Aneurysm (AAA) Repair Mortality Rate Stratum: Open Repair of Ruptured AAA	IQ11_OPEN_RUPTURED
IQI 11_OPEN_UNRUPTURED	Abdominal Aortic Aneurysm (AAA) Repair Mortality Rate Stratum: Open Repair of Unruptured AAA	IQ11_OPEN_UNRUPTURED
IQI 11_ENDO_RUPTURED	Abdominal Aortic Aneurysm (AAA) Repair Mortality Rate Stratum: Endovascular Repair of Ruptured AAA	IQ11_ENDO_RUPTURED
IQI 11_ENDO_UNRUPTURED	Abdominal Aortic Aneurysm (AAA) Repair Mortality Rate Stratum: Endovascular Repair of Unruptured AAA	IQ11_ENDO_UNRUPTURED
IQI 12	Coronary Artery Bypass Graft (CABG) Mortality Rate	IQ12
IQI 15	Acute Myocardial Infarction (AMI) Mortality Rate	IQ15
IQI 16	Heart Failure Mortality Rate	IQ16
IQI 17	Acute Stroke Mortality Rate	IQ17
IQI 17_HEMSTROKE_SUBARACH	Acute Stroke Mortality Rate Stratum: Subarachnoid Hemorrhage	IQ17_HEMSTROKE_SUBARACH
IQI 17_HEMSTROKE_INTRACER	Acute Stroke Mortality Rate Stratum: Intracerebral Hemorrhage	IQ17_HEMSTROKE_INTRACER
IQI 17_ISCHEMSTROKE	Acute Stroke Mortality Rate Stratum: Ischemic Stroke	IQ17_ISCHEMSTROKE
IQI 18	Gastrointestinal Hemorrhage Mortality Rate	IQ18
IQI 19	Hip Fracture Mortality Rate	IQ19
IQI 20	Pneumonia Mortality Rate	IQ20

INDICATOR ABBREV	INPATIENT QUALITY INDICATOR	SAS VARIABLE ABBREV
IQI 21	Cesarean Delivery Rate, Uncomplicated	IQ21
IQI 22	Vaginal Birth After Cesarean (VBAC) Delivery Rate, Uncomplicated	IQ22
IQI 30	Percutaneous Coronary Intervention (PCI) Mortality Rate	IQ30
IQI 31	Carotid Endarterectomy Mortality Rate	IQ31
IQI 33	Primary Cesarean Delivery Rate, Uncomplicated	IQ33
IQI 90	Mortality for Selected Inpatient Procedures	IQ90
IQI 91	Mortality for Selected Inpatient Conditions	IQ91

2.2.2 Variable Naming

The SAS programs in the IQI software package use a consistent naming convention for the variables that store the different indicator results. The first character of the variable name (the prefix) indicates what type of result the variable stores (see [Table 7](#)). The second character is “P” if the indicator is provider- or hospital-level (all IQIs are hospital-level indicators). The remaining characters are abbreviations that identify the indicator by module and number. The first two characters of the abbreviation are “IQ” to indicate that the result is associated with the IQI module. The last characters in the abbreviation are numbers and letters matching the indicator number and stratum (if applicable) within the module.

[Table 7](#) lists the prefixes used to name the IQI SAS variables. Examples of this naming convention applied to IQI 08 are provided in the table. Not all variables are reported for all indicators. For example, the risk-adjusted rate, the smoothed rate, and standard error of the smoothed rate are not reported at the stratum-level for IQI 09, 11, and 17 because stratum-level risk adjustment models are no longer supported for IQI 09, 11, 17 starting with v2024.

[Appendix D](#) provides a complete list of key variables calculated for each indicator.

Table 7. Prefixes for the Variables Used to Store IQI Results (Except Composites)

PREFIX	TYPE OF RESULT	COMPOSITE FILE ONLY	EXAMPLE HOSPITAL-LEVEL INDICATORS (IQI 08)
T	Numerator (top)		TPIQ08
P	Population denominator		PPIQ08
O	Observed rate		OPIQ08
E	Expected rate ¹		EPIQ08
R	Risk-adjusted rate ¹		RPIQ08
V	Variance of the risk-adjusted rate ¹		VPIQ08
L	Lower limit of confidence interval of risk-adjusted		LPIQ08

PREFIX	TYPE OF RESULT	COMPOSITE FILE ONLY	EXAMPLE HOSPITAL-LEVEL INDICATORS (IQI 08)
U	Upper limit of confidence interval of risk-adjusted		UPIQ08
SN	Reliability of the risk-adjusted rate ¹		SNPIQ08
S	Smoothed rate ¹		SPIQ08
X	Standard error of the smoothed rate ¹		XPIQ08
V	Noise variance of the composite ¹		VPIQ08
A	Reliability weight for composite ¹	X	APIQ08
W	Component weight for composite ¹	X	WPIQ08
REF	Reference population	X	REFIQ08

¹ Some types of results will not be applicable to certain indicators. See [Appendix D](#) for a complete list of variables by indicator.

Hospital-level composite variables do not have prefixes. The variables for the composite indicators IQI 90 and IQI 91 are shown in [Table 8](#).

Table 8. Variables Used for Hospital-Level IQI Composites

TYPE OF RESULT	IQI 90	IQI 91
Composite score	IQC90	IQC91
Variance for the composite score	IQC90VAR	IQC91VAR
Standard error for the composite score	IQC90SE	IQC91SE
Weighted denominator for the composite score	IQC90WHT	IQC91WHT
Lower confidence interval for the composite score	IQC90LB	IQC91LB
Upper confidence interval for the composite score	IQC90UB	IQC91UB

2.2.3 Files in Software Package

[Table 9](#) lists the SAS programs included in the IQI software package and indicates which auxiliary files (if any) are required by those program files. The IQI SAS programs load data from auxiliary files. These auxiliary files are in ASCII text (.txt), SAS program (.sas), or comma-separated values (CSV) file formats. The text or CSV files do not need to be converted to SAS format in order to use them with the software. All of the other auxiliary files are included in the downloadable IQI software package.

[Appendix C](#) provides a complete list of IQI SAS programs and auxiliary files in the IQI software package.

Table 9. Programs Included in the IQI Software Package

SAS PROGRAM FILE NAME	REQUIRED AUXILIARY MACRO, ASCII, AND CSV FILES
IQI_HOSP_CONTROL.sas	IQI_HOSP_Dx_Pr_Macros_v2024.sas
IQI_HOSP_FORMATS.sas	IQI_HOSP_DXCCSR_Format_v2024.sas, IQI_HOSP_PRCCSR_Format_v2024.sas
IQI_HOSP_MEASURES.sas	IQI_HOSP_DXCCSR_Code_v2024.sas, IQI_HOSP_PRCCSR_Code_v2024.sas
IQI_HOSP_OBSERVED.sas	N/A
IQI_HOSP_RISKADJ.sas	IQI_HOSP_Regvars_v2024.sas, IQI_HOSP_Sigvar_Array_v2024.sas, IQI_HOSP_OE_Array_v2024.sas, and auxiliary CSV files
IQI_HOSP_COMPOSITE.sas	IQI_HOSP_Composite_Array_v2024.sas, and IQI_HOSP_Composite_Wt_v2024.sas


2.3 Patient Safety Indicators (PSIs) Quick Reference

2.3.1 Processing Steps

[Figure 5](#) shows the processing steps for the hospital-level indicators in the PSI software package.

[Table 10](#) lists all PSIs. All but one PSI is calculated using the PSI software package. PSI 17–Birth Trauma Rate–Injury to Neonate is an indicator that can be calculated using either the PSI 17 software package or the PDI module software package. The PSI 17 software package is available as a separate download from the AHRQ QIs website.

Figure 5. Processing Steps for the Hospital-Level Indicators in the PSI Software Package (except PSI 17)



NOTE: Each of the SAS programs in this figure is executed in the PSI_HOSP_CONTROL.sas program, which contains code the user must modify in order to run the PSI software. The modifications include such items as specifying the name and location of the input dataset, the population dataset, the format library, the macro programs, and the output datasets; setting print options; setting default values; and setting individual flag variables to run each of the main SAS programs. See [Appendix C](#) for a complete list of programs in the software package. * PSI 17 can be calculated using the PSI 17 software package (with similar processing steps to the diagram above) or the PDI module software package.

Table 10. PSIs and Variable Abbreviations Used in Software

INDICATOR ABBREV	PATIENT SAFETY INDICATOR	SAS VARIABLE ABBREV
HOSPITAL-LEVEL INDICATORS		
PSI 02	Death Rate in Low-Mortality Diagnosis-Related Groups (DRGs)	PS02
PSI 03	Pressure Ulcer Rate	PS03
PSI 04	Death Rate among Surgical Inpatients with Serious Treatable Complications	PS04
PSI 04 Stratum _DVT_PE	Death Rate Among Surgical Inpatients with Serious Treatable Complications Stratum: Deep Vein Thrombosis/Pulmonary Embolism (DVT/PE)	PS04_DVT_PE
PSI 04 Stratum _PNEUMONIA	Death Rate Among Surgical Inpatients with Serious Treatable Complications Stratum: Pneumonia	PS04_PNEUMONIA
PSI 04 Stratum _SEPSIS	Death Rate Among Surgical Inpatients with Serious Treatable Complications Stratum: Sepsis	PS04_SEPSIS
PSI 04 Stratum _SHOCK	Death Rate Among Surgical Inpatients with Serious Treatable Complications Stratum: Shock/Cardiac Arrest	PS04_SHOCK
PSI 04 Stratum _GIHEMORRHAGE	Death Rate Among Surgical Inpatients with Serious Treatable Complications Stratum: Gastrointestinal (GI) Hemorrhage/Acute Ulcer	PS04_GIHEMORRHAGE
PSI 05	Retained Surgical Item or Unretrieved Device Fragment Count	PS05
PSI 06	Iatrogenic Pneumothorax Rate	PS06
PSI 07	Central Venous Catheter-Related Blood Stream Infection Rate	PS07
PSI 08	In-Hospital Fall-Associated Fracture Rate ¹	PS08
PSI 08_HIP_FX	In-Hospital Fall with Hip Fracture Rate Component	PS08_HIP_FX
PSI 08_OTHER_FX	In-Hospital Fall with Other Fracture Rate Component	PS08_OTHER_FX

INDICATOR ABBREV	PATIENT SAFETY INDICATOR	SAS VARIABLE ABBREV
PSI 09	Postoperative Hemorrhage or Hematoma Rate ²	PS09
PSI 10	Postoperative Acute Kidney Injury Requiring Dialysis Rate ³	PS10
PSI 11	Postoperative Respiratory Failure Rate	PS11
PSI 12	Perioperative Pulmonary Embolism or Deep Vein Thrombosis (PE/DVT) Rate	PS12
PSI 13	Postoperative Sepsis Rate	PS13
PSI 14	Postoperative Wound Dehiscence Rate	PS14
PSI 14 Stratum_OPEN	Postoperative Wound Dehiscence Rate Stratum: Open Approach	PS14_OPEN
PSI 14 Stratum_NONOPEN	Postoperative Wound Dehiscence Rate Stratum: Non-Open Approach	PSI14_NONOPEN
PSI 15	Abdominopelvic Accidental Puncture or Laceration Rate ⁴	PS15
PSI 17 ⁵	Birth Trauma Rate—Injury to Neonate	PS17
PSI 18	Obstetric Trauma Rate—Vaginal Delivery with Instrument	PS18
PSI 19	Obstetric Trauma Rate—Vaginal Delivery without Instrument	PS19
PSI 90	Patient Safety and Adverse Events Composite ⁶	PS90

¹ Previously called “Postoperative Hip Fracture” prior to v6.0 and “In-Hospital Fall with Hip Fracture Rate” from v6.0 through v2022.

² Previously called “Perioperative Hemorrhage or Hematoma Rate” prior to v2021.

³ Previously called “Postoperative Physiologic and Metabolic Derangement” prior to v5.0.

⁴ Previously called “Unrecognized Abdominopelvic Accidental Puncture or Laceration Rate” prior to v2020.

⁵ Calculated in the PSI 17 software package or PSI Module software package.

⁶ Previously called “Patient Safety for Selected Indicators” prior to v6.0.

2.3.2. Variable Naming

The SAS programs in the PSI software package use a consistent naming convention for the variables used to store the different indicator results. The first character of the variable name (the prefix) indicates what type of result the variable stores (see [Table 11](#)). The second character is “P” if the indicator is provider or hospital level (all PSIs are hospital-level indicators). The remaining characters are an abbreviation that identifies the indicator by module and number. The first two characters of the abbreviation are “PS” to indicate the result is associated with the PSI module. The last characters in the abbreviation are numbers and letters matching the indicator number and stratum (if applicable) within the module.

[Table 11](#) lists the prefixes used to name the PSI SAS variables. Examples of this naming convention applied to PSI 13 are also provided in the table. Not all variables are reported for all indicators. For example, the risk-adjusted rate, the smoothed rate, and standard error of the smoothed rate are not

reported at the stratum-level for PSI 14 because stratum-level risk adjustment models are no longer supported for PSI 14 starting with v2024.⁹

[Appendix D](#) provides a complete list of variables calculated for each indicator.

Table 11. Prefixes for the Variables Used to Store PSI Results (except Composite)

PREFIX	TYPE OF RESULT	COMPOSITE FILE ONLY	EXAMPLE HOSPITAL-LEVEL INDICATORS (PSI 13)
T	Inpatient numerator (top)		TPPS13
P	Population denominator (pop)		PPPS13
H	Denominator PRCLASS or IMMUNE Risk Categories flag (applies only to PSI 13 and PSI 15 respectively)		HPPS13
O	Observed rate		OPPS13
E	Expected rate ¹		EPPS13
R	Risk-adjusted rate ¹		RPPS13
V	Variance of the risk-adjusted rate ¹		VPPS13
L	Lower limit of confidence interval of risk-adjusted rate ¹		LPPS13
U	Upper limit of confidence interval of risk-adjusted rate ¹		UPPS13
SN	Reliability of the risk-adjusted rate ¹		SNPPS13
S	Smoothed rate (not reported for stratified indicators) ¹		SPPS13
X	Standard error of the smoothed rate ¹		XPPS13
V	Noise variance of the composite ¹	X	VPPS13
A	Reliability weight for composite ¹	X	APPS13
W	Component weight for composite ¹	X	WPPS13
REF	Reference population weight ¹	X	REFPS13

¹ Some types of results will not be applicable to certain indicators. See [Appendix D](#) for a complete list of variables by indicator.

⁹ Please refer to the Empirical Methods Documentation for details

Hospital-level composite variables do not have prefixes. The variables for the composite indicator PSI 90 are shown in [Table 12](#).

Table 12. Variables Used for Hospital-Level PSI Composite

TYPE OF RESULT	PSI 90
Composite score	COMP1
Variance for the composite score	COMP1VAR
Standard error for the composite score	COMP1SE
Weighted denominator for the composite score	COMP1WHT
Lower confidence interval for the composite score	COMP1LB
Upper confidence interval for the composite score	COMP1UB

2.3.3 Files in Software Package

The PSI SAS programs load data from auxiliary files. These auxiliary files are in ASCII text (.txt), SAS program (.sas), or comma-separated values (.csv) file formats. These files do not need to be converted to SAS format in order to use them with the software. [Table 13](#) lists the SAS programs included in the PSI module and indicates which auxiliary files (if any) are required by those program files. All other auxiliary files are included in the PSI module download package. [Appendix C](#) provides a complete list of PSI SAS programs and auxiliary files in the PSI software package.

Table 13. Programs Included in the PSI Software Package

SAS PROGRAM FILE NAME	REQUIRED AUXILIARY MACRO, ASCII, AND
PSI_HOSP_CONTROL.sas	PSI_HOSP_Dx_Pr_Macro_v2024.sas
PSI_HOSP_FORMATS.sas	PSI_HOSP_Comorrb_Format_v2024.sas
PSI_HOSP_MEASURES.sas	PSI_HOSP_Comorrb_Code_v2024.sas, PSI_03_Site_Specific_Macro_v2024.sas, PSI_15_Site_Specific_Macro_v2024.sas, PSI_15_Num_Denom_Macro_v2024.sas
PSI_HOSP_OBSERVED.SAS.sas	N/A
PSI_HOSP_RISKADJ.SAS.sas	PSI_HOSP_Regvars_v2024.sas, PSI_HOSP_Sigvar_Array_v2024.sas, PSI_HOSP_OE_Array_v2024.sas, and auxiliary CSV files
PSI_HOSP_COMPOSITE.sas	PSI_HOSP_Composite_Arrays_v2024.sas, PSI_HOSP_Composite_Wt_v2024.sas

2.4 Pediatric Quality Indicators (PDIs) Quick Reference


2.4.1 Processing Steps

[Figure 6](#) shows the processing steps for the area-level indicators in the PDI module, and [Figure 7](#) shows the processing steps for the hospital-level indicators in the PDI module. [Table 14](#) lists the indicators calculated in the PDI module, arranged by area-level or hospital-level. The module calculates four area-level indicators and six hospital-level indicators that focus on the pediatric population. In addition, the module calculates one Neonatal Quality Indicator (NQI) focused on neonatal care.

One indicator that is conceptually related to other modules, PSI 17 Birth Trauma Rate–Injury to Neonate, is calculated within the PDI module because it is based on the number of births. In addition, the

standalone module was introduced with SAS QI v5.0. The PSI 17 software package calculates this indicator without the need to run the entire PDI software package. This standalone software package is available as a separate download from the AHRQ QI website. The standalone software package includes the same processing steps as the hospital-level PDI module for PSI 17.


Figure 6. Processing Steps for the Area-Level Indicators in the PDI Software Package



NOTE: Each of the SAS programs in this figure is executed in the PDI_ALL_CONTROL.sas program, which contains code the user must modify in order to run the PDI software. The modifications include such items as specifying the name and location of the input dataset, the population dataset, the format library, the macro programs, and the output datasets; setting print options; setting default values; and setting

individual flag variables to run each of the main SAS programs. See [Appendix C](#) for a complete list of programs in the software package.

Figure 7. Processing Steps for the Hospital-Level Indicators in the PDI Software Package



NOTE: Each of the SAS programs in this figure is executed in the PDI_ALL_CONTROL.sas program, which contains code the user must modify in order to run the PDI software. The modifications include such items as specifying the name and location of the input dataset, the population dataset, the format library, the macro programs, and the output datasets; setting print options; setting default values; and setting the individual flag variables to run each of the main SAS programs. See [Appendix C](#) for a complete list of programs in the software package.

Table 14. PDIs and Variable Abbreviations Used in PDI Software

INDICATOR ABBREV	INDICATOR	SAS VARIABLE ABBREV
AREA-LEVEL INDICATORS		
PDI 14	Asthma Admission Rate	PD14
PDI 15	Diabetes Short-Term Complications Admission Rate	PD15
PDI 16	Gastroenteritis Admission Rate	PD16
PDI 18	Urinary Tract Infection Admission Rate	PD18
PDI 90	Pediatric Quality Overall Composite	PD90

INDICATOR ABBREV	INDICATOR	SAS VARIABLE ABBREV
PDI 91	Pediatric Quality Acute Composite	PD91
PDI 92	Pediatric Quality Chronic Composite	PD92
HOSPITAL-LEVEL INDICATORS		
NQI 03	Neonatal Blood Stream Infection Rate	NQ03
PDI 01	Accidental Puncture or Laceration Rate	PD01
PDI 05	Iatrogenic Pneumothorax Rate	PD05
PDI 08	Postoperative Hemorrhage or Hematoma Rate ¹	PD08
PDI 09	Postoperative Respiratory Failure Rate	PD09
PDI 10	Postoperative Sepsis Rate	PD10
PDI 12	Central Venous Catheter-Related Blood Stream Infection Rate	PD12

¹Previously called “Perioperative Hemorrhage or Hematoma Rate” prior to v2021.

2.4.2 Variable Naming

The SAS programs in the PDI module use a consistent naming convention for the variables used to store the different indicator results. The first character of the variable name (the prefix) indicates what type of result the variable stores (see [Table 15](#)). The second character is either “A” if the indicator is area level or “P” if the indicator is provider or hospital level. The remaining characters are an abbreviation that identifies the indicator by module and number. The abbreviation is based on the conceptual module to which the indicator belongs: “PD” for the indicators labeled as PDI, “NQ” for the indicators labeled as NQI, “PQ” for the indicator labeled as PQI, “QE” for the indicator labeled as PQE, and “PS” for the indicator labeled as PSI. The last characters in the abbreviation are numbers matching the indicator number.

[Table 15](#) lists the prefixes used to name the PDI SAS variables. Examples of this naming convention applied to PDI 10 and PDI 14 are provided in the table. [Appendix D](#) provides a complete list of variables calculated for each indicator.

Table 15. Prefixes for the Variables Used to Store PDI Results

PREFIX	TYPE OF RESULT	EXAMPLES	
		AREA-LEVEL INDICATOR (PDI 14)	HOSPITAL-LEVEL INDICATOR (PDI 10)
T	Inpatient numerator (top)	TAPD14	TPPD10
P	Population denominator (pop)	PAPD14	PPPD10

PREFIX	TYPE OF RESULT	EXAMPLES	
		AREA-LEVEL INDICATOR (PDI 14)	HOSPITAL-LEVEL INDICATOR (PDI 10)
G	Denominator Risk Categories flag (applies only to PDI 08 with Denominator Risk Categories, PDI 10 with Surgical Risk Categories, and PDI 12 with Denominator Risk Categories)	--	GPPD10
H	Denominator PRCLASS or IMMUNE Risk Categories flag (applies only to PDI 01 and PDI 10 respectively)	--	HPPD10
O	Observed rate	OAPD14	OPPD10
E	Expected rate	EAPD14	EPPD10
R	Risk-adjusted rate	RAPD14	RPPD10
V	Variance of the risk-adjusted rate	VAPD14	VPPD10
L	Lower limit of confidence interval for risk-adjusted rate	LAPD14	LPPD10
U	Upper limit of confidence interval for risk-adjusted rate	UAPD14	UPPD10
SN	Reliability of the risk-adjusted rate	SNAPD14	SNPPD10
S	Smoothed rate	SAPD14	SPPD10
X	Standard error of the smoothed rate	XAPD14	XPPD10

NOTE: Dashes (--) indicate the variable is not created in the software. See [Appendix D](#) for a complete list of variables by indicator.

2.4.3 Files in Software Package

[Table 16](#) lists the SAS programs included in the PDI software and indicates which auxiliary files (if any) are required by those program files. The PDI SAS programs load data from auxiliary files. These auxiliary files are in ASCII text (.txt), SAS program (.sas), or comma-separated values (.csv) file formats. The text or CSV files do not need to be converted to SAS format in order to use them with the software. The 2000–2023 Population File, 2000-2023_Population_Files_v2024.txt, is available on the AHRQ QIs website as a separate download. All of the other auxiliary files are included in the PDI software download package. [Appendix C](#) provides a complete list of PDI SAS programs and auxiliary files in the PDI software package.

Table 16. Programs Included in the PDI Software Package


SAS PROGRAM FILE NAME	REQUIRED AUXILIARY MACRO, ASCII, AND
PDI_ALL_CONTROL.sas	PDI_Dx_Pr_Macros_v2024.sas
PDI_ALL_FORMATS.sas	PDI_CCSR_Format_v2024.sas, PDI_Comorb_Format_v2024.sas
PDI_ALL_MEASURES.sas	PDI_CCSR_Code_v2024.sas, PDI_Comorb_Code_v2024.sas
PDI_AREA_OBSERVED.sas	2000-2023_Population_Files_v2024.txt
PDI_AREA_RISKADJ.sas	2000-2023_Population_Files_v2024.txt, either PDI_Area_Sigvar_Array_v2024.sas or PDI_Area_Sigvar_Array_SES_v2024.sas, either PDI_Area_OE_Array_v2024.sas or PDI_Area_OE_Array_SES_v2024.sas, and auxiliary covariate CSV files
PDI_HOSP_OBSERVED.sas	N/A
PDI_HOSP_STRATIFIED.sas (Applies only to PDI 08, PDI 10 and PDI 12)	N/A
PDI_HOSP_RISKADJ.sas	PDI_HOSP_Regvars_v2024.sas, PDI_HOSP_Sigvar_Array_v2024.sas, PDI_HOSP_OE_Array_v2024.sas, and auxiliary CSV files

2.5 Prevention Quality Indicators in Emergency Department Settings (PQEs) Quick Reference

2.5.1 Processing Steps

[Figure 8](#) shows the processing steps for the PQE software package. [Table 17](#) lists all PQEs, all of which are area-level indicators. All Prevention Quality Indicators in Emergency Department Settings indicators are calculated using the PQE software package.

Figure 8. Processing Steps for the Area-level Indicators in the PQE Software Package*



NOTE: Each of the SAS programs in this figure is executed in the PQE_AREA_CONTROL.sas program, which contains code the user must modify in order to run the PQE software. The modifications include such items as specifying the name and location of the input dataset, the population dataset, the format library, the macro programs, and the output datasets; setting print options; setting default values; and setting individual flag variables to run each of the main SAS programs. See [Appendix C](#) for a complete list of programs in the software package.

* All indicators in the PQE module are at the area level.

Table 17. PQEs and Variable Abbreviations Used in PQE Software

INDICATOR ABBREV	PREVENTION QUALITY INDICATOR IN ED	SAS VARIABLE ABBREV
AREA-LEVEL INDICATORS		
PQE 01	Visits for Non-Traumatic Dental Conditions in ED	QE01
PQE 02	Visits for Chronic Ambulatory Care Sensitive Conditions in ED	QE02
PQE 03	Visits for Acute Ambulatory Care Sensitive Conditions in ED	QE03
PQE 04	Visits for Asthma in ED	QE04
PQE 05	Visits for Back Pain in ED	QE05

2.5.2 Variable Naming

The SAS programs in the PQE software package use a consistent naming convention for the variables used to store the different indicator results. The first character of the variable name (the prefix) indicates what type of result the variable stores (see [Table 18](#)). The second character is “A” to note that the indicator is calculated at the area level (all PQEs are area-level indicators). The remaining characters are an abbreviation that identifies the indicator by module (e.g., “QE”) and indicator number (e.g., “01”).

[Table 18](#) lists the prefixes used to name the PQE SAS variables; examples of this naming convention applied to PQE 01 are provided in the table. [Appendix D](#) provides a complete list of key variables calculated for each indicator.

Table 18. Prefixes for the Variables Used to Store PQE Results

PREFIX	TYPE OF RESULT	EXAMPLE AREA-LEVEL INDICATORS (PQE 01)
T	Numerator (top)	TAQE01
P	Population denominator (pop)	PAQE01
O	Observed rate	OAQE01
E	Expected rate ¹	EAQE01
R	Risk-adjusted rate ¹	RAQE01
V	Variance of the risk adjusted rate ¹	VAQE01
L	Lower limit of confidence interval of risk-adjusted rate ¹	LAQE01
U	Upper limit of confidence interval of risk-adjusted rate ¹	UAQE01
SN	Reliability of the risk-adjusted rate ¹	SNAQE01
S	Smoothed rate ¹	SAQE01
X	Standard error of the smoothed rate ¹	XAQE01

¹ Some types of results will not be applicable to certain indicators. See [Appendix D](#) for a complete list of variables by indicator.

2.5.3 Files in Software Package

[Table 19](#) lists the SAS programs that are included in the PQE software package and indicates which auxiliary files (if any) are required by those program files. The PQE SAS programs load information from

auxiliary files. These auxiliary files are in ASCII text (.txt) format. These files do not need to be converted to SAS format in order to use them with the software. The 2000–2023 Population File, 2000-2023_Population_Files_v2024.txt, is available on the AHRQ QIs website as a separate download. All of the other auxiliary files are included in the downloadable PQE software package. [Appendix C](#) provides a complete list of PQE SAS programs and auxiliary files in the PQE software package, including whether the programs are available for use with ICD-10-CM/PCS coded data.

Table 19. Files Included in the PQE Software Package

SAS PROGRAM FILE NAME	REQUIRED AUXILIARY MACRO AND ASCII FILES
PQE_AREA_CONTROL.sas	PQE_Dx_Macros_v2024.sas
PQE_AREA_FORMATS.sas	N/A
PQE_AREA_MEASURES.sas	N/A
PQE_AREA_OBSERVED.sas	2000-2023_Population_Files_v2024.txt
PQE_AREA_RISKADJ.sas	2000-2023_Population_Files_v2024.txt, either PQE_Area_Sigvar_Array_v2024.sas or PQE_Area_Sigvar_Array_SES_v2024.sas, PQE_Area_OE_Array_v2024.sas or PQE_Area_OE_Array_SES_v2024.sas, and auxiliary covariate CSV files

Chapter 3. Data Elements and Coding Conventions

[Appendix F](#) contains a detailed description of the input data elements and coding conventions used by the SAS® QI software v2024.

3.1 Software Input Data

- This software was written to process data from discharge data abstracts that contain information about hospital stays and, for PQEs, ED visits.
- The input data file for the QI software must be a SAS dataset.
- It is strongly recommended that users re-code data elements in their input file to be consistent with the coding expected by the software. This step will minimize the number of changes that will be necessary in the SAS programs. For example, re-coding the SEX data element in the input file to be consistent with the coding described in [Appendix F](#) (e.g., “1” for male and “2” for female) is easier than modifying all uses of the SEX data element in the SAS programs.
- To minimize changes to the SAS programs, all required data elements should be present in the input data file ([Appendix F](#)). If a required data element is not available, users must be cautious about creating a placeholder data element (i.e., a variable with the same name and format as the required data element but with missing values). In some instances, however, creating a placeholder data element with missing values can result in errors (e.g., MDC). The comments column of [Appendix F](#) highlights the critical data elements and the impact of calculation results should a placeholder data element be created.
- If a specific data element is not used by the program, it is not necessary to create a placeholder variable in the input data file. For example, the data element for age in days (when age is less than 1), AGEDAY, is used only by the PDI software package, so it is not necessary to have this data element in the input data file or create a placeholder variable for IQI, PSI, PQI, and PQE modules to run correctly.
- Not every value for every data element described in [Appendix F](#) is referenced by SAS programs. For example, only two of the discharge disposition (DISP) data element values are used in the software (DISP value “2” for short-term hospital and value “20” for died in the hospital). The complete set of values is included in [Appendix F](#).
- Depending on user preferences, not all discharge data records need to be included in a dataset for analysis. For example, a user may decide to drop discharge records for hospice or swing bed patients. Discharge records for hospice patients can be dropped from the input data file using either the Type of Bill or Point of Origin (PointOfOriginUB04) data elements. Please note, however, that all records from community, non-rehabilitation, acute care, and non-long-term acute care hospitals are included in the analysis to develop parameter estimates for risk adjustment models and the calculation of nationwide rates.
- Unlike other QI modules, the PQEs combine inpatient discharge records with outpatient records from the emergency department. [Appendix K](#) describes how emergency department records and discharge records of patients entering through the emergency department can be identified. [Appendix K](#) also describes how such records can be combined and how variables needed specifically for the PQEs can be assigned. Numerator specifications for one of the PQEs, PQE 05

Visits for Back Pain in ED, require that patients with two or more visits in a 12-month period be identifiable. PQE 05 logic makes use of additional variables to link together the visits of a single individual. The variables and assignment methods are described in [Appendix L](#).

3.2 Coding of Diagnoses, Procedures, Present on Admission, and External Cause of Injury

3.2.1 Diagnoses and Procedures

Diagnoses and procedures must be coded using the International Classification of Diseases, 10th Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS) (beginning October 1, 2015).

Significant modifications were made to ICD-9-CM codes in the early 1990s, and the Centers for Medicare & Medicaid Services (CMS) Diagnosis-Related Group (DRG) grouper was changed to the Medicare Severity Diagnosis-Related Groups (MS-DRGs) grouper in 2007. AHRQ QI ICD-9-CM definitions only reflect ICD-9-CM codes valid on and after October 1, 1994 and through September 30, 2015, and any DRG based on MS-DRGs version 25 to version 32. The AHRQ QI ICD-9-CM software may not accurately analyze data collected before October 1, 2007. AHRQ QI ICD-10-CM/PCS definitions reflect ICD-10-CM/PCS codes valid on or after October 1, 2015, and any DRG based on MS-DRG version 33 or later. AHRQ expects significant modifications to ICD-10-CM/PCS codes in the coming years. The technical specifications and software will be continually refined and updated as new ICD-10-CM/PCS codes become available.

3.2.1.1 ICD-10-CM/PCS Diagnosis and Procedure Codes

In practice, ICD-10-CM diagnoses are represented by three- to seven-character codes with explicit decimals. In SAS QI software, ICD-10-CM diagnoses are represented with implicit decimals (no decimals present). Examples are given in [Table 20](#).

Table 20. Examples of ICD-10-CM Diagnosis Codes

CONDITION	ICD-10-CM DIAGNOSIS CODE	ALPHANUMERIC CODE (WITH IMPLICIT DECIMAL)
Reactive arthropathy, unspecified	M02.9	M029
Other reactive arthropathies, multiple sites	M02.89	M0289
Other reactive arthropathies, unspecified ankle and foot	M02.879	M02879

Alphanumeric diagnosis codes must be left-justified so that two spaces follow a five-character diagnosis code and one space follows a six-character diagnosis code (e.g., M02.879 and M02879). Trailing blanks should **never** be zero-padded (filled with zeroes so that all seven characters are filled for codes that should be three or four characters long). For example, A191 should not be changed to A191000.

In practice, ICD-10-PCS procedures are represented as seven-character codes. All seven characters must be specified for the code to be valid. Each character in the seven-character code represents an aspect of the procedure. If a device or qualifier is not used in the procedure, the character location is populated by the letter “Z” in order to ensure that all PCS codes are seven characters. ICD-10-PCS procedure codes do not contain implicit or explicit decimals. Letters “O” and “I” are not used to avoid confusion with

numbers “0” and “1.” Leading zeroes must be preserved as they are significant. Examples are given in [Table 21](#).

Table 21. Examples of ICD-10-PCS Procedure Codes

PROCEDURE	ICD-10-PCS PROCEDURE CODE	ALPHANUMERIC CODE (WITH IMPLICIT DECIMAL)
Division of Brain, Open Approach	00800ZZ	00800ZZ
Repair Right Thumb Phalanx, Open Approach	0PQR0ZZ	0PQR0ZZ

SAS QI v2024 software packages account for ICD-10-CM/PCS coding effective October 1, 2015; October 1, 2016; October 1, 2017; October 1, 2018; October 1, 2019; October 1, 2020; October 1, 2021; October 1, 2022; and October 1, 2023.

3.2.2 Diagnoses Present on Admission

The present on admission (POA) modifier in hospital administrative data distinguishes medical conditions that are present when patients enter the hospital (i.e., comorbidities or preexisting conditions) from those that first occur during the hospital stay (complications or in-hospital adverse events). Beginning with FY 2008 (October 1, 2007), the UB-04 data specification manual includes a POA indicator (<https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/HospitalAcqCond/Coding.html>).

POA indicators can be reported with principal and secondary diagnoses, in addition to external cause-of-injury codes. Some diagnoses are exempt from POA reporting. The coding guidelines for POA are available online in Appendix I of the ICD-10-CM Official Guidelines for Coding and Reporting (<https://www.cms.gov/files/document/fy-2024-icd-10-cm-coding-guidelines-updated-02/01/2024.pdf>).

The reporting of POA indicators may vary by hospital. For example, CMS considers certain types of hospitals exempt from POA reporting. Some examples include critical access hospitals, children’s hospitals, and cancer hospitals. Although these hospitals may be exempt from reporting POA data to CMS, state-specific mandates may require POA reporting. Users should be knowledgeable of the POA reporting requirements and practices of hospitals represented in the input data file. AHRQ has analyzed the completeness of POA coding in ICD-10-CM coded hospital billing data. Reports can be found at https://www.hcup-us.ahrq.gov/reports/methods/methods_topic.jsp.

Version 2024 of the PSI, PDI and IQI software packages requires the input file to include POA information. The PSI software requires POA information for individual indicator calculation. The PDI and IQI software calculate Clinical Classifications Software Refined for Diagnoses (DXCCSR) data elements that take into consideration POA information (see [Appendix E](#) for a complete list of variables).¹⁰

3.2.2.1 When the Input Data File to the SAS QI v2024 Includes POA Information

The ICD-10-CM/PCS Official Guidelines for Coding and Reporting identify some diagnoses that are exempt from POA reporting for one of the following reasons: (1) they represent circumstances regarding the healthcare encounter, (2) they indicate factors influencing health status that do not represent a current disease or injury, or (3) they are always present on admission. Some examples of exempt diagnosis codes

¹⁰ In the PDI and IQI modules of v2024 SAS QI software, the DXCCSR categories in the risk adjustment models are based on the patient’s all-listed diagnoses and consider POA information.

include old myocardial infarction, normal delivery, congenital anomalies, “Z” diagnosis codes indicating a history of disease, and external cause-of-injury codes specific to accidents. For the diagnoses that are exempt from POA reporting, the SAS QI v2024 software packages assume that the diagnosis is present on admission and did not occur during the hospital stay.

For diagnoses for which the ICD-10-CM Official Guidelines for Coding and Reporting require POA reporting, the SAS QI v2024 software packages use the following two POA values to indicate that the diagnosis was present on admission: “Y” for present at the time of inpatient admission, and “W” for hospital is unable to clinically determine whether condition was present on admission. A blank or any value other than “Y” or “W” for POA (DXPOAnn) will indicate that the diagnosis was not present on admission.

- Diagnoses exempt from POA reporting are assumed to be present on admission.
- Nonexempt diagnoses are identified as present on admission by one of the following POA values: “Y” for present at the time of inpatient admission and “W” for hospital unable to clinically determine whether condition was present on admission.
- Nonexempt diagnoses are identified as not POA by “N,” “U,” “E,” “1,” or “X”. Blank values are considered as not present on admission.

3.2.2.2 When the Input Data File to the SAS QI v2024 Does Not Include POA Information

For the diagnoses that are exempt from POA reporting, the SAS QI v2024 software packages assume that the diagnosis is present on admission and did not occur during the hospital stay. When no POA information is present, the SAS QI v2024 assumes the diagnosis was not present on admission for all nonexempt diagnoses. This assumption means that patient safety events identified by some of the PSIs and PDIs will be attributed to the hospital stay when, in fact, they were present on admission, but that information was unavailable.

- Diagnoses exempt from POA reporting are assumed to be POA.
- Nonexempt diagnoses are identified as not POA because the input file does not have the necessary information for someone to know otherwise.

3.3 Coding of MS-DRG and MDC

MS-DRGs and MDC are derived from the CMS MS-DRG grouper algorithm, which assigns the MDC based on the principal diagnosis. Different versions of the MS-DRG grouper produce slightly different results with respect to certain high resource intensity MS-DRGs. Specifically, MS-DRGs 001–019 and 981–989 are classified as “preMDC” MS-DRGs, which means that they are associated with such high length of stay and/or cost that they supersede the usual assignment of MS-DRGs within body system or MDC categories. For records assigned to these MS-DRGs, some versions of the grouper software retain the MDC that would be assigned based on the principal diagnosis and procedure codes, whereas other versions of the grouper software overwrite the MDC assignment with a blank, missing, or nonnumeric value such as “PRE.”

The grouper algorithm does not take into account pre-MDC classification. For those users who need to construct MDC, please view the documentation and software available here: <https://www.cms.gov/files/zip/icd-10-ms-drgs-v401-effective-april-1-2023.zip>. The software expects that these values in the input file will be consistent with the grouper software (i.e., MDC is based on principal

diagnosis) and that the user will be using the MS-DRG effective on the discharge date. The software accepts data elements of MS-DRG and MDC, accounting for the presence of POA data. Data should be coded accordingly. Starting with v2023, the software includes code lists for MDC 14 and MDC 15, which are commonly used exclusion criteria for many QIs, so users can generate results for many QIs without MDC. The software may be modified at the user's option to use other types of DRGs. However, the impact of using other types of DRGs should be evaluated carefully before making such a change. SAS QI v2024 accounts for MS-DRG coding effective through September 30, 2024.

3.4 Coding of Other Specific Data Elements

3.4.1 ATYPE—Admission Type

Seven of the indicators (PSI 04, PSI 10, PSI 11, PSI 13, PDI 08, PDI 09, and PDI 10) use admission type (ATYPE) to identify elective surgeries. If admission type is not available in the user's data, the user may want to evaluate other data elements in the file to create a proxy to identify elective admission types (e.g., scheduled admission, ASCHEd). If users do not have an alternative way to identify elective surgeries, discharges will be omitted from the calculation of the rates for the relevant indicators.

Ten of the indicators (NQI 03, PDI 01, PDI 05, PDI 08–PDI 10, PDI 12, PDI 16, PDI 18, and PSI 17) use ATYPE as one way to identify newborns. If ATYPE is not available in the user's data, the software will rely on ICD-10-CM diagnosis codes to identify neonates and newborns.

3.4.2 PSTCO—Patient State/County Code

The data element Patient State/County Code (PSTCO) is used to define the geographic area for the area-based QIs. It is named with a starting "P" to emphasize the importance of calculating the area-level indicators by the location of the patient's residence. If the user wants to calculate the area-level indicators that are based on the population of the metropolitan area or county associated with the patient's residence, the values for this variable should be the FIPS state/county code associated with each individual patient's place of residence. The default installation of SAS includes a ZIP Code table that can identify the state and county FIPS codes for patient ZIP Codes. It is available in the SASHELP library (link below). If using this file, verify that the file is up to date and review county results to understand how ZIP Codes crossing county boundaries are assigned. Each ZIP Code is assigned to one county even when crossing county lines. The most recent file is available from SAS support:

<http://support.sas.com/rnd/datavisualization/maponline/html/misc.html>.

- The software will generate area-level rates for each county included in the PSTCO data field.
- It is possible that some records in the input data file may be missing the patient FIPS code. Users should be aware that any records with missing values for PSTCO are excluded from the calculations of observed, risk-adjusted, and smoothed area-level rates. However, these records will be included in the numerator flags in the output analytic file from the *XXI_TYPE_MEASURES* program and included in overall rates.
- Users no longer need to use the modified FIPS codes assignment for area denominators. However, that option is still available. In the modified FIPS codes, certain independent cities (e.g., Baltimore City, Carson City, and St. Louis City) and areas within Hawaii and Virginia are assigned to different area groupings in the modified FIPS categories.

If the patient's information is not available, or the user wants to calculate the area-level indicators using the population associated with the hospital location as the denominator, the values for this variable should be the individual hospitals' FIPS state/county codes.

- Using the patients' FIPS state/county codes for analysis more accurately reflects the true population at risk. Using a hospital's FIPS state/county code for analysis should be done with caution and by including patients from larger geographic areas to minimize bias due to patients who come from a county that is different from the hospital's location.
- If the hospital's FIPS code is used in PSTCO, users should be aware that rates may be particularly biased for hospitals that serve as regional referral centers. These hospitals are likely to treat patients from outside the metropolitan area, county, or even the state in which the facility is located. If all of the hospital's patients are assigned its PSTCO the rate will include patients traveling from other areas to receive care but exclude patients using other hospitals. Conversely, rates for residents with the hospital's PSTCO will include those who travel to other hospitals and exclude those traveling to the hospital to receive care.
- If using the hospital's FIPS state/county code for analysis, users are encouraged to limit discharges in their input file to patients discharged from a specific geographic area of interest. For example, if a user is using data from the state of Massachusetts and is interested in generating a rate for Massachusetts, the user should remove the discharges where the patient's county of residence (FIPS code) is from another state. Otherwise, the total or overall rate will include the population at risk from the counties outside of Massachusetts. At the same time, unless data from neighboring states is available, rates will exclude patients from Massachusetts treated outside the state.

The software provides the user with the option of producing output by metropolitan area or by county. When metropolitan area is selected, urban areas are always defined by metropolitan areas. When county is selected, urban areas will be defined by county. Rural areas are always defined by county.

- In the SAS programs (*XXI_TYPE_MEASURES.sas*), the MALEVL parameter is set as follows:
 - 0=County level with U.S. Census FIPS
 - 1=County level with modified FIPS
 - 2=Metro area with Office of Management and Budget (OMB) 1999 definition
 - 3=Metro area with OMB 2003 definition

The metropolitan area definitions are from three different sources:

1. The "modified FIPS" definition is from the Area Health Resource File. The mapping is from county to modified FIPS county (e.g., Baltimore City to Baltimore County).
2. The "1999 OMB" definition is from OMB Circular 99-04 (last revised May 6, 2002). The mapping is from county to Metropolitan Statistical Area (MSA) except in New England, where counties are assigned to New England County Metropolitan Area (NECMA). OMB defines NECMA as a county-based alternative to the city- and town-based New England MSA and Consolidated MSA (CMSA). For example, Hampden and Hampshire Counties in western Massachusetts are assigned to the Springfield, MA, NECMA, even though the town of Holland in Hampden County is part of the Boston MSA.
3. The "2003 OMB" definition is from OMB Circular 03-04 (last revised December 4, 2005). The mapping is from county to either MSA or Micropolitan Statistical Area.

3.5 Treatment of Missing Data

Data can be missing in one of two ways: either the entire data element is missing, or the value of the data is missing. As noted above, the software is designed to be run with all data elements present. In some instances, placeholder data elements can be created with no impact on the results (however, the types of reports that can be created will be impacted). In other instances, placeholder data elements will result in errors in the calculation of estimates. [Appendix F](#) highlights the critical data elements and the impact on the calculation of results should a placeholder data element be created.

The software is designed to handle missing values in a particular manner; specifically, the software requires confirmation for the assignment of a poor outcome or negative event. For example, in order to be assigned as a death, each case must be coded as a death. Missing data are considered neutral. Missing data for some data elements result in the exclusion of that case from the denominator. For other data elements, the case is retained. [Appendix F](#) describes the handling of missing data for the required data elements for each software package.

The SAS QI programs do not distinguish among different types of missing values.

Data files of hospital discharge abstract data may have numeric data elements coded using special SAS missing “dot” values. For example, in addition to the standard SAS value of “.” for missing data, there may also be values of “.A” for invalid data or “.C” for inconsistent data. For numeric variables, the SAS QI software does not distinguish among the different types of missing codes and will consider them all equivalent to a single value of missing data (.). SAS will treat empty sets (“.”) and blanks (“ ”) as missing character variables.

3.6 Use of Weights from Complex Surveys

The AHRQ QI software is intended to be used with data that cover an entire patient population (e.g., all discharges from a hospital in a year) or that were sampled from a patient population using simple random sampling. Beginning with Version 4.1, the SAS QI software does not support weighted QI estimates or standard errors for weighted estimates.¹¹ Thus, analyses using data obtained from a complex sampling design will not produce accurate estimates for the population from which the data were sampled. For a more thorough description of weighted AHRQ QI analyses, see *Guidance on Using the AHRQ QI for Hospital-Level Comparative Reporting*, available on the AHRQ QI website (https://qualityindicators.ahrq.gov/Downloads/News/AHRQ_QI_Guide_to_Comparative_Reporting_v10.pdf).

¹¹ The SAS QI software versions prior to v4.1 supported weighted analyses with appropriate standard errors using discharge-level weights supplied by the user. In versions 4.1–4.5, which included the PM (Prediction Module) that handles missing POA data, the SAS QI software retained the weighting procedures in the SAS programs but did not account for complex sampling design and weighting in estimates and standard errors without further manipulation of the SAS programs by users. After v4.1, no reference or weighting variable is used (e.g., the discharge-level weight variable DISCWT). This ensures that the SAS programs do not account for complex sampling design when calculating QI estimates and standard errors.

Chapter 4. Producing Quality Indicator Rates: Processing Steps

The six steps below describe the AHRQ Quality Indicator (QI) calculations. The next section of this document provides specific information about each component of the SAS® QI software.

An outcome of interest is the number of cases with the indicator outcome, such as mortality or a procedure. Depending on the indicator, the AHRQ QIs are expressed as a count or rate.

For indicators that are expressed as a rate, the calculation of the observed rate is shown below:

$$\frac{\text{Outcome of interest}}{\text{Population at risk}}$$

{or}

$$\frac{\text{Numerator}}{\text{Denominator}}$$

A multiplier can be applied to the observed rate. In common practice, observed rates are multiplied by 100,000 to produce the rates per 100,000 for the population at risk or by 1,000 to produce rates per 1,000 discharges. The SAS QI software does not apply multipliers to the observed rates. However, the user is encouraged to transform the rates obtained from the software to a more meaningful unit of measurement.

The QI software produces observed rates, risk-adjusted rates, and smoothed rates, depending on the indicator. In addition, hospital-level composite scores of patient safety can also be produced. The methodology to calculate those rates and scores is described in detail in the *AHRQ QI Empirical Methods* document:

https://qualityindicators.ahrq.gov/Downloads/Resources/Publications/2024/Empirical_Methods_2024.pdf.

The following instructions describe the steps for identifying and calculating QI rates, including how the software performs each step.

4.1 Step 1. Identify Outcomes in Hospital Records

Hospital records are marked to indicate whether they contain the outcome of interest (numerator or “T” for “top”) for each of the AHRQ QI indicators.

Records are marked by setting a series of flag variables, each of which corresponds to the numerator for a particular indicator. For example, if the inpatient record meets the conditions for inclusion in the outcome for Inpatient Quality Indicator (IQI) 08, then the outcome variable for IQI 08 (TPIQ08) is set to “1” by the SAS QI software.

This step requires one pass through the discharge-level data and outputs a discharge-level SAS analytic dataset containing the flag indicator variables for the outcomes for each indicator in its respective module.

This dataset also contains the original input variables except for the diagnosis and procedure variables, which have been removed to reduce the size of the file.

Note

In the sections that follow, a graphic like this one will appear wherever one or more modules or indicators diverge from the steps being discussed.

These graphics will contain information on exceptions to the rule, relevant substitution steps, and other indicator- or module-specific instructions.

4.2 Step 2. Identify Populations at Risk

For the area-level indicators, the populations at risk (the denominators for calculating the indicator rates) are derived from U.S. Census population figures. If *metropolitan area* is selected, urban areas are always defined by metropolitan area. When *county* is selected, urban areas are defined by county. Rural areas are always defined by county.

For hospital-level indicators, the populations at risk (the denominators for calculating the indicator rates, or “pop”) are derived from the hospital discharge records.

4.3 Step 3. Calculating Quality Indicator Observed Rates

4.3.1 Calculate Quality Indicator Observed Rates (All Software Packages)

Using the output SAS analytic file from Step 1 and either U.S. Census population or hospital discharge data from Step 2, in Step 3, the quality indicator rates are calculated for user-specified combinations of stratifiers (see [Appendix J](#)). These stratifiers include areas (counties), age groups, race/ethnicity categories, and sex for the area-level indicators; and hospitals, age groups, age day groups, race/ethnicity, sex, payer, and birthweight categories for the hospital-level indicators. This step outputs the observed rates for user-specified categories, alone or in combination. For example, observed rates for hospital-level indicators could be output at the hospital level, at the payer level, or at the hospital level by payer.

- The software calculates observed rates regardless of the number of discharges available. However, rates that are based on only a few discharges should be interpreted with caution.


In some performance measurement work, it is recommended that rates be suppressed when fewer than 30 discharges are in the denominator. Suppressing these rates when reporting outcomes serves two purposes: it eliminates unstable estimates based on too few discharges, and it helps to protect the identities of hospitals and patients.

4.3.2 Calculate Stratified Observed Rates (PDI Software Package Only)

For select hospital Pediatric Quality Indicators (PDIs), observed rates are stratified by measure-specific risk categories. The risk categories are assigned to all discharges in the population at risk based on coexisting conditions or the surgical procedures performed. The categories vary by measure but assign discharges to clinically relevant low-risk to high-risk groups. The results for PDI 08 Postoperative Hemorrhage or Hematoma Rate; PDI 10 Postoperative Sepsis Rate; and PDI 12 Central Venous Catheter-Related Blood Stream Infection Rate are stratified using their respective risk categories.

4.4 Step 4. Calculate Quality Indicator Risk-Adjusted Rates

Regression coefficients from a reference (general or standard) population database (reflecting a large proportion of the U.S. population) are applied in the risk adjustment process. These reference population file regression coefficients are provided as part of the SAS QI v2024 software. The code to generate these reference (general or standard) population risk adjustment coefficients is not part of the SAS QI v2024 software released to the public.



This step applies to both hospital and area-level indicators.

The risk-adjusted rates for the area-level indicators will reflect the age and sex distribution in the reference (general or standard) population rather than the distribution for the areas in the user’s data. Similarly, the risk-adjusted rates for the hospital-level indicators will reflect the age, sex,

condition/severity, and comorbidity distribution in the reference (general or standard) population rather than the distribution for the hospitals in the user’s data. This approach will allow risk-adjusted rates produced by various users to be compared directly with each other.

- The software calculates risk-adjusted rates regardless of the number of discharges available. However, rates that are based on only a few discharges should be interpreted with caution.
- If specified by the user, the IQI, PSI, and PDI software calculates an observed to expected ratio for payer and race strata. In SAS QI v2024, expected rates, risk-adjusted rates, smoothed rates, and composites will be suppressed in certain situations. Because age, gender, age in days, and birthweight are used in risk adjustment models, it is inappropriate to produce risk-adjusted rates for any stratum that includes these variables.

4.5 Step 5. Calculate Smoothed Rates

Shrinkage factors are applied to the risk-adjusted rate for each indicator in a process called multivariate signal extraction. These shrinkage factors were calculated from the reference (general or standard) population. The shrinkage factors are provided as part of the SAS QI v2024 software and do not need to be calculated by users. The code to generate these shrinkage estimates is not part of the SAS QI v2024 software released to the public.

For each indicator, the shrinkage estimate reflects an adjustment unique to that indicator. The less consistent estimates of the indicator (i.e., less reliable or stable) are over time and across areas or hospitals, the more the estimate “shrinks” the indicator toward the overall mean. The resulting rate will appear “smoother” than the observed rate, meaning that the year-to-year fluctuations in performance are likely to be reduced. Smoothed rates are not calculated for the strata composing the overall indicator.¹²

For hospital level indicators, smoothed rates and variances will be suppressed if the user specifies in the CONTROL program that the data does not provide MDC (MDC_PROVIDED is 0) or that the data does not provide PRDAY (PRDAY is 0) information, or if the user specifies stratifications that are not provider or national-level. See [Table 23](#) for more information.

4.6 Step 6. Calculate Hospital-Level Composite Scores

Composite scores are calculated for select hospital measures in the IQI and PSI modules; these scores summarize outcomes across multiple measures.¹³ Composite scores are calculated by representing the risk-adjusted outcomes for the composite component measures as a ratio to the component reference population rate and adjusted for the reliability of the outcome using variance in the local and reference rates. The composite score is the weighted average of the risk-adjusted ratio and component weights, where the weights are selected based on the intended use of the composite measure. The weights are embedded in the SAS QI v2024 software based on calculations performed as part of software development. The composite calculation also includes the composite standard error, upper and lower confidence intervals, and weighted denominator.

¹²AHRQ does not recommend that stratified indicators be used to compare hospitals. Due to the small sample size, the stratified indicators are not reliable as independent indicators to support comparisons. However, stratified indicators provide insight into the overall indicators and can be used for quality assessment within hospitals.

¹³ Rates for the area-level composite QIs are calculated in the same programs that calculate the rates for the component area-level indicators. Thus, no corresponding composite step for area-level indicators exists.

Composite outcomes will still be reported even if the component observed rates contain no cases in the numerator and the denominator contains three or more discharges. When a component rate is “0” and the denominator contains three or more discharges, the component weight will be added to the composite total. If the component indicator contains fewer than three denominator discharges, then a value of “1.0” is imputed for the observed-to-expected ratio and a weight of 1.0 is added to the composite.

Similar to the smoothed rate calculation for hospital level indicators, composites will be suppressed if the user specifies in the CONTROL program that the data does not provide MDC (MDC_PROVIDED is 0) or that the data doesn’t provide PRDAY (PRDAY is 0) information, or the user specifies stratifications that are not provider or national-level.

Chapter 5. SAS Program Descriptions

This chapter describes how the programs in the SAS QI software assign, calculate, and print the results (see [Appendix E](#)). Each SAS program has a description, a list of input and output files with corresponding data elements ([Appendix F](#) and [Appendix G](#)), and an explanation of changes to the program code that may be required by the user. The flow of data through the programs is shown in the flowcharts in [Chapter 2. Table 22](#) summarizes the program names and functions by module, which are also described in more detail below.

- All naming conventions for the programs have been standardized in this manual so that “*XXI*” in a program file name denotes the specific software package. For example, *XXI_TYPE_FORMATS.sas* can be interpreted as *PQI_AREA_FORMATS.sas*, *IQI_HOSP_FORMATS.sas*, *PSI_HOSP_FORMATS.sas*, *PSI17_HOSP_FORMATS.sas*, or *PDI_ALL_FORMATS.sas*, depending on which software package is being run (PQI, IQI, PSI, PSI 17, or PDI, respectively).
- One standalone software package is provided for SAS QI: the PSI 17 software package. This package allows users to calculate rates for PSI 17 without the need to run the complete PDI software package. This standalone software package is implemented in the same way as the complete PDI software package (described below).

If a user wishes to create and examine observed rates, then the user will need to update the *XXI_TYPE_CONTROL.sas* file to set appropriate flags to run the *XXI_TYPE_FORMATS.sas* and the *XXI_TYPE_MEASURES.sas* programs, followed by the *XXI_AREA_OBSERVED.sas* (for area-level indicators) and the *XXI_HOSP_OBSERVED.sas* (for hospital-level indicators) programs. If a user also wishes to create risk-adjusted and smoothed rates, then the user will need to update the *XXI_TYPE_CONTROL.sas* to set appropriate flags to run the *XXI_AREA_RISKADJ.sas* (for area-level indicators) and/or *XXI_HOSP_RISKADJ.sas* (for hospital-level indicators) programs. If a user also wishes to create composites for hospital-level indicators, the user will need to update the *XXI_TYPE_CONTROL.sas* to set the appropriate flag to run *XXI_HOSP_COMPOSITE.sas*. Note: Composites for area-level indicators are calculated in the *XXI_AREA_OBSERVED.sas* and *XXI_AREA_RISKADJ.sas* programs.

Table 22. Summary of SAS Programs

FUNCTION	PQI	PQE	IQI	PSI	PSI17	PDI
File locations & options	PQI_AREA_CONTROL	PQE_AREA_CONTROL	IQI_HOSP_CONTROL	PSI_HOSP_CONTROL	PSI17_HOSP_CONTROL	PDI_ALL_CONTROL
Create format file	PQI_AREA_FORMATS	PQE_AREA_FORMATS	IQI_HOSP_FORMATS	PSI_HOSP_FORMATS	PSI17_HOSP_FORMATS	PDI_ALL_FORMATS
Identify cases in numerator & discharges in denominator	PQI_AREA_MEASURES	PQE_AREA_MEASURES	IQI_HOSP_MEASURES	PSI_HOSP_MEASURES	PSI17_HOSP_MEASURES	PDI_ALL_MEASURES
AREA-LEVEL INDICATORS						
Observed rates	PQI_AREA_OBSERVED	PQE_AREA_OBSERVED	--	--	--	PDI_AREA_OBSERVED
Risk-adjusted & smoothed rates	PQI_AREA_RISKADJ	PQE_AREA_RISKADJ	--	--	--	PDI_AREA_RISKADJ
HOSPITAL-LEVEL INDICATORS						
Observed rates	--	--	IQI_HOSP_OBSERVED	PSI_HOSP_OBSERVED	PSI17_HOSP_OBSERVED	PDI_HOSP_OBSERVED
Stratified risk-observed rates	--	--	--	--	--	PDI_HOSP_STRATIFIED
Risk-adjusted & smoothed rates	--	--	IQI_HOSP_RISKADJ	PSI_HOSP_RISKADJ	--	PDI_HOSP_RISKADJ
Composite rates	--	--	IQI_HOSP_COMPOSITE	PSI_HOSP_COMPOSITE	--	--

NOTE: Dashes (--) indicate the SAS programs are not used in some functions.

5.1 Modify and Save Command Statements in SAS programs

5.1.1 XXI_TYPE_CONTROL.sas Program

The SAS QI v2024 software package executes all the supporting SAS programs from within the XXI_TYPE_CONTROL.sas program. This allows users to run the CONTROL program with user-assigned flags to execute multiple programs with a single execution instead of running the individual SAS programs individually. Users can still run one program at a time by setting the run flag to “1” for one program and setting the other programs to “0” in the CONTROL program.

The XXI_TYPE_CONTROL.sas program contains all of the SAS statements that a user will need to modify in order to run the remaining software programs ([Table 23](#)). This SAS program is where a user can specify, for example, the path names of all the input and output datasets.

- The XXI_TYPE_CONTROL.sas program automatically executes the remaining software programs. A user does not need to run XXI_TYPE_MEASURES.sas, XXI_TYPE_OBSERVED.sas, XXI_TYPE_RISKADJ.sas or XXI_TYPE_COMPOSITE.sas programs separately.
- All of the changes needed for the XXI_TYPE_CONTROL.sas program are listed in the following descriptions for the other software programs. Each program description contains a section labeled **Changes/Confirmations** that enumerates the modifications for XXI_TYPE_CONTROL.sas that are associated with that particular program.
- Lines of SAS code to be modified are identified by the comment “<===USER MUST modify,” which means the user must make the change, or by “<===USER MAY modify,” which means the modification is optional.

XXI_TYPE_CONTROL.sas creates a collection of SAS libraries for accessing input and output datasets from different file paths. For example, “%LET PATHNAME” specifies the location of the folder that includes programs, SAS data, macros, and macro subfolders. The user *must modify* the folder for the PATHNAME. This path name is used to point to the location of the input dataset (“libname INMSR”) and to point to the location of the output dataset created by the XXI_TYPE_MEASURES.sas program (“libname OUTMSR”). Path names should not exceed 255 characters in length. The user *may modify* path names for INMSR and OUTMSR to provide different paths for each SAS library. [Table 23](#) lists the statements that can be modified at the discretion of the user.

The MALEVL global parameter in the XXI_TYPE_CONTROL.sas program instructs the AREA programs on how to define geographic areas (see [Section 3.4.2](#)). By default, this parameter is set to use county for geographic area.

The MDC_PROVIDED and PRDAY global parameters in the XXI_TYPE_CONTROL.sas program identifies whether user input data contains MDC information or contain PRDAY information. For user data that does not contain MDC, or does not provide PRDAY, the software will suppress risk-adjusted rates, smoothed rates, and composites values.

A global PRINT parameter in XXI_TYPE_CONTROL.sas may be used to print all of the output summary records at the end of the XXI_AREA_OBSERVED.sas; XXI_AREA_RISKADJ.sas; XXI_HOSP_OBSERVED.sas; PDI_HOSP_STRATIFIED.sas; XXI_HOSP_RISKADJ.sas; and XXI_HOSP_COMPOSITE.sas programs. These printouts may be quite large if there is a large database with many areas (e.g., counties, metropolitan areas) and/or hospitals and if a user chooses to finely stratify the results. Set PRINT equal to “0” to turn this feature off, and set PRINT equal to “1” to turn this feature on. The feature is turned off by default.

Table 23. User Must or User May Modify Statements in the XXI_TYPE_CONTROL.sas Program¹

SAS STATEMENT	DESCRIPTION
USER MUST modify	
%LET PATHNAME	Specifies the location of the folder that includes the programs, macros, and SAS data folder for the software package.
%LET DISFOLDER	Specifies the folder that contains the discharge data.
%LET DISCHARGE	Specifies the name of the discharge file.
USER MAY modify	
%LET SUFX	Specifies an identifier suffix to be placed on output files (vYYYY, version number; e.g. v2024).
libname LIBRARY	Specifies the location of the folder where formats generated by the XXI_TYPE_FORMATS.sas will be saved.
%LET MALEVL=0 ¹	Specifies the area definition used by the software for calculation of area-level rates; the default is set to “0” (county-level as defined by the U.S. Census FIPS).
%LET POPYEAR=2020 ¹	Specifies the year of the population estimates; user selects the population data for the year that best matches the discharge data. The default is set to 2020.
filename POPFILE ¹	Specifies the location and name of the population file.
%LET PRINT=0	Specifies whether records should be printed in the SAS output at the end of each program. The default is set to “0” (no print).
%LET Calibration_OE_to_ref_pop=1 ¹	Specifies whether observed to expected ratio adjustment is from the reference population or the user’s data. The default is set to “1” and recommended (use reference population).
%LET StatesWithVisitLink_	For PQE, specifies states providing revisit variables needed to produce back pain measure, set to blank when variables are missing. Default is the set of states providing revisit variables in the 2019 SEDD.
Options compress=YES	Add option to compress output. The default is set to “yes”. This is the recommended option for large files. Users who opt to not compress output can change the option to “no”.
%LET NDX=35	Specifies the number of diagnoses on the input dataset. The default is set to 35.
%LET NPR=30 ¹	Specifies the number of procedures on the input dataset. The default is set to 30.
%LET MDC_PROVIDED = 1 ¹	Specifies whether discharges include MDC. The default is set to “1” (data has MDC from MS-DRG Grouper).
%LET PRDAY=1 ¹	Specifies the input dataset and includes information about the number of days from admission to secondary procedures. The default is set to “1” (procedure day is included).
%LET DELFILE	Specifies the name of the permanent dataset that stores records that are not included in the calculations because key data elements have missing values (AGE, MDC, SEX, DX1, DQTR, YEAR).

SAS STATEMENT	DESCRIPTION
filename MacLib	Specifies the location of the SAS macro library.
libname INMSR	Specifies the location of the <i>XXI_TYPE_MEASURES</i> .sas program input dataset.
libname OUTMSR	Specifies the location of the <i>XXI_TYPE_MEASURES</i> .sas program output analytic file.
%LET OUTFILE_MEAS	Specifies the name of the output analytic file from <i>XXI_TYPE_MEASURES</i> .sas program.
%LET OUTFILE_KEEP	Specifies additional input variables to keep on the output data file from <i>XXI_TYPE_MEASURES</i> .sas program. For standard data elements output by the <i>XXI_TYPE_MEASURES</i> .sas program see Tables 42-47. To keep additional input variables, list the names of the input data elements separated by a space. The default value is blank.
libname OUTAOBS ¹	Specifies the location of the <i>XXI_AREA_OBSERVED</i> .sas program output analytic file.
%LET OUTFILE_AREAOBS ¹	Specifies the name of the analytic file from <i>XXI_AREA_OBSERVED</i> .sas program.
%LET TYPELVLA ¹	Specifies the level of summarization in the output (see Appendix J for options). Default is set to “IN (0, 8)” for PQI and PDI to provide a total across all areas and county or metro area-level totals. Default is “0, 4” for PQE.
%LET TXTAOBS=0 ¹	Specifies whether a comma-delimited file for the area-level observed output should be generated for export into a spreadsheet. The default is set to “0” (no).
filename XXTXTAOB ¹	Specifies the location and name of the comma-delimited file for the area-level observed output, if a comma-delimited file is created.
%LET OUTFILE_COMP ¹	Specifies the output file name for the hospital-level composite program.
libname OUTARSK ¹	Specifies the location of the folder for the <i>XXI_AREA_RISKADJ</i> .sas program output analytic file.
%LET OUTFILE_AREARISK ¹	Specifies the name of the analytic file from <i>XXI_AREA_RISKADJ</i> .sas program.
%LET USE_SES=0 ¹	Specifies that socio-economic status (SES) i.e. poverty will be included in the risk adjustment. The default is “0” (no).
filename COVAR ¹	Specifies the location and the name of the area-level covariate file that does not include poverty as a covariate (.txt).
filename COVARSES ¹	Specifies the location and the name of the area-level covariate file that includes poverty as a covariate (.txt).
%LET TXTARSK=0 ¹	Specifies whether a comma-delimited file for the area-level risk-adjusted (and smoothed) rate output should be generated for export into a spreadsheet. The default is set to “0” (no).
filename XXTXTARA ¹	Specifies the location and name of the comma-delimited file for the area-level risk-adjusted (and smoothed) rate output, if a comma-delimited file is created.
libname OUTHOBS ¹	Specifies the location of the folder for the <i>XXI_HOSP_OBSERVED</i> .sas program output analytic file.
%LET OUTFILE_HOSPOBS ¹	Specifies the name of the analytic file produced from <i>XXI_HOSP_OBSERVED</i> .sas program.

SAS STATEMENT	DESCRIPTION
%LET TYPELVLH ¹	Specifies the level of summarization in the hospital-level indicator output (see Appendix J for options). Default is set to “IN (0, 16)” to provide overall and hospital-level IQI and PSI totals and “IN (0, 64)” to provide overall and hospital-level PDI totals.
%LET TXTHOBS=0 ¹	Specifies whether a comma-delimited file for the hospital-level observed output should be generated for export into a spreadsheet. The default is set to “0” (no).
filename <i>XXTXTHOB</i> ¹	Specifies the location and name of the comma-delimited file for the hospital-level observed output, if a comma-delimited file is created.
libname OUTST ¹	Specifies the location of the folder for the <i>XXI_HOSP_STRATIFIED.sas</i> program output analytic file.
%LET OUTFILE_STRAT ¹	Specifies the name of the analytic file produced from the <i>XXI_HOSP_STRATIFIED.sas</i> program.
%LET TXTSTRAT=0 ¹	Specifies whether a comma-delimited file for the hospital-level observed stratified output should be generated for export into a spreadsheet. The default is set to “0” (no).
filename <i>XXTXTSTR</i> ¹	Specifies the location and name of the comma-delimited file for the hospital-level observed stratified output, if a comma-delimited file is created.
libname OUTHRISK ¹	Specifies the location of the folder for the <i>XXI_HOSP_RISKADJ.sas</i> program output analytic file.
%LET OUTFILE_HOSPRISK ¹	Specifies the name of the analytic file produced from <i>XXI_HOSP_RISKADJ.sas</i> program.
%LET HOSPID_TYP ¹	Specifies the length and type of HOSPID on the discharge data. If HOSPID is numeric, set HOSPID_TYP to the length of HOSPID. If HOSPID is alphanumeric, include "\$" prior to the length. The default value of HOSPID_TYP is numeric length 5. This is used in risk-adjustment only.
%LET RADIR ¹	Specifies the location of the risk adjustment parameters files (CSV files).
%LET HQIRADIR ¹	Specifies the location of the hospital-level risk adjustment parameters files (CSV files).
%LET AQIRADIR ¹	Specifies the location of the area-level risk adjustment parameters files (CSV files).
%LET TXTHRISK=0 ¹	Specifies whether a comma-delimited file for the hospital-level risk-adjusted (and smoothed) rate output should be generated for export into a spreadsheet. The default is set to “0” (no).
filename <i>XXTXTHRA</i> ¹	Specifies the location and name of the comma-delimited file for the hospital-level risk-adjusted (and smoothed) rate output, if a comma-delimited file is created.
libname OUTHCOMP ¹	Specifies the location of the folder for the <i>XXI_HOSP_COMPOSITE.sas</i> program output analytic file.
%LET XXCOMPRR ¹	Specifies the macro SAS program that contains the reference population rates, indexing matrix, and variance estimates for use in the hospital-level composite program.
%LET OUTFILE_COMP ¹	Specifies the name of the analytic file from <i>XXI_HOSP_COMPOSITE.sas</i> program.
%LET TXTCOMP=0 ¹	Specifies whether a comma-delimited file for the hospital composite output should be generated for export into a spreadsheet. The default is set to “0” (no).

**AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024**

SAS STATEMENT	DESCRIPTION
filename <i>XXTXTCMP</i> ¹	Specifies the location and name of the comma-delimited file for the hospital composite rate output, if a comma-delimited file is created.
%LET SCALE_RATES	Specifies whether rates reported in exported comma-delimited files should be scaled by 1,000 discharges for hospital-level indicators or 100,000 population for area-level indicators. The default is set to “0” (no). To scale rates set to “1” (yes).
%LET EXE_FMT=0	Specifies if the <i>XXI_TYPE_FORMATS</i> .sas program should be run when executing the <i>XXI_TYPE_CONTROL</i> .sas program. Default value of “0” will create format library if it does not exist. Only set to “1” if recreating library.
%LET EXE_MSR=1	Specifies if the <i>XXI_TYPE_MEASURES</i> .sas program should be run when executing the <i>XXI_TYPE_CONTROL</i> .sas program.
%LET EXE_HOBS=1 ¹	Specifies if the <i>XXI_HOSP_OBSERVED</i> .sas program should be run when executing the <i>XXI_TYPE_CONTROL</i> .sas program.
%LET EXE_AOBS=1 ¹	Specifies if the <i>XXI_AREA_OBSERVED</i> .sas program should be run when executing the <i>XXI_TYPE_CONTROL</i> .sas program.
%LET EXE_HRSK=1 ¹	Specifies if the <i>XXI_HOSP_RISKADJ</i> .sas program should be run when executing the <i>XXI_TYPE_CONTROL</i> .sas program.
%LET EXE_ARSK=1 ¹	Specifies if the <i>XXI_AREA_RISKADJ</i> .sas program should be run when executing the <i>XXI_TYPE_CONTROL</i> .sas program.
%LET EXE_HSTR=1 ¹	Specifies if the <i>XXI_HOSP_STRATIFIED</i> .sas program should be run when executing the <i>XXI_TYPE_CONTROL</i> .sas program.
%LET EXE_HCMP=1 ¹	Specifies if the <i>XXI_HOSP_COMPOSITE</i> .sas program should be run when executing the <i>XXI_TYPE_CONTROL</i> .sas program.

¹ Not all *XXI_TYPE_CONTROL*.sas statements are available or relevant for all software packages (e.g., POPYEAR is only relevant to PDI, PQI, and PQE software packages).

5.2 *XXI_TYPE_FORMATS.sas*

The *XXI_TYPE_FORMATS.sas* program defines a format library, which contains the formats for the stratified variables and diagnosis and procedure setnames necessary for assigning the outcomes and population of interest ([Appendix E](#)). This format library is used by most of the other SAS programs.

The first few formats in this program are for the stratifiers (e.g., age, sex, race/ethnicity, and payer). These are followed by formats that are used for the identification of outcomes of interest in the *XXI_TYPE_MEASURES.sas* program, and by formats that map Federal Information Processing Standards (FIPS) county codes to metropolitan areas in the *XXI_TYPE_MEASURES.sas*, *XXI_AREA_OBSERVED.sas*, and *XXI_AREA_RISKADJ.sas* programs. At the end of the program are formats used to assign age; modified Medicare Severity Diagnosis-Related Groups (MS-DRGs), and comorbidity categories for the risk adjustment process implemented in *XXI_AREA_RISKADJ.sas* and *XXI_HOSP_RISKADJ.sas*; and formats used for the creation of diagnosis and/or procedure CCSR categories. The *XXI_TYPE_FORMATS.sas* program does not need to be rerun once the library is created.

The *XXI_TYPE_FORMATS.sas* program is executed, and the format library created when the *XXI_TYPE_CONTROL.sas* program is run using the EXE_FMT macro variable. The default value of “0” will create the library if it does not exist in the LIBRARY libname location. The format library only needs to be created once. If the format library needs to replace an existing library, set the EXE_FMT flag to “1.” The EXE_FMT flag should be set to “0” after the format library is recreated.

Input: None.

Output: Permanent SAS format library (FMTLIB).

Changes/Confirmations:

- In *XXI_TYPE_CONTROL.sas*, specify the location (path) of the format library in the “libname LIBRARY” statement.
- In *XXI_TYPE_CONTROL.sas*, the %LET EXE_FMT flag needs to be set. If the flag is set to “0,” a new format library will be created if the library does not already exist. If the flag is set to “1,” the existing format library will be replaced.

5.3 *XXI_TYPE_MEASURES.sas*

The *XXI_TYPE_MEASURES.sas* program processes hospital discharge billing and claims data and flags inpatient records if they contain outcomes of interest.

This program assumes that the input data file (consisting of one observation for each inpatient record) conforms to specific variable names, attributes, and coding conventions ([Appendix F](#)). The program outputs an analytic data file that can be used with subsequent programs ([Appendix H](#)).

The *XXI_TYPE_MEASURES.sas* program is executed when the EXE_MSR macro variable is set to “1” and the *XXI_TYPE_CONTROL.sas* program is run.

Input:

1. User-supplied SAS inpatient dataset consisting of administrative hospital billing or claims data. This dataset is a discharge-level file with an array of diagnosis and procedure codes, among other data elements. See [Appendix E](#) and [Appendix F](#) for a complete list of data elements required on the input dataset for each software package.
2. SAS format library (LIBRARY) created from the *XXI_TYPE_FORMATS.sas* program.
3. SAS macro program(s) (MacLib) with the location as specified in the *XXI_TYPE_CONTROL.sas* program. See [Appendix C](#) for a complete list of macro SAS programs for each software package.

Output:

1. SAS dataset containing inpatient records with input variables, stratifiers, comorbidity variables, and flag indicators (*TAXXnn* and *TPXXnn*, where *XX* refers to the QI set and *nn* refers to the indicator number) for the outcomes of interest that will later form the numerators for the QI rates. A few exceptions exist. Currently, the stratifier for SEX variable: *SEXCAT*, handles different SEX identities, including Male (SEX=1), Female (SEX=2) and other identities (SEX is not 1 or 2). The *PSI_HOSP_MEASURES.sas* program includes variables for the population for the hospital-level indicators (*PPPSnn*). See [Appendix E](#) for a list of data elements in the output file for each software package.
2. PROC MEANS (with N, NMISS, MIN, MAX, MEAN, and SUM) of the numeric variables and a PROC CONTENTS of the output dataset are written to hardcopy.
3. A PROC PRINT of the first 24 observations in the output dataset is written to hardcopy.

Changes/Confirmations:

In the *XXI_TYPE_CONTROL.sas* program:

1. Confirm that the “filename MacLib” statement specifies the correct path to the SAS macro library that contains the SAS macro files used by the *XXI_TYPE_MEASURES.sas* and other programs. These macro files are included with the software.
2. Confirm that the “libname INMSR” and “libname OUTMSR” statements specify the locations (paths) of the input and output files, respectively.
3. Confirm that the “DISCHARGE” and “OUTFILE_MEAS” statements specify the correct names of the input and output files. Note that SAS file references must not include file extensions. The default file name may be used for “OUTFILE_MEAS.”
4. To define urban areas by metropolitan area rather than by county, change the *MALEVL* parameter in *XXI_TYPE_CONTROL.sas* from “0” to “1,” “2,” or “3.” Rural areas will be defined by county, no matter how *MALEVL* is specified. Refer to [Section 3.4.2](#) for a list of values for the *MALEVL* parameter.
5. The QI software assumes that the user’s starting SAS dataset contains 35 diagnoses and 30 procedures. If these numbers are different in the input inpatient data, then modify the *NDX* and *NPR* parameters.

6. Set the %LET EXE_MSR flag. If the flag is set to “1,” *XXI_TYPE_MEASURES* will execute. If the flag is set to “0,” *XXI_TYPE_MEASURES* will not execute.

5.4 XXI_AREA_OBSERVED.sas

The *XXI_AREA_OBSERVED.sas* program calculates the observed rates for the area-level QIs using the data derived in a previous step (*XXI_TYPE_MEASURES.sas*). These observed rates can be stratified by combinations of area, sex, age, and race categories. The program first totals the area indicator flags created by the *XXI_TYPE_MEASURES.sas* program, and then for each of the desired stratifiers, the program divides these totals by the pertinent residential population.

The *XXI_AREA_OBSERVED.sas* program is executed when the EXE_AOBS macro variable is set to “1” and the *XXI_TYPE_CONTROL.sas* program is run.

The inputs, outputs and changes that need to occur in the program are described in the section below. [Appendix E](#), [Appendix F](#), and [Appendix G](#) provide additional details.

Input:

1. The SAS dataset that was created in the *XXI_TYPE_MEASURES.sas* program. This dataset is a discharge-level file that contains inpatient records with input variables, stratifiers, and the new flag indicators for the QI area-level outcomes of interest.
2. A text file with Census area residential population, stratified by area, age, sex, and ethnicity categories. The Population File, 2000-2023_Population_Files_v2024.txt, is currently provided on the AHRQ website as a separate download. The user should set POPYEAR to the year that best matches the user’s discharge data file (yyyy).
3. Users do not need to convert the ASCII text file to a SAS dataset for use with the software.
4. SAS format library (LIBRARY) created from the *XXI_TYPE_FORMATS.sas* program.

Output:

1. SAS dataset with summary records that contain observed rates (OAXXnn variables, where XX refers to the QI module and nn refers to the indicator number), the counts of outcomes that formed the numerators of the rates (TAXXnn variables), and the residential population totals that formed the denominators of the observed rates (PAXXnn variables). The output file has records summarized to the various combinations of stratifiers specified in the TYPELVLA parameter that is described in the *Changes/Confirmations* section below. See [Appendix E](#) for a complete list of variables in the output file for each software package.
2. An optional ASCII (comma-delimited) text file that the user can then import into a spreadsheet. This text file contains the same information as the SAS output dataset. The text file will contain the OAXXnn observed rates, the TAXXnn counts of outcomes that formed the numerators of the rates, and the PAXXnn residential population totals. The different records/rows in the text file will correspond to the different TYPELVLA levels of summarization ([Appendix J](#)).
3. A PROC MEANS (with N, NMISS, MIN, MAX, MEAN, and SUM) of the area-level summary records that shows statistics for the OAXXnn observed rates, the TAXXnn counts of outcomes that formed the numerators of the rates, and the PAXXnn residential population totals. These means

will only be generated if the user included a value of “8” for the TYPELVLA parameter discussed in the *Changes/Confirmations* section below.

4. A PROC CONTENTS of the output SAS summary dataset is generated in the SAS output window/results viewer.
5. A PROC PRINT of the output summary dataset may be generated in the SAS output window/results viewer. This printout may be quite large depending on the number and the levels of summarization that the user requests with the TYPELVLA parameter discussed in the *Changes/Confirmations* section below. If the user does not wish to generate this printout, then the global “PRINT” parameter in *XXI_TYPE_CONTROL.sas* code should be set to “0.” See [Appendix J](#) for a list of possible summarizations.

Changes/Confirmations:

In the *XXI_TYPE_CONTROL.sas* program:

1. Confirm that the “libname OUTMSR” and “libname OUTAOBS” statements specify the locations (paths) of the input and output SAS files, respectively.
2. Confirm that the “OUTFILE_MEAS” and “OUTFILE_AREAOBS” statements specify the correct names of the input and output files. The name that is specified with OUTFILE_MEAS should be for the file created using the *XXI_TYPE_MEASURES.sas* program. The default file names may be used.
3. Confirm that the “filename POPFILE” statement correctly specifies the path (including the file name) for the ASCII population text file. The file name will be 2000-2023_Population_Files_v2024.txt. The user should set POPYEAR to the year that best matches the user’s discharge data file (yyyy).
4. Specify the levels of summarization for the observed rates. This change is done by specifying numbers between “0” and “15” in the “%LET TYPELVLA =” statement. Each number corresponds to a different level or combination of levels. The default values of “0” (overall) and “8” (area) will provide an overall total and the area-level totals. For PQEs, the range is “0” to “7”, and defaults are “0” and “4”. Refer to [Appendix J](#) for a list of all levels of summarization.
 - **WARNING:** TYPELVLA must include the values “0” (overall) and “8” (area) if the user wishes subsequently to run the *XXI_AREA_RISKADJ.sas* program for risk-adjusted and smoothed rates. Values of “0” and “4” are required for PQEs.
 - If TYPELVLA includes the value “0” (overall), then the first observation in the output summary data file will contain the overall totals and observed rates for the entire database created with the *XXI_TYPE_MEASURES.sas* program.
 - For example, if using a state inpatient hospital database, the user might specify the following TYPELVLA values for the PQI module:
 - 0=provides overall rates for the user’s entire state
 - 4=provides overall rates for the user’s state, broken down by age groups
 - 8=provides rates for areas within the user’s state

12=provides rates for age groups within these areas

5. If the user wishes to create an ASCII (comma-delimited) text file that can be imported into a spreadsheet, then the user should specify the path (including the file name) for this ASCII text file in the “filename *XXTXTAOB*” statement and set the *TXTA OBS* parameter to “1.” Otherwise, the default value of “0” for *TXTAO* will skip the code that would generate this file.
6. Set the *%LET EXE_AOBS* flag. If the flag is set to “1,” *XXI_AREA_OBSERVED* will execute. If the flag is set to “0,” *XXI_AREA_OBSERVED* will not execute.

5.5 *XXI_AREA_RISKADJ.sas*

The *XXI_AREA_RISKADJ.sas* program calculates age and sex risk-adjusted rates for each area-level QI (overall rates and rates by area) and then calculates smoothed rates. See [Appendix G](#) for a detailed list of risk factors.

The *XXI_AREA_RISKADJ.sas* program is executed when the *EXE_ARSK* macro variable is set to “1” and the *XXI_TYPE_CONTROL.sas* program is run


The description below outlines the inputs, outputs, and changes that need to occur in the program. [Appendix E](#), [Appendix F](#), [Appendix G](#), and [Appendix H](#) provide additional details.

Input:

1. The discharge-level file that was created with the *XXI_TYPE_MEASURES.sas* program.
2. A text file with Census area residential populations, stratified by area, age, sex, and ethnicity categories. The Population File, 2000-2023_Population_Files_v2024.txt, is currently provided on the AHRQ website as a separate download. The user should set *POPYEAR* to the year that best matches the user’s discharge data file (yyyy).
 - Users do *not* need to convert the ASCII text file to a SAS dataset for use with the software.
1. SAS format library (*LIBRARY*) created from the *XXI_TYPE_FORMATS.sas* program.
2. SAS macro program(s) library (*MacLib*) with the location as specified in the *XXI_TYPE_CONTROL.sas* program. See [Appendix C](#) for a complete list of macro SAS programs for each software package.
3. Text files contain coefficients from regression models. The files include coefficients for each area-level indicator in the module and are used in the calculation of risk-adjusted rates. One text file includes adjustment for age and sex (*AXXnn_Area_Covariates_v2024.csv* or *PQE_Area_Covariates_v2024.txt*) and one text file includes adjustment for age, sex, and socio-economic status/poverty (*AXXnn_Area_Covariates_SES_v2024.csv* or *PQE_Area_Covariates_SES_v2024.txt*). The files were created during the development of the area-level QIs and do not need to be manipulated for use with the software.
4. SAS macro programs (*XXI_Area_Sigvar_Array_v2024.sas* or *XXI_Area_Sigvar_Array_SES_v2024.sas*) that contain arrays of signal variance estimates and



PQI, PQE,
& PDI



Additional input for PQI,
PQE, & PDI modules

mean reference population rates for each area-level QI. The macro programs are used in the calculation of smoothed rates. *XXI_Area_Sigvar_Array_v2024.sas* should be used with adjustment only for age and sex. *XXI_Area_Sigvar_Array_SES_v2024.sas* should be used with adjustment for age, sex, and poverty (not available with the IQI or PSI software packages). The programs were created during the development of the area-level QIs and do not need to be manipulated for use with the software.

Output:


1. A SAS dataset with an overall summary record and with area-level summary records that contain the three types of indicator rates, along with the components of the initial raw rates. Specifically, the file contains the observed rates (*OAXXnn* variables), the counts of outcomes that formed the numerators of the observed rates (*TAXXnn* variables), the residential population totals that formed the denominators of the observed rates (*PAXXnn* variables), the expected rates (*EAXXnn* variables), the risk-adjusted rates (*RAXXnn* variables), the smoothed rates (*SAXXnn* variables), and the lower and upper confidence intervals (*LAXXnn* and *UAXXnn*, respectively). When stratifications other than area are selected, the *RAXXnn* variables and their confidence intervals are observed/expected ratios to avoid confounding with risk adjustment variables.
2. An optional ASCII (comma-delimited) text file that the user can then import into a spreadsheet. This text file contains the same information as the SAS output dataset. The text file will contain the *OAXXnn* observed rates and their *TAXXnn* and *PAXXnn* components, the *RAXXnn* risk-adjusted rates, and the *SAXXnn* smoothed rates. Each record or row in the text file will correspond to a different area.
3. A PROC MEANS (with N, NMISS, MIN, MAX, MEAN, and SUM) of the area-level summary records that shows statistics for the *OAXXnn* observed rates and their *TAXXnn* and *PAXXnn* components, the *RAXXnn* risk-adjusted rates, and the *SAXXnn* smoothed rates.
4. A PROC CONTENTS of the output SAS summary dataset is generated in the SAS output window/results viewer.
5. A PROC PRINT of the output summary dataset may be generated in the SAS output window/results viewer. If the user does not wish to generate this printout, then the global “PRINT” parameter in *XXI_TYPE_CONTROL.sas* code should be set to “0.”
6. Outputs to hardcopy are PROC MEANS (with N, NMISS, MIN, MAX, MEAN, and SUM) of risk-adjusted and smoothed rates in two intermediate work files and all of the numeric variables in the final output data file.

Changes/Confirmations:

In *XXI_TYPE_CONTROL.sas*:

1. Confirm that the “libname OUTMSR,” “libname OUTARSK,” and “libname OUTFILE_AREARISK” statements specify the correct locations (paths) of the input and output SAS files, respectively.
2. Confirm that the “OUTFILE_MEAS” statement specifies the correct name of the discharge-level analytic file created in the *XXI_TYPE_MEASURES.sas* program. The default file name may be used.

3. Confirm that the “filename MacLib” statement points to the correct path of the SAS macro library that contains the estimates to smooth the indicator rates. Use *XXI_Area_Sigvar_Array_v2024.sas* for age and sex risk adjustment in the PQI and PDI software, and *XXI_Area_Sigvar_Array_SES_v2024.sas* for age, sex, and poverty risk adjustment in the PQI and PDI software.
4. Confirm that “OUTFILE_AREAOBS” statement indicates the correct name of the summary analytic file created with the *XXI_AREA_OBSERVED.sas* program. The default file name can be used.
5. Specify the path (including the file name) for the ASCII population text file in the “filename POPFILE” statement. The Population File name is *2000-2023_Population_Files_v2024.txt*. These files are provided along with the software. The year used should be the one that is closest to the year associated with the user’s particular data. These files contain Census residential population estimates by area, sex, and discrete age categories.
6. Set the flag `USE_SES` to “1” to use SES, age, and sex in the risk adjustment and smoothing processes and to “0” to use only age and sex.
7. For PDI and PQI, confirm the applicable “%LET RADIR”, “%LET AQIRADIR”, or “%LET HQIRADIR” statements indicate the correct name and location of the risk adjustment parameters (e.g. *AXXnn_Area_Covariates_v2024.csv* files). These files are provided as part of the software package. For PQE, confirm that the “filename COVAR” and “filename COVARSES” statements specify the correct location and name of the ASCII text files that contain regression coefficients (*PQE_Area_Covariates_v2024.txt* or *PQE_Area_Covariates_SES_v2024.txt*).
8. Confirm that the file name in the “OUTFILE_AREARISK” statement is consistent with the name that the user wishes the output file from the *XXI_AREA_RISKADJ.sas* to have. The default file name may be used.
9. If the user wishes to create an ASCII (comma-delimited) text file that can be imported into a spreadsheet, then the user should specify the path (including the file name) for this ASCII text file in the “filename *XXTXTARA*” statement and set the `TXTARSK` parameter to “1.” Otherwise, the default value of “0” for `TXTARSK` will skip the code that would generate this file.
10. Set the `%LET EXE_ARSK` flag. If the flag is set to “1,” *XXI_AREA_RISKADJ* will execute. If the flag is set to “0,” *XXI_AREA_RISKADJ* will not execute.



5.6 *XXI_HOSP_OBSERVED.sas*

The *XXI_HOSP_OBSERVED.sas* program calculates the observed rates for the hospital-level indicators using the data derived in a previous step (*XXI_TYPE_MEASURES.sas*). These observed rates are stratified by combinations of hospitals, sex, age, race, and payer categories. The program first totals the indicator flags created by the *XXI_TYPE_MEASURES.sas* program and then it divides these totals by the hospital discharges for each of the desired stratifiers in the at-risk population for the indicator.

The *XXI_HOSP_OBSERVED.sas* program is executed when the `EXE_HOBS` macro variable is set to “1” and the *XXI_TYPE_CONTROL.sas* program is run.

The description below outlines the inputs, outputs, and changes that need to occur in the program. [Appendix E](#), [Appendix F](#), [Appendix G](#), and [Appendix H](#) provide additional details.

The `XXI_HOSP_OBSERVED.sas` program does not apply to the PQI or PQE modules because those indicators are all area-level measures.

Note that an optional stratification program for selected PDIs is available for the PDI software (`PDI_HOSP_STRATIFIED.sas`).



PQI &
PQE

The `XXI_HOSP_OBSERVED` program does not apply to the PQI or PQE modules. PQI & PQE indicators are all area-level measures.



PDI

The PDI module includes measure-specific risk stratification based on risk variables created in the `PDI_HOSP_MEASURES` program.

Input:

1. The SAS dataset that was created in the `XXI_TYPE_MEASURES.sas`. This dataset is a discharge-level file that contains inpatient records with input variables, stratifiers, and the flag indicators for the QI hospital outcomes of interest.
2. SAS format library (LIBRARY) created from the `XXI_TYPE_FORMATS.sas` program.

Output:

1. A SAS dataset with summary records that contains observed rates (`OPXXnn` variables where *nn* refers to the indicator number), the counts of outcomes that formed the numerators of the rates (`TPXXnn` variables), and the hospital discharge totals that formed the denominators of the observed rates (`PPXXnn` variables). The output file has records summarized to the various combinations of stratifiers specified in the `TYPELVLH` parameter that is described in the **Changes/Confirmations** section below. There is an optional ASCII (comma-delimited) text file that the user can then import into a spreadsheet. This text file contains the same information as the SAS output dataset. The text file will contain the `OPXXnn` observed rates, the `TPXXnn` counts of outcomes that formed the numerators of the rates, and the `PPXXnn` counts of outcomes that formed the denominators of the rates. The different records/rows in the text file will correspond to the different `TYPELVLH` summarizations ([Appendix J](#)).
2. A PROC MEANS (with N, NMISS, MIN, MAX, MEAN, and SUM) of the hospital-level summary records that shows statistics for the `OPXXnn` observed rates, the `TPXXnn` counts of outcomes that formed the numerators of the rates, and the `PPXXnn` counts of outcomes that formed the denominators of the rates. These means will only be generated if the user included a value of “16” for IQI and PSI or “64” for PDI for the `TYPELVLH` parameter discussed in the **Changes/Confirmations** section below.

3. A PROC CONTENTS of the output SAS summary dataset is generated in the SAS output window/results viewer.
4. A PROC PRINT of the output summary dataset may be generated in the SAS output window/results viewer. This printout may be quite large depending on the number and the levels of summarization that the user requests with the TYPELVLH parameter discussed in the **Changes/Confirmations** section below. If the user does not wish to generate this printout, then the global “PRINT” parameter in *XXI_TYPE_CONTROL.sas* code should be set to “0.”
5. The output summary dataset may be written to a comma-separated values file (.csv file). If the user wishes to create this file, then the global “TXTHOBS” parameter in *XXI_TYPE_CONTROL.sas* code should be set to “1.”

Changes/Confirmations:

In the *XXI_TYPE_CONTROL.sas* program:

1. Confirm that the “libname OUTMSR” and “libname OUTHOBS” statements specify the locations (paths) of the input and output SAS files, respectively.
2. Confirm that the “OUTFILE_MEAS” and “OUTFILE_HOSPOBS” statements specify the correct names of the input and output files. The name that is specified with OUTFILE_MEAS should be for the file that the user created using the *XXI_TYPE_MEASURES.sas* program. The default file names may be used.
3. Specify the levels of summarization for the observed rates. This step is done by specifying numbers between 0 and 31 (for IQI and PSI) or 0 and 127 (for PDI) in the “%LET TYPELVLH =” statement. Each number corresponds to a different level or combination of levels, as shown in [Appendix J](#). The default values of 0 and 16 (for IQI and PSI) or 0 and 64 (for PDI) will provide an overall total and hospital-level totals.
4. If TYPELVLH includes the value “0,” then the first observation in the output summary data file will contain the overall totals and observed rates for the entire database created with the *XXI_TYPE_MEASURES.sas* program.

For example, if using a state inpatient hospital database, the user might specify the following TYPELVLH values for the IQI module:

0=provides overall rates for the user’s entire state

8=provides overall rates for the user’s state, broken down by age groups

16=provides rates for hospitals within the user’s state

24=provides rates for age groups within these hospitals

5. If a user wishes to create an ASCII (comma-delimited) text file that can be imported into a spreadsheet, then the user should specify the path (including the file name) for this ASCII text file in the “filename XXTXTHOB” statement and set the TXTHOBS parameter to “1.” Otherwise, the default value of “0” for TXTHOBS will skip the code that would generate this file.
6. Set the %LET EXE_HOBS flag. If the flag is set to “1,” *XXI_HOSP_OBSERVED.sas* will execute. If the flag is set to “0,” *XXI_HOSP_OBSERVED.sas* will not execute.

5.7 PDI_HOSP_STRATIFIED.sas

The PDI_HOSP_STRATIFIED.sas program calculates the observed rates for the hospital-level PDI using the data derived in a previous step (PDI_ALL_MEASURES.sas). These observed rates are stratified by risk group categories that are specific to each indicator (PDI 08, PDI 10, and PDI 12). The program first totals the indicator flags created by the PDI_ALL_MEASURES.sas program and then it divides this sum by the count of the hospital discharges for each of the risk group stratifiers.

PDI

The PDI_HOSP_STRATIFIED program is only used in the PDI module.

The risk group-specific stratified rates are stored in variables that have a prefix of “G.”

The PDI_HOSP_STRATIFIED.sas program is executed when the EXE_HSTR macro variable is set to “1” and the PDI_ALL_CONTROL.sas program is run.

The description below outlines the inputs, outputs, and changes that need to occur in the program.

[Appendix E](#), [Appendix F](#), and [Appendix G](#) provide additional details.

Input:

1. The SAS dataset that was created in the PDI_ALL_MEASURES.sas. This dataset is a discharge-level file that contains inpatient records with input variables, stratifiers, and the 13 new flag indicators for the PDI hospital outcomes of interest. Only four of these indicators have risk group stratifiers (PDI 08, PDI 10, and PDI 12).
2. SAS format library (LIBRARY) created from the PDI_ALL_FORMATS.sas program.

Output:

1. A SAS dataset with summary records that contains the counts of outcomes that formed the numerators of the rates (TPPD nn variables), the hospital discharge totals that formed the denominators of the observed rates (PPPD nn variables), and the observed rates (OPPD nn variables where nn refers to the indicator number). It also includes variables identifying POA conditions for hospital-level outcomes of interest (QPPD nn), although given that POA is required, QPPD nn is equivalent to TPPD nn . The output file has records summarized to the indicator-specific, predefined risk-group stratifiers.
2. An optional ASCII (comma-delimited) text file that the user can then import into a spreadsheet. This text file contains the same information as the SAS output dataset. The text file will contain the TPPD nn numerator counts of outcomes, the PPPD nn denominator counts of outcomes, and the OPPD nn observed rates. The different records/rows in the text file will correspond to the indicator-specific, predefined risk group stratifiers.
3. A PROC MEANS (with N, NMISS, MIN, MAX, MEAN and SUM) of the hospital-level summary records that show statistics for the OPPD nn observed rates, the TPPD nn counts of outcomes that formed the numerators of the rates, the QPPD nn POA flags, and the PPPD nn counts of outcomes that formed the denominators of the rates. These means are generated by the indicator-specific, predefined risk-group stratifiers.
4. A PROC CONTENTS of the output SAS summary dataset is generated in the SAS output window/results viewer.

5. A PROC PRINT of the output summary dataset may be generated in the SAS output window/results viewer. If the user does not wish to generate this printout, then the global “PRINT” parameter in PDI_ALL_CONTROL.sas code should be set to “0.”

Changes/Confirmations:

In the PDI_ALL_CONTROL.sas program:

1. Confirm that the “libname OUTMSR” and “libname OUTST” statements specify the locations (paths) of the input and output SAS files, respectively.
2. Confirm that the “OUTFILE_MEAS” and “OUTFILE_STRAT” statements specify the correct names of the input and output files. The name specified with OUTFILE_MEAS should be for the file that the user created using the PDI_ALL_MEASURES.sas program. The default file names may be used.
3. If the user wishes to create an ASCII (comma-delimited) text file that can be imported into a spreadsheet, the user should specify the path (including the file name) for this ASCII text file in the “filename PDTXTSTR” statement and set the TXTSTRAT parameter to “1.” Otherwise, the default value of “0” for TXTSTRAT will skip the code that would generate this file.
4. Set the %LET EXE_HSTR flag. If the flag is set to “1,” PDI_HOSP_STRATIFIED will execute. If the flag is set to “0,” PDI_HOSP_STRATIFIED will not execute.

5.8 XXI_HOSP_RISKADJ.sas

The XXI_HOSP_RISKADJ.SAS program calculates risk-adjusted rates by the patient’s age, sex, birth weight (in the PDI module only), modified MS-DRG, Clinical Classifications Software Refined (CCSR) category, comorbidity and other risk factors for each QI and then calculates smoothed rates. See [Appendix G](#) for a detailed list of risk factors.

The risk-adjusted and smoothed rates are not calculated for the hospital-level indicators in which hospital comparisons are not recommended (IQI 21, IQI 22, IQI 33, PSI 17–PSI 19). The risk-adjusted and smoothed rates are also not calculated for the hospital-level count indicator PSI 05. In addition, as of v2023, the risk-adjusted and smoothed rates are also not calculated for the hospital-level indicators when user data do not provide MDC (MDC_PROVIDED is not 1) information, do not include procedure days (PRDAY is not 1) for certain PDIs and PSIs, or use stratification levels such as age, gender, age in days, birth weight (in particular TYPELVLH is in 4-15 or 20-31 for PSIs and IQIs; 4-63, 68-127 for PDIs). Because age, gender, age in days, and birth weight are used in risk adjustment models, it is inappropriate to produce risk-adjusted rates for any stratum that includes these variables.

The XXI_HOSP_RISKADJ.sas program is executed when the EXE_HRSK macro variable is set to “1” and the XXI_TYPE_CONTROL.sas program is run.

The description below outlines the inputs, outputs, and changes that need to occur in the program. [Appendix E](#), [Appendix F](#), [Appendix G](#), and [Appendix H](#) provide additional details.

The XXI_HOSP_RISKADJ.sas program applies only to the IQI, PSI, and PDI software packages. The PQI and PQE software packages, which calculate only area-level rates, do not include the XXI_HOSP_RISKADJ.sas program.


The *XXI_HOSP_RISKADJ.sas* program calculates risk-adjusted rates for providers that have at least three denominators. Rates based on only a few discharges should be interpreted with caution.

Input:

1. SAS format library (FMTLIB) created from the *XXI_TYPE_FORMATS.sas* program.
2. The discharge-level SAS analytic file that was created with the *XXI_TYPE_MEASURES.sas* program.
3. The SAS analytic file (with summary records) that was created with the *XXI_HOSP_OBSERVED.sas* program.
4. SAS macro program(s) library (MacLib) with the location as specified in the *XXI_TYPE_CONTROL.sas* program. See [Appendix C](#) for a complete list of macro SAS programs for each software package.
5. SAS macro program (*XXI_HOSP_Regvars_v2024.sas*) that contains SAS code to create risk adjustment variables. The program was created during the development of the hospital-level QIs and does not need to be manipulated for use with the software. See [Appendix G](#) for a list of risk adjustment variables.
6. ASCII files (*GEE_XXnn_AGE_SEX.csv* or *Logistic_XXnn_AGE_SEX.csv*) contain coefficients for clinical risk models with various adjustments for age and sex. One CSV file exists for each indicator. The files are used in the calculation of risk-adjusted rates. The files were created during the development of the hospital-level QIs and do not need to be manipulated for use with the software.
7. SAS macro program (*XXI_HOSP_Sigvar_Array_v2024.sas*) that contains arrays of signal variance estimates and mean reference population rates for each QI. The macro program is used in the calculation of smoothed rates. The program was created during the development of the hospital-level QIs and does not need to be manipulated for use with the software.

Output:

1. A SAS dataset with an overall summary record and with hospital-level summary records that contain the three types of indicator rates along with the components of the initial raw rates. Depending on the QI module, the file may contain the observed rates (*OPXXnn* variables), the risk-adjusted rates (*RPXXnn* variables), the smoothed rates (*SPXXnn* variables), the counts of outcomes that formed the numerators of the observed rates (*TPXXnn* variables), the hospital discharge totals that formed the denominators of the observed rates (*PPXXnn* variables), the expected rates (*EPXXnn* variables), the variance of the risk-adjusted rate (*VPXXnn* variables), the risk-adjusted rate confidence intervals (*LPPSnn* variables for lower bounds and *UPPSnn* variables for upper bounds), reliability of the risk-adjusted rates (*SNPXXnn*), and the smoothed rate standard errors (*XPPSnn*). When stratifications other than hospital are selected, the *RPXXnn* variables and their confidence intervals are observed/expected ratios to avoid confounding with risk adjustment variables.



IQI, PDI, and PSI

IQI and PSI specifications are based on Hospital ID, categories for Age, Sex, Payer, and Race, and the level of summarization, or TYPE selected in the *XXI_HOSP_CONTROL* file.

2. An optional ASCII (comma-delimited) text file that the user can import into a spreadsheet. This text file contains the same information as the SAS output dataset (with the exception of the *VPXXnn* variance variables). The text file will contain the *OPXXnn* observed rates and their *TPXXnn* numerator and *PPXXnn* denominator components, the *EPXXnn* expected rates, the *RPXXnn* risk-adjusted rates with upper (*UPPSnn*) and lower (*LPXXnn*) limits, and the *SPXXnn* smoothed rates with their standard errors (*XPPSnn*). Each record or row in the text file will correspond to a specification group.
3. A PROC MEANS (with N, NMISS, MIN, MAX, MEAN, and SUM) of the hospital-level summary records that shows statistics for the observed, risk-adjusted, and smoothed rates, and statistics for the counts of outcomes that formed the numerators and denominators of the observed rates. These means will only be generated if the user included a value of 16 (for IQI and PSI) or a value of 64 (for the PDI) for the TYPELVLH parameter of the preceding *XXI_HOSP_OBSERVED.SAS* program (see [Appendix J](#)).
4. A PROC CONTENTS of the output SAS summary dataset is generated in the SAS output window/results viewer.
5. A PROC PRINT of the output summary dataset may be generated in the SAS output window/results viewer. This printout may be quite large depending on the number and the levels of summarization that the user requested with the TYPELVLH parameter of the preceding *XXI_HOSP_OBSERVED.sas* program (see [Appendix J](#)). If the user does not wish to generate this printout, then the global “PRINT” parameter in *XXI_TYPE_CONTROL.sas* code should be set to “0.”

Changes/Confirmations:

In *XXI_TYPE_CONTROL.sas*:

1. Confirm that the “libname OUTMSR,” “libname OUTHOBS,” and “libname OUTHRISK” statements specify the correct locations (paths) of the input and output SAS files, respectively.
2. Confirm the “OUTFILE_MEAS” statement is the correct name of the discharge-level analytic file created with the *XXI_TYPE_MEASURES* program. The default file name may be used.
3. Confirm that the “filename MacLib” statement points to the correct path to the SAS macro library that contains signal variance arrays and regression variable macros.
4. Confirm the “OUTFILE_HOSPOBS” statement indicates the correct name of the summary analytic file created with the *XXI_HOSP_OBSERVED.SAS* program. The default file name may be used.
5. Confirm that “%LET RADIR” statement indicates the correct name and location of the risk adjustment parameters (e.g. GEE.csv files). These files are provided as part of the software package.
6. Confirm that the “OUTFILE_HOSPRISK” statement indicates the name that the user wishes the output analytic file from *XXI_HOSP_RISKADJ.sas* to have. The default file name may be used.
7. If the user wishes to create an ASCII (comma-delimited) text file that can be imported into a spreadsheet, then specify the path (including the file name) for this ASCII text file in the “filename XXTXTHRA” statement and set the TXTHRISK parameter to “1.” Otherwise, the default value of “0” for TXTHRISK will skip the code that would generate this file.

8. Confirm %LET HOSPID_TYP is set to the appropriate length and data type for the HOSPID data element found on the discharge-level SAS analytic file that was created with the *XXI_TYPE_MEASURES* program. If HOSPID is alphanumeric, include "\$" prior to the length. The default value of HOSPID_TYP is numeric length 5. If, for example, a user wishes to use an alphanumeric HOSPID of length 8, the user will specify “%LET HOSPID_TYP = \$8”.
9. Set the %LET EXE_HRSK flag. If the flag is set to “1,” *XXI_HOSP_RISKADJ* will execute. If the flag is set to “0,” *XXI_HOSP_RISKADJ* will not execute.

5.9 *XXI_HOSP_COMPOSITE.sas* Program¹⁴

The *XXI_HOSP_COMPOSITE.sas* program calculates the scores for the hospital-level composite QIs using the summary file derived from the *XXI_HOSP_RISKADJ.sas* program and weights supplied within the QI software. For a complete description of the composite methodology and the weights, please refer to the *AHRQ QI Empirical Methods* document:

(https://qualityindicators.ahrq.gov/Downloads/Resources/Publications/2024/Empirical_Methods_2024.pdf). For each composite, the *XXI_HOSP_COMPOSITE.sas* program computes the composite score, the variance and standard error for the composite rate, the weighted denominator, and a confidence interval for the composite score.

The *XXI_HOSP_COMPOSITE.sas* program is executed when the EXE_HCMP macro variable is set to “1” and the *XXI_TYPE_CONTROL.sas* program is run.

The *XXI_HOSP_COMPOSITE.sas* program applies only to the IQI and PSI software packages. The PQI software package, the PQE software package, and the PDI area-level software package, which calculate area-level rates only, do not have a separate composite program. In addition, as of v2023, the risk-adjusted and smoothed rates are also not calculated for the hospital-level indicators when user data do not provide MDC (MDC_PROVIDED is not 1) information, do not include procedure days (PRDAY is not 1) for PSI, or use stratification levels (age, gender, ageday, birthweight) that are used in the risk adjustment models.

Input:

1. The SAS dataset with an overall summary record and hospital-level summary records that were created with the *XXI_HOSP_RISKADJ.sas* program.
2. A SAS program (.sas) that contains arrays of risk-adjusted rates from the reference (general or standard) population, variance squared estimates, and an index for mapping the variances to component indicators.

Output:

1. A SAS dataset *OUTFILE_COMP* with one record for each provider (hospital) that contains the composite score (COMPx), the variance (COMPxVAR), the standard error (COMPxSE) for the composite rate, the weighted denominator (COMPxWHT), and a confidence interval (COMPxLB, COMPxUB) for the composite score. The output also contains inputs to calculate the composite, such as component indicator risk-adjusted rates, noise variance, reliability weights, component weights, and reference population weights.

¹⁴ Rates for the area-level composite QI are calculated in the same programs that calculate the rates for the component area-level indicators. Thus, no corresponding composite program exists for area-level indicators.

2. A PROC MEANS (with N and MEAN) of the provider (hospital)-level summary records that shows statistics for the composite score, variance of the composite score, standard error of the composite score, and weighted denominator of the composite score.

Changes/Confirmations:

In *XXI_HOSP_COMPOSITE*.sas program:

1. If the user wishes to modify the weights, change the W_{nn} values in the *XXI_Composite_Wt_v2023*.sas macro referenced in the program, where nn is the number of the component indicator. Note that the weights provided for a composite must sum to “1.”

In the *XXI_TYPE_CONTROL*.sas program:

1. Confirm that “libname OUTHRISK” and “libname OUTHCOMP” statement specifies the locations (path) of the input and output file, respectively.
2. Confirm that the “filename MacLib” statement points to the correct path to the SAS macro library that contains signal variance arrays and regression variable macros.
3. Confirm that the “OUTFILE_HOSPRISK” statement is the correct name of the risk-adjusted analytic file created with the *XXI_HOSP_RISKADJ*.sas program. The default file name may be used.
4. Confirm that the “filename MacLib” statement points to the correct path to the SAS macro library that contains component measure reference rates and variance arrays macro.
5. Confirm that the “XXCOMPRR” statement specifies the correct name of the file containing component measure reference rates and variance arrays.
6. Confirm that the “OUTFILE_COMP” statement indicates the correct name of the summary analytic file created with the *XXI_HOSP_COMPOSITE*.SAS program. The default file name may be used.
7. If the user wishes to create an ASCII (comma-delimited) text file that can be imported into a spreadsheet, then specify the path (including the file name) for this ASCII text file in the “filename *XXTXTCMP*” statement and set the *TXTCOMP* parameter to “1.” Otherwise, the default value of “0” for *TXTCOMP* will skip the code that would generate this file.
8. Set the %LET *EXE_HCMP* flag. If the flag is set to “1,” *XXI_HOSP_COMPOSITE* will execute. If the flag is set to “0,” *XXI_HOSP_COMPOSITE* will not execute.

Chapter 6. Reviewing the Printed Output

This chapter contains tips for reviewing some of the printed output from the Quality Indicators (QI) modules. These tips aim to explain the interrelationships between printout items from different programs and help reveal the nature and structure of the module outputs. See [Appendix H](#) for each module's output data dictionary.

Depending on the QI module and whether the user has elected to risk adjust and smooth the data, the final output may be a PROC PRINT from *XXI_AREA_OBSERVED.sas*, *XXI_AREA_RISKADJ.sas*, *XXI_HOSP_OBSERVED.sas*, and/or *XXI_HOSP_RISKADJ.sas*. All interim printouts, including those from *XXI_TYPE_MEASURES.sas* and *XXI_TYPE_COMPOSITE.sas*, are for checking and troubleshooting.

6.1 *XXI_TYPE_MEASURES.sas* Program

The interim printout from the *XXI_TYPE_MEASURES.sas* program contains **PROC MEANS** for all numeric variables (including the comorbidity indicators) in the output discharge-level dataset. It will contain information for the newly constructed *TAXXnn* and *TPXXnn* flag variables that will later form the numerators for the indicator rates. For each *TAXXnn* and *TPXXnn* flag variable:

- The SUM will contain the total number of observations in the dataset that have the particular outcome of interest.
- For most of the area indicators, the MEAN, MINIMUM, and MAXIMUM usually will be the value “1” because the flag variables have been set either to missing (“.”) or to a value of “1.”

Most of the hospital-level indicators will have a value of “1,” “0,” or missing (“.”). For these indicators, a value of “0” was assigned to the *TPXXnn* flag if a particular observation was part of the population at risk for a particular indicator but did not have the particular outcome of interest. For example, *TPIQ21=1* indicates a patient who had a Cesarean section (C-section), whereas *TPIQ21=0* identifies a patient who had a delivery but not a C-section.

For most of the hospital-level indicators, the MEANS will contain a close approximation of the eventual overall observed indicator rates. The values will change slightly after *XXI_HOSP_OBSERVED.sas* has applied additional parts of the indicator definitions.

N lists the number of observations in the dataset with non-missing values. For the area indicators, *N* for *TAXXnn* will be the same as the SUM. For most of the hospital-level indicators, *N* will contain the denominator for the observed indicator rate.

Differences in the output from *XXI_TYPE_MEASURES.sas* and *XXI_AREA_OBSERVED.sas* and *XXI_AREA_RISKADJ.sas* programs may exist based on missing data. If any discharges are missing the Federal Information Processing Standards (FIPS) codes, they will be included in the output from *XXI_TYPE_MEASURES.sas* but will be excluded from the subsequent analyses (the second and third programs).

The *XXI_TYPE_MEASURES.sas* printout also contains a **PROC CONTENTS** that lists all variables in the output dataset, including the character variables that are present, and a **PROC PRINT** of the first 24 observations in the output dataset.

6.2 XXI_AREA_OBSERVED.sas Program

The purpose of this printout is to provide the observed rates for all area-level indicators. The default printout shows overall results and results by area, but other levels of output also can be specified. Note that risk-adjusted and smoothed rates are shown in the output from the *XXI_AREA_RISKADJ.sas* program.

The printout from the *XXI_AREA_OBSERVED.SAS* program contains **PROC MEANS** for all numeric variables in the output summary dataset. It will contain information for the newly constructed *TAXXnn* numerators, the *PAXXnn* denominators, and the *OAXXnn* rates.

The *_TYPE_* variable described in the first row of the MEANS table identifies the stratification level for the records in the output dataset. The *_TYPE_* variable corresponds to the *TYPELVLA* parameter values that were specified (see the **Changes/Confirmations** section in Chapter 5.4 for the *XXI_AREA_OBSERVED.SAS* program in the software). In this case, *_TYPE_* always assumes the value of “8,” because only the area-level records are selected.

The *N* statistic for *_TYPE_* contains the number of areas in the output summary dataset. A *TAXXnn* numerator variable with a lower value for *N* than *_TYPE_* indicates that some of the areas have no outcomes of interest.

The **MINIMUM** value for the *TAXXnn* numerators will be “1” or higher.

- For the observed rates, the user should **NOT** report the MEANS displayed here but instead should refer to the overall means in the output dataset that are also present in the final **PROC PRINT**. The MEANS given here are means of the area means (i.e., all areas are given equal weight, regardless of the population in the different areas).

The SUMs for the counter variables *TAXXnn* and *PAXXnn* will contain overall file totals for these data elements. The SUMs for the observed rates have no intuitive meaning.

If the “PRINT” parameter in the *XXI_TYPE_CONTROL.sas* program is set to “1,” the final **PROC PRINT** output in *XXI_AREA_OBSERVED.sas* contains a complete dump of the output summary file. Listed for each record are the stratification values, the *PAXXnn* population denominators for the indicators, the *TAXXnn* outcome numerators for the indicators, and the *OAXXnn* observed rates.

[Table 24](#) lists and describes the column headers shown on the printed output. Each indicator is reported in a separate section, where *XX* refers to the QI module and *nn* corresponds to the two-digit indicator number.

Table 24. Area-Level Print Output

COLUMN HEADING	DESCRIPTION
OBS	Observation 1 is the overall average for the entire dataset (<i>TYPELVLA</i> =0). The remaining observations are individual areas (<i>TYPELVLA</i> =8).
MAREA	Identifier in the dataset for metro area.
AGECAT or POPCAT	Population age categories (AGECAT for PQI, POPCAT for PDI, PQE).
SEXCAT	Sex categories.
RACECAT	Race categories.

COLUMN HEADING	DESCRIPTION
TAXXnn	Number of cases in the numerator.
PAXXnn	Number of discharges in the denominator (population at risk).
OAXXnn	Observed (raw) rate—numerator divided by denominator.

Observation 1 (with MAREA=*blank*) is the overall average for the entire dataset (TYPELVLA=0). The remaining observations are individual areas (TYPELVLA=8 for PQI/PDI, TYPELVLA=4 for PQE).

The user may wish to express the results in more understandable terms. Multiply the utilization rates by 100,000 to express them as a rate per 100,000 population (e.g., $0.000494 \times 100,000 = 49.4$ pediatric heart surgeries per 100,000 population).

The MEANS table is generated from the permanent area-level output file. The means are provided just for the area-level summary records.

The *N* for all but the TAXXnn counter variables should contain the number of different areas (metro areas and counties) in the user’s database.

The means, minimums, and maximums have their normal meaning and provide comparisons among the different areas in the user’s database. Note: The maximums for the counter variables (the TAXXnn and PAXXnn variables) are associated with specific areas; these maximums may not match those in the PROC MEANS printouts because that typically will include a record for the entire database.

6.3 XXI_AREA_RISKADJ.sas Program

The PROC PRINT at the end of this program provides the user’s final output. (This printout appears if the “PRINT” parameter in the XXI_TYPE_CONTROL.sas program is set to “1.”) [Table 25](#) lists the column headers shown on the printed output and describes each one. Each indicator is reported in a separate section, where *XX* refers to the QI module and *nn* corresponds to the two-digit QI number.

Table 25. Final Area-Level Print Output

COLUMN HEADING	DESCRIPTION
OBS	Observation 1 is the overall average for the entire dataset (TYPELVLA=0). The remaining observations are individual areas (TYPELVLA=8 for PQI/PDI, TYPELVLA=4 for PQE).
MAREA	Identifier in the dataset for metro area.
AGECAT or POPCAT	Population age categories—see Appendix J for TYPELVLA settings.
SEXCAT	Sex categories—see Appendix J for TYPELVLA settings.
RACECAT	Race categories—see Appendix J for TYPELVLA settings.
TAXXnn	Number of cases in the numerator.
PAXXnn	Number of discharges in the denominator (population at risk).
OAXXnn	Observed (raw) rate—numerator divided by denominator.
EAXXnn	Expected rate—rates the area would have if it performed the same as the reference (general or standard) population given the area’s actual case mix (e.g., age, sex, modified Medicare Severity Diagnosis-Related Groups [MS-DRG], and comorbidities).

COLUMN HEADING	DESCRIPTION
RAXXnn	Risk-adjusted rate—accounts for the difference between the case mix of the reference (general or standard) population and the hospital’s (provider’s) case mix. When stratifications other than area are selected, the RAXXnn variables and their confidence intervals are observed/expected ratios to avoid confounding with risk adjustment variables.
LAXXnn	Lower limit of confidence interval of risk-adjusted rate.
UAXXnn	Upper limit of confidence interval of risk-adjusted rate.
SNAXXnn	Reliability of the risk-adjusted rate.
VAXXnn	Variance of the risk-adjusted rate.
SAXXnn	Smoothed rate—rates with removal of fluctuation over time.
XAXXnn	Standard error of smoothed rate.

Observation 1 (with MAREA=*blank*) is the overall average for the entire dataset (TYPELVLA=0). The remaining observations are individual areas (TYPELVLA=8 for PQI/PDI, TYPELVLA=4 for PQE).

The user may wish to express the results in more understandable terms. Multiply the utilization rates by 100,000 to express them as a rate per 100,000 population (e.g., $0.000494 * 100,000 = 49.4$ hysterectomies per 100,000 population).

The MEANS table is generated from the permanent area-level output file. The means are provided just for the area-level summary records.

The *N* for all but the TAXXnn counter variables should contain the number of different areas (metro areas and counties) in the user’s database.

The means, minimums, and maximums have their normal meaning and provide comparisons among the different areas in the user’s database. Note: The maximums for the counter variables (the TAXXnn and PAXXnn variables) are associated with specific areas; these maximums may not match those in the **PROC MEANS** printouts because that typically will include a record for the entire database.

- For the observed, risk-adjusted, or smoothed rates, the user should **NOT** report the MEANS displayed here; the user instead should refer to the overall means in the output dataset that also are present in the subsequent **PROC PRINT**. The MEANS given here are means of area means (i.e., all areas are given equal weight, regardless of the number of discharges in the different areas).

The sums of the counter variables (the TAXXnn and PAXXnn variables) yield the overall database totals.

6.4 XXI_HOSP_OBSERVED.sas Program

The purpose of this printout is to provide the observed rates for all hospital-level indicators. The default printout shows results by hospital (provider), but other levels of output also can be specified. Note: The risk-adjusted and smoothed rates are shown in the output from the XXI_HOSP_RISKADJ.sas program.

The printout from the XXI_HOSP_OBSERVED.SAS program contains **PROC MEANS** on the hospital-level summary records for all numeric variables in the output summary dataset. It will contain information for the newly constructed specifications, the TPXXnn numerators, the PPXXnn denominators, and the OPXXnn rates.

The `_TYPE_` variable described in the MEANS table identifies the stratification level for the records in the output dataset. The `_TYPE_` variable corresponds to the TYPELVLH parameter values that were specified. In this case, `_TYPE_` always assumes the value of 16 (for IQI and PSI) or 64 (for PDI) because only the hospital-level records are selected.

The *N* statistic for `_TYPE_` contains the number of hospitals in the output summary dataset. A `TPXXnn` numerator variable with a value for *N* that is lower than the *N* value for `_TYPE_` indicates that some of the hospitals had no outcomes of interest. Similarly, a `PPXXnn` denominator variable with a lower value for *N* than `_TYPE_` indicates that for some hospitals, there were no cases with the outcome of interest.

The MINIMUM value for most of the numerators will usually be “0” because values of “0” were assigned for observations that were part of the population for the rate denominator, but they did not have the particular outcome of interest included in the rate numerator.

- For the observed rates, the user should **NOT** report the MEANS displayed here; instead, the user should refer to the overall means in the output dataset that also are present in the final **PROC PRINT**. The MEANS given here are means of hospital means (i.e., all hospitals are given equal weight, regardless of the number of discharges in the different hospitals).

The SUMs for the counter variables `TPXXnn` and `PPXXnn` will contain overall file totals for these data elements. The SUMs for the observed rates have no intuitive meaning.

If the “PRINT” parameter in the `XXI_TYPE_CONTROL.sas` program is set to “1,” the final **PROC PRINT** output in `XXI_HOSP_OBSERVED.sas` contains a complete dump of the output summary file. Listed for each record are the stratification values, the `PPXXnn` population denominators for the hospital-level indicators, the `TPXXnn` outcome numerators for the hospital-level indicators, and the `OPXXnn` observed rates.

6.5 XXI_HOSP_RISKADJ.sas Program

The **PROC PRINT** at the end of this program provides the user’s **final output**. (This printout appears if the “PRINT” parameter in the `XXI_TYPE_CONTROL.sas` program is set to “1.”)

[Table 26](#) lists the column headers shown on the printed output and describes each one. Each indicator is reported in a separate section, where *XX* refers to the QI module and *nn* corresponds to the two-digit indicator number.

Table 26. Final Hospital-Level Print Output

COLUMN HEADING	DESCRIPTION
OBS	Observation 1 (with HOSPID=“.”) is the overall average for the entire dataset (TYPELVLH=0). The remaining observations are individual hospitals (providers) (TYPELVLH=16).
HOSPID	Identifier for each hospital in the dataset.
AGECAT	Age stratification category—see Appendix J for TYPELVLH settings.
SEXCAT	Sex stratification category—see Appendix J for TYPELVLH settings.
PAYCAT	Payer stratification category—see Appendix J for TYPELVLH settings.
RACECAT	Race stratification category—see Appendix J for TYPELVLH settings.
TPXXnn	Number of cases in the numerator.
PPXXnn	Number of discharges in the denominator (population at risk).

COLUMN HEADING	DESCRIPTION
OPXXnn	Observed (raw) rate—numerator divided by denominator.
EPXXnn	Expected rate—rates the hospital would have if the hospital performed the same as the reference (general or standard) population given the hospital’s actual case mix (e.g., age, sex, modified MS-DRG, and comorbidities).
RPXXnn	Risk-adjusted rate—accounts for the difference between the case mix of the reference population and the hospital’s (provider’s) case mix. When stratifications other than hospital or overall are selected, the RPXXnn variables and their confidence intervals are observed/expected ratios to avoid confounding with risk adjustment variables.
LPXXnn	Lower limit of confidence interval of risk-adjusted rate.
UPXXnn	Upper limit of confidence interval of risk-adjusted rate.
SPXXnn	Smoothed rate—rates with removal of fluctuation over time.
XPXXnn	Standard error of smoothed rate.

Observation 1 (with HOSPID=“.” or “.”) is the overall average for the entire dataset (TYPELVLH=0). The remaining observations are individual hospitals (TYPELVLH=16). Data will appear under the column headers AGE CAT, SEX CAT, PAY CAT, and RACE CAT if the user specifies these levels of aggregation.

The user may wish to express the results in more understandable terms:

Multiply the mortality rates by 1,000 to express them as per 1,000 discharges (e.g., $0.0338 \times 1,000 = 33.8$ deaths per 1,000 discharges).

The MEANS table is generated from the permanent hospital-level output file and is provided for troubleshooting and understanding the user’s data but not for reporting. The means are provided only for the hospital-level summary records.

The *N* for all but the TPXXnn counter variables should contain the number of hospitals in the user’s database.

The means, minimums, and maximums have their normal meaning and provide comparisons among the different hospitals in the user’s database.

- For the observed, risk-adjusted, or smoothed rates, the user should **NOT** report the MEANS displayed here but instead refer to the overall means in the output dataset in the **PROC PRINT** labeled “FINAL OUTPUT.” The MEANS given here are means of hospital means (i.e., all hospitals are given equal weight, regardless of the number of discharges in the different hospitals).

If the “PRINT” parameter in the XXI_TYPE_CONTROL.sas program is set to “1,” at the end of the printout is a **PROC PRINT** of the final hospital-level output file. Listed for each level of stratification are the stratifiers; the numerator and denominator totals for the observed rates; and the observed, risk-adjusted, and smoothed rates.

6.6 XXI_HOSP_COMPOSITE.sas Program

The **PROC MEANS** at the end of this program provides the user’s **final output**. (This printout appears if the “PRINT” parameter in the XXI_TYPE_CONTROL.sas program is set to “1.”)

The MEANS table is generated from the permanent hospital-level output file and provides the overall mean of the composite scores for the user’s entire sample of hospitals. [Table 27](#) lists the estimates provided in the MEANS table.

Table 27. Final Hospital-Level Composite Printed Output

COLUMN HEADING	DESCRIPTION
OBS	Observation 1 (with HOSPID=“.”) is the overall average for the entire dataset (TYPELVLH=0). The remaining observations are individual hospitals (providers) (TYPELVLH=16).
HOSPID	Identifier for each hospital in the dataset.
COMPx	Composite score
COMPxVAR	Variance for the composite score
COMPxSE	Standard error for the composite score
COMPxWHT	Weighted denominator for the composite score
RPXXnn	Risk-adjusted rate—accounts for the difference between the case mix of the reference population and the hospital’s case mix. When stratifications other than hospital are selected, the RPXXnn variables and their confidence intervals are observed/expected ratios to avoid confounding with risk adjustment variables.
PPXXnn	Number of discharges in the denominator (population at risk).
VPXXnn	Noise variance of the composite weight.
APXXnn	Reliability weight of the composite.
WPXXnn	Component weight for the composite.
REFXXnn	Reference population weight for the composite.

6.7 Comparisons to Benchmark Tables

Users can compare their results to the benchmark data tables provided for each module. The tables provide nationwide comparative rates for the indicators, including numerators, denominators, and observed rates for each indicator overall and stratified by sex, age group, and insurance status. These tables are currently only available for the *International Classification of Diseases, 10th Revision, Clinical Modification/Procedure Classification System* (ICD-10-CM/PCS) coded data in v2024.

Benchmark data tables can be found at the module-specific web pages including:

- PQI: https://qualityindicators.ahrq.gov/measures/pqi_resources
- PQE: https://qualityindicators.ahrq.gov/measures/pqe_resources
- IQI: https://qualityindicators.ahrq.gov/measures/iqi_resources
- PSI: https://qualityindicators.ahrq.gov/measures/psi_resources
- PDI: https://qualityindicators.ahrq.gov/measures/pdi_resources

Chapter 7. User Support

Technical assistance for the SAS QI software is available through an electronic user support system monitored by the AHRQ QI support team. Users can use the same email address to communicate with AHRQ about suggestions for QI enhancements, general questions, and QI-related comments. AHRQ welcomes users' feedback. The email address for user support and feedback is QISupport@ahrq.hhs.gov.

AHRQ also offers a listserv to keep users informed about the QIs. The listserv is used to announce any QI changes or updates as well as new tools and resources. It also is used to distribute other QI-related information. This is a free service. Follow the process described below to begin receiving important QI information. Users need a computer, internet access, and an email address. The listserv operates like other electronic distribution lists.

To register for the listserv, follow this process:

1. Go to the Email Updates web page:
https://subscriptions.ahrq.gov/accounts/USAHRQ/subscriber/new?topic_id=USAHRQ_39
2. On this page, provide a valid email address and click "Submit."
3. On the next page, follow the instructions to complete the subscription.
4. Users will receive a message confirming their enrollment.

If you have any questions about the subscription process, contact AHRQ QI Support by email at QISupport@ahrq.hhs.gov. Users will receive an auto-generated response email message confirming receipt.

Chapter 8. User Feedback for Future Updates

The v2024 SAS QI software was developed and implemented with discharge data available to AHRQ through the Healthcare Cost and Utilization Project (HCUP). The goals of the software were to develop the tools for measurement, illustrate their use, and encourage others to adopt and use the tools for their own applications. As a result, users are encouraged to consider how AHRQ may modify or enhance the software to better serve user's measurement needs and interests.

Modifications to the definitions of outcomes of interest (numerators) or populations at risk (denominators) are possible but not desirable. Maintaining consistent definitions is important. Once definitions are altered, the ability to make comparisons between indicators on the basis of the original definitions is lost. Users are encouraged to identify ways to improve the AHRQ QI methodology and to share their suggestions with AHRQ for future software updates.

Users with suggestions should contact AHRQ QI Support by email at QIsupport@ahrq.hhs.gov. Users will receive an auto-generated response email message confirming receipt.

Appendix A: Additional Resources

The following links may be helpful to users of the AHRQ QIs.

QI resources by module:

- PQI: https://qualityindicators.ahrq.gov/measures/pqi_resources
- PQE: https://qualityindicators.ahrq.gov/measures/pqe_resources
- IQI: https://qualityindicators.ahrq.gov/measures/iqi_resources
- PSI: https://qualityindicators.ahrq.gov/measures/psi_resources
- PDI: https://qualityindicators.ahrq.gov/measures/pdi_resources

Other helpful links include:

- SAS QI software: https://qualityindicators.ahrq.gov/software/sas_qi
- Frequently Asked Questions: <https://qualityindicators.ahrq.gov/faqs>

Table 28. AHRQ Quality Indicators Version 2024 Documentation and Software

DOCUMENTATION AND SOFTWARE	DESCRIPTION
DOCUMENTATION	
<ul style="list-style-type: none"> • PQI Technical Specifications • PQE Technical Specifications • IQI Technical Specifications • PSI Technical Specifications • PDI Technical Specifications 	Includes a brief description of the measure, numerator inclusion and exclusion criteria, and denominator inclusion and exclusion criteria. ICD-10-CM/PCS coded diagnoses and procedures are listed. Separate specifications are available for each software version.
<ul style="list-style-type: none"> • PQI Parameter Estimates • PQE Parameter Estimates • IQI Parameter Estimates • PSI Parameter Estimates • PDI Parameter Estimates 	Provides the covariates and coefficients for risk adjustment models and the weights used in the hospital-level composites. The regression coefficients are used to calculate risk-adjusted rates that account for differences in the patient population across areas or hospitals.
<ul style="list-style-type: none"> • PQI v2024 Benchmark Data Tables • PQE v2024 Benchmark Data Tables • IQI v2024 Benchmark Data Tables • PSI v2024 Benchmark Data Tables • PDI v2024 Benchmark Data Tables 	Provides tables of nationwide comparative estimates for each of the indicators, including counts and numerator, denominator, and observed rates stratified by sex, age group, and expected payer.
<ul style="list-style-type: none"> • Log of Coding Updates and Revisions–PQI • Log of Coding Updates and Revisions–PQE • Log of Coding Updates and Revisions–IQI • Log of Coding Updates and Revisions–PSI • Log of Coding Updates and Revisions–PDI 	Provides a cumulative summary of all changes to the software, software documentation, and other documents made since the release of version 2.1 of the software in March 2003.

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SOFTWARE	
<ul style="list-style-type: none"> • PQI SAS Software Package • PQE SAS Software Package • IQI SAS Software Package • PSI SAS Software Package • PDI SAS Software Package 	Requires the SAS statistical program distributed by the SAS Institute Inc. The company may be contacted directly regarding the licensing of its products: http://www.sas.com
<ul style="list-style-type: none"> • AHRQ QI Population File 	Includes population data (sex, age, and race by county) that are constructed from public-use Census data and provided for use as a denominator for area-level indicators.
<ul style="list-style-type: none"> • Listserv Announcement/Release Notes 	Announces the release of each version of the AHRQ QI software and documentation and provides a summary of changes and links to relevant pages.

Additional documents may be accessed at the AHRQ QI Resources website:

<https://qualityindicators.ahrq.gov/modules/Default.aspx>. Examples of documents available at this link include:

- AHRQ Quality Indicator Empirical Methods v2024
- Improving the AHRQ Quality Indicators (December 2014)
- AHRQ QI Measure Development, Implementation, Maintenance, and Retirement (August 2019)
- List of QI-related publications and presentations

A number of documents are cataloged within the *Archive* section of the AHRQ QI web page for historical purposes: <https://qualityindicators.ahrq.gov/Archive/default.aspx>.

Announcements on the release of new documents and software can be found on the AHRQ QI web page under the *News* section: <https://qualityindicators.ahrq.gov/News/>.

AHRQ provides a free, online query system based on Healthcare Cost and Utilization Project (HCUP) data that provides access to health statistics and information on hospital stays at the national, regional, and state levels. HCUP data are available at: <http://hcupnet.ahrq.gov>.

Appendix B: Lists of Area-Level and Hospital-Level Indicators

Table 29. List of Area-Level Indicators

INDICATOR NAME
PREVENTION QUALITY INDICATORS (PQIs)
PQI 01 Diabetes Short-Term Complications Admission Rate
PQI 03 Diabetes Long-Term Complications Admission Rate
PQI 05 Chronic Obstructive Pulmonary Disease (COPD) or Asthma in Older Adults Admission Rate
PQI 07 Hypertension Admission Rate
PQI 08 Heart Failure Admission Rate
PQI 11 Community-Acquired Pneumonia Admission Rate
PQI 12 Urinary Tract Infection Admission Rate
PQI 14 Uncontrolled Diabetes Admission Rate
PQI 15 Asthma in Younger Adults Admission Rate
PQI 16 Lower-Extremity Amputation Among Patients with Diabetes Rate
PQI 90 Prevention Quality Overall Composite
PQI 91 Prevention Quality Acute Composite
PQI 92 Prevention Quality Chronic Composite
PQI 93 Prevention Quality Diabetes Composite
PREVENTION QUALITY INDICATORS IN EMERGENCY DEPARTMENT SETTINGS (PQEs)
PQE 01 Visits for Non-Traumatic Dental Conditions in ED
PQE 02 Visits for Chronic Ambulatory Care Sensitive Conditions in ED
PQE 03 Visits for Acute Ambulatory Care Sensitive Conditions in ED
PQE 04 Visits for Asthma in ED
PQE 05 Visits for Back Pain in ED
PEDIATRIC QUALITY INDICATORS (PDIs)
PDI 14 Asthma Admission Rate
PDI 15 Diabetes Short-Term Complications Admission Rate
PDI 16 Gastroenteritis Admission Rate
PDI 18 Urinary Tract Infection Admission Rate
PDI 90 Pediatric Quality Overall Composite
PDI 91 Pediatric Quality Acute Composite
PDI 92 Pediatric Quality Chronic Composite

Table 30. List of Hospital-Level Indicators

INDICATOR NAME
INPATIENT QUALITY INDICATORS (IQIs)
IQI 08 Esophageal Resection Mortality Rate
IQI 09 Pancreatic Resection Mortality Rate ¹
IQI 11 Abdominal Aortic Aneurysm (AAA) Repair Mortality Rate ¹
IQI 12 Coronary Artery Bypass Graft (CABG) Mortality Rate
IQI 15 Acute Myocardial Infarction (AMI) Mortality Rate
IQI 16 Heart Failure Mortality Rate
IQI 17 Acute Stroke Mortality Rate ¹
IQI 18 Gastrointestinal Hemorrhage Mortality Rate
IQI 19 Hip Fracture Mortality Rate
IQI 20 Pneumonia Mortality Rate
IQI 21 Cesarean Delivery Rate, Uncomplicated
IQI 22 Vaginal Birth After Cesarean (VBAC) Delivery Rate, Uncomplicated
IQI 30 Percutaneous Coronary Intervention (PCI) Mortality Rate
IQI 31 Carotid Endarterectomy Mortality Rate
IQI 33 Primary Cesarean Delivery Rate, Uncomplicated
IQI 90 Mortality for Selected Inpatient Procedures
IQI 91 Mortality for Selected Inpatient Conditions
PATIENT SAFETY INDICATORS (PSIs)
PSI 02 Death Rate in Low-Mortality Diagnosis Related Groups (DRGs)
PSI 03 Pressure Ulcer Rate
PSI 04 Death Rate among Surgical Inpatients with Serious Treatable Complications ¹
PSI 05 Retained Surgical Item or Unretrieved Device Fragment Count
PSI 06 Iatrogenic Pneumothorax Rate
PSI 07 Central Venous Catheter-Related Blood Stream Infection Rate
PSI 08 In-Hospital Fall-Associated Fracture Rate ²
PSI 09 Postoperative Hemorrhage or Hematoma Rate ³
PSI 10 Postoperative Acute Kidney Injury Requiring Dialysis Rate ⁴
PSI 11 Postoperative Respiratory Failure Rate
PSI 12 Perioperative Pulmonary Embolism or Deep Vein Thrombosis (PE/DVT) Rate
PSI 13 Postoperative Sepsis Rate
PSI 14 Postoperative Wound Dehiscence Rate
PSI 15 Abdominopelvic Accidental Puncture or Laceration Rate ⁵
PSI 17 Birth Trauma Rate–Injury to Neonate
PSI 18 Obstetric Trauma Rate – Vaginal Delivery with Instrument
PSI 19 Obstetric Trauma Rate – Vaginal Delivery without Instrument
PSI 90 Patient Safety and Adverse Events Composite
PEDIATRIC QUALITY INDICATORS (PDIs)
NQI 03 Neonatal Blood Stream Infection Rate

INDICATOR NAME
PDI 01 Accidental Puncture or Laceration Rate
PDI 05 Iatrogenic Pneumothorax Rate
PDI 08 Postoperative Hemorrhage or Hematoma Rate ⁶
PDI 09 Postoperative Respiratory Failure Rate
PDI 10 Postoperative Sepsis Rate
PDI 12 Central Venous Catheter-Related Blood Stream Infection Rate

¹ Indicator includes stratum-specific rates.

² Previously called “Postoperative Hip Fracture” prior to v6.0, and “In-Hospital Fall with Hip Fracture Rate” from v6.0 through v2022.

³ Previously called “Perioperative Hemorrhage or Hematoma Rate” prior to v2021.

⁴ Previously called “Postoperative Physiologic and Metabolic Derangement” prior to v5.0.

⁵ Previously called Unrecognized Abdominopelvic Accidental Puncture or Laceration Rate” prior to v2020.

⁶ Previously called “Perioperative Hemorrhage or Hematoma Rate” prior to v2021.

Appendix C: AHRQ SAS QI Software Packages

Table 31. List of SAS Programs and Auxiliary Files in Prevention Quality Indicator (PQI) Software Package, v2023

SAS PROGRAM/TEXT FILE	PURPOSE/FUNCTION	COMMENTS	ORDER
SAS PROGRAM			
PQI_AREA_CONTROL.sas	Assigns inputs required by other programs, assigns location of files and programs, designates output features.	User must make modifications and save the program. All subsequent SAS programs are executed in PQI_AREA_CONTROL.sas by setting the individual flag variables; requires the PQI_Dx_Pr_Macros_vnn.sas ¹ program.	1
PQI_AREA_FORMATS.sas	Creates SAS format library used by other programs.	User must set the EXE_FMT flag in the PQI_AREA_CONTROL.sas program to run.	2
PQI_AREA_MEASURES.sas	Assigns numerator flags (TAPQxx). ²	User must set the EXE_MSR flag in the PQI_AREA_CONTROL.sas program to run.	3
PQI_AREA_OBSERVED.sas	Creates denominators (PAPQxx); calculates observed rates for area-level indicators (OAPQxx).	User must set the EXE_AOBS flag in the PQI_AREA_CONTROL.sas program to run; requires 2000-2023_Population_Files_v2024.txt.	4
PQI_AREA_RISKADJ.sas	Calculates risk-adjusted rates for area-level indicators (EAPQxx, RAPQxx, LAPQxx, UAPQxx, SAPQxx, XAPQxx, and VAPQxx).	User must set the EXE_ARSK flag in the PQI_AREA_CONTROL.sas program to run; requires 2000-2023_Population_Files_v2024.txt, either PQI_Area_Sigvar_Array_vnn.sas or PQI_Area_Sigvar_Array_SES_vnn.sas, either PQI_Area_OE_Array_vnn.sas or PQI_Area_OE_SES_Array_vnn.sas and CSV auxiliary covariate files	5
AUXILIARY SAS MACRO PROGRAM			

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SAS PROGRAM/TEXT FILE	PURPOSE/FUNCTION	COMMENTS	ORDER
PQI_Dx_Pr_Macros_vnn.sas	Contains SAS diagnosis and procedure field macros to be used in PQI_AREA_MEASURES.sas program.	User does not run (but file must be in assigned folder); location of the macro library defined in PQI_AREA_CONTROL.sas and referred to in the same program.	N/A
PQI_Area_Sigvar_Array_vnn.sas	Contains array statement of signal variance estimates (adjusting for age and sex but not poverty).	User does not run (but file must be in assigned folder); location of the macro library defined in PQI_AREA_CONTROL.sas; referred to in the PQI_AREA_RISKADJ.sas.	N/A
PQI_Area_Sigvar_Array_SES_vnn.sas	Contains array statement of signal variance estimates (adjusting for age, sex, and poverty).	User does not run (but file must be in assigned folder); location of the macro library defined in PQI_AREA_CONTROL.sas; referred to in the PQI_AREA_RISKADJ.sas.	N/A
PQI_Area_OE_Array_SES_vnn.sas	Contains array statement of the ratio of observed and expected (from the risk adjustment model) national rate for each QI based on the reference population	User does not run (but file must be in assigned folder); location of the macro library defined in PQI_AREA_CONTROL.sas; referred to in the PQI_AREA_RISKADJ.sas.	N/A
PQI_Area_OE_Array_vnn.sas	Contains array statement of the ratio of observed and expected (from the risk adjustment model) national rate for each QI based on the reference population	User does not run (but file must be in assigned folder); location of the macro library defined in PQI_AREA_CONTROL.sas; referred to in the PQI_AREA_RISKADJ.sas.	N/A
AUXILIARY ASCII TEXT AND/OR CSV FILE			
2000-2023_Population_Files_vnn.txt	Contains counts by area, sex, age, and race; required for area-level rate calculation.	User does not run (but file must be in assigned folder); location of text file defined in PQI_AREA_CONTROL.sas; referred to in PQI_AREA_OBSERVED.sas and PQI_AREA_RISKADJ.sas; user can download separately from AHRQ QIs website	N/A

**AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024**

SAS PROGRAM/TEXT FILE	PURPOSE/FUNCTION	COMMENTS	ORDER
APQxx_Area_Covariates_vnn.txt	Contains regression coefficients for each covariate; risk models adjust for age and sex but do not adjust for poverty; there is one file per indicator.	User does not run (but file must be in assigned folder); location of text file defined in PQI_AREA_CONTROL.sas; referred to in PQI_AREA_RISKADJ.sas.	N/A
APQxx_Area_Covariates_SES_vnn.txt	Contains regression coefficients for each covariate; risk models adjust for age, sex, and poverty; there is one file per indicator.	User does not run (but file must be in assigned folder); location of text file defined in PQI_AREA_CONTROL.sas; referred to in PQI_AREA_RISKADJ.sas.	N/A

¹ *nn* refers to the version year; for example, v2024.

² *xx* refers to the quality indicator number.

Table 32. List of SAS Programs and Auxiliary Files in Prevention Quality Indicators in Emergency Department Settings (PQE) Software Package, v2024

SAS PROGRAM/TEXT FILE	PURPOSE/FUNCTION	COMMENTS	ORDER
SAS PROGRAM			
PQE_AREA_CONTROL.sas	Assigns inputs required by other programs, assigns location of files and programs, designates output features.	User must make modifications and save the program. All subsequent SAS programs are executed in PQE_AREA_CONTROL by setting the individual flag variables; requires the PQE_Dx_Pr_Macros_vnn.sas ¹ program.	1
PQE_AREA_FORMATS.sas	Creates SAS format library used by other programs.	User must set the EXE_FMT flag in the PQE_AREA_CONTROL.sas program to run.	2
PQE_AREA_MEASURES.sas	Assigns numerator flags (TAQExx). ²	User must set the EXE_MSR flag in the PQE_AREA_CONTROL.sas program to run.	3
PQE_AREA_OBSERVED.sas	Creates denominators (PAQExx); calculates observed rates for area-level indicators (OAQExx).	User must set the EXE_AOBS flag in the PQE_AREA_CONTROL.sas program to run; requires 2000-2022Population_Files_v2023.txt.	4
PQE_AREA_RISKADJ.sas	Calculates risk-adjusted rates for area-level indicators (EAQExx, RAQExx, LAQExx, UAQExx, SAQExx, XAQExx, , and VAQExx).	User must set the EXE_ARSK flag in the PQE_AREA_CONTROL.sas program to run; requires 2000-2023_Population_Files_v2024.txt, either PQE_Area_Sigvar_Array_vnn.sas or PQE_Area_Sigvar_Array_SES_vnn.sas, either PQE_Area_Covariates_vnn.txt or PQE_Area_Covariates_SES_vnn.txt, and either PQE_Area_OE_Array_vnn.sas or PQE_Area_OE_SES_Array_vnn.sas.	5

**AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024**

SAS PROGRAM/TEXT FILE	PURPOSE/FUNCTION	COMMENTS	ORDER
AUXILIARY SAS MACRO PROGRAM			
PQE_Dx_Macros_vnn.sas	Contains SAS diagnosis and procedure field macros to be used in PQE_AREA_MEASURES.sas program.	User does not run (but file must be in assigned folder); location of the macro library defined in PQE_AREA_CONTROL.sas and referred to in the same program.	N/A
PQE_Area_Sigvar_Array_vnn.sas	Contains array statement of signal variance estimates (adjusting for age and sex but not poverty).	User does not run (but file must be in assigned folder); location of the macro library defined in PQE_AREA_CONTROL.sas; referred to in the PQE_AREA_RISKADJ.sas.	N/A
PQE_Area_Sigvar_Array_SES_vnn.sas	Contains array statement of signal variance estimates (adjusting for age, sex, and poverty).	User does not run (but file must be in assigned folder); location of the macro library defined in PQE_AREA_CONTROL.sas; referred to in the PQE_AREA_RISKADJ.sas.	N/A
PQE_Area_OE_Array_SES_vnn.sas	Contains array statement of the ratio of observed and expected (from the risk adjustment model) national rate for each QI based on the reference population	User does not run (but file must be in assigned folder); location of the macro library defined in PQE_AREA_CONTROL.sas; referred to in the PQE_AREA_RISKADJ.sas.	N/A
PQE_Area_OE_Array_vnn.sas	Contains array statement of the ratio of observed and expected (from the risk adjustment model) national rate for each QI based on the reference population	User does not run (but file must be in assigned folder); location of the macro library defined in PQE_AREA_CONTROL.sas; referred to in the PQE_AREA_RISKADJ.sas.	N/A

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SAS PROGRAM/TEXT FILE	PURPOSE/FUNCTION	COMMENTS	ORDER
AUXILIARY ASCII TEXT AND/OR CSV FILE			
2000-2022_Population_Files_vnm.txt	Contains counts by area, sex, age, and race; required for area-level rate calculation.	User does not run (but file must be in assigned folder); location of text file defined in PQE_AREA_CONTROL.sas; referred to in PQE_AREA_OBSERVED.sas and PQE_AREA_RISKADJ.sas; user can download separately from AHRQ QIs website	N/A
PQE_Area_Covariates_vnm.txt	Contains regression coefficients for each covariate; risk models adjust for age and sex but do not adjust for poverty; there is one observation per indicator.	User does not run (but file must be in assigned folder); location of text file defined in PQE_AREA_CONTROL.sas; referred to in PQE_AREA_RISKADJ.sas.	N/A
PQE_Area_Covariates_SES_vnm.txt	Contains regression coefficients for each covariate; risk models adjust for age, sex, and poverty; there is one observation per indicator.	User does not run (but file must be in assigned folder); location of text file defined in PQE_AREA_CONTROL.sas; referred to in PQE_AREA_RISKADJ.sas.	N/A

Table 33. List of SAS Programs and Auxiliary Files in Inpatient Quality Indicators (IQIs) Software Package, v2024

SAS PROGRAM/TEXT FILE	PURPOSE/FUNCTION	COMMENTS	ORDER
SAS PROGRAMS			
IQI_HOSP_CONTROL.sas	Assigns inputs required by other programs; assigns location of files and programs; designates output features.	User must make modifications and save the program. All subsequent SAS programs are executed in IQI_HOSP_CONTROL by setting the individual flag variables; requires the IQI_HOSP_Dx_Pr_Macros_vnn.sas ¹ program.	1
IQI_HOSP_FORMATS.sas	Creates SAS format library used by other programs.	User must set the EXE_FMT flag in the IQI_HOSP_CONTROL.sas program to run; requires IQI_HOSP_DXCCSR_Format_vnn.sas and IQI_HOSP_PRCCSR_Format_vnn.sas.	2
IQI_HOSP_MEASURES.sas	Assigns numerator flags (TPIQxx). ²	User must set the EXE_MSR flag in the IQI_HOSP_CONTROL.sas program to run; requires IQI_HOSP_DXCCSR_Code_vnn.sas and IQI_HOSP_PRCCSR_Code_vnn.sas.	3
IQI_HOSP_OBSERVED.sas	Creates denominators (PPIQxx); calculates observed rates for hospital-level indicators (OPIQxx).	User must set the EXE_HOBS flag in the IQI_HOSP_CONTROL.sas program to run.	4
IQI_HOSP_RISKADJ.sas	Calculates risk-adjusted and smoothed rates for hospital-level indicators (EPIQxx, RPIQxx, LPIQxx, UPIQxx, SPIQxx, XPIQxx, and VPIQxx).	User must set the EXE_HRSK flag in the IQI_HOSP_CONTROL.sas program to run; requires IQI_HOSP_Regvars_vnn.sas, IQI_HOSP_Sigvar_Array_vnn.sas, IQI_HOSP_OE_Array_vnn.sas, and CSV auxiliary files.	5

**AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024**

SAS PROGRAM/TEXT FILE	PURPOSE/FUNCTION	COMMENTS	ORDER
IQI_HOSP_COMPOSITE.sas	Calculates composite scores for IQI 90 and IQI 91 (IQC90, IQC90WHT, IQC90VAR, IQC90SE, IQC90LB, IQC90UB, IQC91, IQC91WHT, IQC91VAR, IQC91SE, IQC91LB, IQC91UB).	User must set the EXE_HCMP flag in the IQI_HOSP_CONTROL.sas program to run; requires IQI_HOSP_Composite_Arrays_vnn.sas and IQI_HOSP_Composite_Wt_vnn.sas.	6
AUXILIARY SAS MACRO PROGRAMS			
IQI_HOSP_Dx_Pr_Macros_vnn.sas	Contains SAS diagnosis and procedure field macros to be used in IQI_HOSP_MEASURES.sas program.	User does not run (but file must be in assigned folder); location of the macro library defined in IQI_HOSP_CONTROL.sas and referred to in the same program.	N/A
IQI_HOSP_DXCCSR_Format_vnn.sas	Contains SAS formats to define Clinical Classifications Software Refined categories for ICD-10-CM diagnosis (DXCCSR variables).	User does not run (but file must be in assigned folder); location of the macro library defined in IQI_HOSP_CONTROL.sas; referred to in the IQI_HOSP_FORMATS.sas program.	N/A
IQI_HOSP_PRCCSR_Format_vnn.sas	Contains SAS formats to define Clinical Classifications Software Refined categories for ICD-10-PCS procedures (PRCCSR variables).	User does not run (but file must be in assigned folder); location of the macro library defined in IQI_HOSP_CONTROL.sas; referred to in the IQI_HOSP_FORMATS.sas program.	N/A
IQI_HOSP_DXCCSR_Code_vnn.sas	Creates DXCCSR variables.	User does not run (but file must be in assigned folder); location of the macro library defined in IQI_HOSP_CONTROL.sas; referred to in the IQI_HOSP_MEASURES.sas program.	N/A
IQI_HOSP_PRCCSR_Code_vnn.sas	Creates PRCCSR variables.	User does not run (but file must be in assigned folder); location of the macro library defined in IQI_HOSP_CONTROL.sas; referred to in the IQI_HOSP_MEASURES.sas program.	N/A

**AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024**

SAS PROGRAM/TEXT FILE	PURPOSE/FUNCTION	COMMENTS	ORDER
IQI_HOSP_Regvars_vnn.sas	Creates risk adjustment variables for use in IQI_HOSP_RISKADJ.sas.	User does not run (but must be in assigned folder); location of the macro library defined in IQI_HOSP_CONTROL.sas; referred to in the IQI_HOSP_RISKADJ.sas.	N/A
IQI_HOSP_Sigvar_Array_vnn.sas	Contains array statements of signal variance and reference rate for each indicator.	User does not run (but file must be in assigned folder); location of the macro library defined in IQI_HOSP_CONTROL.sas; referred to in the IQI_HOSP_RISKADJ.sas.	N/A
IQI_HOSP_OE_Array_vnn.sas	Contains array statement of the ratio of observed and expected (from the risk adjustment model) national rate for each QI based on the reference population.	User does not run (but file must be in assigned folder); location of the macro library defined in IQI_HOSP_CONTROL.sas; referred to in the IQI_HOSP_RISKADJ.sas.	N/A
IQI_HOSP_Composite_Arrays_vnn.sas	Contains array statements of population rate and variance estimates for the component indicators used in IQI 90 and IQI 91 composites.	User does not run (but file must be in assigned folder); location of the macro library defined in IQI_HOSP_CONTROL.sas; referred to in the IQI_HOSP_COMPOSITE.sas.	N/A
IQI_HOSP_Composite_Wt_vnn.sas	Contains composite weights for the component indicators used in IQI 90 and IQI 91 composites.	User does not run (but file must be in assigned folder); location of the macro library defined in IQI_HOSP_CONTROL.sas; referred to in the IQI_HOSP_COMPOSITE.sas.	N/A
AUXILIARY ASCII TEXT AND/OR CSV FILES			
GEE_IQxx_AGE_SEX.csv, LOGISTIC_IQxx_AGE_SEX.csv	Contains regression coefficients for age- and sex-adjusted clinical risk models for identified indicator; one CSV file for each indicator (or stratified indicator).	User does not run (but file must be in assigned folder); location of text file defined in IQI_HOSP_CONTROL.sas; referred to in IQI_HOSP_RISKADJ.sas.	N/A

¹ *nn* refers to the version year; for example, v2024.

² *xx* refers to the quality indicator number.

Table 34. List of SAS Programs and Auxiliary Files in Patient Safety Indicator (PSI) Software Package, v2024¹

SAS PROGRAM/TEXT FILE	PURPOSE/FUNCTION	COMMENTS	ORDER
SAS PROGRAMS			
PSI_HOSP_CONTROL.sas	Assigns inputs required by other programs; assigns location of files, macro libraries, and programs; designates output features.	User must make modifications and save the program. All subsequent SAS programs are executed in PSI_HOSP_CONTROL by setting the individual flag variables; requires the PSI_HOSP_Dx_Pr_Macros_vnn.sas ² program.	1
PSI_HOSP_FORMATS.sas	Creates SAS format library used by other programs.	User must set the EXE_FMT flag in the PSI_HOSP_CONTROL.sas program to run and confirm that the location of the PSI_Comorb_Format_vnn.sas program is correct in the PSI_HOSP_CONTROL.sas program; requires PSI_HOSP_Comorb_Format_vnn.sas.	2
PSI_HOSP_MEASURES.sas	Assigns numerator and denominator flags (TPPSxx, PPSxx). ³	User must set the EXE_MSR flag in the PSI_HOSP_CONTROL.sas program to run. Requires PSI_HOSP_Comorb_Code_vnn.sas, PSI_03_Site_Specific_Macro_v2023.sas, and PSI_15_Num_Denom_Macro_v2023.sas.	3
PSI_HOSP_OBSERVED.sas	Calculates observed rates for hospital-level indicators (OPPSxx).	User must set the EXE_HOBS flag in the PSI_HOSP_CONTROL.sas program to run.	4
PSI_HOSP_RISKADJ.sas	Calculates risk-adjusted rates for hospital-level indicators (PPPSxx, EPPSxx, RPPSxx, LPPSxx, UPPSxx, SPPSxx, XPPSxx, and VPPSxx).	User must set the EXE_HRSK flag in the PSI_HOSP_CONTROL.sas program to run; requires PSI_HOSP_Regvars_vnn.sas, PSI_HOSP_OE_Array_vnn.sas, PSI_HOSP_Sigvar_vnn.sas, and CSV auxiliary files.	5

**AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024**

SAS PROGRAM/TEXT FILE	PURPOSE/FUNCTION	COMMENTS	ORDER
PSI_HOSP_COMPOSITE.sas	Calculates composite score for PSI 90 (COMP1, COMP1VAR, COMP1SE, COMP1WHT, COMP1LB, COMP1UB).	User must set the EXE_HCMP flag in the PSI_HOSP_CONTROL.sas program to run; requires PSI_HOSP_Composite_Arrays_vnn.sas and PSI_HOSP_Composite_Wt_vnn.sas.	6
AUXILIARY SAS MACRO PROGRAMS			
PSI_HOSP_Dx_Pr_Macros_vnn.sas	Contains SAS diagnosis and procedure field macros to be used in PSI_HOSP_MEASURES.sas program.	User does not run (but file must be in assigned folder); location of the macro library defined in PSI_HOSP_CONTROL.sas and referred to in the same program.	N/A
PSI_HOSP_Comorb_Format_vnn.sas	Contains format library macro to define comorbidity variables, per Elixhauser Comorbidity Software Refined for ICD-10-CM.	User does not run (but file must be in assigned folder); location of the macro library defined in PSI_HOSP_CONTROL.sas; referred to in the PSI_HOSP_FORMATS.sas.	N/A
PSI_HOSP_Comorb_Code_vnn.sas	Creates comorbidity variables, using Elixhauser Comorbidity Software Refined for ICD-10-CM definitions.	User does not run (but file must be in assigned folder); location of the macro library defined in PSI_HOSP_CONTROL.sas; referred to in the PSI_HOSP_MEASURES.sas.	N/A
PSI_03_Site_Specific_Macro_vnn.sas	Defines the PSI 03 measure.	User does not run (but file must be in assigned folder); location of the macro library defined in PSI_HOSP_CONTROL.sas; referred to in the PSI_HOSP_MEASURES.sas.	N/A
PSI_15_Num_Denom_Macro_vnn.sas	Defines the PSI 15 measure.	User does not run (but file must be in assigned folder); location of the macro library defined in PSI_HOSP_CONTROL.sas; referred to in the PSI_HOSP_MEASURES.sas.	N/A

**AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024**

SAS PROGRAM/TEXT FILE	PURPOSE/FUNCTION	COMMENTS	ORDER
PSI_15_Site_Specific_Macro_vnm.sas	Defines the PSI 15 measure.	User does not run (but file must be in assigned folder); location of the macro library defined in PSI_HOSP_CONTROL.sas; referred to in the PSI_HOSP_MEASURES.sas.	N/A
PSI_HOSP_Regvars_vnm.sas	Creates risk adjustment variables for use in PSI_HOSP_RISKADJ.sas.	User does not run (but file must be in assigned folder); location of the macro library defined in PSI_HOSP_CONTROL.sas; referred to in the PSI_HOSP_RISKADJ.sas.	N/A
PSI_HOSP_Sigvar_Array_vnm.sas	Contains array statements of signal variance and reference rate for each indicator.	User does not run (but file must be in assigned folder); location of the macro library defined in PSI_HOSP_CONTROL.sas; referred to in the PSI_HOSP_RISKADJ.sas.	N/A
PSI_HOSP_OE_Array_vnm.sas	Contains array statement of the ratio of observed and expected (from the risk adjustment model) national rate for each QI based on the reference population.	User does not run (but file must be in assigned folder); location of the macro library defined in PSI_HOSP_CONTROL.sas; referred to in the PSI_HOSP_RISKADJ.sas.	N/A
PSI_HOSP_Composite_Wt_vnm.sas	Contains composite weights for the component indicators used in the PSI 90 composite.	User does not run (but file must be in assigned folder); location of the macro library defined in PSI_HOSP_CONTROL.sas; referred to in the PSI_HOSP_COMPOSITE.sas.	N/A
PSI_HOSP_Composite_Arrays_vnm.sas	Contains array statements of population rates and variance estimates for the component indicators used in PSI 90 composite.	User does not run (but file must be in assigned folder); location of the macro library defined in PSI_HOSP_CONTROL.sas; referred to in the PSI_HOSP_COMPOSITE.sas.	N/A

**AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024**

SAS PROGRAM/TEXT FILE	PURPOSE/FUNCTION	COMMENTS	ORDER
AUXILIARY ASCII TEXT AND/OR CSV FILES			
GEE_PSxx_AGE_SEX.csv	Contains regression coefficients for age- and sex-adjusted clinical risk models for identified indicator; one CSV file for each indicator (or stratified indicator).	User does not run (but file must be in assigned folder); location of text file defined in PSI_HOSP_CONTROL.sas; referred to in PSI_HOSP_RISKADJ.sas program.	N/A

¹ Includes calculations for all PSIs except PSI 17 Birth Trauma Rate – Injury to Neonates.

² *nm* refers to the version year; for example, v2024.

³ *xx* refers to the quality indicator number.

Table 35. List of SAS Programs and Auxiliary Files in PSI 17 Birth Trauma – Injury to Neonate Rate Software Package, v2024

SAS PROGRAM/TEXT FILE	PURPOSE/FUNCTION	COMMENTS	ORDER
SAS PROGRAMS			
PSI17_HOSP_CONTROL.sas	Assigns inputs required by other programs; assigns location of files and programs; designates output features.	User must make modifications and save the program. All subsequent SAS programs are executed in PSI17_HOSP_CONTROL by setting the individual flag variables; requires the PSI17_HOSP_Dx_Pr_Macros_vnn.sas ¹ program.	1
PSI17_HOSP_FORMATS.sas	Creates SAS format library used by other programs.	User must set the EXE_FMT flag in the PSI17_HOSP_CONTROL.sas program to run.	2
PSI17_HOSP_MEASURES.sas	Assigns numerator flag for PSI 17 (TPPS17).	User must set the EXE_MSR flag in the PSI17_HOSP_CONTROL.sas program to run.	3
PSI17_HOSP_OBSERVED.sas	Creates denominator (PPPS17); calculates observed rates for hospital-level indicators (OPPS17).	User must set the EXE_HOBS flag in the PSI17_HOSP_CONTROL.sas program to run.	4
AUXILIARY SAS MACRO PROGRAMS			
PSI17_HOSP_Dx_Pr_Macros_vnn.sas	Contains SAS diagnosis and procedure field macros to be used in PSI17_HOSP_MEASURES.sas program.	User does not run (but file must be in assigned folder); location of the macro library defined in PSI17_HOSP_CONTROL.sas and referred to in the same program.	N/A

NOTE: PSI 17 is not risk-adjusted; therefore PSI17_HOSP_RISKADJ.sas does not exist.

¹ *nn* refers to the version year; for example, v2024.

Table 36. List of SAS Programs and Auxiliary Files in Pediatric Quality Indicator (PDI) Software Package,1 v2024

SAS PROGRAM/TEXT FILE	PURPOSE/FUNCTION	COMMENTS	ORDER
SAS PROGRAMS			
PDI_ALL_CONTROL.sas	Assigns inputs required by other programs; assigns location of files and programs; designates output features.	User must make modifications and save the program. All subsequent SAS programs are executed in PDI_ALL_CONTROL by setting the individual flag variables; requires the PDI_Dx_Pr_Macros_vnn.sas ² program.	1
PDI_ALL_FORMATS.sas	Creates SAS format library used by other programs.	User must set the EXE_FMT flag in the PDI_ALL_CONTROL.sas program to run; requires the PDI_CCSR_Format_vnn.sas and PDI_Comorb_Format_vnn.sas programs.	2
PDI_ALL_MEASURES.sas	Assigns numerator flags (TAPDxx, ³ TPPDxx, TPNQxx, and TPPS17) and risk stratifiers (GPPD08, GPPD10, and GPPD12).	User must set the EXE_MSR flag in the PDI_ALL_CONTROL.sas program to run; requires the PDI_CCSR_Code_vnn.sas and PDI_Comorb_Code_vnn.sas programs.	3
PDI_AREA_OBSERVED.sas	Calculates observed rates for area-level indicators (PAPDxx and OAPDxx).	User must set the EXE_AOBS flag in the PDI_ALL_CONTROL.sas program to run; requires 2000-2023_Population_Files_v2024.txt.	4 Area

**AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024**

SAS PROGRAM/TEXT FILE	PURPOSE/FUNCTION	COMMENTS	ORDER
PDI_AREA_RISKADJ.sas	Calculates risk-adjusted rates for area-level indicators (EAPDxx, RAPDxx, LAPDxx, UAPDxx, SAPDxx, XAPDxx, and VAPDxx).	User must set the EXE_ARSK flag in the PDI_ALL_CONTROL.sas program to run; requires 2000-2023_Population_Files_v2024.txt, either PDI_Area_Sigvar_Array_vnn.sas or PDI_Area_Sigvar_Array_SES_vnn.sas, either PDI_Area_Covariates_vnn.txt or PDI_Area_Covariates_SES_vnn.txt, and either PDI_Area_OE_Array_vnn.sas or PDI_Area_OE_SES_Array_vnn.sas.	5 Area
PDI_HOSP_OBSERVED.sas	Calculates observed rates for hospital-level indicators (PPPDxx, ,OPPDxx).	User must set the EXE_HOBS flag in the PDI_ALL_CONTROL.sas program to run.	4 Hospital
PDI_HOSP_STRATIFIED.sas	Calculates observed rates for set of hospital-level PDIs across stratifiers (OPPD08, OPPD10, and OPPD12).	User must set the EXE_HSTR flag in the PDI_ALL_CONTROL.sas program to run; applies only to PDI 08, PDI 10, and PDI 12	5 Hospital (optional)
PDI_HOSP_RISKADJ.sas	Calculates risk-adjusted rates for hospital-level indicators (EPPDxx, RPPDxx, LPPDxx, UPPDxx, SPPDxx, SNPPDxx, XPPDxx and VPPDxx).	User must set the EXE_HRSK flag in the PDI_ALL_CONTROL.sas program to run; requires PDI_HOSP_Regvars_vnn.sas, PDI_HOSP_OE_Array_vnn.sas, PDI_HOSP_Sigvar_vnn.sas, and CSV auxiliary files.	6 Hospital
AUXILIARY SAS MACRO PROGRAMS			
PDI_Dx_Pr_Macros_vnn.sas	Contains SAS diagnosis and procedure field macros to be used in PDI_ALL_MEASURES.sas program.	User does not run (but file must be in assigned folder); location of the macro library defined in PDI_ALL_CONTROL.sas and referred to in the same program.	N/A

**AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024**

SAS PROGRAM/TEXT FILE	PURPOSE/FUNCTION	COMMENTS	ORDER
PDI_CCSR_Format_vnn.sas	Contains SAS formats to define Clinical Classifications Software Refined categories for ICD-10-CM diagnosis (CCSR variables).	User does not run (but file must be in assigned folder); location of the macro library defined in PDI_ALL_CONTROL.sas; referred to in the PDI_ALL_FORMATS.sas program.	N/A
PDI_Comorb_Format_vnn.sas	Contains format library macro to define comorbidity variables, per Elixhauser Comorbidity Software Refined for ICD-10-CM.	User does not run (but file must be in assigned folder); location of the macro library defined in PDI_ALL_CONTROL.sas; referred to in the PDI_ALL_FORMATS.sas program.	N/A
PDI_CCSR_Code_vnn.sas	Creates CCSR variables.	User does not run (but file must be in assigned folder); location of the macro library defined in PDI_ALL_CONTROL.sas; referred to in the PDI_ALL_MEASURES.sas program.	N/A
PDI_Comorb_Code_vnn.sas	Creates comorbidity variables, using Elixhauser Comorbidity Software Refined for ICD-10-CM.	User does not run (but file must be in assigned folder); location of the macro library defined in PDI_ALL_CONTROL.sas; referred to in the PDI_ALL_MEASURES.sas program.	N/A
PDI_Area_Sigvar_Array_vnn.sas	Contains array statement of signal variance estimates (adjusting for age and sex but not poverty).	User does not run (but file must be in assigned folder); location of the macro library defined in PDI_ALL_CONTROL.sas; referred to in the PDI_AREA_RISKADJ.sas.	N/A
PDI_Area_Sigvar_Array_SES_vnn.sas	Contains array statement of signal variance estimates (not adjusting for age, sex, and poverty).	User does not run (but file must be in assigned folder); location of the macro library defined in PDI_ALL_CONTROL.sas; referred to in the PDI_AREA_RISKADJ.sas program.	N/A

**AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024**

SAS PROGRAM/TEXT FILE	PURPOSE/FUNCTION	COMMENTS	ORDER
PDI_Area_OE_Array_vnn.sas	Contains array statement of the ratio of observed and expected (from the risk adjustment model) national rate for each QI based on the reference population.	User does not run (but file must be in assigned folder); location of the macro library defined in PDI_ALL_CONTROL.sas; referred to in the PDI_AREA_RISKADJ.sas program.	N/A
PDI_Area_OE_Array_SES_vnn.sas	Contains array statement of the ratio of observed and expected (from the risk adjustment model) national rate for each QI based on the reference population.	User does not run (but file must be in assigned folder); location of the macro library defined in PDI_ALL_CONTROL.sas; referred to in the PDI_AREA_RISKADJ.sas program.	N/A
PDI_HOSP_Sigvar_Array_vnn.sas	Contains array statements of signal variance and reference rate for each indicator.	User does not run (but file must be in assigned folder); location of the macro library defined in PDI_ALL_CONTROL.sas; referred to in the PDI_HOSP_RISKADJ.sas program.	N/A
PDI_HOSP_Regvars_Array_vnn.sas	Creates risk adjustment variables for use in PDI_HOSP_RISKADJ.sas.	User does not run (but file must be in assigned folder); location of the macro library defined in PDI_ALL_CONTROL.sas; referred to in the PDI_HOSP_RISKADJ.sas program.	N/A
PDI_HOSP_OE_Array_vnn.sas	Contains array statement of the ratio of observed and expected (from the risk adjustment model) national rate for each QI based on the reference population.	User does not run (but file must be in assigned folder); location of the macro library defined in PDI_ALL_CONTROL.sas; referred to in the PDI_HOSP_RISKADJ.sas program.	N/A

**AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024**

SAS PROGRAM/TEXT FILE	PURPOSE/FUNCTION	COMMENTS	ORDER
AUXILIARY ASCII TEXT AND/OR CSV FILES			
2000-2023_Population_Files_v2024.txt	Contains counts by area, sex, age, and race; required for area-level rate calculation.	User does not run (but file must be in assigned folder); location of text file defined in PDI_ALL_CONTROL.sas; referred to in PDI_AREA_OBSERVED.sas and PDI_AREA_RISKADJ.sas; user can download separately from AHRQ QIs website.	N/A
APDxx_Area_Covariates_vnn.txt	Contains regression coefficients for risk models for each area-level indicator; risk models do not adjust for SES; one file per indicator.	User does not run (but file must be in assigned folder); location of text file defined in PDI_ALL_CONTROL.sas; referred to in PDI_AREA_RISKADJ.sas program.	N/A
APDxx_Area_Covariates_SES_vnn.txt	Contains regression coefficients for risk models for each area-level indicator; risk models adjust for SES; one file per indicator.	User does not run (but file must be in assigned folder); location of text file defined in PDI_ALL_CONTROL.sas; referred to PDI_AREA_RISKADJ.sas program.	N/A
GEE_PDxx_AGE_SEX.csv or GEE_NQxx_AGE_SEX.csv	Contains regression coefficients for age- and sex-, ageday-, birth weight-adjusted clinical risk models for identified indicator; one CSV file for each indicator (or stratified indicator).	User does not run (but file must be in assigned folder); location of text file defined in PDI_HOSP_CONTROL.sas; referred to in PDI_HOSP_RISKADJ.sas program.	N/A

¹ Includes calculations for all PDIs plus PSI 17 Birth Trauma Rate – Injury to Neonates and NQI 03 Neonatal Blood Stream Infection Rate.

² *nn* refers to the version year; for example, v2024.

³ *xx* refers to the quality indicator number.

Appendix D: Complete List of Key Variables Created in the AHRQ SAS® QI Software

Table 37. List of Prevention Quality Indicator (PQI) Variables

ABBREV	PREVENTION QUALITY INDICATOR (PQI) VARIABLE NAMES										
	VARIABLE PREFIX										
	T	P	O	E	R	V	L	U	SN	S	X
PQI 01	TAPQ01	PAPQ01	OAPQ01	EAPQ01	RAPQ01	VAPQ01	LAPQ01	UAPQ01	SNAPQ01	SAPQ01	XAPQ01
PQI 03	TAPQ03	PAPQ03	OAPQ03	EAPQ03	RAPQ03	VAPQ03	LAPQ03	UAPQ03	SNAPQ03	SAPQ03	XAPQ03
PQI 05	TAPQ05	PAPQ05	OAPQ05	EAPQ05	RAPQ05	VAPQ05	LAPQ05	UAPQ05	SNAPQ05	SAPQ05	XAPQ05
PQI 07	TAPQ07	PAPQ07	OAPQ07	EAPQ07	RAPQ07	VAPQ07	LAPQ07	UAPQ07	SNAPQ07	SAPQ07	XAPQ07
PQI 08	TAPQ08	PAPQ08	OAPQ08	EAPQ08	RAPQ08	VAPQ08	LAPQ08	UAPQ08	SNAPQ08	SAPQ08	XAPQ08
PQI 11	TAPQ11	PAPQ11	OAPQ11	EAPQ11	RAPQ11	VAPQ11	LAPQ11	UAPQ11	SNAPQ11	SAPQ11	XAPQ11
PQI 12	TAPQ12	PAPQ12	OAPQ12	EAPQ12	RAPQ12	VAPQ12	LAPQ12	UAPQ12	SNAPQ12	SAPQ12	XAPQ12
PQI 14	TAPQ14	PAPQ14	OAPQ14	EAPQ14	RAPQ14	VAPQ14	LAPQ14	UAPQ14	SNAPQ14	SAPQ14	XAPQ14
PQI 15	TAPQ15	PAPQ15	OAPQ15	EAPQ15	RAPQ15	VAPQ15	LAPQ15	UAPQ15	SNAPQ15	SAPQ15	XAPQ15
PQI 16	TAPQ16	PAPQ16	OAPQ16	EAPQ16	RAPQ16	VAPQ16	LAPQ16	UAPQ16	SNAPQ16	SAPQ16	XAPQ16
PQI 90	TAPQ90	PAPQ90	OAPQ90	EAPQ90	RAPQ90	VAPQ90	LAPQ90	UAPQ90	SNAPQ90	SAPQ90	XAPQ90
PQI 91	TAPQ91	PAPQ91	OAPQ91	EAPQ91	RAPQ91	VAPQ91	LAPQ91	UAPQ91	SNAPQ91	SAPQ91	XAPQ91
PQI 92	TAPQ92	PAPQ92	OAPQ92	EAPQ92	RAPQ92	VAPQ92	LAPQ92	UAPQ92	SNAPQ92	SAPQ92	XAPQ92
PQI 93	TAPQ93	PAPQ93	OAPQ93	EAPQ93	RAPQ93	VAPQ93	LAPQ93	UAPQ93	SNAPQ93	SAPQ93	XAPQ93

Abbreviations: T=numerator (top); P=denominator (pop); O=observed rate; E=expected rate; R=risk-adjusted rate; V=variance of risk-adjusted rate; L=lower limit of confidence interval for risk-adjusted rate; U=upper limit for confidence interval for risk-adjusted rate; SN=reliability of risk-adjusted rate; S=smoothed rate; X=smoothed standard error.

Table 38. List of Prevention Quality Indicators in Emergency Department Settings (PQE) Variables

ABBREV	PREVENTION QUALITY INDICATOR IN ED (PQE) VARIABLE NAMES										
	VARIABLE PREFIX										
	T	P	O	E	R	V	L	U	SN	S	X
PQE 01	TAQE01	PAQE01	OAQE01	EAQE01	RAQE01	VAQE01	LAQE01	UAQE01	SNAQE01	SAQE01	XAQE01
PQE 02	TAQE02	PAQE02	OAQE02	EAQE02	RAQE02	VAQE02	LAQE02	UAQE02	SNAQE02	SAQE02	XAQE02
PQE 03	TAQE03	PAQE03	OAQE03	EAQE03	RAQE03	VAQE03	LAQE03	UAQE03	SNAQE03	SAQE03	XAQE03
PQE 04	TAQE04	PAQE04	OAQE04	EAQE04	RAQE04	VAQE04	LAQE04	UAQE04	SNAQE04	SAQE04	XAQE04
PQE 05	TAQE05	PAQE05	OAQE05	EAQE05	RAQE05	VAQE05	LAQE05	UAQE05	SNAQE05	SAQE05	XAQE05

Abbreviations: T=numerator (top); P=denominator (pop); O=observed rate; E=expected rate; R=risk-adjusted rate; V=variance of risk-adjusted rate; L=lower limit of confidence interval for risk-adjusted rate; U=upper limit for confidence interval for risk-adjusted rate; SN=reliability of risk-adjusted rate; S=smoothed rate; X=smoothed standard error.

Table 39. List of Inpatient Quality Indicator (IQI) Variables

ABBRE V	INPATIENT QUALITY INDICATOR (IQI) VARIABLE NAMES													
	VARIABLE PREFIX													
	T	P	O ¹	E ¹	R ¹	V ¹	L ¹	U ¹	SN ¹	S ¹	X ¹	A ¹	W ¹	REF ¹
IQI 08	TPIQ08	PPIQ08	OPIQ08	EPIQ08	RPIQ08	VPIQ08	LPIQ08	UPIQ08	SNPIQ08	SPIQ08	XPIQ08	APIQ08	WPIQ08	REFIQ08
IQI 09	TPIQ09	PPIQ09	OPIQ09	EPIQ09	RPIQ09	VPIQ09	LPIQ09	UPIQ09	SNPIQ09	SPIQ09	XPIQ09	APIQ09	WPIQ09	REFIQ09
IQI 09 WITH CANCE R	TPIQ09 _WITH _CANC _ER	PPIQ09 _WITH _CANC _ER	OPIQ09 _WITH _CANC _ER							--	--	--	--	--
IQI 09 WITHO UT CANCE R	TPIQ09 _WITH _OUT_C _ANCER	PPIQ09 _WITH _OUT_C _ANCER	OPIQ09 _WITH _OUT_C _ANCER							--	--	--	--	--
IQI 11	TPIQ11	PPIQ11	OPIQ11	EPIQ11	RPIQ11	VPIQ11	LPIQ11	UPIQ11	SNPIQ11	SPIQ11	XPIQ11	APIQ11	WPIQ11	REFIQ11

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

ABBRE V	INPATIENT QUALITY INDICATOR (IQI) VARIABLE NAMES													
	VARIABLE PREFIX													
	T	P	O ¹	E ¹	R ¹	V ¹	L ¹	U ¹	SN ¹	S ¹	X ¹	A ¹	W ¹	REF ¹
IQI 11 OPEN RUPTU RED	TPIQ11 _OPEN RUPTU RED	PPIQ11 _OPEN RUPTU RED	OPIQ11 _OPEN RUPTU RED							--	--	--	--	--
IQI 11 OPEN UNRUP TURED	TPIQ11 _OPEN UNRUP TURED	PPIQ11 _OPEN UNRUP TURED	OPIQ11 _OPEN UNRUP TURED							--	--	--	--	--
IQI 11 ENDO RUPTU RED	TPIQ11 _ENDO RUPTU RED	PPIQ11 _ENDO RUPTU RED	OPIQ11 _ENDO RUPTU RED							--	--	--	--	--
IQI 11 ENDO UNRUP TURED	TPIQ11 _ENDO UNRUP TURED	PPIQ11 _ENDO UNRUP TURED	OPIQ11 _ENDO UNRUP TURED							--	--	--	--	--
IQI 12	TPIQ12	PPIQ12	OPIQ12	EPIQ12	RPIQ12	VPIQ12	LPIQ12	UPIQ12	SNPIQ1 2	SPIQ12	XPIQ12	APIQ12	WPIQ12	REFIQ1 2
IQI 15	TPIQ15	PPIQ15	OPIQ15	EPIQ15	RPIQ15	VPIQ15	LPIQ15	UPIQ15	SNPIQ1 5	SPIQ15	XPIQ15	APIQ15	WPIQ15	REFIQ1 5
IQI 16	TPIQ16	PPIQ16	OPIQ16	EPIQ16	RPIQ16	VPIQ16	LPIQ16	UPIQ16	SNPIQ1 6	SPIQ16	XPIQ16	APIQ16	WPIQ16	REFIQ1 6
IQI 17	TPIQ17	PPIQ17	OPIQ17	EPIQ17	RPIQ17	VPIQ17	LPIQ17	UPIQ17	SNPIQ1 7	SPIQ17	XPIQ17	APIQ17	WPIQ17	REFIQ1 7
IQI 17 HEMST ROKE SUBAR ACH	TPIQ17 _HEMS TROKE SUBAR ACH	PPIQ17 _HEMS TROKE SUBAR ACH	OPIQ17 _HEMS TROKE SUBAR ACH							--	--	--	--	--
IQI 17 HEMST ROKE INTRA CER	TPIQ17 _HEMS TROKE INTRA CER	PPIQ17 _HEMS TROKE INTRA CER	OPIQ17 _HEMS TROKE INTRA CER							--	--	--	--	--

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

ABBRE V	INPATIENT QUALITY INDICATOR (IQI) VARIABLE NAMES														
	VARIABLE PREFIX														
	T	P	O ¹	E ¹	R ¹	V ¹	L ¹	U ¹	SN ¹	S ¹	X ¹	A ¹	W ¹	REF ¹	
IQI 17 ISCHE MSTRO KE	TPIQ17 ISCHE MSTRO KE	PPIQ17 ISCHE MSTRO KE	OPIQ17 ISCHE MSTRO KE							--	--	--	--	--	
IQI 18	TPIQ18	PPIQ18	OPIQ18	EPIQ18	RPIQ18	VPIQ18	LPIQ18	UPIQ18	SNPIQ18	SPIQ18	XPIQ18	APIQ18	WPIQ18	REFIQ18	
IQI 19	TPIQ19	PPIQ19	OPIQ19	EPIQ19	RPIQ19	VPIQ19	LPIQ19	UPIQ19	SNPIQ19	SPIQ19	XPIQ19	APIQ19	WPIQ19	REFIQ19	
IQI 20	TPIQ20	PPIQ20	OPIQ20	EPIQ20	RPIQ20	VPIQ20	LPIQ20	UPIQ20	SNPIQ20	SPIQ20	XPIQ20	APIQ20	WPIQ20	REFIQ20	
IQI 21	TPIQ21	PPIQ21	OPIQ21	--	--	--	--	--	--	--	--	--	--	--	
IQI 22	TPIQ22	PPIQ22	OPIQ22	--	--	--	--	--	--	--	--	--	--	--	
IQI 30	TPIQ30	PPIQ30	OPIQ30	EPIQ30	RPIQ30	VPIQ30	LPIQ30	UPIQ30	SNPIQ30	SPIQ30	XPIQ30	APIQ30	WPIQ30	REFIQ30	
IQI 31	TPIQ31	PPIQ31	OPIQ31	EPIQ31	RPIQ31	VPIQ31	LPIQ31	UPIQ31	SNPIQ31	SPIQ31	XPIQ31	APIQ31	WPIQ31	REFIQ31	
IQI 33	TPIQ33	PPIQ33	OPIQ33	--	--	--	--	--	--	--	--	--	--	--	
Composite															
IQI 90	IQC90	IQC90 WHT	--	--	--	IQC90V AR	IQC90L B	IQC90U B	--	--	IQC90S E	--	--	--	
IQI 91	IQC91	IQC91 WHT	--	--	--	IQC91V AR	IQC91L B	IQC91U B	--	--	IQC91S E	--	--	--	

Abbreviations: T=numerator (top); P=denominator (pop); O=observed rate; R=risk-adjusted rate; E=expected rate; L=lower limit of confidence interval for risk-adjusted rate; SN=reliability of risk-adjusted rate; S=smoothed rate; U=upper limit for confidence interval for risk-adjusted rate; V=variance of risk-adjusted rate if on the risk-adjustment program output and noise variance if on the composite program output; X=smoothed standard error; A=reliability weight for the composite score; W=component weight for composite score; REF=reference population rate for composite score. IQCx=composite score; IQCxLB=lower confidence interval for the composite score; IQCxSE=standard error for the composite score; IQCxUB=upper confidence interval for the composite score; IQCxVAR=variance for the composite score; IQCxWHT=weighted denominator for the composite score;

¹ Dashes (--) indicate the variable is not created in the software.

Table 40. List of Patient Safety Indicator (PSI) Variables¹

ABBREV	PATIENT SAFETY INDICATOR (PSI) VARIABLE NAMES														
	VARIABLE PREFIX														
	T	P	H ²	O ²	E ²	R ²	V ²	L ²	U ²	SN ²	S ²	X ²	A ²	W ²	REF ²
PSI 02	TPPS0 2	PPPS02	--	OPPS0 2	EPPS0 2	RPPS0 2	VPPS0 2	LPPS0 2	UPPS0 2	SNPPS 02	SPPS02	XPPS0 2			
PSI 03	TPPS0 3	PPPS03	--	OPPS0 3	EPPS0 3	RPPS0 3	VPPS0 3	LPPS0 3	UPPS0 3	SNPPS 03	SPPS03	XPPS0 3	APPS0 3	WPPS0 3	REFPS 03
PSI 04	TPPS0 4	PPPS04	--	OPPS0 4	EPPS0 4	RPPS0 4	VPPS0 4	LPPS0 4	UPPS0 4	SNPPS 04	SPPS04	XPPS0 4			
PSI 04 DVT PE	TPPS0 4_DVT _PE	PPPS04 _DVT _PE	--	OPPS0 4_DVT _PE	EPPS0 4_DVT _PE	RPPS0 4_DVT _PE	VPPS0 4_DVT _PE	LPPS0 4_DVT _PE	UPPS0 4_DVT _PE	SNPPS 04_DV T_PE	--	--	--	--	--
PSI 04 PNEUMO NIA	TPPS0 4_PNE UMON IA	PPPS04 _PNEU MONI A	--	OPPS0 4_PNE UMON IA	EPPS0 4_PNE UMON IA	RPPS0 4_PNE UMON IA	VPPS0 4_PNE UMON IA	LPPS0 4_PNE UMON IA	UPPS0 4_PNE UMON IA	SNPPS 04_PN EUMO NIA	--	--	--	--	--
PSI 04 SEPSIS	TPPS0 4_SEP SIS	PPPS04 _SEPSI S	--	OPPS0 4_SEP SIS	EPPS0 4_SEP SIS	RPPS0 4_SEP SIS	VPPS0 4_SEP SIS	LPPS0 4_SEP SIS	UPPS0 4_SEP SIS	SNPPS 04_SEP SIS	--	--	--	--	--
PSI 04 SHOCK	TPPS0 4_SHO CK	PPPS04 _SHOC K	--	OPPS0 4_SHO CK	EPPS0 4_SHO CK	RPPS0 4_SHO CK	VPPS0 4_SHO CK	LPPS0 4_SHO CK	UPPS0 4_SHO CK	SNPPS 04_SH OCK	--	--	--	--	--
PSI 04 GIHEMO RRHAGE	TPPS0 4_GIH EMOR RHAG E	PPPS04 _GIHE MORR HAGE	--	OPPS0 4_GIH EMOR RHAG E	EPPS0 4_GIH EMOR RHAG E	RPPS0 4_GIH EMOR RHAG E	VPPS0 4_GIH EMOR RHAG E	LPPS0 4_GIH EMOR RHAG E	UPPS0 4_GIH EMOR RHAG E	SNPPS 04_GI HEMO RRHA GE	--	--	--	--	--
PSI 05	TPPS0 5	PPPS05	--	OPPS0 5	--	--	--	--	--	--	--	--	--	--	--
PSI 06	TPPS0 6	PPPS06	--	OPPS0 6	EPPS0 6	RPPS0 6	VPPS0 6	LPPS0 6	UPPS0 6	SNPPS 06	SPPS06	XPPS0 6	APPS0 6	WPPS0 6	REFPS 06
PSI 07	TPPSS 07	PPPS07	--	OPPS0 7	EPPS0 7	RPPS0 7	VPPS0 7	LPPS0 7	UPPS0 7	SNPPS 07	SPPS07	XPPS0 7			

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

ABBREV	PATIENT SAFETY INDICATOR (PSI) VARIABLE NAMES														
	VARIABLE PREFIX														
	T	P	H ²	O ²	E ²	R ²	V ²	L ²	U ²	SN ²	S ²	X ²	A ²	W ²	REF ²
PSI 08	TPPS08	PPPS08	--	OPPS08	EPPS08	RPPS08	VPPS08	LPPS08	UPPS08	SNPPS08	SPPS08	XPPS08	APPS08	WPPS08	REFPS08
PSI 08_HIP_F X	TPPS08_HIP_F FX	PPPS08_HIP_F FX	--	OPPS08_HIP_F FX	--	--	--	--	--	--	--	--	--	--	--
PSI 08_OTHE R_FX	TPPS08_OTHE R_FX	PPPS08_OTHE R_FX	--	OPPS08_OTHE R_FX	--	--	--	--	--	--	--	--	--	--	--
PSI 09	TPPS09	PPPS09	--	OPPS09	EPPS09	RPPS09	VPPS09	LPPS09	UPPS09	SNPPS09	SPPS09	XPPS09	APPS09	WPPS09	REFPS09
PSI 10	TPPS10	PPPS10	--	OPPS10	EPPS10	RPPS10	VPPS10	LPPS10	UPPS10	SNPPS10	SPPS10	XPPS10	APPS10	WPPS10	REFPS10
PSI 11	TPPS11	PPPS11	--	OPPS11	EPPS11	RPPS11	VPPS11	LPPS11	UPPS11	SNPPS11	SPPS11	XPPS11	APPS11	WPPS11	REFPS11
PSI 12	TPPS12	PPPS12	--	OPPS12	EPPS12	RPPS12	VPPS12	LPPS12	UPPS12	SNPPS12	SPPS12	XPPS12	APPS12	WPPS12	REFPS12
PSI 13	TPPS13	PPPS13	HPPS13	OPPS13	EPPS13	RPPS13	VPPS13	LPPS13	UPPS13	SNPPS13	SPPS13	XPPS13	APPS13	WPPS13	REFPS13
PSI 14	TPPS14	PPPS14	--	OPPS14	EPPS14	RPPS14	VPPS14	LPPS14	UPPS14	SNPPS14	SPPS14	XPPS14	APPS14	WPPS14	REFPS14
PSI 14 OPEN	TPPS14_OPE N	PPPS14_OPEN	--	OPPS14_OPE N							--	--	--	--	--
PSI 14 NONOPEN	TPPS14_NON OPEN	PPPS14_NON OPEN	--	OPPS14_NON OPEN							--	--	--	--	--
PSI 15	TPPS15	PPPS15	HPPS15	OPPS15	EPPS15	RPPS15	VPPS15	LPPS15	UPPS15	SNPPS15	SPPS15	XPPS15	APPS15	WPPS15	REFPS15
PSI 17	TPPS17	PPPS17	--	OPPS17	--	--	--	--	--	--	--	--	--	--	--

ABBREV	PATIENT SAFETY INDICATOR (PSI) VARIABLE NAMES														
	VARIABLE PREFIX														
	T	P	H ²	O ²	E ²	R ²	V ²	L ²	U ²	SN ²	S ²	X ²	A ²	W ²	REF ²
PSI 18	TPPS18	PPPS18	--	OPPS18	--	--	--	--	--	--	--	--	--	--	--
PSI 19	TPPS19	PPPS19	--	OPPS19	--	--	--	--	--	--	--	--	--	--	--
Composite															
PSI 90	COMP1	COMP1WHT	--	--	--	--	COMP1VAR	COMP1LB	COMP1UB	--	--	COMP1SE	--	--	--

Abbreviations: COMP1=composite score; COMP1LB=lower confidence interval for the composite score; COMP1SE=standard error for the composite score; COMP1UB=upper confidence interval for the composite score; COMP1VAR=variance for the composite score; COMP1WHT=weighted denominator for the composite score; E=expected rate; L=lower limit of confidence interval for risk-adjusted rate; O=observed rate; P=denominator (pop); Q=present on admission flag; R=risk-adjusted rate; SN=reliability of risk-adjusted rate; S=smoothed rate; T=numerator (top); U=upper limit for confidence interval for risk-adjusted rate; V=variance of risk-adjusted rate; X=smoothed standard error; A=reliability weight for the composite score; W=component weight for composite score; REF=reference population rate for composite score .

¹ All variables created in PSI software package except PSI 17; variables for PSI 17 are created in PSI 17 software package and PDI software package.

² Dashes (--) indicate the variable is not created in the software.

Table 41. Complete List of Pediatric Quality Indicator (PDI) Variables¹

ABBREV	PEDIATRIC QUALITY INDICATOR (PDI) VARIABLE NAMES												
	VARIABLE PREFIX												
	T	P	G ²	H ²	O	E	R	V	L	U	SN	S	X
NQI 03	TPNQ03	PPNQ03	--	--	OPNQ03	EPNQ03	RPNQ03	VPNQ03	LPNQ03	UPNQ03	SNPNQ03	SPNQ03	XPNQ03
PDI 01	TPPD01	PPPD01	--	HPPD01	OPPD01	EPPD01	RPPD01	VPPD01	LPPD01	UPPD01	SNPPD01	SPPD01	XPPD01
PDI 05	TPPD05	PPPD05	--	--	OPPD05	EPPD05	RPPD05	VPPD05	LPPD05	UPPD05	SNPPD05	SPPD05	XPPD05
PDI 08	TPPD08	PPPD08	GPPD08	--	OPPD08	EPPD08	RPPD08	VPPD08	LPPD08	UPPD08	SNPPD08	SPPD08	XPPD08
PDI 09	TPPD09	PPPD09	--	--	OPPD09	EPPD09	RPPD09	VPPD09	LPPD09	UPPD09	SNPPD09	SPPD09	XPPD09
PDI 10	TPPD10	PPPD10	GPPD10	HPPD10	OPPD10	EPPD10	RPPD10	VPPD10	LPPD10	UPPD10	SNPPD10	SPPD10	XPPD10
PDI 12	TPPD12	PPPD12	GPPD12	--	OPPD12	EPPD12	RPPD12	VPPD12	LPPD12	UPPD12	SNPPD12	SPPD12	XPPD12
PDI 14	TAPD14	PAPD14	--	--	OAPD14	EAPD14	RAPD14	VAPD14	LAPD14	UAPD14	SNAPD14	SAPD14	XAPD14
PDI 15	TAPD15	PAPD15	--	--	OAPD15	EAPD15	RAPD15	VAPD15	LAPD15	UAPD15	SNAPD15	SAPD15	XAPD15
PDI 16	TAPD16	PAPD16	--	--	OAPD16	EAPD16	RAPD16	VAPD16	LAPD16	UAPD16	SNAPD16	SAPD16	XAPD16
PDI 18	TAPD18	PAPD18	--	--	OAPD18	EAPD18	RAPD18	VAPD18	LAPD18	UAPD18	SNAPD18	SAPD18	XAPD18
PDI 90	TAPD90	PAPD90	--	--	OAPD90	EAPD90	RAPD90	VAPD90	LAPD90	UAPD90	SNAPD90	SAPD90	XAPD90
PDI 91	TAPD91	PAPD91	--	--	OAPD91	EAPD91	RAPD91	VAPD91	LAPD91	UAPD91	SNAPD91	SAPD91	XAPD91
PDI 92	TAPD92	PAPD92	--	--	OAPD92	EAPD92	RAPD92	VAPD92	LAPD92	UAPD92	SNAPD92	SAPD92	XAPD92

Abbreviations: E=expected rate; G=strata flag; L=lower limit of confidence interval for risk-adjusted rate; O=observed rate; P=denominator (pop); Q=present on admission flag; R=risk-adjusted rate; S=smoothed rate; SN=reliability of risk-adjusted rate; T=numerator (top); U=upper limit for confidence interval for risk-adjusted rate; V=variance of risk-adjusted rate; X=smoothed standard error.

¹ Variables for PSI 17 are also included in the PDI software package.

² Dashes (--) indicate the variable is not created in the software.

Appendix E: SAS Input Data and Output Analytic Files

Table 42. SAS Input and Output Files for the Prevention Quality Indicators (PQI) Software Package

SAS PROGRAM	INPUT DATASET/INPUT ANALYTIC FILE		OUTPUT ANALYTIC FILE	
	FILE NAME	VARIABLES	FILE NAME	VARIABLES
PQI_AREA_MEASURES.sas	&DISCHARGE. (user dataset name)	AGE ASOURCE DRG DQTR DX1-DXn KEY MDC PAY1 POINTOFORIGINUB04 PR1-PRn PSTCO RACE SEX YEAR	&OUTFILE_MEAS. PQMSR_&SUFEX. ¹	KEY FIPST FIPSTCO DRG MDC YEAR DQTR AGECAT AGECCAT POPCAT RACECAT SEXCAT TAPQ01 TAPQ03 TAPQ05 TAPQ07 TAPQ08 TAPQ11 TAPQ12 TAPQ14-TAPQ16 TAPQ90- TAPQ93
PQI_AREA_OBSERVED.sas	&OUTFILE_MEAS. PQMSR_&SUFEX.	All variables in file	&OUTFILE_AREAOBS. PQAO_&SUFEX.	MAREA AGECAT SEXCAT RACECAT _TYPE_ TAPQ01 TAPQ03 TAPQ05 TAPQ07 TAPQ08 TAPQ11 TAPQ12 TAPQ14-TAPQ16 TAPQ90- TAPQ93 PAPQ01 PAPQ03 PAPQ05 PAPQ07 PAPQ08 PAPQ11 PAPQ12 PAPQ14-PAPQ16 PAPQ90- PAPQ93 OAPQ01 OAPQ03 OAPQ05 OAPQ07 OAPQ08 OAPQ11 OAPQ12 OAPQ14-OAPQ16 OAPQ90- OAPQ93
	POPFILE 2000-2023_Population_Files_v2024.txt	FIPSTCO SEXCAT POPCAT RACECAT POP_2000-POP_2023		
PQI_AREA_RISKADJ.sas	&OUTFILE_MEAS. PQMSR_&SUFEX.	All variables in file	&OUTFILE_AREARISK. PQARSKADJ_&SUFEX.	MAREA AGECAT SEXCAT RACECAT _TYPE_

SAS PROGRAM	INPUT DATASET/INPUT ANALYTIC FILE		OUTPUT ANALYTIC FILE	
	FILE NAME	VARIABLES	FILE NAME	VARIABLES
	POPFILE 2000-2023_Population_Files_v2024.txt	FIPSTCO SEXCAT POPCAT RACECAT POP_2000-POP_2023		TAPQ01 TAPQ03 TAPQ05 TAPQ07 TAPQ08 TAPQ11 TAPQ12 TAPQ14-TAPQ16 TAPQ90- TAPQ93 PAPQ01 PAPQ03 PAPQ05 PAPQ07 PAPQ08 PAPQ11 PAPQ12 PAPQ14-PAPQ16 PAPQ90- PAPQ93 OAPQ01 OAPQ03 OAPQ05 OAPQ07 OAPQ08 OAPQ11 OAPQ12 OAPQ14-OAPQ16 OAPQ90- OAPQ93 EAPQ01 EAPQ03 EAPQ05 EAPQ07 EAPQ08 EAPQ11 EAPQ12 EAPQ14-EAPQ16 EAPQ90- EAPQ93 RAPQ01 RAPQ03 RAPQ05 RAPQ07 RAPQ08 RAPQ11 RAPQ12 RAPQ14-RAPQ16 RAPQ90- RAPQ93 LAPQ01 LAPQ03 LAPQ05 LAPQ07 LAPQ08 LAPQ11 LAPQ12 LAPQ14-LAPQ16 LAPQ90- LAPQ93 UAPQ01 UAPQ03 UAPQ05 UAPQ07 UAPQ08 UAPQ11 UAPQ12 UAPQ14-UAPQ16 UAPQ90- UAPQ93 SAPQ01 SAPQ03 SAPQ05 SAPQ07 SAPQ08 SAPQ11 SAPQ12 SAPQ14-SAPQ16 SAPQ90- SAPQ93 SNAPQ01 SNAPQ03 SNAPQ05 SNAPQ07 SNAPQ08 SNAPQ11 SNAPQ12 SNAPQ14- SNAPQ16 SNAPQ90-SNAPQ93 VAPQ01 VAPQ03 VAPQ05 VAPQ07 VAPQ08 VAPQ11 VAPQ12 VAPQ14-VAPQ16 VAPQ90- VAPQ93 XAPQ01 XAPQ03 XAPQ05 XAPQ07 XAPQ08 XAPQ11 XAPQ12 XAPQ14-XAPQ16 XAPQ90- XAPQ93

NOTE: ¹ &SUFEX. refers to the suffix assigned by the user in the control program (default is v2024).

Table 43. SAS Input and Output Files for the Prevention Quality Indicators in Emergency Department Settings (PQE) Software Package

SAS PROGRAM	INPUT DATASET/INPUT ANALYTIC FILE		OUTPUT ANALYTIC FILE	
	FILE NAME	VARIABLES	FILE NAME	VARIABLES
PQE_AREA_MEASURES.sas	&DISCHARGE. (user dataset name)	AGE AGEMONTH DaysToEvent DIED DQTR DX1-DXn EDADMIT FEMALE HOSPID HOSPT KEY LOS PSTCO VisitLink YEAR	&OUTFILE_MEAS. QEMSR_&SUF ¹ .	KEY PSTCO FIPSTCO YEAR DQTR POPCAT SEXCAT HOSPST VisitLink DaysToEventRESIDENT LOS DX1 TAPQE01 TAPQE02 TAPQE03 TAPQE04 TAPQE05 EXCLUDEQE01 EXCLUDEQE02 EXCLUDEQE03 EXCLUDEQE04 EXCLUDEQE05
PQE_AREA_OBSERVED.sas	&OUTFILE_MEAS. QEMSR_&SUF ¹ .	All variables in file	&OUTFILE_AREAOBS. QEAO_&SUF ¹ .	MAREA POPCAT SEXCAT _TYPE_ TAQE01 TAQE02 TAQE03 TAQE04 TAQE05 PAQE01 PAQE02 PAQE03 PAQE04 PAQE05 OAQE01 OAQE02 OAQE03 OAQE04 OAQE05
	POPFILE 2000-2023_Population_Files_v2024.txt	FIPSTCO SEXCAT POPCAT POP_2000-POP_2023		
PQE_AREA_RISKADJ.sas	&OUTFILE_MEAS. QEMSR_&SUF ¹ .	All variables in file	&OUTFILE_AREARISK. QEARKADJ_&SUF ¹ .	MAREA POPCAT SEXCAT _TYPE_ TAQE01 TAQE02 TAQE03 TAQE04 TAQE05 PAQE01 PAQE02 PAQE03 PAQE04 PAQE05 OAQE01 OAQE02 OAQE03 OAQE04 OAQE05 EAQE01 EAQE02 EAQE03 EAQE04 EAQE05 RAQE01 RAQE02 RAQE03 RAQE04 RAQE05 VAQE01 VAQE02 VAQE03 VAQE04 VAQE05 LAQE01 LAQE02 LAQE03 LAQE04 LAQE05 UAQE01 UAQE02 UAQE03 UAQE04 UAQE05 SNAQE01 SNAQE02 SNAQE03 SNAQE04 SNAQE05 SAQE01 SAQE02 SAQE03 SAQE04 SAQE05 XAQE01 XAQE02 XAQE03 XAQE04 XAQE05
	POPFILE 2000-2023_Population_Files_v2024.txt	FIPSTCO SEXCAT POPCAT POP_2000-POP_2023		

NOTE: ¹&SUF¹ refers to the suffix assigned by the user in the control program (default is v2024).

Table 44. SAS Input and Output Files for the IQI Software Package

SAS PROGRAM	INPUT DATASET/INPUT ANALYTIC FILE		OUTPUT ANALYTIC FILE	
	FILE NAME	VARIABLES	FILE NAME	VARIABLES
IQI_HOSP_MEASURES.sas	&DISCHARGE. (user dataset name)	AGE ASOURCE DISP DRG DQTR DX1-DXn DXPOA1-DXPOAn HOSPID KEY MDC PAY1 POINTOFORIGINUB04 PR1-PRn RACE SEX YEAR	&OUTFILE_MEAS. IQMSR_&SUFX. ¹	KEY HOSPID DRG MDC SEX AGE YEAR DQTR AGECAT SEXCAT RACECAT PAYCAT COVIDDX D_DXCCSR : TRNSFER CSHOCKANOXBDD MRTAMINSTD DNR D_IQ08_PRCCSR : D_IQ09_PRCCSR : D_IQ11_ _PRCCSR : D_IQ12_PRCCSR : D_IQ30_PRCCSR : D_IQ31_PRCCSR : TPIQ08 TPIQ09 TPIQ09_WITH_CANCER TPIQ09_WITHOUT_CANCER TPIQ11 TPIQ11_OPEN RUPTURED TPIQ11_OPEN_UNRUPTURED TPIQ11_ENDO RUPTURED TPIQ11_ENDO_UNRUPTURED TPIQ12 TPIQ15- TPIQ17 TPIQ17_HEMSTROKE_SUBARACH TPIQ17_HEMSTROKE_INTRACER TPIQ17_ISCHEMSTROKE TPIQ18-TPIQ22 TPIQ30 TPIQ31 TPIQ33
IQI_HOSP_OBSERVED.sas	&OUTFILE_MEAS. IQMSR_&SUFX.	All variables in file	&OUTFILE_HOSPOBS. IQHO_&SUFX.	HOSPID AGE CAT SEXCAT RACECAT PAYCAT _TYPE_ TPIQ08 TPIQ09 TPIQ09_WITH_CANCER TPIQ09_WITHOUT_CANCER TPIQ11 TPIQ11_OPEN RUPTURED TPIQ11_OPEN_UNRUPTURED TPIQ11_ENDO RUPTURED TPIQ11_ENDO_UNRUPTURED TPIQ12 TPIQ15- TPIQ17 TPIQ17_HEMSTROKE_SUBARACH TPIQ17_HEMSTROKE_INTRACER TPIQ17_ISCHEMSTROKE TPIQ18-TPIQ22 TPIQ30 TPIQ31 TPIQ33 PPIQ08 PPIQ09 PPIQ09_WITH_CANCER PPIQ09_WITHOUT_CANCER PPIQ11 PPIQ11_OPEN RUPTURED PPIQ11_OPEN_UNRUPTURED PPIQ11_ENDO RUPTURED PPIQ11_ENDO_UNRUPTURED PPIQ12 PPIQ15- PPIQ17 PPIQ17_HEMSTROKE_SUBARACH PPIQ17_HEMSTROKE_INTRACER PPIQ17_ISCHEMSTROKE PPIQ18-PPIQ22 PPIQ30 PPIQ31 PPIQ33 OPIQ08 OPIQ09 OPIQ09_WITH_CANCER OPIQ09_WITHOUT_CANCER OPIQ11 OPIQ11_OPEN RUPTURED OPIQ11_OPEN_UNRUPTURED OPIQ11_ENDO RUPTURED OPIQ11_ENDO_UNRUPTURED OPIQ12 OPIQ15- OPIQ17 OPIQ17_HEMSTROKE_SUBARACH OPIQ17_HEMSTROKE_INTRACER OPIQ17_ISCHEMSTROKE OPIQ18-OPIQ22 OPIQ30 OPIQ31 OPIQ33

SAS PROGRAM	INPUT DATASET/INPUT ANALYTIC FILE		OUTPUT ANALYTIC FILE	
	FILE NAME	VARIABLES	FILE NAME	VARIABLES
IQI_HOSP_RISKADJ.sas	&OUTFILE_MEAS. IQMSR_&SUF.	All variables in the file	&OUTFILE_HOSPRISK. IQHRSKADJ_&SUF.	HOSPID AGE CAT SEX CAT PAY CAT RACE CAT TYPE TPIQ08 TPIQ09 TPIQ09_WITH CANCER TPIQ09_WITHOUT CANCER TPIQ11 TPIQ11_OPEN RUPTURED TPIQ11_OPEN_UNRUPTURED TPIQ11_ENDO RUPTURED TPIQ11_ENDO_UNRUPTURED TPIQ12 TPIQ15- TPIQ17 TPIQ17_HEMSTROKE SUBARACH TPIQ17_HEMSTROKE_INTRACER TPIQ17_ISCHEMSTROKE TPIQ18-TPIQ20 TPIQ30 TPIQ31 PPIQ08 PPIQ09 PPIQ09_WITH CANCER PPIQ09_WITHOUT CANCER PPIQ11 PPIQ11_OPEN RUPTURED PPIQ11_OPEN_UNRUPTURED PPIQ11_ENDO RUPTURED PPIQ11_ENDO_UNRUPTURED PPIQ12 PPIQ15- PPIQ17 PPIQ17_HEMSTROKE SUBARACH PPIQ17_HEMSTROKE_INTRACER PPIQ17_ISCHEMSTROKE PPIQ18-PPIQ20 PPIQ30 PPIQ31 OPIQ08 OPIQ09 OPIQ09_WITH CANCER OPIQ09_WITHOUT CANCER OPIQ11 OPIQ11_OPEN RUPTURED OPIQ11_OPEN_UNRUPTURED OPIQ11_ENDO RUPTURED OPIQ11_ENDO_UNRUPTURED OPIQ12 OPIQ15- OPIQ17 OPIQ17_HEMSTROKE SUBARACH OPIQ17_HEMSTROKE_INTRACER OPIQ17_ISCHEMSTROKE OPIQ18-OPIQ20 OPIQ30 OPIQ31 EPIQ08 EPIQ09 EPIQ11 EPIQ12 EPIQ15-EPIQ17 EPIQ18-EPIQ20 EPIQ30 EPIQ31 RPIQ08 RPIQ09 RPIQ11 RPIQ12 RPIQ15-RPIQ17 RPIQ18-RPIQ20 RPIQ30 RPIQ31 VPIQ08 VPIQ09 VPIQ11 VPIQ12 VPIQ15-VPIQ17 VPIQ18-VPIQ20 VPIQ30 VPIQ31 LPIQ08 LPIQ09 LPIQ11 LPIQ12 LPIQ15-LPIQ17 LPIQ18-LPIQ20 LPIQ30 LPIQ31 UPIQ08 UPIQ09 UPIQ11 UPIQ12 UPIQ15-UPIQ17 UPIQ18-UPIQ20 UPIQ30 UPIQ31 SNPIQ08 SNPIQ09 SNPIQ11 SNPIQ12 SNPIQ15- SNPIQ17 SNPIQ18-SNPIQ20 SNPIQ30 SNPIQ31 SPIQ08 SPIQ09 SPIQ11 SPIQ12 SPIQ15-SPIQ17 SPIQ18-SPIQ20 SPIQ30 SPIQ31 XPIQ08 XPIQ09 XPIQ11 XPIQ12 XPIQ15-XPIQ17 XPIQ18-XPIQ20 XPIQ30 XPIQ31
	&OUTFILE_HOSPOBS. IQHO_&SUF.	All variables in the file		

SAS PROGRAM	INPUT DATASET/INPUT ANALYTIC FILE		OUTPUT ANALYTIC FILE	
	FILE NAME	VARIABLES	FILE NAME	VARIABLES
IQI_HOSP_COMPOSITE.sas	&OUTFILE_HOSPRISK. IQHRSKADJ_&SUFEX.	All variables in the file	&OUTFILE_COMP. IQCOMP_&SUFEX.	HOSPID IQC90 IQC90VAR IQC90SE IQC90WHT IQC90LB IQC90UB IQC91 IQC91VAR IQC91SE IQC91WHT IQC91LB IQC91UB PPIQ08 PPIQ09 PPIQ11 PPIQ12 PPIQ15-PPIQ17 PPIQ18-PPIQ20 PPIQ30 PPIQ31 RPIQ08 RPIQ09 RPIQ11 RPIQ12 RPIQ15-RPIQ17 RPIQ18-RPIQ20 RPIQ30 RPIQ31 VPIQ08 VPIQ09 VPIQ11 VPIQ12 VPIQ15-VPIQ17 VPIQ18-VPIQ20 VPIQ30 VPIQ31 APIQ08 APIQ09 APIQ11 APIQ12 APIQ15-APIQ17 APIQ18-APIQ20 APIQ30 APIQ31 WPIQ08 WPIQ09 WPIQ11 WPIQ12 WPIQ15- WPIQ17 WPIQ18-WPIQ20 WPIQ30 WPIQ31 REFIQ08 REFIQ09 REFIQ11 REFIQ12 REFIQ15- REFIQ17 REFIQ18-REFIQ20 REFIQ30 REFIQ31

¹ &SUFEX. refers to the suffix assigned by the user in the control program (default is v2024).

Table 45. SAS Input and Output Files for the PSI Software Package

SAS PROGRAM	INPUT DATASET/INPUT ANALYTIC FILE		OUTPUT ANALYTIC FILE	
	FILE NAME	VARIABLES	FILE NAME	VARIABLES
PSI_HOSP_MEASURES.sas	&DISCHARGE. (user dataset name)	AGE ASOURCE ATYPE DISP DRG DQTR DX1- DXn DXPOA1-DXPOAn HOSPID KEY LOS MDC PAY1 POINTOFORIGINUB04 PR1-PRn PRDAY1- PRDAYn ¹ RACE SEX YEAR	&OUTFILE_MEAS. PSMSR_&SUF ² .	KEY HOSPID DRG MDC MDRG YEAR DQTR AGECAT SEXCAT RACECAT PAYCAT SEX AGE LOS COVIDDX TRANSFER DNR MEDICDR CMR_AIDS CMR_ALCOHOL CMR_ANEMDEF CMR_AUTOIMMUNE CMR_BLDLOSS CMR_CANCER_LYMPH CMR_CANCER_LEUK CMR_CANCER_METS CMR_CANCER_NSITU CMR_CANCER_SOLID CMR_CBVD CMR_COAG CMR_DEMENTIA CMR_DEPRESS CMR_DIAB_CX CMR_DIAB_UNCX CMR_DRUG_ABUSE CMR_HF CMR_HTN_CX CMR_HTN_UNCX CMR_LIVER_MLD CMR_LIVER_SEV CMR_LUNG_CHRONIC CMR_NEURO_MOVT CMR_NEURO_OTH CMR_NEURO_SEIZ CMR_OBESE CMR_PARALYSIS CMR_PERIVASC CMR_PSYCHOSES CMR_PULMCIRC CMR_RENLFL_MOD CMR_RENLFL_SEV CMR_THYROID_HYPO CMR_THYROID_OTH CMR_ULCER_PEPTIC CMR_VALVE CMR_WGHTLOSS TPPS02-TPPS04 TPPS04_DVT_PE TPPS04_PNEUMONIA TPPS04_SEPSIS TPPS04_SHOCK TPPS04_GIHEMORRHAGE TPPS05-TPPS08 TPPS08_HIP_FX TPPS08_ OTHER_FX TPPS09-TPPS14 TPPS14_OPEN TPPS14_NONOPEN TPPS15 TPPS18 TPPS19 PPPS02-PPPS04 PPPS04_DVT_PE PPPS04_PNEUMONIA PPPS04_SEPSIS PPPS04_SHOCK PPPS04_GIHEMORRHAGE PPPS05-PPPS08 PPPS08_HIP_FX PPPS08_ OTHER_FX PPPS09-PPPS14 PPPS14_OPEN PPPS14_NONOPEN PPPS15 PPPS18 PPPS19 RegVarPS04_DVT_PE_ANY RegVarPS04_DVT_PE_SEVERE RegVarPS04_PNEUMONIA_ANY RegVarPS04_PNEUMONIA_SEVERE RegVarPS04_SEPSIS_ANY RegVarPS04_SEPSIS_SEVERE RegVarPS04_SHOCK_ANY RegVarPS04_SHOCK_SEVERE RegVarPS04_GIHEMORRHAGE_ANY RegVarPS04_GIHEMORRHAGE_SEVERE HPPS13 HPPS15

SAS PROGRAM	INPUT DATASET/INPUT ANALYTIC FILE		OUTPUT ANALYTIC FILE	
	FILE NAME	VARIABLES	FILE NAME	VARIABLES
PSI_HOSP_OBSERVED.sas	&OUTFILE_MEAS. PSMSR_&SUFEX.	All variables in file	&OUTFILE_HOSPOBS. PSHO_&SUFEX.	HOSPID AGECAT SEXCAT PAYCAT RACECAT_TYPE_ TPPS02-TPPS04 TPPS04_DVT_PE TPPS04_PNEUMONIA TPPS04_SEPSIS TPPS04_SHOCK TPPS04_GIHEMORRHAGE TPPS05-TPPS08 TPPS08_HIP_FX TPPS08_ OTHER_FX TPPS09-TPPS14 TPPS14_OPEN TPPS14_NONOPEN TPPS15 TPPS18 TPPS19 PPPS02-PPPS04 PPPS04_DVT_PE PPPS04_PNEUMONIA PPPS04_SEPSIS PPPS04_SHOCK PPPS04_GIHEMORRHAGE PPPS05-PPPS08 PPPS08_HIP_FX PPPS08_ OTHER_FX PPPS09-PPPS14 PPPS14_OPEN PPPS14_NONOPEN PPPS15 PPPS18 PPPS19 OPPS02-OPPS04 OPPS04_DVT_PE OPPS04_PNEUMONIA OPPS04_SEPSIS OPPS04_SHOCK OPPS04_GIHEMORRHAGE OPPS05-OPPS08 OPPS08_HIP_FX OPPS08_ OTHER_FX OPPS09-OPPS14 OPPS14_OPEN OPPS14_NONOPEN OPPS15 OPPS18 OPPS19
PSI_HOSP_RISKADJ.sas	&OUTFILE_MEAS. PSMSR_&SUFEX.	All variables in the file	&OUTFILE_HOSPRISK. PSHRSKADJ_&SUFEX.	HOSPID_TYPE_

SAS PROGRAM	INPUT DATASET/INPUT ANALYTIC FILE		OUTPUT ANALYTIC FILE	
	FILE NAME	VARIABLES	FILE NAME	VARIABLES
	&OUTFILE_HOSPOBS. PSHO_&SUF.	All variables in the file		TPPS02-TPPS04 TPPS04_DVT_PE TPPS04_PNEUMONIA TPPS04_SEPSIS TPPS04_SHOCK TPPS04_GIHEMORRHAGE TPPS06-TPPS14 TPPS14_OPEN TPPS14_NONOPEN TPPS15 PPPS02-PPPS04 PPPS04_DVT_PE PPPS04_PNEUMONIA PPPS04_SEPSIS PPPS04_SHOCK PPPS04_GIHEMORRHAGE PPPS06-PPPS14 PPPS14_OPEN PPPS14_NONOPEN PPPS15 OPPS02-OPPS04 OPPS04_DVT_PE OPPS04_PNEUMONIA OPPS04_SEPSIS OPPS04_SHOCK OPPS04_GIHEMORRHAGE OPPS06-OPPS14 OPPS14_OPEN OPPS14_NONOPEN OPPS15 EPPS02-EPPS04 EPPS04_DVT_PE EPPS04_PNEUMONIA EPPS04_SEPSIS EPPS04_SHOCK EPPS04_GIHEMORRHAGE EPPS06-EPPS14 EPPS15 RPPS02-RPPS04 RPPS04_DVT_PE RPPS04_PNEUMONIA RPPS04_SEPSIS RPPS04_SHOCK RPPS04_GIHEMORRHAGE RPPS06-RPPS14 RPPS15 LPPS02-LPPS04 LPPS04_DVT_PE LPPS04_PNEUMONIA LPPS04_SEPSIS LPPS04_SHOCK LPPS04_GIHEMORRHAGE LPPS06-LPPS14 LPPS15 VPPS02-VPPS04 VPPS04_DVT_PE VPPS04_PNEUMONIA VPPS04_SEPSIS VPPS04_SHOCK VPPS04_GIHEMORRHAGE VPPS06-VPPS14 VPPS15 UPPS02-UPPS04 UPPS04_DVT_PE UPPS04_PNEUMONIA UPPS04_SEPSIS UPPS04_SHOCK UPPS04_GIHEMORRHAGE UPPS06-UPPS14 UPPS15 SNPPS02-SNPPS04 SNPPS04_DVT_PE SNPPS04_PNEUMONIA SNPPS04_SSNPSIS SNPPS04_SHOCK SNPPS04_GIHEMORRHAGE SNPPS06-SNPPS14 SNPPS15 SPPS02-SPPS04 SPPS06-SPPS15 XPPS02-XPPS04 XPPS06-XPPS15
PSI_HOSP_COMPOSITE.sas	&OUTFILE_HOSPRISK. PSHRSKADJ_&SUF.	All variables in the file	&OUTFILE_COMP. PSCOMP_&SUF.	HOSPID COMP1 COMP1VAR COMP1SE COMP1WHT COMP1LB COMP1UB PPPS03 PPPS06 PPPS08-PPPS15 RPPS03 RPPS06 RPPS08-RPPS15 VPPS03 VPPS06 VPPS08-VPPS15 APPS03 APPS06 APPS08-APPS15 WPPS03 WPPS06 WPPS08-WPPS15 REFPS03 REFPS06 REFPS08-REFPS15

¹ Only if user sets PRDAY = 1 in the PSI_HOSP_CONTROL program.

² &SUFEX. refers to the suffix assigned by the user in the control program (default is v2023).

Table 46. SAS Input and Output Files for the PSI 17 Software Package

SAS PROGRAM	INPUT DATASET/INPUT ANALYTIC FILE		OUTPUT ANALYTIC FILE	
	FILE NAME	VARIABLES	FILE NAME	VARIABLES
PSI17_HOSP_MEASURES.sas	&DISCHARGE. (user dataset name)	AGE AGEDAY ATYPE DRG DQTR DX1-DXn HOSPID KEY MDC PAY1 POINTOFORIGINUB04 RACE SEX YEAR	&OUTFILE_MEAS. PS17MSR_&SUFEX. ¹	KEY HOSPID DRG MDC YEAR DQTR PAGECAT AGEDCAT BWHTCAT SEXCAT RACECAT PAYCAT COVIDDX TPPS17 AGE AGEDAY
PSI17_HOSP_OBSERVED.sas	&OUTFILE_MEAS. PS17MSR_&SUFEX.	All variables in the file	&OUTFILE_HOSPOBS. PS17HOBS_&SUFEX.	HOSPID BWHTCAT AGEDCAT PAGECAT SEXCAT PAYCAT RACECAT _TYPE_ TPPS17 PPS17 OPSS17

¹ &SUFEX. refers to the suffix assigned by the user in the control program (default is v2024).

Table 47. SAS Input and Output Files for the PDI Software Package

SAS PROGRAM	INPUT DATASET/INPUT ANALYTIC FILE		OUTPUT ANALYTIC FILE	
	FILE NAME	VARIABLES	FILE NAME	VARIABLES
PDI_ALL_MEASURES.sas	&DISCHARGE. (user dataset name)	AGE AGEDAY ASOURCE ATYPE DISP DRG DQTR DX1-DXn DXPOA1-DXPOAn HOSPID KEY LOS MDC PAY1 POINTOFORIGINUB04 PR1-PRn PRDAY1-PRDAYn ¹ PSTCO RACE SEX YEAR	&OUTFILE_MEAS. PDMSR_&SUFEX. ²	KEY HOSPID FIPSTCO DRG MDC MDRG YEAR DQTR AGE AGEDAY SEX PAGECAT AGEDCAT POPCAT BWHTCAT SEXCAT RACECAT PAYCAT LOS TRNSFER TRNSFER ALT D_DXCCSR_ ODC903 MEDICDR COVIDDX CMR_AIDS CMR_ALCOHOL CMR_ANEMDEF CMR_AUTOIMMUNE CMR_BLDLOSS CMR_CANCER_LYMPH CMR_CANCER_LEUK CMR_CANCER_METS CMR_CANCER_NSITU CMR_CANCER_SOLID CMR_CBVD CMR_COAG CMR_DEMENTIA CMR_DEPRESS CMR_DIAB_CX CMR_DIAB_UNCX CMR_DRUG_ABUSE CMR_HF CMR_HTN_CX CMR_HTN_UNCX CMR_LIVER_MLD CMR_LIVER_SEV CMR_LUNG_CHRONIC CMR_NEURO_MOVT CMR_NEURO_OTH CMR_NEURO_SEIZ CMR_OBESE CMR_PARALYSIS CMR_PERIVASC CMR_PSYCHOSES CMR_PULMCIRC CMR_RENLFL_MOD CMR_RENLFL_SEV CMR_THYROID_HYPO CMR_THYROID_OTH CMR_ULCER_PEPTIC CMR_VALVE CMR_WGHTLOSS TPNQ03 TPPD01 TPPD05 TPPD08-TPPD10 TPPD12 TAPD14-TAPD16 TAPD18 TAPD90- TAPD92 TPPS17 GPPD08 GPPD10 GPPD12 HPPD01 HPPD10

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SAS PROGRAM	INPUT DATASET/INPUT ANALYTIC FILE		OUTPUT ANALYTIC FILE	
	FILE NAME	VARIABLES	FILE NAME	VARIABLES
PDI_AREA_OBSERVED.sas	&OUTFILE_MEAS. PDMSR_&SUFEX.	All variables in the file	&OUTFILE_AREAOBS. PDAO_&SUFEX.	MAREA POPCAT SEXCAT RACECAT _TYPE_ TAPD14-TAPD16 TAPD18 TAPD90-TAPD92 PAPD14-PAPD16 PAPD18 PAPD90-PAPD92 OAPD14-OAPD16 OAPD18 OAPD90-OAPD92
	POPFILE 2000-2023_Population_Files_v2024.txt	FIPSTCO SEXCAT POPCAT RACECAT POP_2000-POP_2023		
PDI_AREA_RISKADJ.sas	&OUTFILE_MEAS. PDMSR_&SUFEX.	All variables in the file	&OUTFILE_AREARISK. PDARSKADJ_&SUFEX.	MAREA POPCAT SEXCAT RACECAT _TYPE_ TAPD14-TAPD16 TAPD18 TAPD90-TAPD92 PAPD14-PAPD16 PAPD18 PAPD90-PAPD92 OAPD14-OAPD16 OAPD18 OAPD90-OAPD92 RAPD14-RAPD16 RAPD18 RAPD90-RAPD92 LAPD14-LAPD16 LAPD18 LAPD90-LAPD92 UAPD14-UAPD16 UAPD18 UAPD90-UAPD92 SAPD14-SAPD16 SAPD18 SAPD90-SAPD92 SNAPD14-SNAPD16 SNPD18 SNAPD90- SNAPD92 XAPD14-XAPD16 XAPD18 XAPD90-XAPD92
	POPFILE 2000-2023_Population_Files_v2024.txt	FIPSTCO SEXCAT POPCAT RACECAT POP_2000-POP_2023		
PDI_HOSP_OBSERVED.sas	&OUTFILE_MEAS. PDMSR_&SUFEX.	All variables in the file	&OUTFILE_HOSPOBS. PDPO_&SUFEX.	HOSPID BWHTCAT AGEDCAT PAGECAT SEXCAT PAYCAT RACECAT _TYPE_ TPNQ03 TPPD01 TPPD05 TPPD08- TPPD10 TPPD12 TPPS17 PPNQ03 PPPD01 PPPD05 PPPD08-PPPD10 PPPD12 PPPS17 OPNQ03 OPPD01 OPPD05 OPPD08-OPPD10 OPPD12 OPPS17
PDI_HOSP_STRATIFIED.sas	&OUTFILE_MEAS. PDMSR_&SUFEX.	All variables in the file	&OUTFILE_STRAT. PDSTRAT_&SUFEX.	HOSPID _TYPE_ GPPD08 GPPD10 GPPD12 TPPD08 TPPD10 TPPD12 PPPD08 PPPD10 PPPD12 OPPD08 OPPD10 OPPD12

SAS PROGRAM	INPUT DATASET/INPUT ANALYTIC FILE FILE NAME	VARIABLES	OUTPUT ANALYTIC FILE FILE NAME	VARIABLES
PDI_HOSP_RISKADJ.sas	&OUTFILE_MEAS. PDMSR_&SUFEX.	All variables in the file	&OUTFILE_HOSPRISK. PDHRSKADJ_&SUFEX.	HOSPID_TYPE_ TPNQ03 TPPD01 TPPD05 TPPD08- TPPD10 TPPD12 PPNQ03 PPPD01 PPPD05 PPPD08-PPPD10 PPPD12 OPNQ03 OPPD01 OPPD05 OPPD08-OPPD10 OPPD12 EPNQ03 EPPD01 EPPD05 EPPD08-EPPD10 EPPD12 RPNQ03 RPPD01 RPPD05 RPPD08-RPPD10 RPPD12 VPNQ03 VPPD01 VPPD05 VPPD08-VPPD10 VPPD12 LPNQ03 LPPD01 LPPD05 LPPD08- LPPD10 LPPD12 UPNQ03 UPPD01 UPPD05 UPPD08-UPPD10 UPPD12 SNPNQ03 SNPPD01 SNPPD05 SNPPD08- SNPPD10 SNPPD12 SPNQ03 SPPD01 SPPD05 SPPD08-SPPD10 SPPD12 XPNQ03 XPPD01 XPPD05 XPPD08-XPPD10 XPPD12
	&OUTFILE_HOSPOBS. PDHO_&SUFEX.	All variables in the file		

NOTE: ¹ Only if user sets PRDAY = 1 in the PDI_ALL_CONTROL program. ² &SUFEX. refers to the suffix assigned by the user in the control program (default is v2024).

Appendix F: Input Variables

Table 48. Input Variables

VARIABLE NAME	DESCRIPTION	FORMAT	VALUE DESCRIPTION	COMMENTS
AGE	Age in years at admission	Numeric	Age in years	If this data element is missing, the discharge record will be excluded from analysis.
AGEDAY	Age in days (when AGE is less than 1 year)	Numeric	Age in days	Not used in the IQI, PSI, or PQI modules for indicator calculation. If not present in the input data file, it is not necessary to create a placeholder variable to run these three modules.
AGEMONTH	Age in months (when AGE is less than 11 years)	Numeric	Age in months	Only used for PQE module.
ASOURCE	Admission source, uniform coding	Numeric	1=emergency room 2=another hospital 3=another facility, including LTC 4=court/law enforcement 5=routine/birth/other	The values “2” and “3” are referenced by the QI code (to identify transfers from another hospital or facility).
ATYPE	Admission type	Numeric	1=emergency 2=urgent 3=elective 4=newborn 5=trauma center 6=other	Not used by the IQI or PQI module. The values “3” and “4” are referenced by the PDI and PSI code (to identify elective surgeries and newborn admissions). PDI 08, PDI 09, NQI 03 and PSI 04, PSI 10, PSI 11, PSI 13, and PSI 17 will be affected if ATYPE values are missing.
DaysToEvent	The timing variable for revisits Days from "start date" to admission	Numeric	Timing between events	Used to determine timing of ED visits
DIED	Died during hospitalization	Numeric	0=Did not die 1=Died .=Missing .A=Invalid .B=Unavailable from source (coded in 1988-1997 data only)	Used together with EDADMIT to create DIED_VISIT. DIED_VISIT is only used for PQE module.

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

VARIABLE NAME	DESCRIPTION	FORMAT	VALUE DESCRIPTION	COMMENTS
DISP	Disposition of patient	Numeric	1=routine 2=transfer to short-term hospital 3=skilled nursing facility 4=intermediate care 5=another type of facility 6=home health care 7=against medical advice 20=died in the hospital	Not used in the PQI module. The values “2” and “20” are referenced by the QI code (to identify transfers to another short-term hospital and patients who died in the hospital). All other non-missing values are considered valid disposition codes. Values less than zero are considered missing. This convention is different from that of the AHRQ QI Windows® application.
DQTR	Discharge quarter	Numeric	1=January–March 2=April–June 3=July–September 4=October–December	If this data element is missing, the discharge record will be excluded from analysis.
DRG	DRG in use on discharge date	Numeric	MS-DRG from Federal (CMS) MS-DRG grouper.	The MS-DRG provided should account for POA data.
DX1-DX35	ICD-10-CM Diagnosis	String	Diagnosis codes	Users with more or fewer secondary diagnoses must modify the number of diagnoses in the parameter “&NDX” in <code>XXI_TYPE_CONTROL.sas</code> program. The software is structured for 35 diagnosis codes but can accept more than 35 diagnosis codes. The number provided here is the default.
DXPOA1-DXPOA35	Diagnosis <i>n</i> , present on admission indicator	String	Values “Y” and “W” are considered as diagnosis present at the time of inpatient admission. Values of “N,” “U,” “E,” “1,” “X,” or blank values are considered as diagnosis not present at the time of inpatient admission.	If POA data are missing, the IQIs, PSIs or PDIs that use POA for calculations will assume that all diagnoses are for conditions that occurred while in the hospital except where exempt from POA reporting. POA data are not necessary for the calculation of PQI observed rates.
EDADMIT	Whether a case was in ED inpatient (treat and admit) or ED outpatient (treat and release)	Numeric	1= ED inpatient (treat and admit) 0=ED outpatient (treat and release)	Only used for PQE module.

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

VARIABLE NAME	DESCRIPTION	FORMAT	VALUE DESCRIPTION	COMMENTS
FEMALE	Indicator of sex	Numeric	0 = Male 1 = Female	Only used for PQE module.
HCUP_ED	ED values defined based on hospital record	Numeric	1=Revenue center code indicating ED services 2=Another charge field indicating positive ED charge, if revenue center codes aren't available 3=Physician's CPT code indicating ED physician services 4=Condition Code of P7, or Point of origin of ED, or admission source of ED 0=None of the above	Only used for PQE module.
HOSPID	Hospital identification number	Numeric or string	Hospital identification number	Not used in the PQI module. Used by other modules to facilitate data exploration and possible troubleshooting. May also be selected as a stratifier (see Appendix J for hospital-level stratification category settings).
HOSPST	Hospital state postal code	String	Hospital state postal code	Only used for PQE module
KEY	Sequence number; unique case identifier	Numeric	User-defined unique numeric identifier for each discharge record	Used by the QI modules for sorting discharge records and may facilitate possible exploration; allows user to link the records from the output file back to the original input data file.

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

VARIABLE NAME	DESCRIPTION	FORMAT	VALUE DESCRIPTION	COMMENTS
LOS	<p>Length of stay (LOS), in days</p> <p>This is the number of nights the patient stayed in the ED or hospital and is calculated as the admission date minus the discharge date.</p>	Numeric	<p>Number of days from admission to discharge</p> <p>For ED visits that do not result in an admission, the LOS will be equal to 0 unless the patient stayed overnight.</p> <p>For ED admissions, a LOS of 0 identifies a same day stay in which the patient was admitted to the hospital from the ED and then discharged in the same day. The LOS on ED admissions will often be greater than 0.</p>	<p>Not used by the PQI module.</p> <p>Used to determine the time between ED visits for PQEs that track patients over time.</p>
MDC	MDC in effect on discharge date	Numeric	MDC from Federal (CMS) MS-DRG grouper	If this data element is missing, the discharge record will be excluded from analysis when MDC is provided (MDC_PROVIDED = 1 in XXI_TYPE_CONTROL.sas)
PAY1	Expected primary payer	Numeric	<p>1=Medicare</p> <p>2=Medicaid</p> <p>3=private, including HMO</p> <p>4=self-pay</p> <p>5=no charge</p> <p>6=other</p>	The values of 1–6 are used directly in the QI software. All other payer codes are mapped to the “other” category. This data element is used to stratify only the hospital-level IQIs, hospital-level PDIs, and hospital-level PSIs.
PR1-PR30	ICD-10-CM Procedure	String	Procedure code	Users with more or fewer secondary procedures must modify the parameter “&NPR” in XXI_TYPE_CONTROL.sas to reflect the number of procedures. The modules can accept more than 30 procedure codes. The number provided here is the default.

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

VARIABLE NAME	DESCRIPTION	FORMAT	VALUE DESCRIPTION	COMMENTS
PRDAY1-PRDAY30	Number of days from admission to procedure <i>n</i>	Numeric	Days from admission to procedure	Not used by the PQI module. If not present in the input data file, it is not necessary to create a placeholder variable for the PQI module. For IQI, PDI, and PSI, these are necessary variables if the user sets the “&PRDAY” parameter in <i>XXI_TYPE_CONTROL.sas</i> to equal “1.” In this case, it is expected that the number of PRDAY variables agree with the number of procedure codes present. These variables are not needed if the user sets the “&PRDAY” parameter in <i>XXI_TYPE_CONTROL.sas</i> to equal “0,” indicating that no procedure day information is available. However, regardless of how user sets the “&PRDAY” parameter in <i>XXI_TYPE_CONTROL.sas</i> , input data with missing procedure days (PRDAY _n) may have an impact on numerators, denominators, and observed rates for IQI 08, IQI 09, IQI 11, IQI 12, IQI 30, IQI 31, PSI 04, PSI 09, PSI 10, PSI 11, PSI 12, PSI 14, PSI 15, PDI 08 and PDI 09.
PSTCO	Patient state/county FIPS code	Numeric	Modified Federal Information Processing Standards state/county code	Only used in PQE module. See Appendix A for link to most recent list of codes. If this data element is missing, the discharge record will be excluded from rate calculations for area-level scores.

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

VARIABLE NAME	DESCRIPTION	FORMAT	VALUE DESCRIPTION	COMMENTS
PointOfOriginUB04	Point of origin for admission or visit, UB04 standard coding	String	4=Transfer from a hospital 5=For non-newborn admissions (ATYPE ne 4): Transfer from a Skilled Nursing Facility (SNF), Intermediate Care Facility (ICF), Assisted Living Facility (ALF), or other Nursing Facility (NF) 5=For newborn admissions (ATYPE=4): Born inside this hospital 6=For non-newborn admissions (ATYPE ne 4): Transfer from another health care facility 6=For newborn admissions (ATYPE=4): Born outside of this hospital E=Transfer from ambulatory surgery center F=Transfer from a hospice facility	References by the PDI, IQI, PQI, and PSIs will be affected if values are missing.
RACE	Race of the patient	Numeric	1=White 2=Black 3=Hispanic 4=Asian or Pacific Islander 5=Native American 6=other	The values of 1–6 are used directly in the QI software. All other ethnicity codes are mapped to the “other” category.
SEX	Sex of the patient	Numeric	1=male 2=female	If this data element is missing, the discharge record will be excluded from the analysis. In v2023, input values for SEX contain 1, 2, or missing.
VisitLink	Visit linkage variable	Numeric	Synthetic patient identifier that allows for linking hospital visits and can track an individual across ED facilities and time within a state.	Used in PQE software to track ED visits

Appendix G: List of Risk Factors

Table 49. Risk Factors for Area-Level Modules

DATA ELEMENT	PQI	PQE	PDI
AGE	X	X	X
SEX	X	X	X
POVERTY	X	X	X

Table 50. Risk Factors for Hospital-Level Modules

CATEGORY	IQI	PSI	PDI	NQI
Demographics	Sex ^{a,c}	Sex ^{a,c}	Sex ^{a,c}	Sex ^{a,c}
	Age ^a	Age ^a	Age in days (90 days–1 year) ^a Age in years (1 year+) ^a	Age in days (0 or 1 day) ^a
Severity of Illness		Modified MS-DRG ^b	Modified MS-DRG ^b	Modified MS-DRG ^b
	MDCs ^b	MDCs ^b		MDCs ^b
Clinical/ Comorbidities	AHRQ Clinical Classification Software Refined for ICD-10-CM Diagnoses		AHRQ Clinical Classification Software Refined for ICD-10-CM Diagnoses	
	AHRQ Clinical Classification Software Refined for ICD-10-PCS Procedures			
		AHRQ Elixhauser Comorbidities Refined for ICD-10-CM Diagnosis (with POA) ^b		
		Count categories of AHRQ Comorbidities (using latest guidance on POA requirements ¹⁵)	Count categories of AHRQ Comorbidities (using latest guidance on POA requirements ¹⁷)	
			Indicator-specific risk stratifiers	
Birthweight				Birth weight (500g groups)
Discharge-specific information	Transfer-in status ^b	Transfer-in status ^b	Transfer-alt status ^b	Transfer-alt status ^b

¹⁵ Agency for Healthcare Research and Quality. Elixhauser Comorbidity Software Refined for ICD-10-CM, v2024. Healthcare Cost and Utilization Project (HCUP). February 2024. www.hcup-us.ahrq.gov/toolsoftware/comorbidityicd10/comorbidity_icd10.jsp.

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

CATEGORY	IQI	PSI	PDI	NQI
Discharge-specific information		Surgical/Medical discharge (MS-DRG) ^b	Surgical/Medical discharge (MS-DRG) ^b	
Stratified risk groups		Indicator-specific risk stratifiers ^d		

^a Categories are mutually exclusive and fully saturated with an omitted covariate.

^b Variable or variable categories are selected into model for some indicators.

^c In v2024, Sex is 1 (Male) or 0 (not Male).

^d Starting v2024, only PSI 14 uses the stratified risk adjustment models.

Appendix H: Output Variables

Table 51. IQI Module Output Variables

VARIABLE NAME	DESCRIPTION	FORMAT	COMMENTS
HOSPID	Identifier for each hospital in the dataset	Text or numeric	Depends on format of HOSPID in source dataset
AGECAT	Age stratification category	Numeric range	
SEXCAT	Gender stratification category	Numeric	1=male 2=female 0=other
PAYCAT	Payer stratification category	Numeric	1=Medicare 2=Medicaid 3=private, including HMO 4=self-pay 5=no charge 6=other
RACECAT	Race stratification category	Numeric	1=White 2=Black 3=Hispanic 4=Asian or Pacific Islander 5=American Indian 6=other
TPIQ _{nn}	The number of cases included in the numerator (outcome of interest) as defined for the indicator	Numeric	
PPIQ _{nn}	The number of discharge records included in the denominator (population at risk) as defined for the indicator	Numeric	
OPIQ _{nn}	The rate (observed numerator/observed denominator) as defined for the indicator	Numeric	
EPIQ _{nn}	Rate calculated by assuming an “average” performance for each patient group based on the reference population but with the hospital’s actual case mix	Numeric	

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

VARIABLE NAME	DESCRIPTION	FORMAT	COMMENTS
RPIQ _{nn}	The estimated rate calculated by adjusting to an “average” case mix	Numeric	When stratifications other than hospital or overall are selected, e.g, payer, race (TYPELVLH is in 1-3 or 17-19), the RPIQ _{nn} variables and their confidence intervals are observed/expected ratios to avoid confounding with risk adjustment variables. When stratifications are risk adjustment factors, e.g, age, gender (TYPELVLH is in 4-15 or 20-31); or PRDAY is 0; or MDC_PROVIDED is 0, then risk adjusted rates are suppressed.
VPIQ _{nn}	The variance of the risk-adjusted rate	Numeric	When stratifications other than hospital or overall are selected, e.g, payer, race (TYPELVLH is in 1-3 or 17-19), the VPIQ _{nn} variables and their confidence intervals are the variances of the observed/expected ratios to avoid confounding with risk adjustment variables. When stratifications are risk adjustment factors, e.g, age, gender (TYPELVLH is in 4-15 or 20-31); or PRDAY is 0; or MDC_PROVIDED is 0, then the variance of risk adjusted rates are suppressed.
LPIQ _{nn}	The lower confidence bound of the risk-adjusted rate	Numeric	When stratifications are risk adjustment factors, e.g, age, gender (TYPELVLH is in 4-15 or 20-31), or PRDAY is 0, MDC_PROVIDED is 0, are specified, then lower confidence bound of risk adjusted rates are suppressed.
UPIQ _{nn}	The upper confidence bound of the risk-adjusted rate	Numeric	When stratifications are risk adjustment factors, e.g, age, gender (TYPELVLH is in 4-15 or 20-31), or PRDAY is 0, MDC_PROVIDED is 0, are specified, then upper confidence bound of risk adjusted rates are suppressed.
SPIQ _{nn}	The smoothed rate calculated using multivariate signal extraction	Numeric	When stratifications are risk adjustment factors, e.g, age, gender (TYPELVLH is in 4-15 or 20-31), or PRDAY is 0, MDC_PROVIDED is 0, are specified, then the smoothed rates are suppressed.

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

VARIABLE NAME	DESCRIPTION	FORMAT	COMMENTS
SNPIQ _{nn}	Reliability of the risk-adjusted rate	Numeric	When stratifications are risk adjustment factors, e.g. age, gender (TYPELVLH is in 4-15 or 20-31), or PRDAY is 0, MDC_PROVIDED is 0, are specified, then the reliability are suppressed.
XPIQ _{nn}	Standard error of smoothed rate	Numeric	When stratifications are risk adjustment factors, e.g. age, gender (TYPELVLH is in 4-15 or 20-31), or PRDAY is 0, MDC_PROVIDED is 0, are specified, then the standard error of smoothed rate are suppressed.
VPIQ _{nn}	Variance of the risk-adjusted rate if on risk-adjustment output; noise variance if on composite output	Numeric	When stratifications are risk adjustment factors, e.g. age, gender (TYPELVLH is in 4-15 or 20-31), or PRDAY is 0, MDC_PROVIDED is 0, are specified, then the variance are suppressed.
APIQ _{nn}	Reliability weight for the composite	Numeric	If the risk-adjusted rate is suppressed, so is the composite and the corresponding reliability weight.
WPIQ _{nn}	Component weight for the composite	Numeric	If the risk-adjusted rate is suppressed, so is the composite and the corresponding component weight.
REFIQ _{nn}	Reference population weight for the composite	Numeric	If the risk-adjusted rate is suppressed, so is the composite and the corresponding reference population weight.

Table 52. PSI Module Output

VARIABLE NAME	DESCRIPTION	FORMAT	COMMENTS
HOSPID	Identifier for each hospital in the dataset	Text or numeric	Depends on format of HOSPID in source dataset
AGECAT	Age stratification category	Numeric range	
SEXCAT	Gender stratification category	Numeric	1=male 2=female 0=other
PAYCAT	Payer stratification category	Numeric	1=Medicare 2=Medicaid 3=private, including HMO 4=self-pay 5=no charge 6=other

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

VARIABLE NAME	DESCRIPTION	FORMAT	COMMENTS
RACECAT	Race stratification category	Numeric	1=White 2=Black 3=Hispanic 4=Asian or Pacific Islander 5=Native American 6=other
TPPS _{nn}	The number of cases included in the numerator (outcome of interest) as defined for the indicator	Numeric	
PPPS _{nn}	The number of discharge records included in the denominator (population at risk) as defined for the indicator	Numeric	
OPPS _{nn}	The rate (observed numerator/observed denominator) as defined for the indicator	Numeric	
EPPS _{nn}	Rate calculated by assuming an “average” performance for each patient group based on the reference population but with the hospital’s actual case mix	Numeric	
RPPS _{nn}	The estimated rate calculated by adjusting to an “average” case mix	Numeric	When stratifications other than hospital or overall are selected, e.g, payer, race (TYPELVLH is in 1-3 or 17-19), the RPPS _{nn} variables and their confidence intervals are observed/expected ratios to avoid confounding with risk adjustment variables. When stratifications are risk adjustment factors, e.g, age, gender (TYPELVLH is in 4-15 or 20-31), or PRDAY is 0, MDC_PROVIDED is 0, are specified, then risk adjusted rates are suppressed.
LPPS _{nn}	The lower confidence bound of the risk- adjusted rate	Numeric	When stratifications are risk adjustment factors, e.g, age, gender (TYPELVLH is in 4-15 or 20-31), or PRDAY is 0, MDC_PROVIDED is 0, are specified, then lower confidence bound of risk adjusted rates are suppressed.

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

VARIABLE NAME	DESCRIPTION	FORMAT	COMMENTS
UPPS _{nn}	The upper confidence bound of the risk- adjusted rate	Numeric	When stratifications are risk adjustment factors, e.g, age, gender (TYPELVLH is in 4-15 or 20-31), or PRDAY is 0, MDC_PROVIDED is 0, are specified, then upper confidence bound of risk adjusted rates are suppressed.
SPPS _{nn}	The smoothed rate calculated using multivariate signal extraction	Numeric	When stratifications are risk adjustment factors, e.g, age, gender (TYPELVLH is in 4-15 or 20-31), or PRDAY is 0, MDC_PROVIDED is 0, are specified, then the smoothed rates are suppressed.
SNPPS _{nn}	Reliability of the risk-adjusted rate	Numeric	When stratifications are risk adjustment factors, e.g, age, gender (TYPELVLH is in 4-15 or 20-31), or PRDAY is 0, MDC_PROVIDED is 0, are specified, then the reliability are suppressed.
XPPS _{nn}	Standard error of smoothed rate	Numeric	When stratifications are risk adjustment factors, e.g, age, gender (TYPELVLH is in 4-15 or 20-31), or PRDAY is 0, MDC_PROVIDED is 0, are specified, then the standard error of smoothed rate are suppressed.
VPPS _{nn}	Variance of the risk-adjusted rate if on risk-adjustment output; noise variance if on composite output	Numeric	When stratifications are risk adjustment factors, e.g, age, gender (TYPELVLH is in 4-15 or 20-31), or PRDAY is 0, MDC_PROVIDED is 0, are specified, then the variance are suppressed.
APPS _{nn}	Reliability weight for the composite	Numeric	If the risk-adjusted rate is suppressed, so is the composite and the corresponding reliability weight.
WPPS _{nn}	Component weight for the composite	Numeric	If the risk-adjusted rate is suppressed, so is the composite and the corresponding component weight.
REFPS _{nn}	Reference population weight for the composite	Numeric	If the risk-adjusted rate is suppressed, so is the composite and the corresponding reference population weight.

Table 53. Hospital-Level PDI Module Output Variables

VARIABLE NAME	DESCRIPTION	FORMAT	COMMENTS
HOSPID	Identifier for each hospital in the dataset	Text or numeric	Depends on format of HOSPID in source dataset
AGEDCAT	Age (in days) stratification category	Numeric range	
PAGECAT	Pediatric age stratification category	Numeric	
BWHTCAT	Birth weight stratification category	Numeric	
SEXCAT	Gender stratification category	Numeric	1=male 2=female 0=other
PAYCAT	Payer stratification category	Numeric	1=Medicare 2=Medicaid 3=private, including HMO 4=self-pay 5=no charge 6=other
RACECAT	Race stratification category	Numeric	1=White 2=Black 3=Hispanic 4=Asian or Pacific Islander 5=Native American 6=other
TPPD _{nn}	The number of cases included in the numerator (outcome of interest) as defined for the indicator	Numeric	
PPPD _{nn}	The number of discharge records included in the denominator (population at risk) as defined for the indicator	Numeric	
OPPD _{nn}	The rate (observed numerator/observed denominator) as defined for the indicator	Numeric	
EPPD _{nn}	Rate calculated by assuming an “average” performance for each patient group based on the reference population but with the hospital’s actual case mix	Numeric	

VARIABLE NAME	DESCRIPTION	FORMAT	COMMENTS
RPPDnn	The estimated rate calculated by adjusting to an “average” case mix	Numeric	When stratifications other than hospital or overall are selected, e.g. payer or race (TYPELVLH is in 1-3 or 65-67) the RPPDnn variables and their confidence intervals are observed/expected ratios to avoid confounding with risk adjustment variables. When stratifications are risk adjustment factors, e.g. age, gender, age in days, birthweight (TYPELVLH is in 4-63 or 68-127), or PRDAY is 0, are specified, then risk-adjusted rates are suppressed.
LPPDnn	The lower confidence bound of the risk- adjusted rate	Numeric	When stratifications are risk adjustment factors, e.g. age, gender, age in days, birthweight (TYPELVLH is in 4-63, 68-127), or PRDAY is 0, are specified, then lower confidence bound of risk-adjusted rates are suppressed.
UPPDnn	The upper confidence bound of the risk- adjusted rate	Numeric	When stratifications are risk adjustment factors, e.g. age, gender, age in days, birthweight (TYPELVLH is in 4-63 or 68-127), or PRDAY is 0, are specified, then upper confidence bound of risk-adjusted rates are suppressed.
SPPDnn	The smoothed rate calculated using multivariate signal extraction	Numeric	When stratifications are risk adjustment factors, e.g. age, gender, age in days, birthweight (TYPELVLH is in 4-63 or 68-127), or PRDAY is 0, are specified, then the smoothed rates are suppressed.
SNPPDnn	Reliability of the risk-adjusted rate	Numeric	When stratifications are risk adjustment factors, e.g. age, gender, age in days, birthweight (TYPELVLH is in 4-63 or 68-127), or PRDAY is 0, are specified, then the reliability are suppressed.
VPPDnn	Variance of the risk-adjusted rate	Numeric	When stratifications are risk adjustment factors, e.g. age, gender, age in days, birthweight (TYPELVLH is in 4-63 or 68-127), or PRDAY is 0, are specified, then the variance of the risk-adjusted rate are suppressed.

VARIABLE NAME	DESCRIPTION	FORMAT	COMMENTS
XPPDnn	Standard error of smoothed rate	Numeric	When stratifications are risk adjustment factors, e.g. age, gender, age in days, birthweight (TYPELVLH is in 4-63 or 68-127), or PRDAY is 0, are specified, then the standard error of smoothed rate are suppressed.

Table 54. Area-Level PDI Module Output

VARIABLE NAME	DESCRIPTION	FORMAT	COMMENTS
MAREA	Identifier in the dataset for area	Text	
POPCAT	Population age stratification category	Numeric range	
SEXCAT	Gender stratification category	Numeric	1=male 2=female 0=other
RACECAT	Race stratification category	Numeric	1=White 2=Black 3=Hispanic 4=Asian or Pacific Islander 5=Native American 6=other
TAPDnn	The number of cases included in the numerator (outcome of interest) as defined for the indicator	Numeric	
PAPDnn	The number of discharge records included in the denominator (population at risk) as defined for the indicator	Numeric	
OAPDnn	The rate (observed numerator/observed denominator) as defined for the indicator	Numeric	
EAPDnn	Rate calculated by assuming an “average” performance for each patient group based on the reference population but with the hospital’s actual case mix	Numeric	
RAPDnn	The estimated rate calculated by adjusting to an “average” case mix	Numeric	When stratifications other than hospital or area are selected, the RAPDnn variables and their confidence intervals are observed/expected ratios to avoid confounding with risk adjustment variables.
LAPDnn	The lower confidence bound of the risk-adjusted rate	Numeric	
UAPDnn	The upper confidence bound of the risk-adjusted rate	Numeric	

VARIABLE NAME	DESCRIPTION	FORMAT	COMMENTS
SAPD $_{nn}$	The smoothed rate calculated as a weighted average of the risk-adjusted and reference population rates	Numeric	
SNAPD $_{nn}$	Reliability of the risk-adjusted rate	Numeric	
XAPD $_{nn}$	Standard error of the smoothed rate	Numeric	
VAPD $_{nn}$	Variance of risk-adjusted rate	Numeric	

Table 55. PQI Module Output Variables

VARIABLE NAME	DESCRIPTION	FORMAT	COMMENTS
MAREA	Identifier in the dataset for area	Text	
AGECAT	Age stratification category	Numeric	
SEXCAT	Gender stratification category	Numeric	
RACECAT	Race stratification category	Numeric	
TAPQ $_{nn}$	The number of cases included in the numerator (outcome of interest) as defined for the indicator	Numeric	
PAPQ $_{nn}$	The number of discharge records included in the denominator (population at risk) as defined for the indicator	Numeric	
OAPQ $_{nn}$	The rate (observed numerator/observed denominator) as defined for the indicator	Numeric	
RAPQ $_{nn}$	The estimated rate calculated by adjusting to an “average” case mix	Numeric	When stratifications other than hospital or area are selected, the RAPQ $_{nn}$ variables and their confidence intervals are observed/expected ratios to avoid confounding with risk adjustment variables.
LAPQ $_{nn}$	The lower confidence bound of the risk-adjusted rate	Numeric	
UAPQ $_{nn}$	The upper confidence bound of the risk-adjusted rate	Numeric	
SAPQ $_{nn}$	The smoothed rate calculated using multivariate signal extraction	Numeric	
SNAPQ $_{nn}$	Reliability of the risk-adjusted rate	Numeric	
VAPQ $_{nn}$	Variance of risk-adjusted rate	Numeric	
XAPQ $_{nn}$	Standard error of smoothed rate	Numeric	

VARIABLE NAME	DESCRIPTION	FORMAT	COMMENTS
EAPQnn	Rate calculated by assuming an “average” performance for each patient group based on the reference population but with the hospital’s actual case mix	Numeric	

Table 56. PQE Module Output Variables

VARIABLE NAME	DESCRIPTION	FORMAT	COMMENTS
MAREA	Identifier in the dataset for area	Text	
AGECAT	Age stratification category	Numeric	
SEXCAT	Gender stratification category	Numeric	
TAQEnn	The number of cases included in the numerator (outcome of interest) as defined for the indicator	Numeric	
PAQEnn	The number of discharge records included in the denominator (population at risk) as defined for the indicator	Numeric	
OAQEnn	The rate (observed numerator/observed denominator) as defined for the indicator	Numeric	
RAQEnn	The estimated rate calculated by adjusting to an “average” case mix	Numeric	When stratifications other than hospital or area are selected, the RAQEnn variables and their confidence intervals are observed/expected ratios to avoid confounding with risk adjustment variables.
LAQEnn	The lower confidence bound of the risk-adjusted rate	Numeric	
UAQEnn	The upper confidence bound of the risk-adjusted rate	Numeric	
SAQEnn	The smoothed rate calculated using multivariate signal extraction	Numeric	
SNAQEnn	Reliability of the risk-adjusted rate	Numeric	
VAQEnn	Variance of risk-adjusted rate	Numeric	
XAQEnn	Standard error of smoothed rate	Numeric	
EAQEnn	Rate calculated by assuming an “average” performance for each patient group based on the reference population but with the hospital’s actual case mix	Numeric	

Appendix I: Setnames

Table 57. List of Setnames

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
ABDOMI15P	Abdominopelvic surgery, procedure codes	No	No	Yes	No	No
ABDOMIPOP EN	Abdominopelvic surgery, open approach, procedure codes	No	No	Yes	No	No
ABDOMIPOT HER	Abdominopelvic surgery, other than open approach, procedure codes	No	No	Yes	No	No
ABWALLCD	Disruption of internal operation wound diagnosis codes	No	No	Yes	No	No
ACBACGD	Bacterial gastroenteritis diagnosis codes	No	Yes	No	No	No
ACCOPDD	Chronic obstructive pulmonary disorder (excluding acute bronchitis) diagnosis codes	No	No	No	Yes	No
ACDIALD	Diabetes with long-term complications diagnosis codes	No	No	No	Yes	No
ACDIASD	Diabetes with short-term complications diagnosis codes	No	Yes	No	Yes	No
ACDIAUD	Uncontrolled diabetes without mention of a short-term or long-term complication diagnosis codes	No	No	No	Yes	No
ACGDISD	Gastroenteritis abnormalities diagnosis codes	No	Yes	No	No	No
ACLEA2D	Traumatic amputation of the lower extremity diagnosis codes	No	No	No	Yes	No
ACPGASD	Gastroenteritis diagnosis codes	No	Yes	No	No	No
ACSASTD	Asthma diagnosis codes	No	Yes	No	Yes	No

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
ACSBA2D	Sickle cell anemia or HB-S disease diagnosis codes	No	No	No	Yes	No
ACSBACD	Community acquired pneumonia diagnosis codes	No	No	No	Yes	No
ACSCARP	Cardiac procedure codes	No	No	No	Yes	No
ACSCYFD	Cystic fibrosis diagnosis codes	No	Yes	No	No	No
ACSDEHD	Dehydration diagnosis codes	No	Yes	No	No	No
ACSHY2D	Stage I-IV kidney disease diagnosis codes	No	No	No	Yes	No
ACSHYPD	Hypertension diagnosis codes	No	No	No	Yes	No
ACSLEAD	Diabetes diagnosis codes	No	No	No	Yes	No
ACSLEAP	Lower extremity amputation procedure codes	No	No	No	Yes	No
ACSUTID	Urinary tract infection diagnosis codes	No	Yes	No	Yes	No
ACURF2D	Acute postprocedural respiratory failure diagnosis codes	No	Yes	Yes	No	No
ACURF3D	Acute respiratory failure diagnosis codes (exclusion only)	No	Yes	Yes	No	No
ADRENAL15D	Accidental puncture or laceration of adrenal gland during an abdominopelvic procedure diagnosis codes	No	No	Yes	No	No
ADRENAL15P	Accidental puncture and laceration of adrenal gland repair procedure codes	No	No	Yes	No	No
ALCHLSM	Alcoholism diagnosis codes	No	No	Yes	No	No
Asthma	Asthma diagnosis codes	No	No	No	No	Yes
BACKPAIN	Back pain diagnosis codes	No	No	No	No	Yes
BIRTHID	Birth trauma diagnosis codes	No	No	Yes	No	No

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
BPExcludeCancer	Cancer diagnosis codes	No	No	No	No	Yes
BPExcludeCES	Cauda equina syndrome, spinal epidural abscess, and cord compression diagnosis codes	No	No	No	No	Yes
BPExcludeFever	Fever diagnosis codes	No	No	No	No	Yes
BPEXCLUDE GALLSTONE	Stones of Digestive system with or without obstruction	No	No	No	No	Yes
BPEXCLUDE KIDNEYSTONE	Calculus of Urinary Tract System	No	No	No	No	Yes
BPExcludeUTI	Urinary tract infection diagnosis codes	No	No	No	No	Yes
BSI2DX	Newborn septicemia or bacteremia diagnosis codes	No	No	No	No	No
BSI3DX	Staphylococcal or Gram-negative bacterial infection diagnosis codes	No	No	No	No	No
BSI4DX	Sepsis or bacteremia diagnosis codes	No	No	No	No	No
BSI5DX	Newborn sepsis diagnosis codes	No	No	No	No	No
BURNDX	Severe burn diagnosis codes	No	No	Yes	No	No
CANCEID	Cancer diagnosis codes	No	No	Yes	No	No
CANITD	Cancer diagnosis codes without leukemia/lymphoma	No	Yes	No	No	No
CARDIID	Cardiac arrest diagnosis codes	No	No	Yes	No	No
CARDRID	Severe cardiac dysrhythmia diagnosis codes	No	No	Yes	No	No
CARDSIP	Potentially trans-pleural cardiac procedures	No	Yes	Yes	No	No
Cellulitis	Cellulitis diagnosis codes	No	No	No	No	Yes
CKD	Chronic kidney disease diagnosis codes	No	No	No	No	Yes

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
COAGDID	Coagulation disorders diagnosis codes	No	Yes	Yes	No	No
COPD	Chronic obstructive pulmonary disease diagnosis codes	No	No	No	No	Yes
COVIDD	COVID diagnosis codes for use from Q2 2020 on	Yes	Yes	Yes	No	No
COVIDQ120D	COVID diagnosis code for use during Q1 2020	Yes	Yes	Yes	No	No
CRANIID	Craniofacial anomalies diagnosis codes	No	Yes	No	No	No
CRENLFD	Chronic kidney disease stage 5 or end stage renal disease diagnosis codes	No	No	Yes	No	No
CSHOCKANOXBDD	Cardiogenic Shock, Cardiac Arrest, and Anoxic Brain Damage Diagnosis Codes	Yes	No	No	No	No
CTRAUMD	Chest trauma diagnosis codes	No	Yes	Yes	No	No
CysticFibrosis	Cystic fibrosis diagnosis codes	No	No	No	No	Yes
DEEPPVIB	Proximal deep vein thrombosis diagnosis codes	No	No	Yes	No	No
DELOCMD	Outcome of delivery diagnosis codes	Yes	No	Yes	No	No
DentalVisit	FORMAT for Dental visit diagnosis codes	No	No	No	No	Yes
DGNEUID	Degenerative neurologic disorder diagnosis codes	No	Yes	Yes	No	No
diabetes	Diabetes diagnosis codes	No	No	No	No	Yes
DIALY2P	Dialysis access procedure codes	No	No	Yes	Yes	No
DIALYIP	Dialysis procedure codes	No	No	Yes	No	No

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
DIAPHR15D	Accidental puncture and laceration of diaphragm during an abdominopelvic procedure diagnosis codes	No	No	Yes	No	No
DIAPHR15P	Accidental puncture and laceration of diaphragm repair procedure codes	No	No	Yes	No	No
DMSTCX	Diabetes short term complications diagnosis codes	No	No	No	No	Yes
DNR	Do not resuscitate (DNR) status diagnosis codes	Yes	No	No	No	No
DRG1C	MS-DRG codes for surgical class 1	No	Yes	No	No	No
DRG2C	MS-DRG codes for surgical class 2	No	Yes	No	No	No
DRG3C	MS-DRG codes for surgical class 3	No	Yes	No	No	No
DRG4C	MS-DRG codes for surgical class 4	No	Yes	No	No	No
DRG9C	MS-DRG codes for surgical class 9	No	Yes	No	No	No
DRGF2T	MS-DRG to Modified DRG	No	Yes	Yes	No	No
DTICONTBBH EXD	Deep Tissue Injury of Contiguous Site of Back, Buttock and Hip, Exclusion Diagnosis Codes	No	No	Yes	No	No
DTIHEADEX D	Deep Tissue Injury of Head, Exclusion Diagnosis Codes	No	No	Yes	No	No
DTILANKLEX D	Deep Tissue Injury of Left Ankle, Exclusion Diagnosis Codes	No	No	Yes	No	No
DTILBUTEXD	Deep Tissue Injury of Left Buttock, Exclusion Diagnosis Codes	No	No	Yes	No	No
DTILELBOEX D	Deep Tissue Injury of Left Elbow, Exclusion Diagnosis Codes	No	No	Yes	No	No
DTILHEELEX D	Deep Tissue Injury of Left Heel, Exclusion Diagnosis Codes	No	No	Yes	No	No

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
DTILHIPEXD	Deep Tissue Injury of Left Hip, Exclusion Diagnosis Codes	No	No	Yes	No	No
DTILLOBACE XD	Deep Tissue Injury of Left Lower Back, Exclusion Diagnosis Codes	No	No	Yes	No	No
DTILUPBACE XD	Deep Tissue Injury of Left Upper Back, Exclusion Diagnosis Codes	No	No	Yes	No	No
DTIOTHEREX D	Deep Tissue Injury of Other Site, Exclusion Diagnosis Codes	No	No	Yes	No	No
DTIRANKLEX D	Deep Tissue Injury of Right Ankle, Exclusion Diagnosis Codes	No	No	Yes	No	No
DTIRBUTEXD	Deep Tissue Injury of Right Buttock, Exclusion Diagnosis Codes	No	No	Yes	No	No
DTIRELBOEX D	Deep Tissue Injury of Right Elbow, Exclusion Diagnosis Codes	No	No	Yes	No	No
DTIRHEELEX D	Deep Tissue Injury of Right Heel, Exclusion Diagnosis Codes	No	No	Yes	No	No
DTIRHIPEXD	Deep Tissue Injury of Right Hip, Exclusion Diagnosis Codes	No	No	Yes	No	No
DTIRLOBACE XD	Deep Tissue Injury of Right Lower Back, Exclusion Diagnosis Codes	No	No	Yes	No	No
DTIRUPBACE XD	Deep Tissue Injury of Right Upper Back, Exclusion Diagnosis Codes	No	No	Yes	No	No
DTISACRAEX D	Deep Tissue Injury of Sacral Region, Exclusion Diagnosis Codes	No	No	Yes	No	No

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
ECMOP	Extracorporeal membrane oxygenation (ECMO) procedure codes	No	Yes	Yes	No	No
EXFOLIATXD	Exfoliative skin disorder diagnosis codes	No	No	Yes	No	No
FOREIID	Retained surgical item or unretrieved device fragment diagnosis code	No	No	Yes	No	No
FTR2DXB	Pulmonary embolism or deep vein thrombosis diagnosis codes	No	No	Yes	No	No
FTR3DX	Bacterial and aspiration pneumonia diagnosis codes	No	No	Yes	No	No
FTR3EXA	Respiratory complications diagnosis codes	No	No	Yes	No	No
FTR3EXB	Viral pneumonia or influenza diagnosis codes	No	No	Yes	No	No
FTR4DX	Sepsis diagnosis codes for PSI 04	No	No	Yes	No	No
FTR5DX	Shock or cardiac arrest diagnosis codes	No	No	Yes	No	No
FTR5EX	Abortion-related shock diagnosis codes	No	No	Yes	No	No
FTR5PR	Shock or cardiac (resuscitation) procedure codes	No	No	Yes	No	No
FTR6DX	Gastrointestinal hemorrhage or acute ulcer diagnosis codes	No	No	Yes	No	No
FTR6EX	Anemia diagnosis codes	No	No	Yes	No	No
FTR6GV	Esophageal varices with bleeding diagnosis codes	Yes	No	Yes	No	No
FTR6QD	Qualifying diagnoses associated with a diagnosis of esophageal varices with bleeding	Yes	No	Yes	No	No

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
FXID	Fracture diagnosis codes	No	No	Yes	No	No
GASTRID	Gastrointestinal hemorrhage diagnosis codes for PSI 04	No	No	Yes	No	No
GESTC1D	Gestational age equal to or less than 23 completed weeks diagnosis codes	No	No	No	No	No
GESTC2D	Gestational age 24 completed weeks diagnosis codes	No	No	No	No	No
GESTC3D	Gestational age between 25 to 26 completed weeks diagnosis codes	No	No	No	No	No
GESTC4D	Gestational age between 27 to 28 completed weeks diagnosis codes	No	No	No	No	No
GESTC5D	Gestational age between 29 to 30 completed weeks diagnosis codes	No	No	No	No	No
GESTC6D	Gestational age between 31 to 32 completed weeks diagnosis codes	No	No	No	No	No
GESTC7D	Gestational age between 33 to 34 completed weeks diagnosis codes	No	No	No	No	No
GESTC8D	Gestational age between 35 to 36 completed weeks diagnosis codes	No	No	No	No	No
GI15D	Accidental puncture and laceration of a digestive system organ or structure during an abdominopelvic procedure diagnosis codes	No	No	Yes	No	No
GI15P	Accidental puncture and laceration of digestive system organ or structure repair procedure codes	No	No	Yes	No	No

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
GU15D	Accidental puncture and laceration of a genitourinary system organ or structure during an abdominopelvic procedure diagnosis codes	No	No	Yes	No	No
GU15P	Accidental puncture and laceration of genitourinary system organ or structure repair procedure codes	No	No	Yes	No	No
HeartFailure	Heart failure diagnosis codes	No	No	No	No	Yes
HEARTTRP	Heart transplant procedure codes	Yes	No	No	No	No
HEMOPHD	Hemophilia diagnosis codes	No	Yes	No	No	No
HEMORID	Hemorrhage diagnosis codes	No	No	Yes	No	No
HEMOTH2P	Control of hemorrhage and evacuation of hematoma procedures	No	Yes	Yes	No	No
HEPFA2D	Cirrhosis diagnosis codes	No	Yes	Yes	No	No
HEPFA3D	Hepatic failure diagnosis codes	No	Yes	Yes	No	No
HIPFXID	Hip fracture diagnosis codes for PSI 08	No	No	Yes	No	No
HITD	Heparin-induced thrombocytopenia diagnosis codes	No	No	Yes	No	No
IATPTXD	Non-traumatic pneumothorax diagnosis codes	No	Yes	Yes	No	No
IATROID	Iatrogenic pneumothorax diagnosis codes	No	Yes	Yes	No	No
IDTMC3D	Central venous catheter-related blood stream infection diagnosis code	No	Yes	Yes	No	No

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
IMMUITD	Intermediate-risk immunocompromised state diagnosis codes	No	Yes	Yes	No	No
IMMUNHD	High-risk immunocompromised state diagnosis codes	No	Yes	Yes	No	No
IMMUNID	Immunocompromised state diagnosis codes	No	No	Yes	Yes	No
IMMUNIP	Immunocompromised state procedure codes	No	No	Yes	Yes	No
immunocompromised	Immunocompromised state diagnosis codes	No	No	No	No	Yes
INFECID	Infection diagnosis codes	No	Yes	Yes	No	No
Influenza	Influenza and influenza-like illness diagnosis codes	No	No	No	No	Yes
INSTRIP	Instrument-assisted delivery procedure codes	No	No	Yes	No	No
KIDNEY	Kidney or urinary tract disorder diagnosis codes	No	Yes	No	Yes	No
LIVEB2D	Out-of-hospital live birth diagnosis codes	No	No	Yes	No	No
LIVEBND	In-hospital live birth diagnosis codes	No	Yes	Yes	No	No
LIVERTRP	Liver transplant procedure codes	Yes	No	No	No	No
LowerRespInfection	Lower respiratory infection (bronchitis or bacterial or unspecified pneumonia) diagnosis codes	No	No	No	No	Yes
LOWMODR	Low-mortality (less than 0.5%) MS-DRG codes	No	No	Yes	No	No
LUNGCIP	Lung cancer procedure codes	No	Yes	Yes	No	No
LUNGTRANS P	Lung or heart transplant procedure codes	No	Yes	Yes	No	No

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
LW1000G	Birth weight less than 1,000 grams diagnosis codes (Category 3)	No	Yes	No	No	No
LW1250G	Birth weight 1,000 to 1,249 grams diagnosis codes (Category 4)	No	Yes	No	No	No
LW1500G	Birth weight 1,250 to 1,499 grams diagnosis codes (Category 5)	No	Yes	No	No	No
LW1750G	Birth weight 1,500 to 1,749 grams diagnosis codes (Category 6)	No	Yes	No	No	No
LW2000G	Birth weight 1,750 to 1,999 grams diagnosis codes (Category 7)	No	Yes	No	No	No
LW2500G	Birth weight 2,000 to 2,499 grams diagnosis codes (Category 8)	No	Yes	No	No	No
LW500G	Birth weight less than 500 grams diagnosis codes (Category 1)	No	Yes	No	No	No
LW750G	Birth weight 500 to 749 grams diagnosis codes (Category 2)	No	Yes	No	No	No
M1AREA	County Level with Modified FIPS	No	No	No	No	Yes
M2AREA	OMB 1999 METRO AREA	No	No	No	No	Yes
M3AREA	OMB 2003 METRO AREA	No	No	No	No	Yes
MALHYPD	Malignant Hyperthermia diagnosis codes	No	Yes	Yes	No	No
MDC14PRIND X	MDC 14 Principal diagnosis codes	Yes	Yes	Yes	Yes	No
MDC15PRIND X	MDC 15 Principal diagnosis codes	Yes	No	Yes	No	No
MECHVCD	Mechanical ventilation procedure codes	No	No	No	No	No

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
MEDBLEEDD	Medication-related causes of bleeding after surgery diagnosis codes	No	Yes	Yes	No	No
MEDIC2R	Medical discharge MS-DRGs	No	Yes	Yes	No	No
MRTAMID	Myocardial infarction type one diagnosis codes	Yes	No	No	No	No
MRTAMISTD	Acute ST elevation myocardial infarction (STEMI) diagnosis codes	Yes	No	No	No	No
MRTCHFD	Heart failure diagnosis codes	Yes	No	No	Yes	No
MRTCV2A	Subarachnoid hemorrhage diagnosis codes	Yes	No	No	No	No
MRTCV3D	Intracerebral hemorrhage diagnosis codes	Yes	No	No	No	No
MRTCV4D	Ischemic stroke diagnosis codes	Yes	No	No	No	No
MRTGIHD	Gastrointestinal hemorrhage diagnosis codes for IQI 18	Yes	No	No	No	No
MTHIP2D	Periprosthetic fracture diagnosis codes	Yes	No	No	No	No
MTHIPFD	Hip fracture diagnosis codes for IQI 19	Yes	No	No	No	No
NEUROMD	Neuromuscular disorders diagnosis codes	No	Yes	Yes	No	No
NEURTRAD	Acute brain or spinal injury diagnosis codes	No	No	Yes	No	No
NUCRANP	Laryngeal, pharyngeal, nose, mouth and facial surgery involving significant risk of airway compromise procedure codes	No	Yes	Yes	No	No
OBEMBOL	Abortion-related or postpartum obstetric pulmonary embolism diagnosis codes	No	No	Yes	No	No

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
OBTRAIID	Third and fourth degree obstetric trauma diagnosis codes	No	No	Yes	No	No
ODC_VEN	Ventilator Dependence (ODC903)	No	Yes	No	No	No
ORPROC	Operating room procedure codes	No	Yes	Yes	No	No
OSTEOID	Osteogenesis imperfecta diagnosis codes	No	No	Yes	No	No
PCLASSR	ICD-10-PCS Procedure Classes	No	Yes	Yes	No	No
PHYSIDB	Acute kidney (renal) failure diagnosis codes	No	No	Yes	No	No
PICONTBBHEXD	Pressure Injury of Contiguous Site of Back, Buttock and Hip, Principal Diagnosis Exclusion Codes	No	No	Yes	No	No
PICONTIGBBHD	Pressure Ulcer of Contiguous Site of Back, Buttock and Hip, Inclusion Diagnosis Codes	No	No	Yes	No	No
PIHEADD	Pressure Ulcer of Head, Inclusion Diagnosis Codes	No	No	Yes	No	No
PIHEADEXD	Pressure Injury of Head, Principal Diagnosis Exclusion Codes	No	No	Yes	No	No
PILANKLED	Pressure Ulcer of Left Ankle, Inclusion Diagnosis Codes	No	No	Yes	No	No
PILANKLEXD	Pressure Injury of Left Ankle, Principal Diagnosis Exclusion Codes	No	No	Yes	No	No
PILBUTEXD	Pressure Injury of Left Buttock, Principal Diagnosis Exclusion Codes	No	No	Yes	No	No
PILBUTTD	Pressure Ulcer of Left Buttock, Inclusion Diagnosis Codes	No	No	Yes	No	No

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
PILELBOEXD	Pressure Injury of Left Elbow, Principal Diagnosis Exclusion Codes	No	No	Yes	No	No
PILELBOWD	Pressure Ulcer of Left Elbow, Inclusion Diagnosis Codes	No	No	Yes	No	No
PILHEELD	Pressure Ulcer of Left Heel, Inclusion Diagnosis Codes	No	No	Yes	No	No
PILHEELEXD	Pressure Injury of Left Heel, Principal Diagnosis Exclusion Codes	No	No	Yes	No	No
PILHIPD	Pressure Ulcer of Left Hip, Inclusion Diagnosis Codes	No	No	Yes	No	No
PILHIPEXD	Pressure Injury of Left Hip, Principal Diagnosis Exclusion Codes	No	No	Yes	No	No
PILLOBACEXD	Pressure Injury of Left Lower Back, Principal Diagnosis Exclusion Codes	No	No	Yes	No	No
PILLOBACKD	Pressure Ulcer of Left Lower Back, Inclusion Diagnosis Codes	No	No	Yes	No	No
PILUPBACEXD	Pressure Injury of Left Upper Back, Principal Diagnosis Exclusion Codes	No	No	Yes	No	No
PILUPBACKD	Pressure Ulcer of Left Upper Back, Inclusion Diagnosis Codes	No	No	Yes	No	No
PINANKLED	Pressure Ulcer of Unspecified Ankle, Inclusion Diagnosis Codes	No	No	Yes	No	No
PINBACKD	Pressure Ulcer of Unspecified Part of Back, Inclusion Diagnosis Codes	No	No	Yes	No	No
PINBUTTD	Pressure Ulcer of Unspecified Buttock, Inclusion Diagnosis Codes	No	No	Yes	No	No

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
PINELBOWD	Pressure Ulcer of Unspecified Elbow, Inclusion Diagnosis Codes	No	No	Yes	No	No
PINHEELD	Pressure Ulcer of Unspecified Heel, Inclusion Diagnosis Codes	No	No	Yes	No	No
PINHIPD	Pressure Ulcer of Unspecified Hip, Inclusion Diagnosis Codes	No	No	Yes	No	No
PIOTHERD	Pressure Ulcer of Other Site, Inclusion Diagnosis Codes	No	No	Yes	No	No
PIOTHEREXD	Pressure Injury of Other Site, Principal Diagnosis Exclusion Codes	No	No	Yes	No	No
PIRANKLED	Pressure Ulcer of Right Ankle, Inclusion Diagnosis Codes	No	No	Yes	No	No
PIRANKLEXD	Pressure Injury of Right Ankle, Principal Diagnosis Exclusion Codes	No	No	Yes	No	No
PIRBUTEXD	Pressure Injury of Right Buttock, Principal Diagnosis Exclusion Codes	No	No	Yes	No	No
PIRBUTTD	Pressure Ulcer of Right Buttock, Inclusion Diagnosis Codes	No	No	Yes	No	No
PIRELBOEXD	Pressure Injury of Right Elbow, Principal Diagnosis Exclusion Codes	No	No	Yes	No	No
PIRELBOWD	Pressure Ulcer of Right Elbow, Inclusion Diagnosis Codes	No	No	Yes	No	No
PIRHEELD	Pressure Ulcer of Right Heel, Inclusion Diagnosis Codes	No	No	Yes	No	No
PIRHEELEXD	Pressure Injury of Right Heel, Principal Diagnosis Exclusion Codes	No	No	Yes	No	No

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
PIRHIPD	Pressure Ulcer of Right Hip, Inclusion Diagnosis Codes	No	No	Yes	No	No
PIRHIPEXD	Pressure Injury of Right Hip, Principal Diagnosis Exclusion Codes	No	No	Yes	No	No
PIRLOBACEXD	Pressure Injury of Right Lower Back, Principal Diagnosis Exclusion Codes	No	No	Yes	No	No
PIRLOBACKD	Pressure Ulcer of Right Lower Back, Inclusion Diagnosis Codes	No	No	Yes	No	No
PIRUPBACEXD	Pressure Injury of Right Upper Back, Principal Diagnosis Exclusion Codes	No	No	Yes	No	No
PIRUPBACKD	Pressure Ulcer of Right Upper Back, Inclusion Diagnosis Codes	No	No	Yes	No	No
PISACRAEXD	Pressure Injury of Sacral Region, Principal Diagnosis Exclusion Codes	No	No	Yes	No	No
PISACRALD	Pressure Ulcer of Sacral Region, Inclusion Diagnosis Codes	No	No	Yes	No	No
PIUNSPEC D	Pressure Ulcer of Unspecified Site, Inclusion Diagnosis Codes	No	No	Yes	No	No
PLEURAD	Pleural effusion diagnosis codes	No	Yes	Yes	No	No
PNEPHREP	Nephrectomy procedure codes	No	No	Yes	No	No
PNEUMD	Pneumonia diagnosis codes	Yes	No	No	No	No
POAXMPT_V33FMT	POA Exempt ICD-10-CM diagnosis codes, Version 33 Format	Yes	Yes	Yes	No	No
POAXMPT_V34FMT	POA Exempt ICD-10-CM diagnosis codes, Version 34 Format	Yes	Yes	Yes	No	No

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
POAXMPT_V 35FMT	POA Exempt ICD-10-CM diagnosis codes, Version 35 Format	Yes	Yes	Yes	No	No
POAXMPT_V 36FMT	POA Exempt ICD-10-CM diagnosis codes, Version 36 Format	Yes	Yes	Yes	No	No
POAXMPT_V 37FMT	POA Exempt ICD-10-CM diagnosis codes, Version 37 Format	Yes	Yes	Yes	No	No
POAXMPT_V 38FMT	POA Exempt ICD-10-CM diagnosis codes, Version 38 Format	Yes	Yes	Yes	No	No
POAXMPT_V 39FMT	POA Exempt ICD-10-CM diagnosis codes, Version 39 Format	Yes	Yes	Yes	No	No
POAXMPT_V 40FMT	POA Exempt ICD-10-CM diagnosis codes, Version 40 Format	Yes	Yes	Yes	No	No
POAXMPT_V 41FMT	POA Exempt ICD-10-CM diagnosis codes, Version 41 Format	Yes	Yes	Yes	No	No
POHMRI2D	Postprocedural hemorrhage or hematoma diagnosis codes	No	Yes	Yes	No	No
PR9604P	Intubation procedure codes	No	Yes	Yes	No	No
PR9671P	Mechanical ventilation for 24-96 consecutive hours procedure code	No	Yes	Yes	No	No
PR9672P	Mechanical ventilation for greater than 96 consecutive hours procedure code	No	Yes	Yes	No	No
PRAAA2D	Unruptured abdominal aortic aneurysm (AAA) diagnosis codes	Yes	No	No	No	No
PRAAA2P	Endovascular abdominal aortic aneurysm (AAA) repair procedure codes	Yes	No	No	No	No

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
PRAAARD	Ruptured abdominal aortic aneurysm (AAA) diagnosis codes	Yes	No	No	No	No
PRAAARP	Open abdominal aortic aneurysm (AAA) repair procedure codes	Yes	No	No	No	No
PRCABGP	Coronary artery bypass graft (CABG) procedure codes	Yes	No	No	No	No
PRCEATP	Carotid endarterectomy procedure codes	Yes	No	No	No	No
PRCSE2P	Hysterotomy procedure codes	Yes	No	No	No	No
PRCSECD	Abnormal presentation, fetal death, and multiple gestation diagnosis codes	Yes	No	No	No	No
PRCSECP	Cesarean delivery procedure codes	Yes	No	No	No	No
PRESO2D	Gastrointestinal-related cancer diagnosis codes	Yes	No	No	No	No
PRESO2P	Total gastrectomy procedure codes	Yes	No	No	No	No
PRESOPD	Esophageal cancer diagnosis codes	Yes	No	No	No	No
PRESOPP	Esophageal resection procedure codes	Yes	Yes	Yes	No	No
PRETEID	Preterm infant with birth weight less than 2000g diagnosis codes	No	No	Yes	No	No
PROSFXID	Joint prostheses associated fracture diagnosis codes	No	No	Yes	No	No
PRPAN2D	Acute pancreatitis diagnosis codes	Yes	No	No	No	No
PRPAN3P	Partial pancreatic resection procedure codes	Yes	No	No	No	No
PRPANCD	Pancreatic cancer diagnosis codes	Yes	No	No	No	No
PRPANCP	Total pancreatic resection procedure codes	Yes	No	No	No	No

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
PRPTCAP	Percutaneous coronary intervention (PCI) procedure codes	Yes	No	No	No	No
PRVBACD	Previous Cesarean delivery diagnosis codes	Yes	No	No	No	No
PULMOID	Pulmonary embolism diagnosis codes	No	No	Yes	No	No
QE03EXC_UT I	Urinary tract infection diagnosis codes	No	No	No	No	Yes
QE03EXC_UT M	Urinary tract malformation diagnosis codes	No	No	No	No	Yes
QE4Bronchitis	Bronchitis diagnosis codes	No	No	No	No	Yes
QE4EXC_PNEUMONIA	Pneumonia diagnosis codes	No	No	No	No	Yes
RECLOIP	Reclosure of postoperative disruption of the abdominal wall procedure codes	No	No	Yes	No	No
RESPAN	Cystic fibrosis and anomalies of respiratory system diagnosis codes	No	Yes	No	Yes	No
RespiratoryAnomalies	Respiratory anomalies diagnosis codes	No	No	No	No	Yes
SEPPNEUD	Sepsis without severe sepsis diagnosis codes	Yes	No	No	No	No
SEPTI2D	Sepsis diagnosis codes for PSI 13/PDI 10	No	Yes	Yes	No	No
SEVPEDX	Severe pulmonary embolism or deep vein thrombosis diagnosis codes	No	No	Yes	No	No
SEVGIHDX	Severe gastrointestinal hemorrhage or acute ulcer diagnosis codes	No	No	Yes	No	No
SEVPNEUDX	Severe pneumonia diagnosis codes	No	No	Yes	No	No
SEVSCKDX	Severe shock or cardiac arrest diagnosis codes	No	No	Yes	No	No

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
SEVSEPD	Severe sepsis diagnosis codes	Yes	No	No	No	No
SEVSEPDXX	Severe sepsis and postprocedural septic shock diagnosis codes	No	No	Yes	No	No
SHOCKID	Shock diagnosis codes	No	No	Yes	No	No
SOLKIDD	Solitary kidney diagnosis codes	No	No	Yes	No	No
SPINEP	Spine surgery procedure codes	No	Yes	No	No	No
SPLEEN15D	Accidental puncture or laceration of spleen during an abdominopelvic procedure diagnosis codes	No	No	Yes	No	No
SPLEEN15P	Accidental puncture and laceration of spleen repair procedure codes	No	No	Yes	No	No
SURGI2R	Surgical discharge MS-DRGs	No	Yes	Yes	No	No
SURGI2R_PREV	Fiscal Year Dependent Surgical MS-DRGs for prior to FY2021	No	Yes	Yes	No	No
TECHNID	Accidental puncture or laceration during a procedure diagnosis codes	No	Yes	No	No	No
THORAIP	Thoracic surgery, including lung or pleural biopsy and diaphragmatic repair, procedure codes	No	Yes	Yes	No	No
THROMBOLYTICP	Thrombolytic administration (introduction) procedure codes	No	No	Yes	No	No
THROMP	Pulmonary arterial or dialysis access thrombectomy procedure codes	No	No	Yes	No	No
TRACHID	Tracheostomy diagnosis codes	No	Yes	Yes	No	No
TRACHIP	Tracheostomy procedure codes	No	Yes	Yes	No	No

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

SETNAME	DESCRIPTION	IQI	PDI	PSI	PQI	PQE
TRANSPP	High-risk immunocompromised state procedure codes	No	Yes	Yes	No	No
TRAUMAF	Trauma diagnosis codes	No	No	No	No	Yes
TraumaToFace	Trauma to face diagnosis codes	No	No	No	No	Yes
TRAUMID	Trauma diagnosis codes	No	No	Yes	No	No
UpperRespInfection	Upper respiratory infection, otitis media, allergic rhinitis diagnosis codes	No	No	No	No	Yes
URINARYOB SID	Urinary tract obstruction diagnosis codes	No	No	Yes	No	No
UTI_NonCx	Uncomplicated cystitis diagnosis codes	No	No	No	No	Yes
VAGDELP	Vaginal delivery procedure codes	Yes	No	Yes	No	No
VENACIP	Interruption of vena cava procedure codes	No	No	Yes	No	No
VESSEL15D	Accidental puncture and laceration of a circulatory system organ or structure during an abdominopelvic procedure diagnosis codes	No	No	Yes	No	No
VESSEL15P	Accidental puncture and laceration of blood vessel repair procedure codes	No	No	Yes	No	No

Appendix J: Output and TYPELVLx Values: Levels of Summarization

Table 58. Levels of Summarization for PQI_AREA_OBSERVED.sas and PDI_AREA_OBSERVED.sas

TYPELVLA	SUMMARIZATION
0	Overall
1	Race
2	Sex
3	Sex * Race
4	Age
5	Age * Race
6	Age * Sex
7	Age * Sex * Race
8	Area
9	Area * Race
10	Area * Sex
11	Area * Sex * Race
12	Area * Age
13	Area * Age * Race
14	Area * Age * Sex
15	Area * Age * Sex * Race

NOTE: TYPELVLA values of 0 (overall) and 8 (area) are the default values for the levels of summarization provided in the software. The asterisk (*) indicates that these variables are concatenated for the aggregation of data.

Table 59. Levels of Summarization for IQI_HOSP_OBSERVED.sas and PSI_HOSP_OBSERVED.sas

TYPEVLH	SUMMARIZATION
0	Overall
1	Race
2	Payer
3	Payer * Race
4	Sex
5	Sex * Race
6	Sex * Payer
7	Sex * Payer * Race
8	Age
9	Age * Race
10	Age * Payer
11	Age * Payer * Race
12	Age * Sex

TYPELVLH	SUMMARIZATION
13	Age * Sex * Race
14	Age * Sex * Payer
15	Age * Sex * Payer * Race
16	Hospital
17	Hospital * Race
18	Hospital * Payer
19	Hospital * Payer * Race
20	Hospital * Sex
21	Hospital * Sex * Race
22	Hospital * Sex * Payer
23	Hospital * Sex * Payer * Race
24	Hospital * Age
25	Hospital * Age * Race
26	Hospital * Age * Payer
27	Hospital * Age * Payer * Race
28	Hospital * Age * Sex
29	Hospital * Age * Sex * Race
30	Hospital * Age * Sex * Payer
31	Hospital * Age * Sex * Payer * Race

NOTE: TYPELVLH values of 0 (overall) and 16 (hospital) are the default values for the levels of summarization provided in the software. The asterisk (*) indicates that these variables are concatenated for the aggregation of data.

Table 60. Levels of Summarization for PDI_HOSP_OBSERVED.sas

TYPELVLH	SUMMARIZATION
0	Overall
1	Race
2	Payer
3	Payer * Race
4	Sex
5	Sex * Race
6	Sex * Payer
7	Sex * Payer * Race
8	Age
9	Age * Race
10	Age * Payer
11	Age * Payer * Race
12	Age * Sex
13	Age * Sex * Race
14	Age * Sex * Payer
15	Age * Sex * Payer * Race

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

TYPELV LH	SUMMARIZATION
16	Ageday
17	Ageday * Race
18	Ageday * Payer
19	Ageday * Payer * Race
20	Ageday * Sex
21	Ageday * Sex * Race
22	Ageday * Sex * Payer
23	Ageday * Sex * Payer * Race
24	Ageday * Age
25	Ageday * Age * Race
26	Ageday * Age * Payer
27	Ageday * Age * Payer * Race
28	Ageday * Age * Sex
29	Ageday * Age * Sex * Race
30	Ageday * Age * Sex * Payer
31	Ageday * Age * Sex * Payer * Race
32	Bwht
33	Bwht * Race
34	Bwht * Payer
35	Bwht * Payer * Race
36	Bwht * Sex
37	Bwht * Sex * Race
38	Bwht * Sex * Payer
39	Bwht * Sex * Payer * Race
40	Bwht * Age
41	Bwht * Age * Race
42	Bwht * Age * Payer
43	Bwht * Age * Payer * Race
44	Bwht * Age * Sex
45	Bwht * Age * Sex * Race
46	Bwht * Age * Sex * Payer
47	Bwht * Age * Sex * Payer * Race
48	Bwht * Ageday
49	Bwht * Ageday * Race
50	Bwht * Ageday * Payer
51	Bwht * Ageday * Payer * Race
52	Bwht * Ageday * Sex
53	Bwht * Ageday * Sex * Race
54	Bwht * Ageday * Sex * Payer
55	Bwht * Ageday * Sex * Payer * Race

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

TYPELV LH	SUMMARIZATION
56	Bwht * Ageday * Age
57	Bwht * Ageday * Age * Race
58	Bwht * Ageday * Age * Payer
59	Bwht * Ageday * Age * Payer * Race
60	Bwht * Ageday * Age * Sex
61	Bwht * Ageday * Age * Sex * Race
62	Bwht * Ageday * Age * Sex * Payer
63	Bwht * Ageday * Age * Sex * Payer * Race
64	Hospital
65	Hospital * Race
66	Hospital * Payer
67	Hospital * Payer * Race
68	Hospital * Sex
69	Hospital * Sex * Race
70	Hospital * Sex * Payer
71	Hospital * Sex * Payer * Race
72	Hospital * Age
73	Hospital * Age * Race
74	Hospital * Age * Payer
75	Hospital * Age * Payer * Race
76	Hospital * Age * Sex
77	Hospital * Age * Sex * Race
78	Hospital * Age * Sex * Payer
79	Hospital * Age * Sex * Payer * Race
80	Hospital * Ageday
81	Hospital * Ageday * Race
82	Hospital * Ageday * Payer
83	Hospital * Ageday * Payer * Race
84	Hospital * Ageday * Sex
85	Hospital * Ageday * Sex * Race
86	Hospital * Ageday * Sex * Payer
87	Hospital * Ageday * Sex * Payer * Race
88	Hospital * Ageday * Age
89	Hospital * Ageday * Age * Race
90	Hospital * Ageday * Age * Payer
91	Hospital * Ageday * Age * Payer * Race
92	Hospital * Ageday * Age * Sex
93	Hospital * Ageday * Age * Sex * Race
94	Hospital * Ageday * Age * Sex * Payer
95	Hospital * Ageday * Age * Sex * Payer * Race

AHRQ Quality Indicators
Quality Indicators Software Instructions, SAS QI v2024

TYPEVLH	SUMMARIZATION
96	Hospital * Bwht
97	Hospital * Bwht * Race
98	Hospital * Bwht * Payer
99	Hospital * Bwht * Payer * Race
100	Hospital * Bwht * Sex
101	Hospital * Bwht * Sex * Race
102	Hospital * Bwht * Sex * Payer
103	Hospital * Bwht * Sex * Payer * Race
104	Hospital * Bwht * Age
105	Hospital * Bwht * Age * Race
106	Hospital * Bwht * Age * Payer
107	Hospital * Bwht * Age * Payer * Race
108	Hospital * Bwht * Age * Sex
109	Hospital * Bwht * Age * Sex * Race
110	Hospital * Bwht * Age * Sex * Payer
111	Hospital * Bwht * Age * Sex * Payer * Race
112	Hospital * Bwht * Ageday
113	Hospital * Bwht * Ageday * Race
114	Hospital * Bwht * Ageday * Payer
115	Hospital * Bwht * Ageday * Payer * Race
116	Hospital * Bwht * Ageday * Sex
117	Hospital * Bwht * Ageday * Sex * Race
118	Hospital * Bwht * Ageday * Sex * Payer
119	Hospital * Bwht * Ageday * Sex * Payer * Race
120	Hospital * Bwht * Ageday * Age
121	Hospital * Bwht * Ageday * Age* Race
122	Hospital * Bwht * Ageday * Age * Payer
123	Hospital * Bwht * Ageday * Age * Payer * Race
124	Hospital * Bwht * Ageday * Age * Sex
125	Hospital * Bwht * Ageday * Age * Sex * Race
126	Hospital * Bwht * Ageday * Age * Sex * Payer
127	Hospital * Bwht * Ageday * Age * Sex * Payer * Race

NOTE: TYPEVLH values of 0 (overall) and 64 (hospital) are the default values for the levels of summarization provided in the software. The asterisk (*) indicates that these variables are concatenated for the aggregation of data.

Table 61. Levels of Summarization for PQE_AREA_OBSERVED.sas

TYPELVLA	SUMMARIZATION
0	Overall
1	Sex
2	Age
3	Sex * Age
4	Area
5	Area * Sex
6	Area * Age
7	Area * Age * Sex

NOTE: TYPELVLA values of 0 (overall) and 4 (area) are the default values for the levels of summarization provided in the software. The asterisk (*) indicates that these variables are concatenated for the aggregation of data.

Appendix K: Creating an Input File for the PQE Software

This appendix describes how to prepare the data for input into the PQE software. First, it explains how to create an *ED input file* by selecting ED records from data files that contain all inpatient (hospital) and outpatient (ED) records. Then it describes data elements expected in the ED input file and needed for the PQE area SAS programs.

Creating an ED Input File for the PQE Software

Many organizations collect and store records for inpatient (hospital) stays separate from records from outpatient (ED) visits. To create an ED input file, admissions originating in the ED from the broader inpatient data file must be identified, as must ED outpatient visits (e.g., treat and release or transfers) from the broader outpatient file. The two are then combined into one ED input file.

Selecting ED Admissions from a Broader Inpatient Data File

Inpatient admissions originating in the ED can be identified from evidence of ED services in the inpatient record. The following is a list of data elements possibly coded on inpatient data that would indicate evidence of ED services, each of which can be used to identify such records. Definitions for these data elements are available in the National Uniform Billing Committee (NUBC) Official Uniform Billing 2004 (UB-04) Data Specifications Manual (available at <http://www.nubc.org>). Not all data elements will be available in all data. The list of data elements is divided by those often coded on inpatient data and possibly coded on inpatient data.

- Data Elements often coded on inpatient data
 - Revenue center code of 450–459 indicating ED services
 - Another charge field indicating a positive emergency department charge, if revenue center codes are not available
 - Condition Code of P7 (NUBC preferred coding for public reporting as of July 1, 2010)
 - Point of origin of ED, value 7 (NUBC preferred coding from October 1, 2007 to June 30, 2010)
 - Admission source of ED, value 7 (NUBC preferred coding prior to October 1, 2007)
- Data Elements possibly coded on inpatient data
 - Physician’s Current Procedural Terminology (CPT) procedure code of 99281–99285 indicating ED physician services reported on record.

If an inpatient record has any one of the above evidence of ED services, it should be considered an ED admission record and selected from the broader inpatient file.

To indicate these inpatient records in the PQE input file, add the variable EDADMIT (numeric length 8) to the data file and set the value to 1 to indicate an ED inpatient admission record. HCUP_ED = 0 cases are also filtered out in the software.

Selecting ED Outpatient Visits from a Broader Outpatient Data File

Outpatient ED visits can be identified by evidence of ED services on the outpatient record. The following is a list of data elements coded on outpatient data that would indicate evidence of ED services. Definitions for these data elements are available in the NUBC Official UB-04 Data Specifications Manual. The list of data elements is divided by those often coded on outpatient data and possibly coded on outpatient data:

- Data Elements often coded on outpatient data
 - Revenue center code of 450–459 indicating ED services.
 - Another charge field indicating a positive emergency department charge, if revenue center codes are not available.
 - Physician’s Current Procedural Terminology (CPT) procedure code of 99281–99285 indicating ED physician services reported on record.
- Data Elements possibly coded on outpatient data
 - Condition Code of P7 (NUBC preferred coding for public reporting as of July 1, 2010)
 - Point of origin of ED, value 7 (NUBC preferred coding from October 1, 2007, to June 30, 2010)
 - Admission source of ED, value 7 (NUBC preferred coding prior to October 1, 2007).

If an outpatient record has any one of the above evidence of ED services, it should be considered an ED outpatient visit record and selected out of the broader outpatient file. Add the variable EDADMIT (numeric length 8) to the data file and set the value to 0 to indicate the record is an ED outpatient admission. HCUP_ED = 0 cases are also filtered out in the software.

Creating an ED Input File from Extracted Records for ED Admissions and ED Outpatient Visits

After adding the data elements specified in Table B.1 to each of the ED extracts, combine the records for ED admissions and ED outpatient visits into one ED input file. The data element EDADMIT distinguishes the two types of data with the value 1 for ED admission records and the value 0 for ED outpatient visits. Records with EDADMIT = 0 or 1 can be included in PQE rate calculations.

Another requirement for inclusion is that the hospital state and the patient’s state of residence are the same. This match is indicated by the variable RESIDENT (created by the software using PSTCO and HOSPST), which is 1 if the two match and 0 if they do not.

Appendix L: Variables Needed to Track Multiple ED Visits for a Patient

One of the PQE indicators, Visits for Back Pain in ED (PQE 05), requires the use of “revisit” variables that can track patients across EDs and time and identify the days between visits. As described in [Appendix K](#) the input data to the PQE software are “encounter-level” files, meaning that each record in the file represents one ED encounter. Thus, if the same individual visited the ED multiple times in a given year, the input file includes a separate record for each ED visit.

To identify multiple visits and calculate the number of days between them as specified for PQE 05, the software requires two data elements. These elements can be created easily, if the data set already includes a unique patient identifier and admission date:

- **VisitLink** must be a numeric variable (length 8) that uniquely identifies an individual. If there is already a patient identifier on the administrative database, just convert it to a numeric variable and rename it visitLink.
- **DaysToEvent** is a numeric variable (length 8) that identifies the date of the ED encounter. If the admission date for the ED visit is stored as a SAS date variable, it can be renamed DaysToEvent. If the admission date is not stored as a SAS date variable, it can be converted to a SAS date variable and then renamed to DaysToEvent. The variable can also be defined as a numeric variable representing the number of days between an arbitrary starting date and a visit admission date, as long as the same starting date is used for all of the individual’s visits.

The number of days between ED visits is the difference of DaysToEvent between two selected visits for a unique VisitLink. More information on these variables and how they can be created using HCUP data is available on the HCUP User Support Web site (<http://www.hcup-us.ahrq.gov/toolssoftware/revisit/revisit.jsp>).

The HCUP website has two Methods Series Reports specific to readmission and revisit analyses:

- Report #2012-04: *Overview of Key Readmission Measures and Methods* describes 12 key measures of hospital readmissions
- Report #2011-01: *Methodological Issues when Studying Readmissions and Revisits using Hospital Administrative Data* discusses challenges encountered when designing a readmission analysis using hospital administrative data.

Both reports are available at <https://www.hcup-us.ahrq.gov/reports/methods/methods.jsp>.